BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE **BRAIN SCIENCES**

CUMULATIVE AUTHOR AND SUBJECT INDEXES

Volumes 362–387; 389–396 (1986)

U.I.C.
AUG 16 1989
LIBRARY

SCIENCE

ELSEVIER

EDITOR-IN-CHIEF – D.P. PURPURA

INDEX86-1BRE

BRAIN RESEARCH

INSTRUCTIONS TO AUTHORS

SCOPE AND PURPOSE

BRAIN RESEARCH provides a medium for prompt publication of articles in the fields of neuroanatomy, neurochemistry, neurophysiology, neuroendocrinology, neuropharmacology, neurotoxicology, neurocommunications, behavioural sciences, molecular neurology and biocybernetics. Clinical studies that are of fundamental importance and have a direct bearing on the knowledge of the structure and function of the brain, the spinal cord, and the peripheral nerves will also be published.

TYPE OF PAPERS

1. **Research Reports** reporting results of original fundamental research in any branch in the brain sciences. It is expected that these papers will be published about six months after acceptance.
2. **Short Communications** reporting on research which has progressed to the stage when it is considered that the results should be made known quickly to other workers in the field. The maximum length allowed will be 1500 words or equivalent space in tables and illustrations. It is expected that short communications will be published about three months after acceptance.
3. **Review articles.** A supplementary volume entitled Brain Research Reviews will be published quarterly which will be devoted to Review articles and occasionally long research papers with extensive review components, giving a survey, an evaluating and critical interpretation of recent research data and conceptions in a particular field of brain research or on a specific problem or topic of interest to workers in the brain sciences.

MANUSCRIPTS

Manuscripts should be submitted *in quadruplicate* and be complete in all respects (including four copies of all illustrations), and deal with original material not previously published, or being considered for publication elsewhere. Manuscripts submitted under multiple authorship are reviewed on the assumption that all listed authors concur with the submission and that a copy of the final manuscript has been approved by all authors and tacitly or explicitly by the responsible authorities in the laboratories where the work was carried out. If accepted, the manuscript shall not be published elsewhere in the same form, in either the same or another language, without the consent of the Editors and Publisher. Submission of a paper to **Brain Research** is understood to imply that it has not previously been published (except in abstract form) and that it is not being considered for publication elsewhere.

The Publisher and Editor-in-Chief regret that they are unable to return copies of submitted manuscripts except in the case of rejected articles, where only the original manuscript and figures are returned to the author.

Research reports and short communications should be sent to:
Professor Dr. D. P. PURPURA
Brain Research
Office of the Dean
Albert Einstein College of Medicine
1300 Morris Park Avenue
Bronx, NY 10461, U.S.A.
Tel.: (1) (212) 430-2387

Correspondence relating to proofs, publication and reprints should be sent to:
Elsevier Science Publishers B.V.
(Biomedical Division)
P.O. Box 1527
1000 BM Amsterdam
The Netherlands
Tel.: (31) (20) 5803-467

Authors should clearly state the section for which the article should be considered. Review articles will only be published in Brain Research Reviews. Developmental studies and molecular studies may be considered at the request of the author for publication in *Brain Research*, but will usually be considered for the appropriate section.

Page charge. A charge of US$ 65.00 will be levied for each printed page in excess of 12 printed pages for **Research Reports** and 6 printed pages for **Short Communications.** Upon receipt of each typescript its size in printed pages is estimated by the Publisher. If the estimate is higher than the limits allowed, the authors are advised that they may expect a page charge, the exact amount of which is fixed after the definite length of their paper is known. As an approximate guide to authors for judging the length of their paper, the following estimations may be used:
2.5 type-written pages = 1 printed page; 2 'average' figures + legends = 1 printed page; 3 'average' tables = 1 printed page; 30 references = 1 printed page.

Manuscripts. Manuscripts should be written in English and be accompanied by a list of 6–8 **key words** and a **summary** of about 200 words for **Research Reports** and 50–70 words for **Short Communications,** on a separate page. Manuscripts must be submitted in four copies in **double-spaced** typing with at least a 4 cm margin on pages of uniform size. As a rule research reports and review articles should be **divided into sections** headed by a caption (Summary, Introduction, Materials and Methods, Results, Discussion, Acknowledgements, References). Short communications should contain no section headings. In order to ensure rapid publication, no revisions or up-datings will be incorporated into a short communication after the manuscript has been accepted and sent to the Publisher.

Authors' full names, academic or professional affiliations, and **complete addresses** should be included on a separate title page. The name and address of the author to whom proofs and correspondence are to be sent should be given.

Literature references. Citation of literature references in the text should be given at the appropriate places by numbers as superscripts without parentheses. All references cited in the text should be listed at the end of the paper on a separate page (also double-spaced) arranged in alphabetical order of first author and numbered consecutively. All items in the list of references should be cited in the text and, conversely, all references cited in the text must be presented in the list.

Literature references must be complete, including initials of the authors cited, title of paper referred to, abbreviated title of the periodical, volume, year, and first and last page numbers of the article. The abbreviations of journal titles should conform to those adopted by *List of Serial Title Word Abbreviations,* CIEPS/ISDS, Paris, 1985 (ISBN 2-904938-02-8). (See example 2.)

The form of literature references to books should be: author, initials, title of book, publisher and city, year and page number referred to. (See example 1.) References to authors contributing to multi-author books or to proceedings printed in book-form should be similar to those for books. (See example 3.)

Examples:

1 Bureš, J., Burešová, O. and Huston, J. P., *Techniques and Basic Experiments for the Study of Brain and Behavior,* 2nd edn., Elsevier, Amsterdam, 1983, 326 pp.

2 Langston, J. W., Irwin, I., Langston, E. B. and Forno, L. S., The importance of the '4–5' double bond for neurotoxicity in primates of the pyridine derivative MPTP, *Neurosci. Lett.,* 50 (1984) 289–294.

3 Sofroniew, M. V., Morphology of vasopressin and oxytocin neurones and their central and vascular projections. In B. A. Cross and G. Leng (Eds.), *The Neurohypophysis: Structure, Function and Control, Progress in Brain Research, Vol. 60,* Elsevier, Amsterdam, 1983, pp. 101–114.

This journal should be cited in the list of references as *Brain Research.*

(continued on inside back cover)

Advertisement rates are available from the Publisher upon request.

BRAIN RESEARCH

AUTHOR AND SUBJECT INDEXES

VOLUMES 362–387; 389–396 (1986)
(Including Developmental Brain Research, Brain Research Reviews and Molecular Brain Research)



Digitized by the Internet Archive
in 2024

https://archive.org/details/brain-research_1986_362-396_cumulative-index

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN SCIENCES

EDITOR-IN-CHIEF: D. P. PURPURA (BRONX, NY, U.S.A.)

EDITORIAL BOARD

G. K. Aghajanian (New Haven, CT, U.S.A.)
B. W. Agranoff (Ann Arbor, MI, U.S.A.)
A. Aguayo (Montreal, Que., Canada)
P. Andersen (Oslo, Norway)
E. C. Azmitia (New York, NY, U.S.A.)
G. Bartholini (Paris, France)
M. V. L. Bennett (Bronx, NY, U.S.A.)
A. Björklund (Lund, Sweden)
F. E. Bloom (La Jolla, CA, U.S.A.)
A. G. Brown (Edinburgh, U.K.)
P. Buser (Paris, France)
R. E. Coggeshall (Galveston, TX, U.S.A.)
B. Cohen (New York, NY, U.S.A.)
H. Collewijn (Rotterdam, The Netherlands)
W. M. Cowan (Bethesda, MD, U.S.A.)
A. C. Cuello (Montreal, Que., Canada)
J. E. Desmedt (Brussels, Belgium)
J. E. Dowling (Cambridge, MA, U.S.A.)
J. J. Dreifuss (Geneva, Switzerland)
B. Droz (Lausanne, Switzerland)
P. C. Emson (Cambridge, U.K.)
S. J. Enna (Baltimore, MD, U.S.A.)
H. L. Fields (San Francisco, CA, U.S.A.)
B. Flerkó (Pecs, Hungary)
H. M. Gerschenfeld (Paris, France)
J. Glowinski (Paris, France)
P. Goldman-Rakic (New Haven, CT, U.S.A.)
M. H. Goldstein Jr. (Baltimore, MD, U.S.A.)
S. Grillner (Stockholm, Sweden)
A. Hamberger (Göteborg, Sweden)
K. P. Hoffmann (Bochum, F.R.G.)
T. G. M. Hökfelt (Stockholm, Sweden)
R. L. Isaacson (Binghamton, NY, U.S.A.)
M. Ito (Tokyo, Japan)
B. Jacobs (Princeton, NJ, U.S.A.)
G. A. R. Johnston (Sydney, Australia)
E. G. Jones (Irvine, CA, U.S.A.)
J. S. Kelly (Edinburgh, U.K.)
C. Kennedy (Bethesda, MD, U.S.A.)
L. Kruger (Los Angeles, CA, U.S.A.)
H. G. J. M. Kuypers (Cambridge, U.K.)
J. LaVail (San Francisco, CA, U.S.A.)
J. Liebeskind (Los Angeles, CA, U.S.A.)
H. D. Lux (Planegg, F.R.G.)
B. S. McEwen (New York, NY, U.S.A.)
E. G. McGeer (Vancouver, B.C., Canada)
R. Y. Moore (Stony Brook, NY, U.S.A.)
P. Morell (Chapel Hill, NC, U.S.A.)
W. T. Norton (Bronx, NY, U.S.A.)
S. Ozawa (Maebashi, Japan)
M. Palkovits (Budapest, Hungary)
A. J. Patel (London, U.K.)
T. P. S. Powell (Oxford, U.K.)
M. E. Raichle (St. Louis, MO, U.S.A.)
C. S. Raine (Bronx, NY, U.S.A.)
G. Raisman (London, U.K.)
P. Rakic (New Haven, CT, U.S.A.)
S. I. Rapoport (Bethesda, MD, U.S.A.)
C. E. Ribak (Irvine, CA, U.S.A.)
P. Rudomín (Mexico D.F., Mexico)
R. W. Ryall (Cambridge, U.K.)
M. Schachner (Heidelberg, F.R.G.)
P. A. Schwartzkroin (Seattle, WA, U.S.A.)
E. J. Simon (New York, NY, U.S.A.)
S. H. Snyder (Baltimore, MD, U.S.A.)
C. Sotelo (Paris, France)
J. Stone (Kensington, Australia)
L. Terenius (Uppsala, Sweden)
H. Thoenen (Munich, F.R.G.)
S. Tucek (Prague, Czechoslovakia)
S. Waxman (New Haven, CT, U.S.A.)
R. Werman (Jerusalem, Israel)
C.-P. Wu (Shanghai, China)
R. Wurtman (Cambridge, MA, U.S.A.)
W. Zieglgänsberger (Munich, F.R.G.)
R. S. Zukin (Bronx, NY, U.S.A.)

AUTHOR AND SUBJECT INDEXES – VOLUMES 362–387; 389–396 (1986)



ELSEVIER SCIENCE PUBLISHERS B.V. – AMSTERDAM

© 1989, Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

Printed in The Netherlands.

This journal is printed on acid-free paper.

INTRODUCTION

The 1986 Cumulative Author and Subject Index comprises eight separate indexes: the Author and Subject Indexes of **Brain Research, Molecular Brain Research, Developmental Brain Research** and **Brain Research Reviews.** Please note that in 1986 Brain Research was published according to a volume-numbering scheme that embraced all sections of the journal. Each of the sections also had its own volume numbering, according to the system below. The latter numbering has been used in the present indexes.

BRAIN RESEARCH (1986) Volumes 362–387; 389–396			
Vols. 362–386; 397–399	**Volume 387**	**Vols. 389–395**	**Volume 396**
Brain Research	**Molecular Brain Research Volume 1**	**Developmental Brain Research Volumes 24-30**	**Brain Research Reviews Volume 11**

Please note that the above schedule differs slightly from the 1986 publication schedule: **Brain Research** Volumes 360 and 361 were published in advance in 1985 and were indexed in the 1985 index; **Brain Research** Volumes 397–399 belong to the 1987 subscription year but were published in advance in 1986. They are indexed in the present index. **Brain Research** Volume 388 (**Molecular Brain Research** Volume 2) was published in 1987, and will be indexed in the 1987 index.

Readers should note that American spelling is used throughout the Subject Indexes.

The Editor and Publisher welcome any comments on the usefulness of this index, as well as suggestions for improvements.

AUTHOR AND SUBJECT INDEXES

CONTENTS

Introduction v
Brain Research Author Index (Vols. 362–386, 397–399 – 1986) 1
Brain Research Subject Index (Vols. 362–386, 397–399 – 1986) 73
Developmental Brain Research Author Index (Vols. 389–395 (24–30) – 1986) 263
Developmental Brain Research Subject Index (Vols. 389–395 (24–30) – 1986) 277
Brain Research Reviews Author Index (Vol. 396 (11) – 1986) 311
Brain Research Reviews Subject Index (Vol. 396 (11) – 1986) 315
Molecular Brain Research Author Index (Vol. 387 (1) – 1986) 321
Molecular Brain Research Subject Index (Vol. 387 (1) – 1986) 327

BRAIN RESEARCH
AUTHOR INDEX
1986
VOLUMES 362–386, 397–399

A

Abate, C., see Park, D.H., **370**, 375
Abdelkefi, J., see Segu, L., **384**, 205
Abe, H., see Kita, T., **398**, 18
Abood, L.G., see Kasckow, J.W., **373**, 384
Abood, L.G., see Kasckow, J.W., **373**, 392
Abou-Donia, M.B., see Suwita, E., **374**, 199
Abraira, V., see Lerma, J., **384**, 145
Abram, S.E. and Kostreva, D.R.
Spinal cord metabolic response to noxious radiant heat stimulation of the cat hind footpad, **385**, 143
Abu-Assal, M., see Bawin, S.M., **362**, 350
Abu-Assal, M.L., see Bawin, S.M., **399**, 194
Adam, H., see Weiger, T., **378**, 285
Adams, C.E., Cepeda, C., Boylan, M.K., Fisher, R.S., Hull, C.D., Buchwald, N.A., Wainer, B.H. and Levine, M.S.
Basal forebrain neurons have axon collaterals that project to widely divergent cortical areas in the cat, **397**, 365
Adams, C.E., see Marfurt, C.F., **366**, 373
Adams, J.E., see Baskin, D.S., **371**, 231
Adams, M.A., see Silver, W.L., **376**, 221
Adey, W.R., see Bawin, S.M., **362**, 350
Adey, W.R., see Bawin, S.M., **399**, 194
Adinolfi, A.M., see Dvergsten, C.L., **375**, 395
Adler, E.M., Yaari, Y., David, G. and Selzer, M.E.
Frequency-dependent action of phenytoin on lamprey spinal axons, **362**, 271
Adler, J.E., see Katz, D.M., **385**, 68
Adler, N.T., see Levine, J.D., **384**, 240
Adrien, J. and Lanfumey, L.
Ontogenesis of unit activity in the raphe dorsalis of the behaving kitten: its relationship with the states of vigilance, **366**, 10
Aghajanian, G.K. and Wang, Y.-Y.
Pertussis toxin blocks the outward currents evoked by opiate and α_2-agonists in locus coeruleus neurons, **371**, 390
Aghajanian, G.K., see Innis, R.B., **363**, 230
Aghajanian, G.K., see Rasmussen, K., **385**, 395
Agid, Y., see Cash, R., **370**, 127
Agid, Y., see Ruberg, M., **362**, 83
Agostino, R., see Cruccu, G., **371**, 298
Agranoff, B.W., see Ford-Holevinski, T.S., **368**, 339
Agrawal, A.K., see Srivastava, S.P., **371**, 319
Agrawal, H.C., see Bourdette, D.N., **366**, 333
Agren, H., Koulu, M., Saavedra, J.M., Potter, W.Z. and Linnoila, M.
Circadian covariation of norepinephrine and serotonin in the locus coeruleus and dorsal raphe nucleus in the rat, **397**, 353
Agren, H., see Koulu, M., **379**, 257
Aguera, M., see Harandi, M., **370**, 241
Aguilar-Roblero, R., see Arankowsky-Sandoval, G., **375**, 377
Ahluwalia, P., see Irwin, J., **379**, 98
Ahmed, B., see Hammond, P., **386**, 93
Ahokas, R.A., see Mashburn Jr., T.A., **376**, 285
Ahtee, L., see Haikala, H., **375**, 313
Aihara, H., see Kamata, K., **367**, 1
Aitken, P.G. and Somjen, G.G.
The sources of extracellular potassium accumulation in the CA1 region of hippocampal slices, **369**, 163
Aitken, P.G., see Balestrino, M., **377**, 229
Akabori, A. and Barraclough, C.A.
Effects of morphine on luteinizing hormone secretion and catecholamine turnover in the hypothalamus of estrogen-treated rats, **362**, 221
Akabori, A. and Barraclough, C.A.
Gonadotropin responses to naloxone may depend upon spontaneous activity in noradrenergic neurons at the time of treatment, **362**, 55
Akagawa, K. and Barnstable, C.J.
Identification and characterization of cell types in monolayer cultures of rat retina using monoclonal antibodies, **383**, 110
Akaike, N., see Oyama, Y., **376**, 280
Akaike, N., see Yoshimatsu, H., **384**, 17
Akaike, T.
Differential localization of inferior olivary neurons projecting to the tecto-olivo-recipient zones of lobule VII or crus II in the rat cerebellum, **386**, 400
Akaike, T.
Electrophysiological analysis of the tecto-olivo-cerebellar (crus II) projection in the rat, **378**, 186
Akaike, T.
Spatial distribution of evoked potentials in the inferior olivary nucleus by stimulation of the visual afferents in the rat, **368**, 183
Akasu, T., see Ariyoshi, M., **367**, 332
Akasu, T., Shinnick-Gallagher, P. and Gallagher, J.P.
Evidence for a catecholamine-mediated slow hyperpolarizing synaptic response in parasympathetic ganglia, **365**, 365
Akema, T., Praputpittaya, C. and Kimura, F.
Septal-preoptic unit responses to microelectrophoresis of cholecystokinin, gastrin, vasoactive intestinal peptide and secretin in the rat, **385**, 366
Akema, T., see Tadokoro, Y., **380**, 69
Akers, R.F., see Lovinger, D.M., **399**, 205
Akesson, T.R. and Micevych, P.E.
Binding of ^{125}I-cholecystokinin-octapeptide in the paraventricular but not the supraoptic nucleus is increased by ovariectomy, **385**, 165
Akiguchi, I., see Matsubayashi, K., **368**, 30
Akil, H., see Dores, R.M., **377**, 251
Akil, H., see Mansour, A., **399**, 69
Akil, H., see Tsou, K., **378**, 28
Akira, S., see Wakabayashi, I., **372**, 361
Akisaka, T., see Nishimori, T., **372**, 375
Alafaci, C., see Cowen, T., **384**, 51
Alba, F., Ramirez, M., Iribar, C., Cantalejo, E.S. and Osorio, C.
Asymmetrical distribution of aminopeptidase activity in the cortex of rat brain, **368**, 158
Albala, B.J., Moshé, S.L., Cubells, J.F., Sharpless, N.S. and Makman, M.H.
Unilateral peri-substantia nigra catecholaminergic lesion and amygdala kindling, **370**, 388
Albanese, A., see Iacopino, C., **374**, 402
Albrecht, R.F., see Hoffman, W.E., **367**, 73
Aldinio, C., see Mazzari, S., **380**, 309
Aldskogius, H. and Thomander, L.
Selective reinnervation of somatotopically appropriate muscles after facial nerve transection and regeneration in the neonatal rat, **375**, 126
Aldskogius, H., see Kinnman, E., **377**, 73
Alexander, G.M., see Schwartzman, R.J., **398**, 113
Allen, A., see McKinley, M.J., **375**, 373
Allen, G.S., see Tulipan, N., **377**, 163
Alli, P., see Howland, R.D., **363**, 333
Alloway, K.D., see Kamata, K., **362**, 331
Almaraz, L., see Obeso, A., **371**, 25
Almeida, O.F.X., see Nikolarakis, K.E., **377**, 388
Almeida, O.F.X., see Nikolarakis, K.E., **399**, 152
Alonso, G., Szafarczyk, A., Balmefrézol, M. and Assenmacher, I.
Immunocytochemical evidence for stimulatory control by the ventral noradrenergic bundle of parvocellular neurons of the paraventricular nucleus secreting corticotropin releasing hormone and vasopressin in rats, **397**, 297
Alpert, J.E., see Elliott, P.J., **363**, 145
Alstermark, B. and Kümmel, H.
Transneuronal labelling of neurones projecting to forelimb motoneurones in cats performing different

movements, **376**, 387
Altar, C.A., Boyar, W.C. and Marien, M.R.
[^{125}I]-LSD autoradiography confirms the preferential localization of caudate-putamen S_2 Receptors to the caudal (peripallidal) region, **372**, 130
Altar, C.A., see Marshall, J.F., **379**, 112
Altavista, M.C., see Iacopino, C., **374**, 402
Altemus, K.L., see Brozoski, T.J., **364**, 275
Altschuler, R.A., Betz, H., Parakkal, M.H., Reeks, K.A. and Wenthold, R.J.
Identification of glycinergic synapses in the cochlear nucleus through immunocytochemical localization of the postsynaptic receptor, **369**, 316
Altschuler, R.A., see Fex, J., **366**, 106
Altschuler, R.A., see Monaghan, P.L., **363**, 364
Altschuler, R.A., see Wenthold, R.J., **363**, 371
Altschuler, R.A., see Wenthold, R.J., **380**, 7
Altschuler, R.J., see Price, D.L., **385**, 305
Amalric, M., Blasco, T.A., Smith, N.T., Lee, D.E., Swerdlow, N.R. and Koob, G.F.
'Catatonia' produced by alfentanil is reversed by methylnaloxonium microinjections into the brain, **386**, 287
Amalric, M., see Blasco, T.A., **386**, 280
Amano, H., see Kubo, T., **363**, 183
Amini-Sereshki, L. and Morrison, A.R.
Effects of pontine tegmental lesions that induce paradoxical sleep without atonia on thermoregulation in cats during wakefulness, **384**, 23
Amoroso, S., see Taglialatela, M., **381**, 356
Anastasi, N.C., see Holtman Jr., J.R., **362**, 214
Andersen, E.
Periaqueductal gray and cerebral cortex modulate responses of medial thalamic neurons to noxious stimulation, **375**, 30
Anderson, K., see Gibbs, R.B., **383**, 362
Anderson, K.J., Holets, V.R., Mazur, P.C., Lasher, R.S. and Cotman, C.W.
Immunocytochemical localization of serotonin in the rat dentate gyrus following raphe transplants, **369**, 21
Anderson, R.A. and Mitchell, R.
Benzodiazepine- and barbiturate-interactions with $GABA_A$ receptor responses on lactotrophes, **371**, 287
Anderson, R.A. and Mitchell, R.
Distribution of GABA binding site subtypes in rat pituitary gland, **365**, 78
Anderson, R.E., see Meyer, F.B., **384**, 180
Anderson, R.E., see Ramana Reddy, S.V., **365**, 278
Anderson, R.H., Fleming, D.E., Rhees, R.W. and Kinghorn, E.
Relationships between sexual activity, plasma testosterone, and the volume of the sexually dimorphic nucleus of the preoptic area in prenatally stressed and non-stressed rats, **370**, 1
Anderson, W.A. and Flumerfelt, B.A.
A comparison of the effects of climbing fiber deafferentation in adult and weanling rats, **382**, 228
Anderson, W.A. and Flumerfelt, B.A.
Long-term effects of parallel fiber loss in the cerebellar cortex of the adult and weanling rat, **383**, 245
Anderson, W.W., Lewis, D.V., Swartzwelder, H.S. and Wilson, W.A.
Magnesium-free medium activates seizure-like events in the rat hippocampal slice, **398**, 215
Andersson, G., see Gustafsson, M., **367**, 14
Andersson, S.A., see Rydenhag, B., **367**, 337
Ando, M., Kato, T., Tanaka, R. and Nagata, Y.
Stimulative effect of glia maturation factor and acetylcholine on active amino acid uptake and Ca^{2+},Mg^{2+}-ATPase activity in nodose ganglia excised from adult rats, **373**, 359
Andrew, P.D., see Kanosue, K., **379**, 90
Andrews, D., see Loring, R.H., **385**, 30
Anisman, H., see Irwin, J., **379**, 98
Annunziato, L., see Taglialatela, M., **381**, 356
Antelman, S.M., Kocan, D., Edwards, D.J., Knopf, S., Perel, J.M. and Stiller, R.
Behavioral effects of a single neuroleptic treatment grow with the passage of time, **385**, 58
Antonicek, H., see Noronha, A.B., **385**, 237
Antuono, P.G., see Whitehouse, P.J., **371**, 146
Aoki, M., see Kawahara, K., **378**, 61
Aou, S., see Nakano, Y., **399**, 167
Aou, S., see Oomura, Y., **365**, 335
Aoyagi, K., see Nakano, Y., **399**, 167
Apfelbach, R., see Rehn, B., **373**, 114
Appel, N.M., Kiritsy-Roy, J.A. and Van Loon, G.R.
Mu receptors at discrete hypothalamic and brainstem sites mediate opioid peptide-induced increases in central sympathetic outflow, **378**, 8
Appel, S.H., see Tomozawa, Y., **399**, 111
Appelbaum, B.D. and Holtzman, S.G.
Stress-induced changes in the analgesic and thermic effects of opioid peptides in the rat, **377**, 330
Appenzeller, O., see Dhital, K., **367**, 39
Applegate, C.D., Flashman, L.A. and Burchfiel, J.L.
The effects of chronic desmethylimipramine on entorhinal cortical kindling in rats, **398**, 121
Arai, H. and Emson, P.C.
Regional distribution of neuropeptide K and other tachykinins (neurokinin A, neurokinin B and substance P) in ra central nervous system, **399**, 240
Arai, H., Moroji, T., Kosaka, K. and Iizuka, R.
Extrahypophyseal distribution of α-melanocyte stimulating hormone (α-MSH)-like immunoreactivity in postmortem brains from normal subjects and Alzheimer-type dementia patients, **377**, 305
Arai, Y., see Tokumoto, H., **362**, 114
Arankowsky-Sandoval, G., Prospéro-Garcia, O., Aguilar-Roblero, R. and Drucker-Colín, R.
Cholinergic reduction of REM sleep duration is reverted by auditory stimulation, **375**, 377
Arankowsky-Sandoval, G., see Prospéro-Garcia, O., **385**, 169
Aravich, P.F. and Sladek, C.D.
Vasopressin and glucoprivic-feeding behavior: A new perspective on an 'old' peptide, **385**, 245
Arbogast, R.E., see Kozlowski, M.R., **372**, 45
Archer, T., see Danysz, W., **365**, 169
Archer, T., see Fernandez-Guasti, A., **377**, 112
Archer, T., see Mohammed, A.K., **398**, 6
Archer, T., see Post, C., **363**, 18
Ardell, J.L., see Pomeroy, G., **381**, 385
Arends, J.J.A. and Zeigler, H.P.
Anatomical identification of an auditory pathway from a nucleus of the lateral lemniscal system to the frontal telencephalon (nucleus basalis) of the pigeon, **398**, 375
Arendt, R.M., see Seizinger, B.R., **378**, 405
Argiolas, A., see Melis, M.R., **398**, 259
Arhem, P., Lindström, A. and Johansson, S.
Ionic channels in the node of Ranvier are not modulated by cyclic adenosine monophosphate, **371**, 182
Ariel, M., Mangel, S.C. and Dowling, J.E.
N-Methyl D-aspartate acts as an antagonist of the photoreceptor transmitter in the carp retina, **372**, 143
Arimura, A., see Merchenthaler, I., **378**, 297
Arita, J. and Kimura, F.
Adenosine 3′,5′-cyclic monophosphate stimulates

dopamine biosynthesis in the median eminence of rat hypothalamic slices, **374**, 37
Arita, J. and Kimura, F.
Effect of aging on in vitro dopamine biosynthesis in the median eminence of rat hypothalamic slices, **369**, 391
Ariyoshi, M. and Akasu, T.
Glucocorticoid modulates the sensitivity of the $GABA_A$ receptor on primary afferent neurons of bullfrogs, **367**, 332
Armstrong, E.
Enlarged limbic structures in the human brain: the anterior thalamus and medial mamillary body, **362**, 394
Armstrong, W.E., Gallagher, M.J. and Sladek, C.D.
Noradrenergic stimulation of supraoptic neuronal activity and vasopressin release in vitro: mediation by an α_1-receptor, **365**, 192
Arneric, S., see Iwata, J., **383**, 195
Arneric, S.P. and Reis, D.J.
Somatostatin and cholecystokinin octapeptide differentially modulate the release of [^{3}H]acetylcholine from caudate nucleus but not cerebral cortex: role of dopamine receptor activation, **374**, 153
Aronin, N., Chase, K. and Difiglia, M.
Glutamic acid decarboxylase and enkephalin immunoreactive axon terminals in the rat neostriatum synapse with striatonigral neurons, **365**, 151
Aronowski, J., see Dougherty, P.M., **385**, 401
Arshavsky, Y.I., Orlovsky, G.N., Pavlova, G.A. and Popova, L.B.
Activity of C_3–C_4 propriospinal neurons during fictitious forelimb locomotion in the cat, **363**, 354
Arthaud, L.E., see Wilkening, D., **368**, 239
Arvanitis, D., see Neafsey, E.J., **377**, 261
Arvidsson, J. and Ygge, J.
A quantitative study of the effects of neonatal capsaicin treatment and of subsequent peripheral nerve transection in the adult rat, **397**, 130
Arvidsson, J., Ygge, J. and Grant, G.
Cell loss in lumbar dorsal root ganglia and transganglionic degeneration after sciatic nerve resection in the rat, **373**, 15
Aschner, M., Rodier, P.M. and Finkelstein, J.N.
Reduction of axonal transport in the rat optic system after direct application of methylmercury, **381**, 244
Ashton, D., Reid, K., Willems, R. and Wauquier, A.
N-methyl-D-aspartate and hypoxia induced Ca^{2+}-changes in the CA_1 region of the hippocampal slice, **385**, 185
Ashwood, T.J. and Wheal, H.V.
Loss of inhibition in the CA1 region of the kainic acid lesioned hippocampus is not associated with changes in postsynaptic responses to GABA, **367**, 390
Assenmacher, I., see Alonso, G., **397**, 297
Astier, B., Kitahama, K., Denoroy, L., Berod, A., Jouvet, M. and Renaud, B.
Biochemical evidence for an interaction between adrenaline and noradrenaline neurons in the rat brainstem, **397**, 333
Aston-Jones, G., see Ennis, M., **374**, 299
Atkinson, M.E., see Shehab, S.A.S., **372**, 37
Atkinson, M.E., see Shehab, S.A.S., **376**, 180
Atweh, S.F., see Saadé, N.E., **369**, 307
Au, C., see Jen, L.S., **379**, 385
Audhya, T., see Brown Jr., R.H., **381**, 237
Audigier, S., Barberis, C. and Jard, S.
Vasoactive intestinal polypeptide increases inositol phospholipid breakdown in the rat superior cervical ganglion, **376**, 363
Audinat, E., see Leresche, N., **365**, 138
Audinat, E., see Leresche, N., **365**, 383
Audsley, A.R., see Sirinathsinghji, D.J.S., **374**, 167
Audsley, A.R., see Sirinathsinghji, D.J.S., **399**, 339
Auriemma, R.A., see Stauffer, E.K., **375**, 157
Austin-Lafrance, R.J., see Bronzino, J.D., **384**, 348
Auszmann, J.M., see Kreider, B.Q., **397**, 238
Avoli, M.
Inhibitory potentials in neurons of the deep layers of the in vitro neocortical slice, **370**, 165
Axelrod, J., see Redgate, E.S., **365**, 61
Azmitia, E.C., see Segal, M., **364**, 162
Azmitia, E.C., see Zhou, F.C., **373**, 337

B

Baas, P.D., see Bovenberg, R.A.L., **376**, 29
Babb, T.L., see Finch, D.M., **397**, 205
Bachmann, C., see Gorgievski-Hrisoho, M., **367**, 395
Badamchian, M., see Carroll, P.T., **382**, 83
Badke, M.B., see Di Fabio, R.P., **363**, 257
Baetens, D., see Garcia-Segura, L.M., **366**, 131
Baird, R.A. and Lewis, E.R.
Correspondences between afferent innervation patterns and response dynamics in the bullfrog utricle and lagena, **369**, 48
Baisden, R.H., see Woodruff, M.L., **379**, 10
Bakay, R.A.E., see Ribak, C.E., **363**, 78
Baker, F.A., see Yoon, M.G., **382**, 339
Baker, G.B., see Vanderwolf, C.H., **374**, 342
Baker, H.F., see Ridley, R.M., **376**, 108
Baker, J., Harrison, R.E.W., Isu, N., Wickland, C. and Peterson, B.
Dynamics of adaptive change in vestibulo-ocular reflex direction. II. Sagittal plane rotations, **371**, 166
Baker, J.F., see Harrison, R.E.W., **371**, 162
Baker, T.B., see Dahl, J.L., **373**, 316
Bakhit, C. and Swerdlow, N.
Behavioral changes following central injection of cysteamine in rats, **365**, 159
Bakke, H.K., Murison, R. and Walther, B.
Effect of central noradrenaline depletion on corticosterone levels and gastric ulcerations in rats, **368**, 256
Balaban, C.D., see Ignocheck, A., **384**, 94
Balaban, C.D., see Wurpel, J.N.D., **365**, 21
Balaban, C.D., see Wurpel, J.N.D., **365**, 30
Baldwin, B.A., see Kendrick, K.M., **375**, 322
Balentine, J.D., see Streit, W.J., **377**, 1
Balestrino, M. and Somjen, G.G.
Chlorpromazine protects brain tissue in hypoxia by delaying spreading depression-mediated calcium influx, **385**, 219
Balestrino, M., Aitken, P.G. and Somjen, G.G.
The Effects of moderate changes of extracellular K^+ and Ca^{2+} on synaptic and neural function in the CA1 region of the hippocampal slice, **377**, 229
Ballinger, M.L., see Bittner, G.D., **367**, 351
Ballinger Jr., W.E., see Sceats Jr., D.J., **362**, 149
Balmefrézol, M., see Alonso, G., **397**, 297
Balthazart, J., Schumacher, M. and Pröve, E.
Brain testosterone metabolism during ontogeny in the zebra finch, **378**, 240
Balthazart, J., see Schumacher, M., **370**, 285
Band, L.C., see Hull, E.M., **370**, 73
Banerji, T.K., Parkening, T.A., Collins, T.J., Rassoli, A.H. and Legate, L.S.
Acute lithium treatment suppresses the proestrous LH surge in mice:

chronic lithium leads to constant diestrus, **380**, 176
Banister, M.J., see Duncan, M.J., **369**, 326
Bank, B., Gurd, J.W. and Chute, D.L. Decreased phosphorylation of synaptic glycoproteins following hippocampal kindling, **399**, 390
Bankiewicz, K.S., see Joyce, J.N., **382**, 360
Bánky, Z., Halász, B. and Nagy, G. Circadian corticosterone rhythm did not develop in rats seven weeks after destruction with 5,7-dihydroxytryptamine of the serotoninergic nerve terminals in the suprachiasmatic nucleus at the age of 16 days, **369**, 119
Bannon, M.J., Deutch, A.Y., Tam, S.-Y., Zamir, N., Eskay, R.L., Lee, J.-M., Maggio, J.E. and Roth, R.H. Mild footshock stress dissociates substance P from substance K and dynorphin from Met- and Leu-enkephalin, **381**, 393
Bannon, M.J., see Elliott, P.J., **363**, 145
Bannon, M.J., see Lee, J.-M., **371**, 152
Barasi, S. and Lynn, B. Effects of sympathetic stimulation on mechanoreceptive and nociceptive afferent units from the rabbit pinna, **378**, 21
Barbaresi, P., Spreafico, R., Frassoni, C. and Rustioni, A. GABAergic neurons are present in the dorsal column nuclei but not in the ventroposterior complex of rats, **382**, 305
Barbaro, N.M., Heinricher, M.M. and Fields, H.L. Putative pain modulating neurons in the rostral ventral medulla: reflex-related activity predicts effects of morphine, **366**, 203
Barbella, Y.R., see Wurpel, J.N.D., **365**, 21
Barbella, Y.R., see Wurpel, J.N.D., **365**, 30
Barberis, C., see Audigier, S., **376**, 363
Bardelay, C., see Quintin, L., **375**, 235
Barker, J.L., see Mariani, A.P., **376**, 335
Barnea, A., Cho, G. and Colombani-Vidal, M. Amplification of prostaglandin E_2 stimulation of luteinizing hormone-releasing hormone release from median eminence explants: a metal(II)-specific effect of chelated copper, **384**, 101
Barnes, C.D., see Chan, J.Y.H., **369**, 103
Barnes, C.L., see Itaya, S.K., **398**, 397
Barnstable, C.J., see Akagawa, K., **383**, 110
Baron, H., see Bassant, M.-H., **383**, 397
Barraclough, C.A., see Akabori, A., **362**, 221
Barraclough, C.A., see Akabori, A., **362**, 55
Barrett, E.J., see Hopkins, W.G., **372**, 163
Barrett, G., see Shibasaki, H., **368**, 361
Barrett, J.E., see Bolger, G.T., **368**, 351
Barrett, J.N., see Kawamoto, J.C., **384**, 84
Bartfai, T., see Woody, C.D., **386**, 379
Barth, D.S., Sutherling, W. and Beatty, J. Intracellular currents of interictal penicillin spikes: evidence from neuromagnetic mapping, **368**, 36
Barth, T.M., see Schallert, T., **379**, 104
Bartlett, P.F., see Sinclair, C.M., **398**, 91
Basile, C., see Cammer, W., **364**, 91
Baskin, D.S., Mehler, W.R., Hosobuchi, Y., Richardson, D.E., Adams, J.E. and Flitter, M.A. Autopsy analysis of the safety, efficacy and cartography of electrical stimulation of the central gray in humans, **371**, 231
Baskin, D.S., see Kuroda, H., **379**, 68
Bassant, M.-H., Baron, H., Gumpel, M., Cathala, F. and Court, L. Spread of scrapie agent to the central nervous system: study of a rat model, **383**, 397
Bassant, M.H., Picard, M., Olichon, D., Cathala, F. and Court, L. Changes in the serotonergic, noradrenergic and dopaminergic levels in the brain of scrapie-infected rats, **367**, 360
Bateman, F., see Yeomans, J., **372**, 95
Bates, R., see Oliveras, J.-L., **371**, 368
Battaglia, G., see De Souza, E.B., **397**, 401
Battaini, F., see Rius, R.A., **365**, 355
Bauer, J.A., see Tramonte, R., **375**, 381
Baum, M.J., Gerlach, J.L., Krey, L.C. and McEwen, B.S. Biochemical and radioautographic analysis of estrogen-inducible progestin receptors in female ferret brain and pituitary: correlations with effects of progesterone on sexual behavior and gonadotropin-releasing hormone-stimulated secretion of luteinizing hormone, **368**, 296
Baum, M.J., see Tobet, S.A., **364**, 249
Baumann, K.I., Hamann, W. and Leung, M.S. Reduced responsiveness of touch (SA I) receptors in the cat following close arterial infusion of neomycin, **377**, 160
Baumeister, A.A. and Frye, G.D. Involvement of the midbrain reticular formation in self-injurious behavior, stereotyped behavior, and analgesia induced by intranigral microinjection of muscimol, **369**, 231
Baumgarten, H.-G., see Kaulen, P., **366**, 72
Bawin, S.M., Abu-Assal, M.L., Sheppard, A.R., Mahoney, M.D. and Adey, W.R. Long-term effects of sinusoidal extracellular electric fields in penicillin-treated rat hippocampal slices, **399**, 194
Bawin, S.M., Sheppard, A.R., Mahoney, M.D., Abu-Assal, M. and Adey, W.R. Comparison between the effects of extracellular direct and sinusoidal currents on excitability in hippocampal slices, **362**, 350
Baxendale, R.H., Conway, B.A. and Ferrell, W.R. Conditioning of crossed extensor reflex pathways by independent natural stimulation of labyrinth, neck and elbow joint afferents, **377**, 41
Beadle, D.J., see Lees, G., **366**, 369
Beal, M.F., Benoit, R., Mazurek, M.F., Bird, E.D. and Martin, J.B. Somatostatin-28_{1-12}-like immunoreactivity is reduced in Alzheimer's disease cerebral cortex, **368**, 380
Beal, M.F., Chattha, G.K. and Martin, J.B. A comparison of regional somatostatin and neuropeptide Y distribution in rat striatum and brain, **377**, 240
Beal, M.F., Mazurek, M.F. and Martin, J.B. Somatostatin immunoreactivity is reduced in Parkinson's disease dementia with Alzheimer's changes, **397**, 386
Beales, M., see McKeon, T.W., **366**, 89
Beales, M., see Oltmans, G.A., **385**, 148
Beaton, D.W., see Osborne, N.N., **362**, 287
Beaton, D.W., see Osborne, N.N., **382**, 158
Beatty, J., see Barth, D.S., **368**, 36
Beccaro, M., see Mazzari, S., **380**, 309
Beck, D.W., Roberts, R.L. and Olson, J.J. Glial cells influence membrane-associated enzyme activity at the blood–brain barrier, **381**, 131
Beck, T. and Krieglstein, J. The effects of tifluadom and ketazocine on behaviour, dopamine turnover in the basal ganglia and local cerebral glucose utilization of rats, **381**, 327
Beckman, A.L., Dean, R.R. and Wamsley, J.K. Hippocampal and cortical opioid receptor binding: changes related to the hibernation state, **386**, 223
Bédard, P., see Di Paolo, T., **379**, 286
Bédard, P.J., Di Paolo, T., Falardeau, P. and Boucher, R. Chronic treatment with L-DOPA,

but not bromocriptine induces dyskinesia in MPTP-parkinsonian monkeys. Correlation with [^{3}H]spiperone binding, **379**, 294
Bedran De Castro, J.C., Petrovic, S.L. and McCann, S.M.
Effects of unilateral decortication on β-adrenergic receptors in the remaining cortex and in the hypothalamus of female rats, **384**, 11
Bedran De Castro, J.C., see Khorram, O., **398**, 361
Behbehani, M.M. and Zemlan, F.P.
Response of nucleus raphe magnus neurons to electrical stimulation of nucleus cuneiformis: role of acetylcholine, **369**, 110
Beinfeld, M.C., see Faris, P.L., **367**, 405
Beinfeld, M.C., see Martin, J.R., **397**, 253
Beitz, A.J., see Monaghan, P.L., **363**, 364
Belanger, J.H. and Orchard, I.
Leydig cells: octopaminergic neurons in the leech, **382**, 387
Belin, M.F., see Harandi, M., **370**, 241
Bell, C.C.
Duration of plastic change in a modifiable efference copy, **369**, 29
Bell, J.A. and Jaffe, J.H.
Electrophysiological evidence for a presynaptic mechanism of morphine withdrawal in the neonatal rat spinal cord, **382**, 299
Bellin, S.I., see McRae-Degueurce, A., **374**, 162
Belsito, O., see Sterman, M.B., **383**, 382
Ben-Ari, Y., see Gho, M., **385**, 411
Ben-Ari, Y., see Represa, A., **384**, 170
Bender, D.B. and Davidson, R.M.
Global visual processing in the monkey superior colliculus, **381**, 372
Benedetti, F., see Villablanca, J.R., **368**, 211
Benetos, A., Gavras, I. and Gavras, H.
Norepinephrine applied in the paraventricular hypothalamic nucleus stimulates vasopressin release, **381**, 322
Beninger, R.J., see Morency, M.A., **399**, 33
Benjannet, S., see Marcinkiewicz, M., **380**, 349
Bennett, G.J., see Kamogawa, H., **364**, 386
Bennett, G.W., see Lighton, C., **378**, 385
Bennett, M.R., see Raju, T.R., **383**, 165
Bennett, M.V.L., see Gilat, E., **365**, 96
Bennett, M.V.L., see Schairer, J.O., **373**, 164
Bennett, M.V.L., see Schairer, J.O., **373**, 177
Benoist, J.M., Kayser, V., Gacel, G., Zajac, J.M., Gautron, M., Roques, B. and Guilbaud, G.
Differential depressive action of two μ and δ opioid ligands on neuronal responses to noxious stimuli in the thalamic ventrobasal complex of rat, **398**, 49
Benoist, J.M., see Guilbaud, G., **385**, 86
Benoit, E. and Dubois, J.-M.
Toxin I from the snake *Dendroaspis polylepis polylepis*: a highly specific blocker of one type of potassium channel in myelinated nerve fiber, **377**, 374
Benoit, R., see Beal, M.F., **368**, 380
Benowitz, L.I., see Yoon, M.G., **382**, 339
Bentivoglio, M. and Molinari, M.
Crossed divergent axon collaterals from cerebellar nuclei to thalamus and lateral medulla oblongata in the rat, **362**, 180
Bentivoglio, M., see Molinari, M., **372**, 1
Benyamina, M., Delbende, C., Jégou, S., Leroux, P., Leboulenger, F., Tonon, M.C., Guy, J., Pelletier, G.and Vaudry, H.
Localization and identification of α-melanocyte-stimulating hormone (α-MSH) in the frog brain, **366**, 230
Beresford, I.J.M., Clark, C.R. and Hughes, J.
Measurement and characterization of neuronal cholecystokinin using a novel radioreceptor assay, **398**, 313
Berg, D.K., see Stollberg, J., **378**, 179
Berger, T.W., see Chiodo, L.A., **375**, 198
Berger, T.W., see Nisenbaum, E.S., **398**, 221
Berger, T.W., see Onn, S.-P., **376**, 8
Berger, T.W., see Orr, W.B., **376**, 20
Berger, W., see Dietz, V., **362**, 355
Berger, W., see Dietz, V., **384**, 166
Berglund, A.M. and Ryugo, D.K.
A monoclonal antibody labels type II neurons of the spiral ganglion, **383**, 327
Berglund, D.L., see Paden, C.M., **376**, 310
Berglund, S., see Brismar, T., **378**, 347
Berkenbosch, F., Schipper, J. and Tilders, F.J.H.
Corticotropin-releasing factor immunostaining in the rat spinal cord and medulla oblongata: an unexpected form of cross-reactivity with substance P, **399**, 87
Berl, S., see Muir, D., **380**, 336
Bernardi, F., see Del Zompo, M., **378**, 320
Bernstein, J.J. and Connor, J.R.
Somatostatin-like neurons are expressed in fetal neocortical homografts in adult rat spinal cord, **374**, 147
Bernstein, J.J. and Goldberg, W.J.
Transplantation of cultured fetal spinal cord grafts, grown on a histocompatible substrate, into adult spinal cord, **377**, 403
Bernstein, J.J., see Connor, J.R., **367**, 214
Berod, A., see Astier, B., **397**, 333
Berrebi, A., see Denenberg, V.H., **397**, 327
Bertini, F., see López, L.A., **382**, 46
Bertoni-Freddari, C., Giuli, C., Pieri, C. and Paci, D.
Quantitative investigation of the morphological plasticity of synaptic junctions in rat dentate gyrus during aging, **366**, 187
Berwald-Netter, Y., see Takeda, K., **398**, 75
Besharse, J.C., see Iuvone, P.M., **369**, 168
Beslon, H., see Durkin, T., **376**, 420
Besson, J., Sarrieau, A., Vial, M., Marie, J.-C., Rosselin, G. and Rostene, W.
Characterization and autoradiographic distribution of vasoactive intestinal peptide binding sites in the rat central nervous system, **398**, 329
Besson, J.-M., see Peschanski, M., **376**, 164
Besson, J.-M., see Tavitian, B., **375**, 391
Besson, J.M., see Kayser, V., **371**, 37
Besson, J.M., see Weil-Fugazza, J., **374**, 190
Besson, M.-J., see Maurin, Y., **366**, 379
Besson, M.J., see Girault, J.A., **374**, 362
Best, J., Reuss, S. and Dinse, H.R.O.
Lamina-specific differences of visual latencies following photic stimulation in the cat striate cortex, **385**, 356
Betz, H., see Altschuler, R.A., **369**, 316
Beuche, W. and Friede, R.L.
Myelin phagocytosis in Wallerian degeneration of peripheral nerves depends on silica-sensitive, *bg/bg*-negative and Fc-positive monocytes, **378**, 97
Beuche, W., see Scheidt, P., **379**, 380
Bhargava, H.N. and Das, S.
Evidence for opiate action at the brain receptors for thyrotropin-releasing hormone, **368**, 262
Bianchi, R., Janigro, D., Milan, F., Giudici, G. and Gorio, A.
In vivo treatment with GM_1 prevents the rapid decay of ATPase activities and mitochondrial damage in hippocampal slices, **364**, 400
Bicker, G., see Schäfer, S., **380**, 368
Bickford, P.C., Hoffer, B.J. and Freedman, R.
Diminished interaction of norepinephrine with climbing fiber inputs to cerebellar Purkinje neurons in aged Fischer 344 rats, **385**, 405
Biegon, A., Kargman, S., Snyder, L. and McEwen, B.S.
Characterization and localization of serotonin receptors in human brain

postmortem, **363**, 91
Bigbee, J.W., see Bourdette, D.N., **366**, 333
Bigelow, J.C., see Wilson, R.L., **370**, 393
Biggio, G., see Corda, M.G., **384**, 60
Bignami, A., Chi, N.H. and Dahl, D. Neurofilament phosphorylation in peripheral nerve regeneration, **375**, 73
Bilezikjian, L.M., see Chen, F.M., **381**, 49
Billard, J. and Daniel, H. Long term modification of rubral activity after inferior olive destruction, **374**, 270
Billings-Gagliardi, S., Wolf, M.K., Kirschner, D.A. and Kerner, A.-L. Shiverer*jimpy double mutant mice. II. morphological evidence upports reciprocal intergenic suppression, **374**, 54
Bingmann, D., see Lipinski, H.-G., **380**, 267
Bird, E.D., see Beal, M.F., **368**, 380
Bisby, M.A. and Keen, P. Regeneration of primary afferent neurons containing substance P-like immunoreactivity, **365**, 85
Bischof, H.-J., see Herrmann, K., **379**, 143
Bischoff, S., see Bruinink, A., **386**, 78
Bishop, G.A. and Ho, R.H. Cell bodies of origin of serotonin-immunoreactive afferents to the inferior olivary complex of the rat, **399**, 369
Bishop, G.A. and King, J.S. Reticulo-olivary circuits: an intracellular HRP study in the rat, **371**, 133
Bissette, G., see Merritt, W.D., **369**, 136
Bitar, M., see Saadé, N.E., **369**, 307
Bitran, D., see Hull, E.M., **370**, 73
Bittner, G.D., Ballinger, M.L. and Raymond, M.A. Reconnection of severed nerve axons with polyethylene glycol, **367**, 351
Biziere, K., see Heaulme, M., **384**, 224
Bizzini, B., see Lindner, J., **377**, 298
Bjelogrlic, N., see Koulu, M., **379**, 257
Björklund, A., see Brundin, P., **366**, 346
Björklund, A., see Clarke, D.J., **369**, 151
Björklund, A., see Sofroniew, M.V., **378**, 409
Björklund, A., see Zetterström, T., **362**, 344
Björklund, H., Olson, L., Dahl, D. and Schwarcz, R. Short- and long-term consequences of intracranial injections of the excitotoxin, quinolinic acid, as evidenced by GFA immunohistochemistry of astrocytes, **371**, 267
Black, I.B., see Dreyfus, C.F., **379**, 216
Black, I.B., see Katz, D.M., **385**, 68
Black, J., see Kaplan, F.S., **384**, 199
Black, J.A., Waxman, S.G., Ransom, B.R. and Feliciano, M.D. A quantitative study of developing axons and glia following altered gliogenesis in rat optic nerve, **380**, 122
Blaha, C.D., see Cassone, V.M., **384**, 334
Blaha, C.D., see Lane, R.F., **397**, 200
Blair, J.R., see Turner, J.E., **376**, 246
Blanc, G., see Herve, D., **383**, 47
Bland, B.H., see Bland, S.K., **375**, 102
Bland, B.H., see Rowntree, C.I., **362**, 98
Bland, S.K. and Bland, B.H. Medial septal modulation of hippocampal theta cell discharges, **375**, 102
Blasco, T.A., Lee, D., Amalric, M., Swerdlow, N.R., Smith, N.T. and Koob, G.F. The role of the nucleus raphe pontis and the caudate nucleus in alfentanil rigidity in the rat, **386**, 280
Blasco, T.A., see Amalric, M., **386**, 287
Blatteis, C.M., see Mashburn Jr., T.A., **376**, 285
Blaustein, J.D., see Brown, T.J., **373**, 103
Blazynski, C., Kinscherf, D.A., Geary, K.M. and Ferrendelli, J.A. Adenosine-mediated regulation of cyclic AMP levels in isolated incubated retinas, **366**, 224
Blessing, W.W., see Willoughby, J.O., **374**, 119
Blinn, J.R., see Piercey, M.F., **385**, 74
Bliss, T.V.P., see Feasey, K.J., **364**, 39
Bliss, T.V.P., see Lynch, M.A., **369**, 405
Bloedel, J.R., see Kim, J.H., **369**, 125
Bloedel, J.R., see Lou, J.S., **365**, 340
Bloedel, J.R., see McElligott, J.G., **397**, 245
Blomqvist, A., see Wiberg, M., **399**, 51
Blood, K., see Brailowsky, S., **362**, 322
Bloom, B.R., see Cammer, W., **364**, 91
Bloom, F.E., see Wiesner, J.B., **399**, 404
Bloom, S.R., see Terenghi, G., **365**, 1
Blount, P., Elder, J., Lipkin, W.I., Southern, P.J., Buchmeier, M.J. and Oldstone, M.B.A. Dissecting the molecular anatomy of the nervous system: analysis of RNA and protein expression in whole body sections of laboratory animals, **382**, 257
Bloxham, C.A., see Whitford, C.A., **398**, 141
Blume, W.T., see Lemieux, J.F., **373**, 275
Boado, R.J., see Cardinali, D.P., **363**, 350
Boakes, R.J. and Court, J.A. Failure of carbachol to influence the release of somatostatin from slices of rat cerebral cortex, **397**, 197
Bock, R., see Rheinert, C., **373**, 57
Bockaert, J., see Pin, J.-P., **366**, 290
Boden, P., Bycroft, B.W., Chhabra, S.R., Chiplin, J., Crowley, P.J., Grout, R.J., King, T.J., McDonald, E., Rafferty, P., and Usherwood, P.N.R. The action of natural and synthetic isomers of quisqualic acid at a well-defined glutamatergic synapse, **385**, 205
Bodony, R.P., see Wells, J., **383**, 333
Boer, G.J., see Ravid, R., **379**, 404
Bolam, J.P., Ingham, C.A., Izzo, P.N., Levey, A.I., Rye, D.B., Smith, A.D. and Wainer, B.H. Substance p-containing terminals in synaptic contact with cholinergic neurons in the neostriatum and basal forebrain: a double immunocytochemical study in the rat, **397**, 279
Bolger, G.T., Weissman, B.A., Lueddens, H., Barrett, J.E., Witkin, J., Paul, S.M. and Skolnick, P. Dihydropyridine calcium channel antagonist binding in non-mammalian vertebrates: characterization and relationship to 'peripheral-type' binding sites for benzodiazepines, **368**, 351
Bolger, M.B., see Hefti, F., **375**, 413
Bolinger, L.A., see Kariman, K., **366**, 300
Bondoux-Jahan, M. and Sebille, A. Electrophysiological study of conditioning lesion effect on rat sciatic nerve regeneration following either prior section or freeze. I. Intensity and time course, **382**, 39
Bonds, A.B., see DeBruyn, E.J., **383**, 339
Bondy, S.C. and Walker, C.H. Polyamines contribute to calcium-stimulated release of aspartate from brain particulate fractions, **371**, 96
Bondy, S.C., see Tilson, H.A., **379**, 147
Bonnet, A.M., see Ruberg, M., **362**, 83
Bonuccelli, U., see Del Zompo, M., **378**, 320
Boos, G., see Dietz, V., **384**, 166
Booth, A.M., see Tabatabai, M., **382**, 61
Booze, R.M., Laforet, G. and Davis, J.N. Hippocampal sympathetic ingrowth in rats and guinea pigs: quantitative morphometry and topographical differences, **375**, 251
Borges, L.F. and Iversen, S.D. Topography of choline acetyltransferase immunoreactive neurons and fibers in the rat spinal cord, **362**, 140
Bornstein, M.B., see Fowler, J., **378**, 398
Borson-Chazot, F., Jordan, D., Fevre-Montange, M., Kopp, N., Tourniaire, J., Rouzioux, J.M.,

Veisseire, M. and Mornex, R.
TRH and LH-RH distribution in discrete nuclei of the human hypothalamus: evidence for a left prominence of TRH, **382**, 433
Borthwick, N.M., see Stanley, H.F., **370**, 215
Bortolotto, Z.A., see Turski, L., **370**, 294
Boschert, J. and Deecke, L.
Cerebral potentials preceding voluntary toe, knee and hip movements and their vectors in human precentral gyrus, **376**, 175
Boschi, G., see Scherman, D., **370**, 176
Boswell, G., see Wilkening, D., **368**, 239
Botez, M.I., see Lalonde, R., **362**, 161
Botez, M.I., see Lalonde, R., **398**, 175
Botta, L., see Valli, P., **362**, 92
Botterman, B.R. and Cope, T.C.
Discharge properties of motoneurons supplying distal forelimb muscles in the cat, **379**, 192
Boucher, M., see Wells, J., **383**, 333
Boucher, R., see Bédard, P.J., **379**, 294
Boucher, R., see Di Paolo, T., **379**, 286
Bouhnik, J., see Deschepper, C.F., **374**, 195
Bouldin, T.W., see Toews, A.D., **398**, 298
Bourdette, D.N., Seil, F.J., Bigbee, J.W., DeVries, G.H., Garwood, M.M. and Agrawal, H.C.
Antisera to an axolemma-enriched fraction inhibit neurite outgrowth and destroy axons in vitro, **366**, 333
Bourne, R.C., see Chmielowska, J., **368**, 371
Bourrat, F. and Sotelo, C.
Neuronal migration and dendritic maturation of the medial cerebellar nucleus in rat embryos: an HRP in vitro study using cerebellar slabs, **378**, 69
Bouvier, R., see Michel, J.-P., **377**, 383
Bovenberg, R.A.L., Burbach, J.P.H., Wiegant, V.M., Veeneman, G.H., Van Boom, J.H., Baas, P.D., Jansz, H.S. and Wied, D.D.
γ-Endorphin and schizophrenia: amino acid composition of γ-endorphin and nucleotide sequence of γ-endorphin cDNA from pituitary glands of schizophrenic patients, **376**, 29
Bowers Jr., M.B. and Hoffman Jr., F.J.
Regional brain homovanillic acid following Δ^9-tetrahydrocannabinol and cocaine, **366**, 405
Bowker, R.M.
Serotonergic and peptidergic inputs to the primate ventral spinal cord as visualized with multiple chromagens on the same tissue section, **375**, 347
Boxer, P.A., see Chase, M.H., **386**, 237
Boy, J., see Brinnel, H., **363**, 170
Boyapati, J., see McCourt, M.E., **364**, 181
Boyar, W.C., see Altar, C.A., **372**, 130
Boyd Jr., F.T., Clarke, D.W. and Raizada, M.K.
Insulin inhibits specific norepinephrine uptake in neuronal cultures from rat brain, **398**, 1
Boylan, M.K., Fisher, R.S., Hull, C.D., Buchwald, N.A. and Levine, M.S.
Axonal branching of basal forebrain projections to the neocortex: a double-labeling study in the cat, **375**, 176
Boylan, M.K., see Adams, C.E., **397**, 365
Boylan, M.K., see Fisher, R.S., **384**, 395
Boytim, M.J., see Kaplan, F.S., **384**, 199
Bradley, R.J.
Reversal of organophosphate-induced muscle block by neomycin, **381**, 397
Bradley, R.J., Pagala, M.K. and Edge, M.T.
Curare can reverse the failure in muscle contraction caused by an AChE inhibitor, **377**, 194
Bradley, R.J., see Sterz, R., **385**, 99
Bradley, R.J., Sterz, R. and Peper, K.
Agonist and inhibitory effects of pyridostigmine at the neuromuscular junction, **376**, 199
Bradley, R.M., Mistretta, C.M. and Nagai, T.
Demonstration of sensory innervation of rat tongue with anterogradely transported horseradish peroxidase, **367**, 364
Brady, R.O., see Ilyas, A.A., **385**, 1
Brændgaard, H. and Sidenius, P.
The retrograde fast component of axonal transport in motor and sensory nerves of the rat during administration of 2,5-hexanedione, **378**, 1
Bragdon, A.C., Taylor, D.M. and Wilson, W.A.
Potassium-induced epileptiform activity in area CA3 varies markedly along the septotemporal axis of the rat hippocampus, **378**, 169
Brailowsky, S., Knight, R.T. and Efron, R.
Phenytoin increases the severity of cortical hemiplegia in rats, **376**, 71
Brailowsky, S., Knight, R.T., Blood, K. and Scabini, D
γ-Aminobutyric acid-induced potentiation of cortical hemiplegia, **362**, 322
Braitman, D.J.
Desensitization to glutamate and aspartate in rat olfactory (prepyriform) cortex slice, **364**, 199
Branch, B.J., see Nelson, L.R., **372**, 234
Brankačk, J. and Buzsáki, G.
Hippocampal responses evoked by tooth pulp and acoustic stimulation: depth profiles and effect of behavior, **378**, 303
Brazhnik, E.S. and Vinogradova, O.S.
Control of the neuronal rhythmic bursts in the septal pacemaker of theta-rhythm: effects of anaesthetic and anticholinergic drugs, **380**, 94
Brecha, N., see Gall, C., **374**, 389
Breese, G.R., see McCown, T.J., **373**, 189
Breese, G.R., see Towle, A.C., **363**, 38
Brehier, A., see Sans, A., **364**, 190
Breipohl, W., see Rehn, B., **373**, 114
Bremiller, R., see Kimble, D.P., **363**, 358
Brenan, A.
Collateral reinnervation of skin by C-fibres following nerve injury in the rat, **385**, 152
Brenan, A.
Innervation of the dental pulp during tooth succession in the cat, **382**, 250
Brennan, R.W., see Ziedonis, D.M., **373**, 27
Bridges, R.J., Hearn, T.J., Monaghan, D.T. and Cotman, C.W.
A comparison of 2-amino-4-phosphonobutyric acid (AP4) receptors and [^{3}H]AP4 binding sites in the rat brain, **375**, 204
Bridges, R.S., see Rubin, B.S., **383**, 60
Briet, D., see Gourmelon, P., **398**, 128
Brightman, M.W., see Wakai, S., **386**, 209
Brighton, C.T., see Kaplan, F.S., **384**, 199
Brimijoin, S., see Nagata, H., **385**, 136
Brinnel, H., Boy, J. and Cabanac, M.
Intracranial temperature during passive heat exposure in humans, **363**, 170
Brismar, T., Hildebrand, C. and Berglund, S.
Nodes of ranvier above a neuroma in the rat sciatic nerve: voltage clamp analysis and electron microscopy, **378**, 347
Britton, K.T., Lee, G., Vale, W., Rivier, J. and Koob, G.F.
Corticotropin releasing factor (CRF) receptor antagonist blocks activating and 'anxiogenic' actions of CRF in the rat, **369**, 303
Brockman, S.K. and Younkin, S.G.
Effect of fibrillation on the secretion of acetylcholinesterase from cultured embryonic rat myotubes, **376**, 409
Brodie, M.S. and Proudfit, H.K.
Antinociception induced by local injections of carbachol into the nucleus raphe magnus in rats: alteration by intrathecal injection of monoaminergic antagonists, **371**, 70
Brodin, L. and Grillner, S.
Effects of magnesium on fictive locomotion induced by activation of N-methyl-D-aspartate (NMDA) receptors in the lamprey spinal cord in vitro, **380**, 244
Brody, M.J., see Porter, J.P., **375**, 20
Bronstein, A.M. and Hood, J.D.
The cervico-ocular reflex in normal

subjects and patients with absent vestibular function, **373**, 399
Bronzino, J.D., Austin-Lafrance, R.J., Siok, C.J. and Morgane, P.J. Effect of protein malnutrition on hippocampal kindling: electrographic and behavioral measures, **384**, 348
Brooks, B.A., Fuchs, A.F. and Finocchio, D. Saccadic eye movement deficits in the MPTP monkey model of Parkinson's disease, **383**, 402
Brooks, D.P., Share, L., Crofton, J.T. and Nasjletti, A. Interrelationship between central bradykinin and vasopressin in conscious rats, **371**, 42
Brooks, E.G., see Orem, J., **374**, 409
Brosnan, C.F., see Cammer, W., **364**, 91
Brosnan, C.F., see Goldmuntz, E.A., **397**, 16
Brosnihan, K.B., see Schiavone, M.T., **397**, 193
Brothers, L.A., see Finch, D.M., **370**, 273
Broton, J.G. and Rosenfeld, J.P. Cutting rostral trigeminal nuclear complex projections preferentially affects perioral nociception in the rat, **397**, 1
Broton, J.G., see Pickoff-Matuk, J.F., **382**, 291
Browman, C., see Gardiner, P., **380**, 114
Brown, D.L., see Guyenet, P.G., **364**, 301
Brown, G., see Collins, G.G.S., **371**, 9
Brown, M. Corticotropin releasing factor: central nervous system sites of action, **399**, 10
Brown, M.W., see Khulusi, S.S., **363**, 152
Brown Jr., R.H., Schweitzer, J.S., Audhya, T., Goldstein, G. and Dichter, M.A. Immunoreactive thymopoietin in the mouse central nervous system, **381**, 237
Brown, S.H. and Cooke, J.D. Initial agonist burst is modified by perturbations preceding movement, **377**, 311
Brown, T.J. and Blaustein, J.D. Abbreviation of the period of sexual behavior in female guinea pigs by the progesterone antagonist RU 486, **373**, 103
Brownfield, M.S., see Harkness, D.H., **384**, 323
Brownstein, M.J., see Dawbarn, D., **372**, 155
Brownstein, M.J., see Palkovits, M., **373**, 246
Brozoski, T.J. and Altemus, K.L. Conditionability of caudate dopamine activity in the caudate nucleus of cats demonstrated by in vivo electrochemistry, **364**, 275
Brudzynski, S.M. and Mogenson, G.J. Decrease of locomotor activity by injections of carbachol into the anterior hypothalamic/preoptic area of the rat, **376**, 38
Brudzynski, S.M. and Mogenson, G.J. Inhibition of amphetamine-induced locomotor activity by injection of carbachol into the anterior hypothalamic/preoptic area: pharmacological and electrophysiological studies in the rat, **376**, 47
Bruinink, A. and Bischoff, S. Detection of dopamine receptors in homogenates of rat hippocampus and other brain areas, **386**, 78
Brundin, P., Isacson, O., Gage, F.H., Prochiantz, A. and Björklund, A. The rotating 6-hydroxydopamine-lesioned mouse as a model for assessing functional effects of neuronal grafting, **366**, 346
Brundin, P., see Zetterström, T., **362**, 344
Brunekreef, K., see Buma, P., **380**, 26
Brüning, G., see Kaulen, P., **366**, 72
Brunken, W.J. and Daw, N.W. 5-HT_2 antagonists reduce ON responses in the rabbit retina, **384**, 161
Brusovanik, V.I., see Erin, A.N., **398**, 85
Brutus, M., Shaikh, M.B., Edinger, H. and Siegel, A. Effects of experimental temporal lobe seizures upon hypothalamically elicited aggressive behavior in the cat, **366**, 53
Bryere, P., see Lloyd, K.G., **363**, 390
Buchanan, J.T. and Nornes, H.O. Transplants of embryonic brainstem containing the locus coeruleus into spinal cord enhance the hindlimb flexion reflex in adult rats, **381**, 225
Buchholz, R.A., Hubbard, J.W., Keeton, T.K. and Nathan, M.A. Cardiovascular and neuroendocrine responses to behavioral stress after central or peripheral barodenervation in rats, **365**, 360
Buchmeier, M.J., see Blount, P., **382**, 257
Buchwald, N.A., see Adams, C.E., **397**, 365
Buchwald, N.A., see Boylan, M.K., **375**, 176
Buchwald, N.A., see Dvergsten, C.L., **375**, 395
Buchwald, N.A., see Fisher, R.S., **384**, 395
Buchwald, N.A., see Fisher, R.S., **397**, 173
Buchwald, N.A., see Fisher, R.S., **398**, 148
Buchwald, N.A., see Gazzara, R.A., **397**, 225
Buchweitz, E. and Weiss, H.R. Alterations in perfused capillary morphometry in awake vs anesthetized brain, **377**, 105
Buchweitz, E. and Weiss, H.R. Effect of withdrawal from chronic naltrexone on regional cerebral oxygen consumption in the cat, **397**, 308
Buckley, N.J. and Burnstock, G. Autoradiographic localization of peripheral M1 muscarinic receptors using [^{3}H]pirenzepine, **375**, 83
Buda, M., see Quintin, L., **362**, 366
Buda, M., see Quintin, L., **375**, 235
Buhl, E., see Schwerdtfeger, W.K., **386**, 146
Buijs, R.M., Pévet, P., Masson-Pévet, M., Pool, C.W., De Vries, G.J., Canguilhem, B. and Vivien-Roels, B. Seasonal variation in vasopressin innervation in the brain of the European hamster (*Cricetus cricetus*), **371**, 193
Buijs, R.M., see Campistron, G., **365**, 179
Buijs, R.M., see Campistron, G., **376**, 400
Buijs, R.M., see De Vries, G.J., **399**, 296
Bulloch, A.G.M., see Richmond, J.E., **370**, 159
Buma, P., Roubos, E.W. and Brunekreef, K. Role of cAMP in electrical and secretory activity of the neuroendocrine caudo-dorsal cells of *Lymnaea stagnalis*, **380**, 26
Bunch, S.T., see Dunnett, S.B., **378**, 357
Bunsey, M.D., see Sanberg, P.R., **367**, 314
Burbach, J.P.H., see Bovenberg, R.A.L., **376**, 29
Burchfiel, J.L., see Applegate, C.D., **398**, 121
Burgess, J.W., see Villablanca, J.R., **368**, 211
Burgess, P.R., see Wei, J.Y., **370**, 108
Burgess, P.R., see Wei, J.Y., **370**, 119
Burgoyne, R.D. and Norman, K.-M. α-Tubulin is not detyrosylated during axonal transport, **381**, 113
Bürgisser, P., see Matthieu, J.-M., **379**, 137
Burkard, R., see Huang, C.-M., **371**, 101
Burkhart, D.S., see Kariman, K., **366**, 300
Burnard, D.M., Veale, W.L. and Pittman, Q.J. Prevention of arginine-vasopressin-induced motor disturbances by a potent vasopressor antagonist, **362**, 40
Burnstock, G., see Buckley, N.J., **375**, 83
Burnstock, G., see Cowen, T., **384**, 51
Burnstock, G., see Dhital, K., **367**, 39
Burnstock, G., see Hassall, C.J.S., **364**, 102
Burroni, D., see White, F.V., **381**, 85
Bushnell, M.C., see Maixner, W., **374**, 385
Bushnell, M.C., see Oliveras, J.-L., **371**, 368
Butcher, S.P., Roberts, P.J. and

Collins, J.F.
The distribution and function of DL-[^{3}H]2-amino-4-phosphonobutyrate binding sites in the rat striatum, **381**, 305
uzsáki, G.
Hippocampal sharp waves: their origin and significance, **398**, 242
uzsáki, G., Czopf, J., Kondákor, I. and Kellényi, L.
Laminar distribution of hippocampal rhythmic slow activity (RSA) in the behaving rat: current–source density analysis, effects of urethane and atropine, **365**, 125
uzsáki, G., see Brankačk, J., **378**, 303
ycroft, B.W., see Boden, P., **385**, 205
yrne, J.H., see Ocorr, K.A., **371**, 190
ystrzycka, E.K., see Rikard-Bell, G.C., **379**, 75

C

abanac, M., see Brinnel, H., **363**, 170
abib, S., see Puglisi-Allegra, S., **380**, 357
affé, R., see Van Leeuwen, F.W., **379**, 171
ahill, L., see Haigler, H.J., **362**, 157
ain, D.P., see Gillis, B.J., **363**, 386
alando, Y., see Mraovitch, S., **380**, 42
alas, A., see Gamrani, H., **364**, 30
alas, A., see Harandi, M., **370**, 241
aldwell, J.D., see Drago, F., **368**, 287
allahan, M.F., see Mitchell, L.D., **399**, 346
allahan, P., Grandison, L. and Rabii, J.
Prolactin release and tuberoinfundibular dopaminergic neuronal activity following single and double injections of morphine, **381**, 106
alvino, B. and Le Bars, D.
The response to viscero-peritoneal nociceptive stimuli is reduced in experimental arthritic rats, **370**, 191
alzolari, S., see Gradkowska, M., **375**, 417
amel, J.E., see Greenough, W.T., **380**, 136
ameron, A.A., Leah, J.D. and Snow, P.J.
The electrophysiological and morphological characteristics of feline dorsal root ganglion cells, **362**, 1
ammer, W., Brosnan, C.F., Basile, C., Bloom, B.R. and Norton, W.T.
Complement potentiates the degradation of myelin proteins by plasmin: implications for a mechanism of inflammatory demyelination, **364**, 91
Campbell, G.A., see Eckardt, M.J., **366**, 1
Campbell, I.C. and McKernan, R.M.
Clorgyline and desipramine alter the sensitivity of [^{3}H]noradrenaline release to calcium but not to clonidine, **372**, 253
Campenot, R.B.
Retraction and degeneration of sympathetic neurites in response to locally elevated potassium, **399**, 357
Campistron, G., Buijs, R.M. and Geffard, M.
Glycine neurons in the brain and spinal cord. Antibody production and immunocytochemical localization, **376**, 400
Campistron, G., Buijs, R.M. and Geffard, M.
Specific antibodies against aspartate and their immunocytochemical application in the rat brain, **365**, 179
Camus, A., Javoy-Agid, F., Dubois, A. and Scatton, B.
Autoradiographic localization and quantification of dopamine D_2 receptors in normal human brain with [^{3}H]*N*-*n*-propylnorapomorphine, **375**, 135
Canals, J., see Gómez, C., **381**, 401
Candy, J.M., see Whitford, C.A., **398**, 141
Canguilhem, B., see Buijs, R.M., **371**, 193
Canick, J.A., Vaccaro, D.E., Livingston, E.M., Leeman, S.E., Ryan, K.J. and Fox, T.O.
Localization of aromatase and 5α-reductase to neuronal and non-neuronal cells in the fetal rat hypothalamus, **372**, 277
Cantalejo, E.S., see Alba, F., **368**, 158
Cantin, M., see Marcinkiewicz, M., **380**, 349
Caprio, J., see Kiyohara, S., **379**, 353
Cardinali, D.P., Boado, R.J., Vacas, M.I. and Deza, S.
Changes in growth hormone and prolactin release after superior cervical ganglionectomy of rats, **363**, 350
Cardinali, D.P., see Rosenstein, R.E., **398**, 403
Carette, B., see Poulain, P., **371**, 355
Carey, R.G. and Neal, T.L.
Reciprocal connections between the claustrum and visual thalamus in the tree shrew (*Tupaia glis*), **386**, 155
Carey, R.J.
Conditioned rotational behavior in rats with unilateral 6-hydroxydopamine lesions of the substantia nigra, **365**, 379
Carithers, J. and Johnson, A.K.
Long-term effects of lesions of the tissue surrounding the preoptic recess on paraventricular nuclei in rats, **366**, 118
Carlsen, J. and Heimer, L.
The projection from the parataenial thalamic nucleus, as demonstrated by the *Phaseolus vulgaris*-leucoagglutinin (PHA-L) method, identifies a subterritorial organization of the ventral striatum, **374**, 375
Carlson, C.G. and Jacklet, J.W.
The exponent of the calcium power function is reduced during steady-state facilitation in neuron R15 of *Aplysia*, **376**, 204
Carmel, P., see Friedman, E., **378**, 142
Carp, R.I., see Rubenstein, R., **372**, 80
Carpenter, D.O., see Gaillard, W.D., **373**, 303
Carpenter, D.O., see Gaillard, W.D., **373**, 311
Carpenter, D.O., see Slater, N.T., **375**, 407
Carroll, P.T., Badamchian, M., Craig, P. and Lyness, W.H.
Veratridine-induced breakdown of cytosolic acetylcholine in rat hippocampal minces: an intraterminal form of acetylcholinesterase or choline *O*-acetyltransferase?, **383**, 83
Carson, J.H., see Kerner, A.-L., **374**, 45
Carstens, E. and Watkins, L.R.
Inhibition of the responses of neurons in the rat spinal cord to noxious skin heating by stimulation in midbrain periaqueductal gray or lateral reticular formation, **382**, 266
Carter, M.V., see Kelsey, J.E., **382**, 278
Casagrande, V.A., see Florence, S.L., **374**, 179
Casagrande, V.A., see Irvin, G.E., **362**, 254
Casanova, C., see Molotchnikoff, S., **375**, 66
Casanova, M.F., see Price, D.L., **385**, 305
Cascieri, M.A., see Danks, J.A., **385**, 273
Casella, C., see Valli, P., **362**, 92
Caserta, M.T., see Mariani, A.P., **376**, 335
Cash, R., Raisman, R., Lanfumey, L., Ploska, A. and Agid, Y.
Cellular localization of adrenergic receptors in rat and human brain, **370**, 127
Cassella, J.V., see Davis, M., **371**, 58
Cassone, V.M., Takahashi, J.S., Blaha, C.D., Lane, R.F. and Menaker, M.
Dynamics of noradrenergic circadian input to the chicken pineal gland, **384**, 334
Castañeyra-Perdomo, A., see Ferres-Torres, R., **374**, 93
Castañeyra-Perdomo, A., see Meyer, G., **398**, 207
Castellano, C., see Pavone, F., **366**, 326
Castro, A.J., see O'Donhue, D.L., **385**, 311
Castro-Lopes, J.M., see Ribeiro-Da-Silva, A., **377**, 323
Cathala, F., see Bassant, M.-H., **383**, 397

Cathala, F., see Bassant, M.H., **367**, 360
Cavalheiro, E.A. and Turski, L. Intrastriatal *N*-methyl-D-aspartate prevents amygdala kindled seizures in rats, **377**, 173
Cavalheiro, E.A., see Turski, L., **370**, 294
Cavalheiro, E.A., see Turski, L., **398**, 37
Cavalieri, R.R., Gavin, L.A., Cole, R. and De Vellis, J. Thyroid hormone deiodinases in purified primary glial cell cultures, **364**, 382
Caverson, M.M., see Ciriello, J., **367**, 273
Caviedes, R., Díaz, M.A., Compagnon, D., Liberona, J.L., Cury, M. and Jaimovich, E. Tetrodotoxin-sensitive sodium channels in a continuously cultured cell line derived from the adult rat cerebellum, **365**, 259
Caviness Jr., V.S., see Goffinet, A.M., **366**, 193
Ceccarini, C., see White, F.V., **381**, 85
Ceccarini, E.C., see White, F.V., **381**, 85
Celio, M.R., see Clemens, D.L., **364**, 205
Cepeda, C., see Adams, C.E., **397**, 365
Cesselin, F., see Covenas, R., **377**, 355
Cha, J.-H., O'Brien, D.R. and Dowling, J.E. Effects of D-aspartate on excitatory amino acid-induced release of [^{3}H]GABA from goldfish retina, **376**, 140
Chafetz, M.D., Parko, K., Diaz, S. and Leibowitz, S.F. Relationships between medial hypothalamic α_2-receptor binding, norepinephrine, and circulating glucose, **384**, 404
Chai, C.Y., see Kuo, J.S., **372**, 217
Chai, C.Y., see Kuo, J.S., **372**, 227
Chalmers, J.P., see Pilowsky, P.M., **366**, 354
Chamberlain, J.K., see Davanzo, J.P., **369**, 224
Chambers, D.R., see Owen, F., **362**, 185
Chambon, J.-P., see Heaulme, M., **384**, 224
Chan, C.W.Y. Could parkinsonian akinesia be attributable to a disturbance in the motor preparatory process?, **386**, 183
Chan, J., see Elliott, P.J., **381**, 259
Chan, J.Y.H., Fung, S.J., Chan, S.H.H. and Barnes, C.D. Facilitation of lumbar monosynaptic reflexes by locus coeruleus in the rat, **369**, 103
Chan, S.H.H., see Chan, J.Y.H., **369**, 103
Chance, B., see Kariman, K., **366**, 300
Chance, B., see Mayevsky, A., **367**, 63
Chance, W.T. and Nelson, J.L. Antagonism of stress-induced analgesia by quaternary naloxone, **380**, 394
Chang, D.C. Axonal transport and the movement of ^{45}Ca inside the giant axon of squid, **367**, 319
Chang, G.D. and Ramirez, V.D. The mechanism of action of MPTP and MPP^+ on endogenous dopamine release from the rat corpus striatum superfused in vitro, **368**, 134
Chang, H.T. and Kitai, S.T. Intracellular recordings from nucleus accumbens neurons in vitro, **366**, 392
Chang, K.-J., see Hwang, B.H., **371**, 345
Chang, Y.-F., see Feigenbaum, P., **372**, 176
Chang-Chui, H., see Geddes, J.W., **399**, 156
Chaouloff, F., see Kennett, G.A., **382**, 416
Chapin, D.S., see Lookingland, K.J., **365**, 228
Chappell, E.T., see Turner, J.E., **376**, 246
Charles, E., see Haigler, H.J., **362**, 157
Charlton, C.G., see Helke, C.J., **381**, 1
Charnay, Y., see Léger, L., **362**, 63
Charriere, B., see Leviel, V., **381**, 205
Charron, L., see Peyronnard, J.M., **364**, 137
Charron, L.F., see Peyronnard, J.M., **373**, 288
Chase, K., see Aronin, N., **365**, 151
Chase, M.H., Morales, F.R., Boxer, P.A., Fung, S.J. and Soja, P.J. Effect of stimulation of the nucleus reticularis gigantocellularis on the membrane potential of cat lumbar motoneurons during sleep and wakefulness, **386**, 237
Chase, R. and Rieling, J. Autoradiographic evidence for receptor cell renewal in the olfactory epithelium of a snail, **384**, 232
Chattha, G.K., see Beal, M.F., **377**, 240
Chaudieu, I., see Vignon, J., **378**, 133
Chauveau, J., see Demotes-Mainard, J., **381**, 314
Chavez-Noriega, L., Patino, P. and Garcia-Munoz, M. Excitability changes induced in the striatal dopamine-containing terminals following frontal cortex stimulation, **379**, 300
Chen, F.M., Bilezikjian, L.M., Perrin, M.H., Rivier, J. and Vale, W. Corticotropin releasing factor receptor-mediated stimulation of adenylate cyclase activity in the rat brain, **381**, 49
Chen, I., see Weber, J.T., **397**, 389
Chen, X.-H., see Finch, D.M., **370**, 273
Chen, Z., Ophir, D. and Lancet, D. Monoclonal antibodies to ciliary glycoproteins of frog olfactory neurons, **368**, 329
Cheng, Z.-F., Fields, H.L. and Heinricher, M.M. Morphine microinjected into the periaqueductal gray has differential effects on 3 classes of medullary neurons, **375**, 57
Cheramy, A., see Covenas, R., **377**, 355
Cherubini, E., see Gho, M., **385**, 411
Chhabra, S.R., see Boden, P., **385**, 205
Chi, N.H., see Bignami, A., **375**, 73
Chiang, R.G. and Steel, C.G.H. Electrical activity of the sinus gland of the terrestrial isopod, *Oniscus asellus:* characteristics of identified potentials recorded extracellularly from neurosecretory terminals, **377**, 83
Chiba, T. and Masuko, S. Direct synaptic contacts of catecholamine axons on the preganglionic sympathetic neurons in the rat thoracic spinal cord, **380**, 405
Chiba, T., see Kita, T., **398**, 18
Chicchi, G.G., see Danks, J.A., **385**, 273
Chicheportiche, R., see Vignon, J., **378**, 133
Chida, K., Iadecola, C., Underwood, M.D. and Reis, D.J. A novel vasodepressor response elicited from the rat cerebellar fastigial nucleus: the fastigial depressor response, **370**, 378
Chihara, K., see Daikoku, S., **399**, 250
Chihara, K., see Ibata, Y., **370**, 136
Chihara, K., see Kita, T., **398**, 18
Chino, Y.M. and Hashimoto, Y. Dopaminergic amacrine cells in the retina of Japanese dace, **372**, 323
Chiodo, L.A. and Berger, T.W. Interactions between dopamine and amino acid-induced excitation and inhibition in the striatum, **375**, 198
Chiplin, J., see Boden, P., **385**, 205
Chirnoaga, M., see Pasteels, J.L., **384**, 294
Chitour, D., Villanueva, L. and Le Bars, D. Lesions of dorsolateral funiculi (DLF) do not affect the depressive effects of systemic morphine upon dorsal horn convergent neuronal activities related to pain in the rat, **377**, 397
Chiu, F.-C., see Goldmuntz, E.A., **397**, 16
Chiu, T.H., see Shefner, S.A., **366**, 364
Chiu, T.H., see Yu, O., **399**, 374
Chmielowska, J., Stewart, M.G., Bourne, R.C. and Hamori, J. γ-Aminobutyric acid immunoreactivity in mouse barrel field: a light microscopical study, **368**, 371
Cho, G., see Barnea, A., **384**, 101
Choi, D.W., see Weiss, J., **380**, 186
Choulli, K., see Herman, J.P., **372**, 210
Chrétien, M., see Marcinkiewicz, M.,

380, 349
Chrétien, M., see Van Leeuwen, F.W., **379**, 171
Christakos, C.N. and Windhorst, U. Spindle gain increase during muscle unit fatigue, **365**, 388
Christakos, C.N. and Windhorst, U. The information carried by spindle afferents on motor unit activity as revealed by spectral analysis, **367**, 52
Christakos, C.N., see Windhorst, U., **398**, 181
Christensen, B.N., see O'Del T., **381**, 359
Chrousos, G., see Weiss, S.R.B., **372**, 345
Chubakov, A.R., Gromova, E.A., Konovalov, G.V., Sarkisova, E.F. and Chumasov, E.I. The effects of serotonin on the morpho-functional development of rat cerebral neocortex in tissue culture, **369**, 285
Chubb, I.W., see Ismael, Z., **376**, 230
Chudler, E.H., Dong, W.K. and Kawakami, Y. Cortical nociceptive responses and behavioral correlates in the monkey, **397**, 47
Chumasov, E.I., see Chubakov, A.R., **369**, 285
Chung, E., see Heyer, E.J., **377**, 54
Chung, J.M., see Kim, J., **377**, 182
Chung, S.H., see Gabrielsson, B., **384**, 218
Chute, D.L., see Bank, B., **399**, 390
Ciriello, J. and Caverson, M.M. Bidirectional cardiovascular connections between ventrolateral medulla and nucleus of the solitary tract, **367**, 273
Ciriello, J., see Gutman, M.B., **382**, 119
Ciriello, J., see Smith, K.E., **375**, 182
Clarey, J.C. and Irvine, D.R.F. Auditory response properties of neurons in the anterior ectosylvian sulcus of the cat, **386**, 12
Clark, C.R., see Beresford, I.J.M., **398**, 313
Clark, R., see Wilkening, D., **368**, 239
Clarke, D.D., see Muir, D., **380**, 336
Clarke, D.J., Gage, F.H. and Björklund, A. Formation of cholinergic synapses by intrahippocampal septal grafts as revealed by choline acetyltransferase immunocytochemistry, **369**, 151
Clarke, D.W., see Boyd Jr., F.T., **398**, 1
Clauser, E., see Clemens, D.L., **364**, 205
Clemens, D.L., Clauser, E., Celio, M.R. and Inagami, T. Generation of angiotensinogen by cultured neuroblastoma and glioma cells, **364**, 205
Clemens, L.G., see Richmond, G., **373**, 159
Clevers, J., see McKinley, M.J., **375**, 373
Clouet, D., see Glass, J., **372**, 180
Cobbett, P., Smithson, K.G. and Hatton, G.I. Immunoreactive to vasopressin- but not oxytocin-associated neurophysin antiserum in phasic neurons of rat hypothalamic paraventricular nucleus, **362**, 7
Cochran, S.L., see Kasik, P., **363**, 188
Coggeshall, R.E., see Jenq, C.-B., **364**, 45
Coghlan, J.P., see McKinley, M.J., **376**, 416
Coimbra, A., see Ribeiro-Da-Silva, A., **377**, 323
Cole, R., see Cavalieri, R.R., **364**, 382
Coleman, P.A., Massey, S.C. and Miller, R.F. Kynurenic acid distinguishes kainate and quisqualate receptors in the vertebrate retina, **381**, 172
Colin, S. and Kruger, L. Peptidergic nociceptive axon visualization in whole-mount preparations of cornea and tympanic membrane in rat, **398**, 199
Colino, A. and De Molina, A.F. Inhibitory response in entorhinal and subicular cortices after electrical stimulation of the lateral and basolateral amygdala of the rat, **378**, 416
Colle, L.M., Holmes, L.J. and Pappius, H.M. Correlation between behavioral status and cerebral glucose utilization in rats following freezing lesion, **397**, 27
Collewijn, H., see Van Die, G.C., **383**, 185
Colley, P., see Routtenberg, A., **378**, 374
Colley, P.A., see Lovinger, D.M., **399**, 205
Collins, F., see Crutcher, K.A., **399**, 383
Collins, G.G.S. and Brown, G. A quantitative estimate of the contribution made by various receptor categories to the depolarizations evoked by some excitatory amino acids in the olfactory cortex, **371**, 9
Collins, I., see Meiri, H., **384**, 355
Collins, J.F., see Butcher, S.P., **381**, 305
Collins, R.C., see Videen, T.O., **371**, 1
Collins, T.J., see Banerji, T.K., **380**, 176
Colombani-Vidal, M., see Barnea, A., **384**, 101
Colombo, J.P., see Gorgievski-Hrisoho, M., **367**, 395
Colton, C.A. and Colton, J.S. The action of oxygen and oxygen at high pressure on inhibitory transmission, **364**, 151
Colton, J.S., see Colton, C.A., **364**, 151
Commenges, D. and Seal, J. The formulae-relating slopes, correlation coefficients and variance ratios used to determine stimulus- or movement-related neuronal activity, **383**, 350
Commins, D.L. and Seiden, L.S. α-Methyltyrosine blocks methylamphetamine-induced degeneration in the rat somatosensory cortex, **365**, 15
Commissaris, R.L., see Davis, M., **371**, 58
Commissiong, J.W. and Toffano, G. The effect of GM_1 ganglioside on coerulospinal, noradrenergic, adult neurons and on fetal monoaminergic neurons transplanted into the transected spinal cord of the adult rat, **380**, 205
Compagnon, D., see Caviedes, R., **365**, 259
Comunas, F., see Saland, L.C., **368**, 310
Conforti, N., see Melamed, E., **399**, 178
Congiu, M., see McKinley, M.J., **376**, 416
Conlay, L.A., Maher, T.J., Godley, B.F. and Wurtman, R.J. Spinal cord noradrenergic neurons are activated in hypotension, **375**, 210
Conlee, J.W. and Parks, T.N. Origin of ascending auditory projections to the nucleus mesencephalicus lateralis pars dorsalis in the chicken, **367**, 96
Conlee, J.W., Parks, T.N. and Creel, D.J. Reduced neuronal size and dendritic length in the medial superior olivary nucleus of albino rabbits, **363**, 28
Conley, M., Fitzpatrick, D. and Lachica, E.A. Laminar asymmetry in the distribution of choline acetyltransferase- immunoreactive neurons in the retina of the tree shrew (*Tupaia belangeri*), **399**, 332
Conlin, T., see Stryker, T.D., **362**, 339
Connolly, J.A., see Johnston, K.M., **385**, 38
Connor, J.R. and Bernstein, J.J. Vasoactive intestinal polypeptide neurons in fetal cortical homografts to adult rat spinal cord, **367**, 214
Connor, J.R. and Fine, R.E. The distribution of transferrin immunoreactivity in the rat central nervous system, **368**, 319
Connor, J.R., see Bernstein, J.J., **374**, 147
Conrath, M., see Covenas, R., **377**, 355
Consolo, S., Sieklucka, M., Fiorentini, F., Forloni, G. and Ladinsky, H. Frontal decortication and adaptive changes in striatal cholinergic neurons in the rat, **363**, 128
Consolo, S., Wang, J.-X., Fiorentini, F., Vezzani, A. and Ladinsky, H. In vivo and in vitro studies on the regulation of cholinergic

neurotransmission in striatum, hippocampus and cortex of aged rats, **374**, 212
Constanti, A., see Franz, P., **366**, 262
Contamina, P., see Y Cajal-Agüeras, S.R., **370**, 333
Contestabile, A., see Villani, L., **379**, 223
Conti-Tronconi, B., see Ferrero, P., **399**, 136
Conway, B.A., see Baxendale, R.H., **377**, 41
Cooke, J.D., see Brown, S.H., **377**, 311
Cools, A.R., see Vrijmoed-De Vries, M.C., **364**, 77
Cooper, C.W., see Nohmi, M., **367**, 346
Cooper, N.G.F. and Steindler, D.A. Monoclonal antibody to glial fibrillary acidic protein reveals a parcellation of individual barrels in the early postnatal mouse somatosensory cortex, **380**, 341
Cooper, S.J., see Owen, F., **362**, 185
Cooper, S.M., see Geddes, J.W., **399**, 156
Cooper, T.B., see Smith, T.M., **367**, 385
Coopersmith, R. and Leon, M. Enhanced neural response by adult rats to odors experienced early in life, **371**, 400
Coote, J.H., see Dean, C., **377**, 271
Coote, J.H., see Dean, C., **377**, 279
Cope, T.C., see Botterman, B.R., **379**, 192
Coquerel, A., Dubuc, I., Menard, J.-F., Kitabgi, P. and Costentin, J. Naloxone-insensitive potentiation of neurotensin hypothermic effect by the enkephalinase inhibitor thiorphan, **398**, 386
Corboy, J., see Kreider, B.Q., **397**, 238
Corbus, M.J., see Rucker, H.K., **376**, 368
Corcoran, M.E., see Seidel, W.T., **385**, 375
Corda, M.G., Giorgi, O. and Biggio, G. Behavioural and biochemical evidence for a long-lasting decrease in GABAergic function elicited by chronic administration of FG 7142, **384**, 60
Cork, L.C., see Gold, B.G., **362**, 205
Cork, L.C., see Price, D.L., **385**, 305
Correa, F.M.A., Plunkett, L.M. and Saavedra, J.M. Quantitative distribution of angiotensin-converting enzyme (kininase II) in discrete areas of the rat brain by autoradiography with computerized microdensitometry, **375**, 259
Corsini, G.U., see Del Zompo, M., **378**, 320
Cortés, R. and Palacios, J.M. Muscarinic cholinergic receptor subtypes in the rat brain. I. Quantitative autoradiographic studies, **362**, 227
Cortés, R., Probst, A., Tobler, H.-J. and Palacios, J.M. Muscarinic cholinergic receptor subtypes in the human brain. II. Quantitative autoradiographic studies, **362**, 239
Cortez, A.M., see Thompson, G.C., **370**, 182
Cortez, A.M., see Thompson, G.C., **372**, 72
Costa, E., see Ferrero, P., **399**, 136
Costa, E., see Iadorola, M.J., **374**, 174
Costentin, J., see Coquerel, A., **398**, 386
Cotman, C.W., see Anderson, K.J., **369**, 21
Cotman, C.W., see Bridges, R.J., **375**, 204
Cotman, C.W., see Geddes, J.W., **399**, 156
Cotman, C.W., see Gibbs, R.B., **382**, 409
Cotman, C.W., see Gibbs, R.B., **383**, 362
Cotman, C.W., see Harris, E.W., **382**, 174
Cotman, C.W., see Hearn, T.J., **379**, 372
Cotman, C.W., see Millaruelo, A.I., **374**, 12
Cotman, C.W., see Stevens, D.R., **382**, 437
Cotman, C.W., see Thompson, R., **367**, 402
Cottet-Emard, J.M., see Pequignot, J.M., **367**, 238
Cottrell, G.A. and Robertson, H.A. Induction and suppression of seizures by cysteamine in hippocampal kindled rats, **365**, 393
Court, J.A., see Boakes, R.J., **397**, 197
Court, L., see Bassant, M.-H., **383**, 397
Court, L., see Bassant, M.H., **367**, 360
Court, L., see Gourmelon, P., **398**, 128
Covenas, R., Romo, R., Cheramy, A., Cesselin, F. and Conrath, M. Immunocytochemical study of enkephalin-like cell bodies in the thalamus of the cat, **377**, 355
Cowdery, T.S., see Slotkin, T.A., **374**, 63
Cowen, T., Alafaci, C., Crockard, H.A. and Burnstock, G. 5-HT-containing nerves to major cerebral arteries of the gerbil originate in the superior cervical ganglia, **384**, 51
Coyle, J.T., see Deckel, A.W., **365**, 249
Coyle, J.T., see Lowenstein, P.R., **381**, 191
Coyle, J.T., see Whitehouse, P.J., **371**, 146
Cozzari, C., see Stewart, G.R., **369**, 377
Crabbe, J.C., see Keith, L.D., **367**, 222
Crabbe, J.C., see Wilkinson, C.W., **378**, 107
Crager, M., see Haigler, H.J., **362**, 157
Craig, P., see Carroll, P.T., **382**, 83
Crain, B., see Crain, S.M., **370**, 61
Crain, S.M., Crain, B. and Peterson, E.R. Cyclic AMP or forskolin rapidly attenuates the depressant effects of opioids on sensory-evoked dorsal-horn responses in mouse spinal cord-ganglion explants, **370**, 61
Crain, S.M., see Fowler, J., **368**, 148
Crain, S.M., see Fowler, J., **378**, 398
Crane, A.M., see Dow-Edwards, D., **373**, 139
Crane, S., see Wible, C.G., **399**, 97
Crawley, J.N., Glowa, J.R., Majewska, M.D. and Paul, S.M. Anxiolytic activity of an endogenous adrenal steroid, **398**, 382
Creed, G.J., see Heydorn, W.E., **367**, 31
Creed, G.J., see Heydorn, W.E., **368**, 193
Creed, G.J., see Rodriguez-Sierra, J.F., **399**, 379
Creed, G.J., see Santer, D.M., **372**, 107
Creel, D.J., see Conlee, J.W., **363**, 28
Cremades, A., see Milanés, M.V., **375**, 13
Creveling, C.R., see Spatz, M., **381**, 363
Cridland, R.A. and Henry, J.L. Comparison of the effects of substance P, neurokinin A, physalaemin and eledoisin in facilitating a nociceptive reflex in the rat, **381**, 93
Crill, W.E., see Flatman, J.A., **363**, 62
Critchett, D.J., see Lippa, A.S., **366**, 98
Critchlow, V., Dyke, A. and Kaler, L.W. Release of growth hormone, prolactin and somatostatin during perifusion of anterior pituitary and preoptic-medial basal hypothalamus from male and female rats, **398**, 347
Critchlow, V., see Kaler, L.W., **386**, 175
Crockard, H.A., see Cowen, T., **384**, 51
Crofton, J.T., see Brooks, D.P., **371**, 42
Crook, R.B. and Prusiner, S.B. Vasoactive intestinal peptide stimulates cyclic AMP metabolism in choroid plexus epithelial cells, **384**, 138
Crosland, R.D., see Newton, M.W., **373**, 197
Crow, T.J., see Owen, F., **362**, 185
Crowley, P.J., see Boden, P., **385**, 205
Cruccu, G., Agostino, R., Lahuerta, J. and Manfredi, M. Inhibition of jaw-closing muscles by electrical stimulation of the ophthalmic division in man, **371**, 298
Crunelli, V., Leresche, N. and Parnavelas, J.G. X- and Y-cells identified in the cat

lateral geniculate nucleus in vitro, **380**, 371
Crutcher, K.A. and Collins, F. Entorhinal lesions result in increased nerve growth factor-like growth-promoting activity in medium conditioned by hippocampal slices, **399**, 383
Cruz, E.G., see Mobley, P.L., **398**, 366
Csiszar, E., see Wasterlain, C.G., **397**, 345
Csontos, C., see Merchenthaler, I., **378**, 297
Cubells, J.F., see Albala, B.J., **370**, 388
Cuello, A.C., see Sofroniew, M.V., **398**, 393
Cuello, A.C., Stephens, P.H., Tagari, P.C., Sofroniew, M.V. and Pearson, R.C.A. Retrograde changes in the nucleus basalis of the rat, caused by cortical damage, are prevented by exogenous ganglioside GM_1, **376**, 373
Culhane, E.S., see Watkins, L.R., **362**, 308
Cullen-Dockstader, K., see Fifková, E., **376**, 357
Cupello, A., see Hydén, H., **379**, 167
Curthoys, I.S., see Smith, P.F., **364**, 195
Cury, M., see Caviedes, R., **365**, 259
Curzon, G., see Kennett, G.A., **382**, 416
Curzon, G., see Sahakian, B.J., **399**, 162
Cusick, C.G., Wall, J.T. and Kaas, J.H. Representations of the face, teeth and oral cavity in areas 3b and 1 of somatosensory cortex in squirrel monkeys, **370**, 359
Cynader, M.S., see Swindale, N.V., **362**, 281
Czopf, J., see Buzsáki, G., **365**, 125
Czuczwar, S.J., see Turski, L., **398**, 37

D

D'Angio, M., see Serrano, A., **378**, 191
Dafny, N., see Dougherty, P.M., **385**, 401
Dafny, N., see Reyes-Vazquez, C., **383**, 177
Dahl, D. and Winson, J. Influence of neurons of the parafascicular region on neuronal transmission from perforant pathway through dentate gyrus, **377**, 391
Dahl, D., see Bignami, A., **375**, 73
Dahl, D., see Björklund, H., **371**, 267
Dahl, J.L., Silva, B.W., Baker, T.B. and Tiffany, S.T. Endogenous analgesia in the pregnant rat: an artifact of weight-dependent measures?, **373**, 316
Dahlberg, T.A., see Ford-Holevinski, T.S., **368**, 339
Dai, Z.-G., see Jen, L.S., **377**, 368
Daigle, M., see Di Paolo, T., **379**, 286
Daikoku, S., Kawano, H., Noguchi, M., Nakanishi, J., Tokuzen, M., Chihara, K. and Nagatsu, I. GRF neurons in the rat hypothalamus, **399**, 250
Daikoku, S., see Heike, Y., **369**, 341
Daikoku, S., see Hisano, S., **370**, 321
Dalakas, M.C., see Ilyas, A.A., **385**, 1
Dalkara, T. Nipecotic acid, an uptake blocker, prevents fading of the γ-aminobutyric acid effect, **366**, 314
Dalmaz, Y., see Pequignot, J.M., **367**, 238
Dancis, J., see Goldstein, M., **367**, 114
Danguir, J. Intracerebroventricular infusion of somatostatin selectively increases paradoxical sleep in rats, **367**, 26
Daniel, H., see Billard, J., **374**, 270
Daniell, L.C. and Leslie, S.W. Inhibition of fast phase calcium uptake and endogenous norepinephrine release in rat brain region synaptosomes by ethanol, **377**, 18
Danielsen, N., Lundborg, G. and Frizell, M. Nerve repair and axonal transport: outgrowth delay and regeneration rate after transection and repair of rabbit hypoglossal nerve, **376**, 125
Danks, J.A., Rothman, R.B., Cascieri, M.A., Chicchi, G.G., Liang, T. and Herkenham, M. A comparative autoradiographic study of the distributions of substance P and eledoisin binding sites in rat brain, **385**, 273
Danneberg, P., see Majkowski, J., **386**, 325
Danscher, G., see Pérez-Clausell, J., **362**, 358
Danysz, W., Minor, B.G., Jonsson, G., Post, C. and Archer, T. Spinal noradrenergic neurotransmission and the analgesia induced by brief footshock, **365**, 169
Darlington, C.L., see Smith, P.F., **364**, 195
Das, S., see Bhargava, H.N., **368**, 262
Dateoka, Y., see Ishidori, H., **370**, 153
Dateoka, Y., see Nishimori, T., **372**, 375
Davanzo, J.P., Chamberlain, J.K., Garris, D.R. and Swanson, M.S. Regional [^{3}H]testosterone uptake in the brain of isolated non-aggressive mice, **369**, 224
Davenport, A.P. and Evans, P.D. Sex-related differences in the concentration of Met-enkephalin-like immunoreactivity in the nervous system of an insect, *Schistocerca gregaria*, revealed by radioimmunoassay, **383**, 319
David, G., see Adler, E.M., **362**, 271
Davidson, R.M., see Bender, D.B., **381**, 372
Davies, D.L., Sakellaridis, N., Valcana, T. and Vernadakis, A. Cholinergic neurotoxicity induced by ethylcholine aziridinium (AF64A) in neuron-enriched cultures, **378**, 251
Davies, J., Evans, R.H., Herrling, P.L., Jones, A.W., Olverman, H.J., Pook, P. and Watkins, J.C. CPP, a new potent and selective NMDA antagonist. Depression of central neuron responses, affinity for [^{3}H]D-AP5 binding sites on brain membranes and anticonvulsant activity, **382**, 169
Davies, M., see Post, C., **363**, 18
Davies, R.O., Metzler, J., Silage, D.A. and Pack, A.I. Effects of lung inflation on the excitability of dorsal respiratory group neurons, **366**, 22
Davis, A.K., Janigro, D. and Schwartzkroin, P.A. Effects of tissue preincubation and hypoxia on CA3 hippocampal neurons in the in vitro slice preparation, **370**, 44
Davis, B.J., see Sladek Jr., J.R., **365**, 293
Davis, J.N., see Booze, R.M., **375**, 251
Davis, J.N., see Haring, J.H., **368**, 233
Davis, K.L., see Haroutunian, V., **386**, 397
Davis, M., Commissaris, R.L., Cassella, J.V., Yang, S., Dember, L. and Harty, T.P. Differential effects of dopamine agonists on acoustically and electrically elicited startle responses: comparison to effects of strychnine, **371**, 58
Davis, R.E., see Schlumpf, B.E., **386**, 305
Daw, N.W., see Brunken, W.J., **384**, 161
Daw, N.W., see Videen, T.O., **371**, 1
Dawbarn, D., Zamir, N., Waters, C.M., Hunt, S.P., Emson, P.C. and Brownstein, M.J. Peptides derived from prodynorphin are decreased in basal ganglia of Huntington's disease brains, **372**, 155
De Biasi, S., Frassoni, C. and Spreafico, R. GABA immunoreactivity in the thalamic reticular nucleus of the rat. A light and electron microscopical study, **399**, 143
De Camilli, P., see Favre, D., **384**, 379
De Caro, G., see Massi, M., **381**, 289
De Cozar, M., see Garcia-Segura, L.M., **380**, 261
De Graan, P.N., see Goldenring, J.R., **377**, 47

De Groat, W.C., see Morgan, C., **398**, 11
De Groat, W.C., see Tabatabai, M., **382**, 61
De Jong, W., see Sándor, P., **386**, 122
De Jong, W., see Van den Buuse, M., **368**, 69
De Kloet, E.R., see De Ronde, F.S.W., **374**, 219
De Long, M.R., see Richardson, R.T., **399**, 364
De Molina, A.F., see Colino, A., **378**, 416
De Moraes Mello, L.E.A., see Turski, L., **370**, 294
De Paermentier, F., Heuschling, P., Knoops, B., Janssens De Varebeke, P. and Van den Bosch De Aguilar, P.
A new model for quantification of microvascular regeneration after a lesion of the rat cerebral cortex, **398**, 419
De Ronde, F.S.W., De Kloet, E.R. and Nyakas, C.
Corticosteroid receptor plasticity and recovery of a deficient hippocampus-associated behavior after unilateral (dorsal) hippocampectomy, **374**, 219
De Schutter, E.
Alternative equations for the molluscan ion currents described by Connor and Stevens, **382**, 134
De Sigy, M.D., see Pequignot, J.M., **367**, 238
De Souza, E.B. and Battaglia, G.
Increased corticotropin-releasing factor receptors in rat cerebral cortex following chronic atropine treatment, **397**, 401
De Souza, E.B. and Van Loon, G.R.
Brain serotonin and catecholamine responses to repeated stress in rats, **367**, 77
De Souza, E.B., Goeders, N.E. and Kuhar, M.J.
Benzodiazepine receptors in rat brain are altered by adrenalectomy, **381**, 176
De Toledo-Morrell, L., see Geinisman, Y., **398**, 266
De Vellis, J., see Cavalieri, R.R., **364**, 382
De Vries, G.J., Duetz, W., Buijs, R.M., Van Heerikhuize, J. and Vreeburg, J.T.M.
Effects of androgens and estrogens on the vasopressin and oxytocin innervation of the adult rat brain, **399**, 296
De Vries, G.J., see Buijs, R.M., **371**, 193
De Weille, J.R., Vijverberg, H.P.M. and Narahashi, T.
Sodium depletion in the periaxonal space of the squid axon treated with pyrethroids, **386**, 169
De Wied, D., see Kovács, G.L., **371**, 17
De Wied, D., see Sándor, P., **386**, 122
Dean, C. and Coote, J.H.
A ventromedullary relay involved in the hypothalamic and chemoreceptor activation of sympathetic postganglionic neurones to skeletal muscle, kidney and splanchnic area, **377**, 279
Dean, C. and Coote, J.H.
Discharge patterns in postganglionic neurones to skeletal muscle and kidney during activation of the hypothalamic and midbrain defence areas in the cat, **377**, 271
Dean, R.R., see Beckman, A.L., **386**, 223
DeBruyn, E.J. and Bonds, A.B.
Contrast adaptation in cat visual cortex is not mediated by GABA, **383**, 339
Deckel, A.W., Moran, T.H. and Robinson, R.G.
Behavioral recovery following kainic acid lesions and fetal implants of the striatum occurs independent of dopaminergic mechanisms, **363**, 383
Deckel, A.W., Moran, T.H., Coyle, J.T., Sanberg, P.R. and Robinson, R.G.
Anatomical predictors of behavioral recovery following fetal striatal transplants, **365**, 249
Deecke, L., see Boschert, J., **376**, 175
Degli Uberti, E.C., see Sandrini, G., **371**, 364
Dehaven, D.L., see Walsh, T.J., **363**, 222
Del Mar Pérez-Delgado, M., see Ferres-Torres, R., **374**, 93
Del Rio-García, J., see Milanés, M.V., **375**, 13
Del Zompo, M., Piccardi, M.P., Bernardi, F., Bonuccelli, U. and Corsini, G.U.
Involvement of monoamine oxidase enzymes in the action of 1-methyl-4-phenyl-1,2,5,6-tetrahydropyridine, a selective neurotoxin, in the squirrel monkey: binding and biochemical studies, **378**, 320
Delaney, A.C., see Wiggins, R.C., **368**, 277
Delanney, L.E., see Ricaurte, G.A., **376**, 117
Delaunais, D., see Molotchnikoff, S., **375**, 66
Delbende, C., see Benyamina, M., **366**, 230
Delgado-Escueta, A.V., see Grisar, T., **364**, 1
Delgado-Escueta, A.V., see Nelson, L., **386**, 32
Delgado-García, J.M., see Gómez, C., **381**, 401
DeLorenzo, R.J., see Goldenring, J.R., **377**, 47
Delorme, E.M. and McGee Jr., R.
Regulation of voltage-dependent Ca^{2+} channels of neuronal cells by chronic changes in membrane potential, **397**, 189
Demarest, K.T., see Stein, R.D., **397**, 145
Dember, L., see Davis, M., **371**, 58
Dememes, D., see Favre, D., **384**, 379
Demesquita, S. and Haney, W.H.
Effect of chronic intracerebroventricular infusion of cholecystokinin on respiration and sleep, **378**, 127
Demotes-Mainard, J., Chauveau, J., Rodriguez, F., Vincent, J.D. and Poulain, D.A.
Septal release of vasopressin in response to osmotic, hypovolemic and electrical stimulation in rats, **381**, 314
Dempster, D.W., see Sloviter, R.S., **367**, 169
Demura, H., see Nakagami, Y., **386**, 232
Demuth, R.M., see Willott, J.F., **386**, 105
Denavit-Saubié, M., see Morin-Surun, M.P., **384**, 106
Denenberg, V.H., Gall, J.S., Berrebi, A. and Yutzey, D.A.
Callosal mediation of cortical inhibition in the lateralized rat brain, **397**, 327
Denner, L.A., see Wu, J.-Y., **373**, 1
Dennis, T., see Scatton, B., **380**, 181
Denoroy, L., see Astier, B., **397**, 333
Denton, D.A., see McKinley, M.J., **375**, 373
Denton, D.A., see McKinley, M.J., **376**, 416
Depaulis, A. and Vergnes, M.
Elicitation of intraspecific defensive behaviors in the rat by microinjection of picrotoxin, a γ-aminobutyric acid antagonist, into the midbrain periaqueductal gray matter, **367**, 87
Derian, E.L., see Finch, D.M., **370**, 273
Derian, E.L., see Finch, D.M., **397**, 205
DeSalvo, S., see Kreider, B.Q., **397**, 238
Desban, M., see Girault, J.A., **374**, 362
Deschepper, C.F., Bouhnik, J. and Ganong, W.F.
Colocalization of angiotensinogen and glial fibrillary acidic protein in astrocytes in rat brain, **374**, 195
Deupree, J.D., see Redgate, E.S., **365**, 61
Deutch, A.Y., Goldstein, M. and Roth, R.H.
Activation of the locus coeruleus induced by selective stimulation of the ventral tegmental area, **363**, 307
Deutch, A.Y., see Bannon, M.J., **381**, 393
Deutsch, J.A., see Gonzalez, M.F., **369**, 395
DeVries, G.H., see Bourdette, D.N., **366**, 333
Deza, S., see Cardinali, D.P., **363**, 350
Dhital, K., Lincoln, J., Appenzeller, O. and Burnstock, G.
Adrenergic innervation of vasa and nervi nervorum of optic, sciatic,

vagus and sympathetic nerve trunks in normal and streptozotocin-diabetic rats, **367**, 39
Di Fabio, R.P., Badke, M.B. and Duncan, P.W.
Adapting human postural reflexes following localized cerebrovascular lesion: analysis of bilateral long latency responses, **363**, 257
Di Giamberardino, L., see Tavitian, B., **375**, 391
Di Gioia, G., see Favre, D., **384**, 379
Di Paolo, T., Bédard, P., Daigle, M. and Boucher, R.
Long-term effects of MPTP on central and peripheral catecholamine and indoleamine concentrations in monkeys, **379**, 286
Di Paolo, T., see Bédard, P.J., **379**, 294
Di Renzo, G., see Taglialatela, M., **381**, 356
Diamond, D.M. and Weinberger, N.M.
Classical conditioning rapidly induces specific changes in frequency receptive fields of single neurons in secondary and ventral ectosylvian auditory cortical fields, **372**, 357
Diao, Y.-C., see So, K.-F., **377**, 168
Diaz, S., see Chafetz, M.D., **384**, 404
Díaz, M.A., see Caviedes, R., **365**, 259
Dichter, M.A., see Brown Jr., R.H., **381**, 237
Didier, M., see Harandi, M., **370**, 241
Diemer, N.H., see Johansen, F.F., **377**, 344
Diemer, N.H., see Lauritzen, M., **370**, 405
Dieringer, N., see Kasik, P., **363**, 188
Dietl, H.
In vivo release of corticosterone in discrete brain areas of rats. A push–pull perfusion study, **369**, 373
Dietrich, W.D., see Watson, B.D., **367**, 296
Dietrichs, E. and Haines, D.E.
Do the same hypothalamic neurons project to both amygdala and cerebellum?, **364**, 241
Dietrichs, E. and Walberg, F.
The cerebellar nucleo-olivary and olivocerebellar nuclear projections in the cat as studied with anterograde and retrograde transport in the same animal after implantation of crystalline WGA-HRP. III. The interposed nuclei, **373**, 373
Dietrichs, E., see Walberg, F., **397**, 73
Dietz, V., Quintern, J. and Berger, W.
Stumbling reactions in man: release of a ballistic movement pattern, **362**, 355
Dietz, V., Quintern, J., Boos, G. and Berger, W.
Obstruction of the swing phase during gait: phase-dependent bilateral leg muscle coordination, **384**, 166
Difiglia, M., see Aronin, N., **365**, 151
Dikkes, P., see Robinson, S.M., **371**, 380
DiMicco, J.A., see Wible Jr., J.H., **363**, 279
Dinger, B.G., Hirano, T. and Fidone, S.J.
Autoradiographic localization of muscarinic receptors in rabbit carotid body, **367**, 328
Dingledine, R., see Korn, S.J., **368**, 247
Dinh, T.T., see Ritter, S., **370**, 327
Dinse, H.R.O., see Best, J., **385**, 356
Dixson, A.F., see Kendrick, K.M., **375**, 221
Dobkins, K.R., see Saitoh, T., **379**, 196
Dobry-Schreur, P.J.K., see Piercey, M.F., **385**, 74
Dockray, G.J., see Varro, A., **376**, 213
Dohanich, G.P., Halpain, S., Lambdin, L.T. and McEwen, B.S.
Features of ligand binding in homogenate and section preparations, **366**, 338
Dom, R., see Ondo, J.G., **381**, 43
Domesick, V.B., see Grove, E.A., **367**, 379
Dong, W.K., see Chudler, E.H., **397**, 47
Donoghue, J.P. and Herkenham, M.
Neostriatal projections from individual cortical fields conform to histochemically distinct striatal compartments in the rat, **365**, 397
Donselaar, Y., Kernell, D. and Eerbeek, O.
Soma size and oxidative enzyme activity in normal and chronically stimulated motoneurones of the cat's spinal cord, **385**, 22
Dores, R.M., Jain, M. and Akil, H.
Characterization of the forms of β-endorphin and α-MSH in the caudal medulla of the rat and guinea pig, **377**, 251
Dorsa, D.M., see Wilkinson, C.W., **378**, 107
Dougherty, P.M., Aronowski, J., Samorajski, T. and Dafny, N.
Opiate antinociception is altered by immunemodification: the effect of interferon, cyclosporine and radiation-induced immune suppression upon acute and long-term morphine activity, **385**, 401
Douglas, W.W., see Taraskevich, P.S., **379**, 390
Dow-Edwards, D., Crane, A.M., Rosloff, B., Kennedy, C. and Sokoloff, L.
Local cerebral glucose utilization in the adult cretinous rat, **373**, 139
Dowling, J.E., see Ariel, M., **372**, 143
Dowling, J.E., see Cha, J.-H., **376**, 140
Dowling, J.E., see Li, H.-B., **366**, 307
Downes, C.P., see Kemp, J.A., **371**, 314
Drachman, D.B., see Stanley, E.F., **365**, 289
Drago, F., Pedersen, C.A., Caldwell, J.D. and Prange Jr., A.J.
Oxytocin potently enhances novelty-induced grooming behavior in the rat, **368**, 287
Dravid, A.R., see Gasser, U.E., **367**, 368
Dravid, A.R., see Gasser, U.E., **376**, 351
Dretchen, K.L., see Holtman Jr., J.R., **362**, 214
Drews, U., see Schleicher, G., **397**, 290
Dreyfus, C.F., Friedman, W.J., Markey, K.A. and Black, I.B.
Depolarizing stimuli increase tyrosine hydroxylase in the mouse locus coeruleus in culture, **379**, 216
Drucker-Colin, R., see Prospéro-Garcia, O., **385**, 169
Drucker-Colín, R., see Arankowsky-Sandoval, G., **375**, 377
Dubas, F., Leonard, R.B. and Hanlon, R.T.
Chromatophore motoneurons in the brain of the squid, *Lolliguncula brevis*: an HRP study, **374**, 21
Dubner, R., see Hylden, J.L.K., **370**, 401
Dubner, R., see Maixner, W., **374**, 385
Dubner, R., see Oliveras, J.-L., **371**, 368
Dubocovich, M.L., see Hensler, J.G., **398**, 407
Dubois, A., see Camus, A., **375**, 135
Dubois, A., see Savasta, M., **375**, 291
Dubois, J.-M., see Benoit, E., **377**, 374
Dubois, P.M., see Léger, L., **362**, 63
Dubuc, I., see Coquerel, A., **398**, 386
Dubuc, R., Rossignol, S. and Lamarre, Y.
The effects of 4-aminopyridine on the spinal cord: rhythmic discharges recorded from the peripheral nerves, **369**, 243
Duchen, M.R.
Excitation of mouse motoneurones by GABA-mediated primary afferent depolarization, **379**, 182
Dudek, F.E., see Snow, R.W., **367**, 292
Duetz, W., see De Vries, G.J., **399**, 296
Dulluc, J., see Geffard, M., **363**, 395
Dum, R.P. and Salame, C.G.
Growth of medial forebrain bundle axons into peripheral nerve grafts in the rat, **372**, 198
Duman, R.S. and Enna, S.J.
A procedure for measuring α_2-adrenergic receptor-mediated inhibition of cyclic AMP accumulation in rat brain slices, **384**, 391
Dun, N.J., see Jiang, Z.G., **363**, 196
Dun, N.J., see Jiang, Z.G., **381**, 182
Duncan, G., see Oliveras, J.-L., **371**, 368
Duncan, M.J., Banister, M.J. and Reppert, S.M.
Developmental appearance of light–dark entrainment in the rat, **369**, 326
Duncan, P.W., see Di Fabio, R.P., **363**, 257
Dundore, R.L., see Wurpel, J.N.D., **365**, 21

Dundore, R.L., see Wurpel, J.N.D., **365**, 30
Dunkley, P.R., Jarvie, P.E., Heath, J.W., Kidd, G.J. and Rostas, J.A.P.
A rapid method for isolation of synaptosomes on Percoll gradients, **372**, 115
Dunnett, S.B., see Zetterström, T., **362**, 344
Dunnett, S.B., Whishaw, I.Q., Bunch, S.T. and Fine, A.
Acetylcholine-rich neuronal grafts in the forebrain of rats: effects of environmental enrichment, neonatal noradrenaline depletion, host transplantation site and regional source of embryonic donor cells on graft size and acetylcholinesterase-positive fibre outgrowth, **378**, 357
Dunwiddie, T.V., see Yasuda, R.P., **367**, 121
Durand, D.
Electrical stimulation can inhibit synchronized neuronal activity, **382**, 139
Durkin, T., Galey, D., Micheau, J., Beslon, H. and Jaffard, R.
The effects of acute intraseptal injection of haloperidol in vivo on hippocampal cholinergic function in the mouse, **376**, 420
Dussault, J.H., see Luo, M., **381**, 275
Dusticier, G., see Segu, L., **384**, 205
Dutar, P., Lamour, Y., Rascol, O. and Jobert, A.
Septo-hippocampal neurons in the rat: further study of their physiological and pharmacological properties, **365**, 325
Dutar, P., see Epelbaum, J., **371**, 376
Dutar, P., see Lamour, Y., **362**, 122
Dutton, G.R., see Michalak, T., **379**, 320
Duyckaerts, C., see Scatton, B., **380**, 181
Dvergsten, C.L., Hull, C.D., Levine, M.S., Adinolfi, A.M., Fisher, R.S. and Buchwald, N.A.
The entopeduncular nucleus: Golgi morphometrics of serially reconstructed neurons in adult cats, **375**, 395
Dwyer, B.E., see Fujikawa, D.G., **397**, 61
Dyball, R.E.J., see Inenaga, K., **369**, 37
Dyball, R.E.J., see Mason, W.T., **383**, 279
Dyke, A., see Critchlow, V., **398**, 347
Dyke, A., see Kaler, L.W., **386**, 175
Dyson, S.E., see Harvey, A.R., **368**, 141

E

Earle, A.M., see Lacy, P.S., **373**, 146
Earnest, D.J. and Sladek, C.D.
Circadian rhythms of vasopressin release from individual rat suprachiasmatic explants in vitro, **382**, 129
Eberstein, A. and Pachter, B.R.
The effect of electrical stimulation on reinnervation of rat muscle: contractile properties and endplate morphometry, **384**, 304
Ebert, J.P., see Sterz, R., **385**, 99
Ebner, T.J., see Kim, J.H., **369**, 125
Ebner, T.J., see McElligott, J.G., **397**, 245
Eckardt, M.J., Campbell, G.A., Marietta, C.A., Majchrowicz, E., Wixon, H.N. and Weight, F.F.
Cerebral 2-deoxyglucose uptake in rats during ethanol withdrawal and postwithdrawal, **366**, 1
Eckols, K., see Uphouse, L., **381**, 376
Edge, M., see Sterz, R., **385**, 99
Edge, M.T., see Bradley, R.J., **377**, 194
Edinburgh, K.J., see Kreider, B.Q., **397**, 238
Edinger, H., see Brutus, M., **366**, 53
Edström, A., see Kanje, M., **381**, 24
Edström, A., see Zalewska, T., **381**, 58
Edwards, D.A., see Hennessey, A.C., **370**, 21
Edwards, D.J., see Antelman, S.M., **385**, 58
Edwards, D.L. and Grafstein, B.
Intraocular tetrodotoxin reduces axonal transport and transcellular transfer of adenosine and other nucleosides in the visual system of goldfish, **364**, 258
Edwards, D.L., see Sandrew, B.B., **373**, 235
Eerbeek, O., see Donselaar, Y., **385**, 22
Efron, R., see Brailowsky, S., **376**, 71
Egger, M.D., Freeman, N.C., Jacquin, M., Proshansky, E. and Semba, K.
Dorsal horn cells in the cat responding to stimulation of the plantar cushion, **383**, 68
Egozi, Y., Kloog, Y. and Sokolovsky, M.
Acetylcholine rhythm in the preoptic area of the rat hypothalamus is synchronized with the estrous cycle, **383**, 310
Ehinger, B.E., see Perez, M.T.R., **398**, 106
Ehrlich, M., see Park, D.H., **370**, 375
Ehrlich, M., see Park, D.H., **372**, 185
Eidelberg, E., see Schwartzman, R.J., **398**, 113
Elam, M., Svensson, T.H. and Thorén, P.
Locus coeruleus neurons and sympathetic nerves: activation by cutaneous sensory afferents, **366**, 254
Elam, M., Thorén, P. and Svensson, T.H.
Locus coeruleus neurons and sympathetic nerves: activation by visceral afferents, **375**, 117
Elardo, S.M., see Roberts, W.J., **370**, 149
Elde, R.P., see Sasek, C.A., **381**, 8
Elder, J., see Blount, P., **382**, 257
Elekes, I., see Palkovits, M., **373**, 252
Ellenberger, H.H., see Vera, P.L., **386**, 84
Ellenbroek, B., see Schwarz, M., **373**, 365
Elliott, P.J. and Iversen, S.D.
Behavioural effects of tachykinins and related peptides, **381**, 68
Elliott, P.J., Alpert, J.E., Bannon, M.J. and Iversen, S.D.
Selective activation of mesolimbic and mesocortical dopamine metabolism in rat brain by infusion of a stable substance *P* analogue into the ventral tegmental area, **363**, 145
Elliott, P.J., Chan, J., Parker, Y.-M. and Nemeroff, C.B.
Behavioral effects of neurotensin in the open field: structure–activity studies, **381**, 259
Elliott, P.J., Nemeroff, C.B. and Kilts, C.D.
Evidence for a tonic facilitatory influence of substance P on dopamine release in the nucleus accumbens, **385**, 379
Emerich, D., see Tilson, H.A., **379**, 147
Emmert, S.E., see Hartman, R.D., **382**, 352
Emson, P.C., see Arai, H., **399**, 240
Emson, P.C., see Dawbarn, D., **372**, 155
Emson, P.C., see Matsuyama, T., **373**, 205
Emson, P.C., see Morishima, Y., **379**, 157
Emson, P.C., see Wanaka, A., **369**, 185
Enjalbert, A., see Epelbaum, J., **371**, 376
Enna, S.J., see Duman, R.S., **384**, 391
Enna, S.J., see Reyes-Vazquez, C., **383**, 177
Ennis, M. and Aston-Jones, G.
Evidence for self- and neighbor-mediated postactivation inhibition of locus coeruleus neurons, **374**, 299
Enoka, R.M., see Windhorst, U., **398**, 181
Ente, P., see Fariello, R.G., **380**, 196
Enz, A., see Maurin, Y., **366**, 379
Epelbaum, J., Lamour, Y., Enjalbert, A., Hamon, M., Dutar, P. and Kordon, C.
Modifications in the cortical regional distribution of choline acetyltransferase, somatostatin and somatostatin binding sites in the

normal rat and following lesion of the nucleus basalis, **371**, 376
Epstein, A.N., see Massi, M., **381**, 289
Epstein, M.L., see Tumosa, N., **370**, 365
Erecinska, M. and Silver, I.A.
The role of glial cells in regulation of neurotransmitter amino acids in the external environment. I. Transmembrane electrical and ion gradients and energy parameters in cultured glial-derived cell lines, **369**, 193
Erecinska, M., Troeger, M.B., Wilson, D.F. and Silver, I.A.
The role of glial cells in regulation of neurotransmitter amino acids in the external environment. II. Mechanism of aspartate transport, **369**, 203
Erfurth, A., see Reddington, M., **399**, 232
Erichsen, J.T., see Evinger, C., **380**, 383
Erin, A.N., Gorbunov, N.V., Brusovanik, V.I., Tyurin, V.A. and Prilipko, L.L.
Stabilization of synaptic membranes by α-tocopherol against the damaging action of phospholipases. Possible mechanism of biological action of vitamin E, **398**, 85
Ermisch, A., Landgraf, R. and Möbius, P.
Vasopressin and oxytocin in brain areas of rats with high or low behavioral performance, **379**, 24
Ermisch, A., see Kretzschmar, R., **380**, 325
Ernst, M., see Willer, J.C., **362**, 398
Errami, M. and Nieoullon, A.
Development of a micromethod to study the Na^+-independent L-[^{3}H]glutamic acid binding to rat striatal membranes. I. Biochemical and pharmacological characterization, **366**, 169
Errami, M. and Nieoullon, A.
Development of a micromethod to study the Na^+-independent L-[^{3}H]glutamic acid binding to rat striatal membranes. II. Effects of selective striatal lesions and deafferentations, **366**, 178
Eschmann, N., see Matthieu, J.-M., **379**, 137
Esiri, M.M., Pearson, R.C.A. and Powell, T.P.S.
The cortex of the primary auditory area in Alzheimer's disease, **366**, 385
Eskay, R.L., see Bannon, M.J., **381**, 393
Eskay, R.L., see Lee, J.-M., **371**, 152
Eskay, R.L., see Palkovits, M., **373**, 246
Eskay, R.L., see Zamir, N., **365**, 105
Eskin, T.A. and Merigan, W.H.
Selective acrylamide-induced degeneration of color opponent ganglion cells in macaques, **378**, 379
Esposito, E., see Romandini, S., **377**, 351
Etchecopar, B., see Sans, A., **364**, 190
Etgen, A.M. and Petitti, N.
Norepinephrine-stimulated cyclic AMP accumulation in rat hypothalamic slices: effects of estrous cycle and ovarian steroids, **375**, 385
Eto, Y., see Kanamoto, Y., **371**, 201
Evans, G.J., see Jones, L.S., **385**, 46
Evans, P.D., see Davenport, A.P., **383**, 319
Evans, R.H., see Davies, J., **382**, 169
Evinger, C. and Erichsen, J.T.
Transsynaptic retrograde transport of fragment C of tetanus toxin demonstrated by immunohistochemical localization, **380**, 383
Evinger, M.J., see Park, D.H., **372**, 185
Eyzaguirre, C., see Oyama, Y., **368**, 167
Eyzaguirre, C., see Oyama, Y., **381**, 405

F

Fage, D., see Nishikawa, T., **373**, 324
Fagin, J., see Melmed, S., **369**, 83
Fahim, M.A. and Robbins, N.
Remodelling of the neuromuscular junction after subtotal disuse, **383**, 353
Fahlman, C.S. and Riley, D.A.
Colchicine-induced sprouting of the neuromuscular junction in the pigeon extensor digitorum longus muscle, **363**, 156
Fairchild, M.D., see Rinaldi, P.C., **375**, 302
Fairchild, M.D., see Sterman, M.B., **383**, 382
Fairchild, M.D., see Wasterlain, C.G., **397**, 345
Falardeau, P., see Bédard, P.J., **379**, 294
Fallon, J.H., see Schmued, L.C., **377**, 147
Fan, M.-M., see Gan, S.-D., **369**, 75
Fanelli, R.J. and McNamara, J.O.
Effects of age on kindling and kindled seizure-induced increase of benzodiazepine receptor binding, **362**, 17
Farber, D.B., see Goldenring, J.R., **377**, 47
Fariello, R.G., Golden, G.T. and Ente, P.
The epileptogenic action of 6-aminomethyl-3-methyl,1–4H-1,2,6-benzothiadiazine-1,1-diazide hydrochloride (TAG): non-specific versus specific antitaurine pathogenesis, **380**, 196
Faris, P.L., Beinfeld, M.C., Scallet, A.C., Johannessen, J.N. and Olney, J.W.
Increase in hypothalamic cholecystokinin following acute and chronic morphine, **367**, 405
Farrar, R.P., see Leslie, S.W., **368**, 174
Faull, R.L.M. and Villiger, J.W.
Heterogeneous distribution of benzodiazepine receptors in the human striatum: a quantitative autoradiographic study comparing the pattern of receptor labelling with the distribution of acetylcholinesterase staining, **381**, 153
Faure, R., see Luo, M., **381**, 275
Favre, D., Scarfone, E., Di Gioia, G., De Camilli, P. and Dememes, D.
Presence of synapsin I in afferent and efferent nerve endings of vestibular sensory epithelia, **384**, 379
Fayada, C., see Leviel, V., **381**, 205
Feasey, K.J., Lynch, M.A. and Bliss, T.V.P.
Long-term potentiation is associated with an increase in calcium-dependent, potassium-stimulated release of [^{14}C]glutamate from hippocampal slices: an ex vivo study in the rat, **364**, 39
Feder, H.H., see Thornton, J.E., **377**, 155
Féger, J., see Mintz, I., **375**, 172
Fei, D.T., see McKinley, M.J., **376**, 416
Feigenbaum, P. and Chang, Y.-F.
Pipecolic acid antagonizes barbiturate-enhanced GABA binding to bovine brain membranes, **372**, 176
Feldman, S.C., see Youdim, M.B.H., **381**, 300
Feldstein, J.B., Sumners, C. and Raizada, M.K.
Sodium increases angiotensin II receptors in neuronal cultures from brains of normotensive and hypertensive rats, **370**, 265
Feliciano, M.D., see Black, J.A., **380**, 122
Felix, D., see Gambino, M.C., **375**, 230
Feng, A.S.
Afferent and efferent innervation patterns of the cochlear nucleus (dorsal medullary nucleus) of the leopard frog, **367**, 183
Feng, A.S.
Afferent and efferent innervation patterns of the superior olivary nucleus of the leopard frog, **364**, 167
Fernandez-Guasti, A., Hansen, S., Archer, T. and Jonsson, G.
Noradrenaline-serotonin interactions in the control of sexual behavior in the male rat: DSP4-induced noradrenaline depletion antagonizes the facilitatory effect of serotonin receptor agonists, 5-MeODMT and

lisuride, **377**, 112
Fernstrom, J.D., see Wetsel, W.C., **370**, 315
Ferrario, C.M., see Schiavone, M.T., **397**, 193
Ferrell, W.R., see Baxendale, R.H., **377**, 41
Ferrendelli, J.A., see Blazynski, C., **366**, 224
Ferrendelli, J.A., see Mirski, M.A., **397**, 377
Ferrendelli, J.A., see Mirski, M.A., **399**, 212
Ferrero, P., Costa, E., Conti-Tronconi, B. and Guidotti, A. A diazepam binding inhibitor (DBI)-like neuropeptide is detected in human brain, **399**, 136
Ferres-Torres, R., Del Mar Pérez-Delgado, M., Castañeyra-Perdomo, A. and González-Hernández, T. Effects of hypothyroidism on the karyometric development of the paraventricular and ventromedial nuclei of the hypothalamus in the mouse, **374**, 93
Ferres-Torres, R., see González Hernández, T.H., **368**, 268
Ferres-Torres, R., see Meyer, G., **398**, 207
Fevre-Montange, M., see Borson-Chazot, F., **382**, 433
Fex, J., Altschuler, R.A., Kachar, B., Wenthold, R.J. and Zempel, J.M. GABA visualized by immunocytochemistry in the guinea pig cochlea in axons and endings of efferent neurons, **366**, 106
Fidone, S., see Rigual, R., **374**, 101
Fidone, S.J., see Dinger, B.G., **367**, 328
Fiedler, J., see Riveros, N., **386**, 405
Fields, H.L., see Barbaro, N.M., **366**, 203
Fields, H.L., see Cheng, Z.-F., **375**, 57
Fields, H.L., see Levy, R.M., **368**, 170
Fields, H.L., see Moreau, J.-L., **397**, 37
Fifková, E. and Cullen-Dockstader, K. Calcium distribution in dendritic spines of the dentate fascia varies with age, **376**, 357
Filbert, M., see Slater, N.T., **375**, 407
File, S.E., see Pellow, S., **363**, 174
Finch, D.M., Wong, E.E., Derian, E.L. and Babb, T.L. Neurophysiology of limbic system pathways in the rat: projections from the subicular complex and hippocampus to the entorhinal cortex, **397**, 205
Finch, D.M., Wong, E.E., Derian, E.L., Chen, X.-H., Nowlin-Finch, N.L. and Brothers, L.A. Neurophysiology of limbic system pathways in the rat: projections from the amygdala to the entorhinal cortex, **370**, 273
Findling, R.L., see Wible, C.G., **399**, 97
Fine, A., see Dunnett, S.B., **378**, 357
Fine, K.E., see Sanberg, P.R., **367**, 314
Fine, R.E., see Connor, J.R., **368**, 319
Fink, G., see Stanley, H.F., **370**, 215
Fink, G., see Stanley, H.F., **370**, 223
Finkelstein, J.N., see Aschner, M., **381**, 244
Finocchio, D., see Brooks, B.A., **383**, 402
Fiorentini, F., see Consolo, S., **363**, 128
Fiorentini, F., see Consolo, S., **374**, 212
Fisher, R.S., Boylan, M.K., Hull, C.D., Buchwald, N.A. and Levine, M.S. Branched projections of cat sensorimotor cortex: multiple retrograde labeling via commissural corticocortical, decussated corticostriatal and undecussated corticostriatal axons, **384**, 395
Fisher, R.S., Buchwald, N.A., Hull, C.D. and Levine, M.S. Neurons of origin of striatonigral axons in the cat: connectivity and Golgi markers of somatodendritic architecture, **397**, 173
Fisher, R.S., Buchwald, N.A., Hull, C.D. and Levine, M.S. The GABAergic striatonigral neurons of the cat: demonstration by double peroxidase labeling, **398**, 148
Fisher, R.S., see Adams, C.E., **397**, 365
Fisher, R.S., see Boylan, M.K., **375**, 176
Fisher, R.S., see Dvergsten, C.L., **375**, 395
Fisher, R.S., see Gazzara, R.A., **397**, 225
Fishman, R., see Lev-Tov, A., **363**, 379
Fitzpatrick, D., see Conley, M., **399**, 332
Flanagan, T., Flaster, M.S., MacInnes, J. and Zipser, B. Probing structural homologies in cell-specific glycoproteins in the leech CNS, **378**, 152
Flashman, L.A., see Applegate, C.D., **398**, 121
Flaster, M.S., see Flanagan, T., **378**, 152
Flatman, J.A., Schwindt, P.C. and Crill, W.E. The induction and modification of voltage-sensitive responses in cat neocortical neurons by *N*-methyl-D-aspartate, **363**, 62
Flatness, D.E., see Peskind, E.R., **367**, 258
Flauto, C., see Parenti, M., **367**, 8
Fleming, D.E., see Anderson, R.H., **370**, 1
Fliers, E., Guldenaar, S.E.F., Van der Wal, N. and Swaab, D.F. Extrahypothalamic vasopressin and oxytocin in the human brain; presence of vasopressin cells in the bed nucleus of the stria terminalis, **375**, 363
Flitter, M.A., see Baskin, D.S., **371**, 231
Florence, S.L. and Casagrande, V.A. Changes in the distribution of geniculocortical projections following monocular deprivation in tree shrews, **374**, 179
Flumerfelt, B.A., see Anderson, W.A., **382**, 228
Flumerfelt, B.A., see Anderson, W.A., **383**, 245
Foglesong, M.E., see Pubols, L.M., **371**, 109
Folbergrová, J. The effect of vanadate on Na^+,K^+-ATPase activity of mouse cerebral cortex during bicuculline-induced seizures, **363**, 53
Fonnum, F., see Fosse, V.M., **383**, 28
Fonnum, F., see Villani, L., **379**, 223
Foote, W.E., see Sandrew, B.B., **373**, 235
Ford, A.P.D.W. and Marsden, C.A. Influence of anaesthetics on rat striatal dopamine metabolism in vivo, **379**, 162
Ford-Holevinski, T.S., Dahlberg, T.A. and Agranoff, B.W. A microcomputer-based image analyzer for quantitating neurite outgrowth, **368**, 339
Forloni, G., see Consolo, S., **363**, 128
Fornal, C., see Morilak, D.A., **399**, 262
Forno, L.S., see Ricaurte, G.A., **376**, 117
Fosse, V.M. and Fonnum, F. Effects of kainic acid and other excitotoxins in the rat superior colliculus: relations to glutamatergic afferents, **383**, 28
Fosse, V.M. and Opstad, P.K. Biochemical plasticity in the superior colliculus of adult rats after chronic visual cortex ablation, **372**, 189
Fournet, N., Garcia-Segura, L.M., Norman, A.W. and Orci, L. Selective localization of calcium-binding protein in human brainstem, cerebellum and spinal cord, **399**, 310
Fournier, S., see Quik, M., **372**, 11
Fowler, J. and Crain, S.M. Dendritic patterns of granule cells in organotypic explants of fetal and neonatal mouse hippocampal formation, **368**, 148
Fowler, J., Bornstein, M.B. and Crain, S.M. Sustained hyperexcitability elicited by repetitive electric stimulation of organotypic hippocampal explants, **378**, 398
Fox, E.A., see Powley, T.L., **364**, 159
Fox, T.O., see Canick, J.A., **372**, 277
Fox, T.O., see Robinson, S.M., **371**, 380
Fox, T.O., see Rubin, B.S., **383**, 60
Fraley, S.M. and Sharma, S.C. Topography of retinodiencephalic projections in adult channel catfish,

385, 179
Franceschetti, S., Hamon, B. and Heinemann, U.
The action of valproate on spontaneous epileptiform activity in the absence of synaptic transmission and on evoked changes in $[Ca^{2+}]_o$ and $[K^+]_o$ in the hippocampal slice, **386**, 1
Francis Pau, K.-Y. and Spies, H.G.
Estrogen-dependent effects of norepinephrine on hypothalamic gonadotropin-releasing hormone release in the rabbit, **399**, 15
Frank, E. and Jackson, P.C.
Normal electrical activity is not required for the formation of specific sensory-motor synapses, **378**, 147
Fransson, I., see Kanje, M., **381**, 24
Franz, P., Galvan, M. and Constanti, A.
Calcium-dependent action potentials and associated inward currents in guinea-pig neocortical neurons in vitro, **366**, 262
Frassoni, C., see Barbaresi, P., **382**, 305
Frassoni, C., see De Biasi, S., **399**, 143
Fredholm, B.B., see Perez, M.T.R., **398**, 106
Fredieu, J.R., see Landis, S.C., **377**, 177
Freedman, R., see Bickford, P.C., **385**, 405
Freeman, A.R., see Friedman, R.N., **364**, 172
Freeman, J.A., see Langdon, R.B., **398**, 169
Freeman, N.C., see Egger, M.D., **383**, 68
Fregly, M.J., see Wilson, K.M., **382**, 87
Frenk, H., Liban, A., Urca, G. and Teichberg, V.I.
Absence of side-effects in the anticonvulsant action of cortically applied antagonists of *N*-methyl-D-aspartate, **373**, 222
Freschi, J.E. and Parfitt, A.G.
Intracellular recordings from pineal cells in tissue culture: membrane properties and response to norepinephrine, **368**, 366
Friede, R.L., see Beuche, W., **378**, 97
Friede, R.L., see Scheidt, P., **379**, 380
Friedman, E., Nilaver, G., Carmel, P., Perlow, M., Spatz, L. and Latov, N.
Myelination by transplanted fetal and neonatal oligodendrocytes in a dysmyelinating mutant, **378**, 142
Friedman, R.N., Shank, R.P. and Freeman, A.R.
Tryptamine enhancement of neurotransmitter release under conditions that normally depress calcium influx, **364**, 172
Friedman, W.A., see SceatsJr., D.J., **362**, 149
Friedman, W.J., see Dreyfus, C.F., **379**, 216
Frizell, M., see Danielsen, N., **376**, 125
Frost, B.J., see Ramm, P., **365**, 112
Frye, G.D., see Baumeister, A.A., **369**, 231
Fuchs, A.F., see Brooks, B.A., **383**, 402
Fujii, K., see Sadoshima, S., **379**, 205
Fujikawa, D.G., Dwyer, B.E. and Wasterlain, C.G.
Preferential blood flow to brainstem during generalized seizures in the newborn marmoset monkey, **397**, 61
Fujikawa, N., see Yokoi, I., **385**, 212
Fujikura, S., see Yoneda, T., **372**, 89
Fujishima, M., see Sadoshima, S., **379**, 205
Fujita, S.C., see Obata, K., **375**, 37
Fujita, T., see Kita, T., **398**, 18
Fujita, T., see Kondo, H., **372**, 353
Fukai, K., see Fukuda, H., **380**, 276
Fukai, K., see Fukuda, H., **380**, 287
Fukuda, H. and Fukai, K.
Location of the reflex centre for straining elicited by activation of pelvic afferent fibres of decerebrate dogs, **380**, 287
Fukuda, H. and Fukai, K.
Postural change and straining induced by distension of the rectum, vagina and urinary bladder of decerebrate dogs, **380**, 276
Fukuda, M., Ono, T., Nishino, H. and Sasaki, K.
Visual responses related to food discrimination in monkey lateral hypothalamus during operant feeding behavior, **374**, 249
Fukuda, M., see Inagaki, S., **378**, 420
Fukuda, M., see Ono, T., **373**, 92
Fukuda, Y., Takatsuji, K., Sawai, H., Wakakuwa, K., Watanabe, M. and Mitani-Yamanishi, Y.
Ipsilateral retinal projections and laminations of the dorsal lateral geniculate nucleus in the eastern chipmunk (*Tamias sibiricus asiaticus*), **384**, 373
Fukui, K., Kariyama, H., Kashiba, A., Kato, N. and Kimura, H.
Further confirmation of heterogeneity of the rat striatum: different mosaic patterns of dopamine fibers after administration of methamphetamine or reserpine, **382**, 81
Fukuyama, H., see Matsubayashi, K., **368**, 30
Fung, S.J., see Chan, J.Y.H., **369**, 103
Fung, S.J., see Chase, M.H., **386**, 237
Fung, Y.K., see Lau, Y.-S., **369**, 311
Furui, T., Harty, G.J. and Yaksh, T.L.
Studies on the effects of opioid, noradrenergic and serotonergic antagonists on the antinociceptive effects of electroconvulsive shock, **367**, 162
Furukawa, Y. and Kobayashi, M.
Acetylcholine-induced hyperpolarization in identified neurones of the African giant snail (*Achatina fulica* Férussac), **374**, 227

G

Gabriel, M. and Sparenborg, S.
Anterior thalamic discriminative neuronal responses enhanced during learning in rabbits with subicular and cingulate cortical lesions, **384**, 195
Gabrielsson, B., Robson, T., Norris, D. and Chung, S.H.
Effects of divalent metal ions on the uptake of glutamate and GABA from synaptosomal fractions, **384**, 218
Gacel, G., see Benoist, J.M., **398**, 49
Gage, F.H., see Brundin, P., **366**, 346
Gage, F.H., see Clarke, D.J., **369**, 151
Gage, F.H., see Zetterström, T., **362**, 344
Gaillard, W.D. and Carpenter, D.O.
On the transmitter at the A-to-B cell in *Aplysia californica*, **373**, 311
Gaillard, W.D. and Carpenter, D.O.
Spectra of neurotransmitter receptors and ionic responses on cerebral A and B neurons in *Aplysia californica*, **373**, 303
Gainer, H., see Wolfe Jr., S.A., **399**, 190
Gale, K., see Garant, D.S., **382**, 372
Gale, K., see Piredda, S., **377**, 205
Gale, R.P., see Shavit, Y., **372**, 382
Galey, D., see Durkin, T., **376**, 420
Galindo-Mireles, D., see Meyer, G., **398**, 207
Gall, C., Seroogy, K.B. and Brecha, N.
Distribution of VIP- and NPY-like immunoreactivities in rat main olfactory bulb, **374**, 389
Gall, J.S., see Denenberg, V.H., **397**, 327
Gallagher, J.P., see Akasu, T., **365**, 365
Gallagher, J.P., see Nohmi, M., **367**, 346
Gallagher, M.J., see Armstrong, W.E., **365**, 192
Galvan, M., see Franz, P., **366**, 262
Gambino, M.C. and Felix, D.
Median preoptic neurones are sensitive to blood pressure changes induced by peripheral angiotensin II, **375**, 230
Gamrani, H., Onteniente, B., Seguela, P., Geffard, M. and Calas, A.
Gamma-aminobutyric acid-immunoreactivity in the rat hippocampus. A light and electron microscopic study with anti-GABA antibodies, **364**, 30
Gan, S.-D., Fan, M.-M. and He, G.-P.
The role of microtubules in axoplasmic transport in vivo, **369**, 75
Gan, S.K., see Harvey, A.R., **368**, 141
Ganong, A.H., see Harris, E.W., **382**, 174
Ganong, A.H., see Hearn, T.J.,

379, 372
Ganong, W.F., see Deschepper, C.F., **374**, 195
Gao, L., see Jiang, C., **377**, 190
Garant, D.S., Iadarola, M.J. and Gale, K.
Substance P antagonists in substantia nigra are anticonvulsant, **382**, 372
Garcia-Munoz, M., see Chavez-Noriega, L., **379**, 300
Garcia-Munoz, M., see Lavin, A., **369**, 298
Garcia-Segura, L.M.
Harmaline-induced changes in plasma membrane of Purkinje cells: a trans-synaptic effect mediated by climbing fibers, **372**, 390
Garcia-Segura, L.M., Baetens, D. and Naftolin, F.
Synaptic remodelling in arcuate nucleus after injection of estradiol valerate in adult female rats, **366**, 131
Garcia-Segura, L.M., De Cozar, M., Moreno, M.C. and Monreal, J.
Freeze-fracture characterization of proteolipid protein and basic protein of central nervous system myelin incorporated in liposomes, **380**, 261
Garcia-Segura, L.M., see Fournet, N., **399**, 310
García-Arrarás, J.E., Murakoshi, T., Yanagisawa, M. and Otsuka, M.
Descending inhibition of slow spinal reflex in an in vitro preparation of the newborn rat and its possible involvement in pain control, **379**, 188
Gard, A.L., see Michalak, T., **379**, 320
Gardiner, P., Michel, R., Browman, C. and Noble, E.
Increased EMG of rat plantaris during locomotion following surgical removal of its synergists, **380**, 114
Gardiner, T.W., see Orr, W.B., **376**, 20
Garner, L.L., see Morley, B.J., **378**, 315
Garofalo, L., see Quik, M., **374**, 395
Garraghty, P.E., see Schroeder, C.E., **381**, 143
Garris, D.R., see Davanzo, J.P., **369**, 224
Garwood, M.M., see Bourdette, D.N., **366**, 333
Gash, D.M., see Marciano, F.F., **370**, 338
Gasser, U.E., Van Deusen, E.B. and Dravid, A.R.
Homologous cholinergic efferents spared by partial fimbrial lesions contribute to the recovery of hippocampal cholinergic enzymes in adult rats, **367**, 368
Gasser, U.E., Weskamp, G., Otten, U. and Dravid, A.R.
Time course of the elevation of nerve growth factor (NGF) content in the hippocampus and septum following lesions of the septohippocampal pathway in rats, **376**, 351
Gatti, P.J., Norman, W.P., Taveira Dasilva, A.M. and Gillis, R.A.
Cardiorespiratory effects produced by microinjecting L-glutamic acid into medullary nuclei associated with the ventral surface of the feline medulla, **381**, 281
Gautron, M., see Benoist, J.M., **398**, 49
Gautron, M., see Guilbaud, G., **385**, 86
Gavin, L.A., see Cavalieri, R.R., **364**, 382
Gavras, H., see Benetos, A., **381**, 322
Gavras, I., see Benetos, A., **381**, 322
Gazzara, R.A., Fisher, R.S., Levine, M.S., Hull, C.D. and Buchwald, N.A.
Physiological and morphological analyses of ventral anterior and ventral lateral thalamic neurons in the cat, **397**, 225
Gean, P.-W., see Nohmi, M., **367**, 346
Geary, K.M., see Blazynski, C., **366**, 224
Geary II, W.A. and Wooten, G.F.
Time action profiles of regional cerebral glucose utilization during naloxone-precipitated morphine withdrawal, **399**, 181
Gebhart, G.F., see Jones, S.L., **364**, 315
Gebhart, G.F., see Ness, T.J., **386**, 41
Gebhart, G.F., see Ossipov, M.H., **384**, 282
Geddes, J.W., Chang-Chui, H., Cooper, S.M., Lott, I.T. and Cotman, C.W.
Density and distribution of NMDA receptors in the human hippocampus in Alzheimer's disease, **399**, 156
Geffard, M., Patel, S., Dulluc, J. and Rock, A.-M.
Specific detection of noradrenaline in the rat brain by using antibodies, **363**, 395
Geffard, M., see Campistron, G., **365**, 179
Geffard, M., see Campistron, G., **376**, 400
Geffard, M., see Gamrani, H., **364**, 30
Geffard, M., see Herman, J.P., **372**, 210
Geffard, M., see McRae-Degueurce, A., **376**, 217
Geiger, J.D.
Localization of [^{3}H]cyclohexyladenosine and [^{3}H]nitrobenzylthioinosine binding sites in rat striatum and superior colliculus, **363**, 404
Geinisman, Y., De Toledo-Morrell, L. and Morrell, F.
Aged rats need a preserved complement of perforated axospinous synapses per hippocampal neuron to maintain good spatial memory, **398**, 266
Gemba, H., see Sasaki, K., **374**, 278
Genovesi, S., see Stein, R.D., **397**, 145
Gentile, C.G., see Jarrell, T.W., **374**, 126
Gentile, C.G., see Jarrell, T.W., **381**, 251
Gentile, C.G., see Jarrell, T.W., **382**, 199
Gerlach, J.L., see Baum, M.J., **368**, 296
Gershoni, J.M., see Hawrot, E., **373**, 227
Gessa, G.L., see Melis, M.R., **398**, 259
Getchell, T.V., see Wirsig, C.R., **385**, 10
Ghersi-Egea, J.F., see Walther, B., **375**, 340
Ghignone, M., see Quintin, L., **362**, 366
Ghignone, M., see Quintin, L., **375**, 235
Gho, M., King, A.E., Ben-Ari, Y. and Cherubini, E.
Kainate reduces two voltage-dependent potassium conductances in rat hippocampal neurons in vitro, **385**, 411
Giaccone, G., see Schiffer, D., **374**, 110
Gibbs, R.B., Anderson, K. and Cotman, C.W.
Factors affecting innervation in the CNS: comparison of three cholinergic cell types transplanted to the hippocampus of adult rats, **383**, 362
Gibbs, R.B., Pixley, S.K.R. and Cotman, C.W.
Transplantation of septal neurons maintained in long-term culture, **382**, 409
Gibbs, R.B., see Thompson, R., **367**, 402
Gibson, A.R., see Kennedy, P.R., **364**, 124
Gibson, C.J.
Dietary control of retinal dopamine synthesis, **382**, 195
Gibson, C.J., see Smith, K.E., **375**, 182
Gibson, S.J., see Katagiri, T., **372**, 313
Giesler Jr., G.J., see Nahin, R.L., **384**, 367
Gilad, G.M., see Shenkman, L., **380**, 303
Gilat, E., Hall, D.H. and Bennett, M.V.L.
The giant fiber and pectoral fin adductor motoneuron system in the hatchetfish, **365**, 96
Gillette, M.U.
The suprachiasmatic nuclei: circadian phase-shifts induced at the time of hypothalamic slice preparation are preserved in vitro, **375**, 176
Gillis, B.J. and Cain, D.P.
Kindling of the hippocampus and septum in vasopressin-deficient rats (Brattleboro strain), **363**, 386
Gillis, R.A., see Gatti, P.J., **381**, 281
Gimenez, C., see Zafra, F., **397**, 108
Ginsberg, M.D., see Watson, B.D., **367**, 296
Gintzler, A.R., see Glass, J., **372**, 180

Giolli, R.A., see Weber, J.T., **365**, 164
Giordana, M.T., see Schiffer, D., **374**, 110
Giorgi, O., see Corda, M.G., **384**, 60
Girault, J.A., Spampinato, U., Desban, M., Glowinski, J. and Besson, M.J.
Enhancement of glutamate release in the rat striatum following electrical stimulation of the nigrothalamic pathway, **374**, 362
Girgis, S., see Inagaki, S., **374**, 287
Girgis, S., see Matsuyama, T., **373**, 205
Girgis, S., see Wanaka, A., **369**, 185
Girgis, S.I., see Morishima, Y., **379**, 157
Gispen, W.H., see Oestreicher, A.B., **375**, 267
Giudici, G., see Bianchi, R., **364**, 400
Giuli, C., see Bertoni-Freddari, C., **366**, 187
Gjedde, A., see Kretzschmar, R., **380**, 325
Glaser, G., see Goldenring, J.R., **377**, 47
Glaser, T., see Zilles, K., **380**, 201
Glass, J., Clouet, D. and Gintzler, A.R.
Short-term nerve stimulation increases enkephalin production and content in the guinea pig myenteric plexus, **372**, 180
Glass, J.D., Mastran, T. and Nett, T.M.
Effects of estradiol and progesterone on the gonadotropin-releasing hormone (GnRH)-immunoreactive neuronal system of the anestrous ewe, **381**, 336
Glavin, G.B., see Hnatowich, M.R., **380**, 107
Glenn, L.L., see Whitney, J.F., **381**, 199
Glennard, R., see Idzikowski, C., **378**, 164
Glick, S.D., see Gogas, K.R., **370**, 370
Glowa, J.R., see Crawley, J.N., **398**, 382
Glowinski, J., see Girault, J.A., **374**, 362
Glowinski, J., see Herve, D., **383**, 47
Glowinski, J., see Le Douarin, C., **363**, 290
Gnadt, J.W. and Pegram, G.V.
Cholinergic brainstem mechanisms of REM sleep ini the rat, **384**, 29
Gnegy, M.E., see Roberts-Lewis, J.M., **384**, 383
Go, V.L.W., see Jeftinija, S., **368**, 107
Go, V.L.W., see Schick, R.R., **370**, 349
Goadsby, P.J., Lambert, G.A. and Lance, J.W.
Stimulation of the trigeminal ganglion increases flow in the extracerebral but not the cerebral circulation of the monkey, **381**, 63
Gobbi, M., see Mennini, T., **371**, 372
Godefroy, F., see Weil-Fugazza, J., **374**, 190
Godfrey, D.A., see Ross, C.D., **373**, 49
Godley, B.F., see Conlay, L.A., **375**, 210
Goeders, N.E., see De Souza, E.B., **381**, 176
Goffinet, A.M. and Caviness Jr., V.S.
Autoradiographic localization of β_1 and α_1-adrenoceptors in the midbrain and rorebrain of normal and reeler mutant mice, **366**, 193
Gogas, K.R., Hough, L.B., Glick, S.D. and Su, K.
Opposing actions of cimetidine on naloxone-sensitive and naloxone-insensitive forms of footshock-induced analgesia, **370**, 370
Goines, N.D., see Toews, A.D., **398**, 298
Gold, B.G., Griffin, J.W., Price, D.L., Cork, L.C. and Lowndes, H.E.
Structural correlates of physiological abnormalities in β,β'-iminodipropionitrile, **362**, 205
Gold, P.W., see Weiss, S.R.B., **372**, 345
Goldberg, A., see Melamed, E., **399**, 178
Goldberg, M.P., see Weiss, J., **380**, 186
Goldberg, W.J., see Bernstein, J.J., **377**, 403
Golden, G.T., see Fariello, R.G., **380**, 196
Goldenring, J.R., Wasterlain, C.G., Oestreicher, A.B., De Graan, P.N., Farber, D.B., Glaser, G. and DeLorenzo, R.J.
Kindling induces a long-lasting change in the activity of a hippocampal membrane calmodulin-dependent protein kinase system, **377**, 47
Goldman, J.E., see Levine, S.M., **374**, 260
Goldman, J.E., see Peterson, C., **382**, 205
Goldmuntz, E.A., Brosnan, C.F., Chiu, F.-C. and Norton, W.T.
Astrocytic reactivity and intermediate filament metabolism in experimental autoimmune encephalomyelitis: the effect of suppression with prazosin, **397**, 16
Goldrich, M.S., see Moran, T.H., **362**, 175
Goldsmith, P.C., see Thind, K.K., **366**, 37
Goldsmith, P.C., see Thind, K.K., **383**, 215
Goldstein, B.D., see Kantner, R.M., **385**, 282
Goldstein, G., see Brown Jr., R.H., **381**, 237
Goldstein, M., Kuga, S., Kusano, N., Meller, E., Dancis, J. and Schwarcz, R.
Dopamine agonist induced self-mutilative biting behavior in monkeys with unilateral ventromedial tegmental lesions of the brainstem: possible pharmacological model for Lesch–Nyhan syndrome, **367**, 114
Goldstein, M., see Deutch, A.Y., **363**, 307
Goldstein, N.I., Quinn, M.R. and Teeter, J.H.
Differentiation of a cell line from olfactory epithelium is induced by dibutyryladenosine 3′,5′-cyclic monophosphate and 12-*O*-tetradecanoylphorbol-13-acetate, **370**, 205
Gómez, C., Canals, J., Torres, B. and Delgado-García, J.M.
Analysis of the fluctuations in the interspike intervals of abducens nucleus neurons during ocular fixation in the alert cat, **381**, 401
Gómez-Pinilla, F., Villablanca, J.R., Sonnier, B.J. and Levine, M.S.
Reorganization of pericruciate cortical projections to the spinal cord and dorsal column nuclei after neonatal or adult cerebral hemispherectomy in cats, **385**, 343
Gonatas, N.K., see Rhodes, C.H., **399**, 42
Gonon, F., see Quintin, L., **362**, 366
Gonzalez, C., see Obeso, A., **371**, 25
Gonzalez, C., see Rigual, R., **374**, 101
Gonzalez, E., see Rigual, R., **374**, 101
Gonzalez, M.F., Sharp, F.R. and Deutsch, J.A.
Gastric distention increases [^{14}C]2-deoxyglucose uptake in the rat nucleus tractus solitarius, **369**, 395
Gonzalez-Hernandez, T., see Meyer, G., **398**, 207
Gonzalez-Lima, F. and Scheich, H.
Classical conditioning of tone-signaled bradycardia modifies 2-deoxyglucose uptake patterns in cortex, thalamus, habenula, caudate–putamen and hippocampal formation, **363**, 239
González Hernández, T.H., Meyer, G. and Ferres-Torres, R.
The commissural interconnections of the inferior colliculus in the albino mouse, **368**, 268
González-Hernández, T., see Ferres-Torres, R., **374**, 93
Gorbunov, N.V., see Erin, A.N., **398**, 85
Gordon, N.C., see Levine, J.D., **365**, 377
Gordon, T.R., see Kocsis, J.D., **383**, 357
Gorenstein, C., see Robertson, R.T., **368**, 116
Gorgievski-Hrisoho, M., Colombo, J.P. and Bachmann, C.
Stimulation of tryptophan uptake into brain microvessels by D-glutamine, **367**, 395
Goridis, C., see Lindner, J., **377**, 298
Gorio, A., see Bianchi, R., **364**, 400
Goris, R.C., see Kishida, R., **385**, 263
Gosnell, B.A., Morley, J.E. and Levine, A.S.
Opioid-induced feeding: localization of sensitive brain sites, **369**, 177
Goto, I., Nagara, H., Tateishi, J. and

Kuroiwa, Y.
Thiamine-deficient encephalopathy in rats: effects of deficiencies of thiamine and magnesium, **372**, 31
Goto, S., Matsukado, Y., Mihara, Y., Inoue, N. and Miyamoto, E.
Calcineurin as a neuronal marker of human brain tumors, **371**, 237
Goto, S., Matsukado, Y., Mihara, Y., Inoue, N. and Miyamoto, E.
The distribution of calcineurin in rat brain by light and electron microscopic immunohistochemistry and enzyme-immunoassay, **397**, 161
Goto, Y., see Shimosegawa, T., **379**, 1
Gottschall, P.E., see Sonntag, W.E., **380**, 229
Gourmelon, P., Briet, D., Court, L. and Tsiang, H.
Electrophysiological and sleep alterations in experimental mouse rabies, **398**, 128
Govoni, S., Lucchi, L., Missale, C., Memo, M., Spano, P.F. and Trabucchi, M.
Effect of lead exposure on dopaminergic receptors in rat striatum and nucleus accumbens, **381**, 138
Govoni, S., see Lucchi, L., **398**, 212
Govoni, S., see Rius, R.A., **365**, 355
Gozzo, S., see Iacopino, C., **374**, 402
Grabau, G.G., see Schmidt, R.E., **378**, 325
Gradkowska, M., Skup, M., Kiedrowski, L., Calzolari, S. and Oderfeld-Nowak, B.
The effect of GM_1 ganglioside on cholinergic and serotoninergic systems in the rat hippocampus following partial denervation is dependent on the degree of fiber degeneration, **375**, 417
Grafstein, B., see Edwards, D.L., **364**, 258
Granata, A.R., Numao, Y., Kumada, M. and Reis, D.J.
A1 Noradrenergic neurons tonically inhibit sympathoexcitatory neurons of C1 area in rat brainstem, **377**, 127
Granato, A., see Molinari, M., **372**, 1
Grandison, L., see Callahan, P., **381**, 106
Grant, G., see Arvidsson, J., **373**, 15
Grant, J.R., see Kim, J., **377**, 182
Granzow, B. and Kristan Jr., W.B.
Inhibitory connections between motor neurons modify a centrally generated motor pattern in the leech nervous system, **369**, 321
Gratton, A., see Jenck, F., **375**, 331
Gratton, A., see Jenck, F., **399**, 24
Gravel, C., Leclerc, N., Plioplys, A. and Hawkes, R.B.
Focal axonal swellings in rat cerebellar Purkinje cells during normal development, **363**, 325
Graveland, G.A., see Holstege, G., **374**, 321
Gray, J.D., see Willmore, L.J., **382**, 422
Green, B.A., see Watson, B.D., **367**, 296
Greenan, T.J. and Strick, P.L.
Do thalamic regions which project to rostral primate motor cortex receive spinothalamic input?, **362**, 384
Greenberg, S.G., see Tytell, M., **363**, 161
Greenough, W.T., McDonald, J.W., Parnisari, R.M. and Camel, J.E.
Environmental conditions modulate degeneration and new dendrite growth in cerebellum of senescent rats, **380**, 136
Greenshaw, A.J., see Juorio, A.V., **371**, 385
Greenwood, J., Luthert, P.J., Pratt, O.E. and Lantos, P.L.
Transport of thiamin across the blood–brain barrier of the rat in the absence of aerobic metabolism, **399**, 148
Greig, D.I., see Sinclair, C.M., **398**, 91
Griffin, J.W., see Gold, B.G., **362**, 205
Griffin, J.W., see Parhad, I.M., **363**, 315
Grill, H.J., see Kosar, E., **379**, 329
Grill, H.J., see Kosar, E., **379**, 342
Grillner, S., see Brodin, L., **380**, 244
Grillner, S., see Van Dongen, P.A.M., **366**, 320
Grimm, E.A., see Jacobs, S.K., **372**, 386
Grisar, T. and Delgado-Escueta, A.V.
Astroglial contribution in human temporal lobe epilepsy: K^+ activation of Na^+,K^+-ATPase in bulk isolated glial cells and synaptosomes, **364**, 1
Groenewegen, H., see Steinbusch, H.W.M., **368**, 389
Gromova, E.A., see Chubakov, A.R., **369**, 285
Groos, G.A., see Meijer, J.H., **382**, 109
Groppetti, A., see Parenti, M., **367**, 8
Grout, R.J., see Boden, P., **385**, 205
Grove, E.A., Domesick, V.B. and Nauta, W.J.H.
Light microscopic evidence of striatal input to intrapallidal neurons of cholinergic cell group Ch4 in the rat: a study employing the anterograde tracer *Phaseolus vulgaris* leucoagglutinin (PHA-L), **367**, 379
Groves, P.M., see Tepper, J.M., **367**, 230
Gruber, K.A., Wilkin, L.D. and Johnson, A.K.
Neurohypophyseal hormone release and biosynthesis in rats with lesions of the anteroventral third ventricle (AV3V) region, **378**, 115
Gruber-Bollinger, J., see Tessler, A., **370**, 232
Gruen, E., see Woody, C.D., **386**, 379
Guibert, B., see Leviel, V., **381**, 205
Guibert, B., see Mintz, I., **376**, 406
Guidotti, A., see Ferrero, P., **399**, 136
Guilbaud, G., Kayser, V., Benoist, J.M. and Gautron, M.
Modifications in the responsiveness of rat ventrobasal thalamic neurons at different stages of carrageenin-produced inflammation, **385**, 86
Guilbaud, G., see Benoist, J.M., **398**, 49
Guilbaud, G., see Kayser, V., **371**, 37
Guilbaud, G., see Kayser, V., **383**, 392
Guitton, D., see Munoz, D.P., **398**, 185
Guldenaar, S.E.F., see Fliers, E., **375**, 363
Gumpel, M., see Bassant, M.-H., **383**, 397
Gundlach, A.L., Largent, B.L. and Snyder, S.H.
Phencyclidine (PCP) receptors: autoradiographic localization in brain with the selective ligand, [^{3}H]TCP, **386**, 266
Gurd, J.W., see Bank, B., **399**, 390
Gurney, A.M., see Nerbonne, J.M., **378**, 197
Gustafsson, M., Andersson, G., Hjerpe, A. and Kristensson, K.
Retrograde axonal transport of asialoglycoproteins in mouse trigeminal neurons in vivo and in rat dorsal root ganglia neurons in vitro, **367**, 14
Gustavsson, P., see Schouenborg, J., **397**, 86
Guthrie, P.B.
Non-linear summation at an identified synapse in *Aplysia*, **386**, 364
Gutman, M.B., Ciriello, J. and Mogenson, G.J.
Electrophysiological identification of forebrain connections of the subfornical organ, **382**, 119
Guy, J., see Benyamina, M., **366**, 230
Guyenet, P.G. and Brown, D.L.
Unit activity in nucleus paragigantocellularis lateralis during cerebral ischemia in the rat, **364**, 301
Guyenet, P.G., see Sun, M.-K., **368**, 1
Guynn, R.W., see Swann, A.C., **363**, 401

H

Hachinski, V.C., see Smith, K.E., **375**, 182
Hada, J., Yamagata, Y. and Hayashi, Y.
Visual response properties of ventrall lateral geniculate nucleus cells projecting to the pretectum and superior colliculus in the cat, **363**, 165
Hadjiconstantinou, M. and Neff, N.H.
Treatment with GM_1 ganglioside

increases rat spinal cord indole content, **366**, 343
Hagenmeyer-Houser, S.H., see Sanberg, P.R., **367**, 314
Haigler, H.J., Cahill, L., Crager, M. and Charles, E.
Acetylcholine, aging and anatomy: differential effects in the hippocampus, **362**, 157
Haikala, H., Karmalahti, T. and Ahtee, L.
The nicotine-induced changes in striatal dopamine metabolism of mice depend on body temperature, **375**, 313
Haines, D.E., see Dietrichs, E., **364**, 241
Haines, D.E., see Whitworth Jr., R.H., **372**, 55
Halász, B., see Bánky, Z., **369**, 119
Halász, B., see Kiss, J., **364**, 284
Halata, Z. and Munger, B.L.
The neuroanatomical basis for the protopathic sensibility of the human glans penis, **371**, 205
Hall, D.H., see Gilat, E., **365**, 96
Hallonquist, J.D., see Mrosovsky, N., **399**, 282
Halpain, S., see Dohanich, G.P., **366**, 338
Halter, J.B., see Peskind, E.R., **367**, 258
Hamann, W., see Baumann, K.I., **377**, 160
Hamberger, A., see Jacobson, I., **386**, 389
Hamill, R.W., see Melvin, J.E., **383**, 38
Hamill, R.W., see Newton, B.W., **376**, 155
Hamm, T.M., see Windhorst, U., **398**, 181
Hammond, C., see Mintz, I., **375**, 172
Hammond, C., see Mintz, I., **376**, 406
Hammond, P., Ahmed, B. and Smith, A.T.
Relative motion sensitivity in cat striate cortex as a function of stimulus direction, **386**, 93
Hamon, B., see Franceschetti, S., **386**, 1
Hamon, M., see Epelbaum, J., **371**, 376
Hamori, J., see Chmielowska, J., **368**, 371
Hamprecht, B., see Löffner, F., **363**, 205
Han, J.-S., see Jin, W.-Q., **380**, 317
Haney, W.H., see Demesquita, S., **378**, 127
Hankins, M.W. and Ruddock, K.H.
Neuropharmacological actions of kynurenic and quinolinic acids on horizontal cells of the isolated fish retina, **380**, 297
Hanlon, R.T., see Dubas, F., **374**, 21
Hanretta, A.T. and Lombardini, J.B.
Properties of spontaneous and evoked release of taurine from hypothalamic crude P_2 synaptosomal preparations, **378**, 205
Hansen, S., see Fernandez-Guasti, A., **377**, 112
Hansson, E.
Co-cultivation of astroglial and neuronal primary cultures from rat brain, **366**, 159
Hapner, S.J., see Paden, C.M., **376**, 310
Hara, F., see Ito, J.-I., **374**, 335
Harada, K., see Kato, I., **364**, 12
Harandi, M., Didier, M., Aguera, M., Calas, A. and Belin, M.F.
GABA and serotonin (5-HT) pattern in the supraependymal fibers of the rat epithalamus: combined radioautographic and immunocytochemical studies. Effect of 5-HT content on [^{3}H]GABA accumulation, **370**, 241
Harbut, R.E. and Johanson, C.E.
Third ventricle choroid plexus function and its response to acute perturbations in plasma chemistry, **374**, 137
Hardy, O., see Leresche, N., **365**, 138
Hardy, O., see Leresche, N., **365**, 383
Harik, S.I. and McCracken, K.A.
Age-related increase in presynaptic noradrenergic markers of the rat cerebral cortex, **381**, 125
Haring, J.H. and Wang, R.Y.
The identification of some sources of afferent input to the rat nucleus basalis magnocellularis by retrograde transport of horseradish peroxidase, **366**, 152
Haring, J.H., Miller, G.D. and Davis, J.N.
Changes in the noradrenergic innervation of the area dentata after axotomy of coeruleohippocampal projections or unilateral lesion of the locus coeruleus, **368**, 233
Harkness, D.H. and Brownfield, M.S.
A thyrotropin-releasing hormone-containing system in the rat dorsal horn separate from serotonin, **384**, 323
Haroutunian, V., Kanof, P.D. and Davis, K.L.
Partial reversal of lesion-induced deficits in cortical cholinergic markers by nerve growth factor, **386**, 397
Harper, R.M., see Zhang, J.-X., **386**, 136
Harris, A.B., see Houser, C.R., **383**, 129
Harris, E.W., Ganong, A.H., Monaghan, D.T., Watkins, J.C. and Cotman, C.W.
Action of 3-((±)-2-carboxypiperazin-4-yl)-propyl-1-phosphonic acid (CPP): a new and highly potent antagonist of *N*-methyl-D-aspartate receptors in the hippocampus, **382**, 174
Harrison, C., see Sutula, T., **385**, 291
Harrison, R.E.W., Baker, J.F., Isu, N., Wickland, C.R. and Peterson, B.W.
Dynamics of adaptive change in vestibulo-ocular reflex direction. I. Rotations in the horizontal plane, **371**, 162
Harrison, R.E.W., see Baker, J., **371**, 166
Hart, M.N., see Robinson, R.A., **384**, 114
Hartig, P.R., see Yagaloff, K.A., **385**, 389
Hartikka, J., see Hefti, F., **375**, 413
Harting, J.K., Hashikawa, T. and Van Lieshout, D.
Laminar distribution of tectal, parabigeminal and pretectal inputs to the primate dorsal lateral geniculate nucleus: connectional studies in *Galago crassicaudatus*, **366**, 358
Hartman, B.K., see Stewart, G.R., **369**, 377
Hartman, R.D., Rosella-Dampman, L.M., Emmert, S.E. and Summy-Long, J.Y.
Inhibition of release of neurohypophysial hormones by endogenous opioid peptides in pregnant and parturient rats, **382**, 352
Harty, G.J., see Furui, T., **367**, 162
Harty, T.P., see Davis, M., **371**, 58
Harvey, A.R., Gan, S.K. and Dyson, S.E.
Regrowth of retinal axons after lesions of the brachium and pretectal region in the rat, **368**, 141
Hasegawa, T., see Kato, I., **364**, 12
Hasegawa, Y., see Nakano, K., **372**, 338
Haselgrove, J., see Mayevsky, A., **367**, 63
Haselton, C.L., see Vera, P.L., **386**, 84
Haselton, J.R., see Vera, P.L., **386**, 84
Hashikawa, T., see Harting, J.K., **366**, 358
Hashimoto, S., see Kamata, K., **367**, 1
Hashimoto, Y., see Chino, Y.M., **372**, 323
Hassall, C.J.S. and Burnstock, G.
Intrinsic neurones and associated cells of the guinea-pig heart in culture, **364**, 102
Hassig, R., see Tavitian, B., **375**, 391
Hatakenaka, S., see Negishi, K., **362**, 389
Hatano, H., see Wakabayashi, I., **372**, 361
Hathaway, S., see Wilson, K.M., **382**, 87
Hatton, G.I., see Cobbett, P., **362**, 7
Hattori, T., see Takada, M., **380**, 331
Hattori, T., see Takada, M., **384**, 77
Haveri, J., see Mayevsky, A., **367**, 63
Havoundjian, H., Paul, S.M. and Skolnick, P.
Rapid, stress-induced modification of the benzodiazepine receptor-coupled chloride ionophore, **375**, 401
Hawkes, R., see Maler, L., **378**, 337
Hawkes, R., see Plioplys, A.V., **375**, 1
Hawkes, R.B., see Gravel, C., **363**, 325

Hawkins, R.L. and Seeds, N.W.
Effect of proteases and their inhibitors on neurite outgrowth from neonatal mouse sensory ganglia in culture, **398**, 63
Hawrot, E., Wilson, P.T., Gershoni, J.M., Reese, J.H. and Lentz, T.L.
α-Bungarotoxin binding to a high molecular weight component from lower vertebrate brain identified on dodecyl sulfate protein-blots, **373**, 227
Hayaishi, O., see Suzuki, F., **385**, 321
Hayaishi, O., see Tokumoto, H., **362**, 114
Hayaishi, O., see Watanabe, Y., **378**, 216
Hayashi, E., see Yamada, S., **375**, 360
Hayashi, H., see Hylden, J.L.K., **370**, 401
Hayashi, H., see Suzuki, F., **385**, 321
Hayashi, H., see Takagi, H., **364**, 114
Hayashi, M. and Oshima, K.
Neuropeptides in cerebral cortex of macaque monkey (*Macaca fuscata fuscata*): regional distribution and ontogeny, **364**, 360
Hayashi, N., see Lee, Y., **382**, 392
Hayashi, Y., see Hada, J., **363**, 165
He, G.-P., see Gan, S.-D., **369**, 75
Heacock, A.M., Schonfeld, A.R. and Katzman, R.
Hippocampal neurotrophic factor: characterization and response to denervation, **363**, 299
Healy, D.P., see Rettig, R., **364**, 233
Hearn, T.J., Ganong, A.H. and Cotman, C.W.
Antagonism of lateral olfactory tract synaptic potentials in rat prepyriform cortex slices, **379**, 372
Hearn, T.J., see Bridges, R.J., **375**, 204
Heath, J.W., see Dunkley, P.R., **372**, 115
Heaulme, M., Chambon, J.-P., Leyris, R., Molimard, J.-C., Wermuth, C.G. and Biziere, K.
Biochemical characterization of the interaction of three pyridazinyl-GABA derivatives with the $GABA_A$ receptor site, **384**, 224
Hedner, J.A., see McCown, T.J., **373**, 189
Hefti, F., Hartikka, J. and Bolger, M.B.
Effect of thyroid hormone analogs on the activity of choline acetyltransferase in cultures of dissociated septal cells, **375**, 413
Hefti, F., see Pallage, V., **386**, 197
Hegemann, M.T., see McCormack, B.M., **382**, 395
Heike, Y., Hisano, S., Tsuruo, Y., Katoh, S. and Daikoku, S.
Immunocytochemical evidence for synaptic regulation of paraventricular vasopressin-containing neurons by substance P, **369**, 341
Heimer, L., see Carlsen, J., **374**, 375
Heinemann, U., see Franceschetti, S., **386**, 1
Heinemann, U., see Schubert, P., **376**, 382
Heinricher, M.M., see Barbaro, N.M., **366**, 203
Heinricher, M.M., see Cheng, Z.-F., **375**, 57
Heinricher, M.M., see Levy, R.M., **368**, 170
Helke, C.J., Sayson, S.C., Keeler, J.R. and Charlton, C.G.
Thyrotropin-releasing hormone-immunoreactive neurons project from the ventral medulla to the intermediolateral cell column: partial coexistence with serotonin, **381**, 1
Hendricks, C., see Wilhite, B.L., **365**, 54
Hendry, I.A., Hill, C.E. and Watters, D.J.
Long-term retention of Fast blue in sympathetic neurones after axotomy and regeneration — demonstration of incorrect reconnections, **376**, 292
Henken, D.B. and Yoon, M.G.
In vitro proliferation of radial glia within isolated tectal tissue explanted from adult goldfish, **364**, 186
Henley, J.M., Mynlieff, M., Lindstrom, J.M. and Oswald, R.E.
Interaction of monoclonal antibodies to electroplaque acetylcholine receptors with the α-bungarotoxin binding site of goldfish brain, **364**, 405
Hennessey, A.C., Wallen, K. and Edwards, D.A.
Preoptic lesions increase the display of lordosis by male rats, **370**, 21
Henriksen, S.J., see Wiesner, J.B., **399**, 404
Henry, G.H., see McCourt, M.E., **364**, 181
Henry, J.-P., see Scherman, D., **370**, 176
Henry, J.L., see Cridland, R.A., **381**, 93
Hensler, J.G. and Dubocovich, M.L.
D_1-dopamine receptor activation mediates [^{3}H]acetylcholine release from rabbit retina, **398**, 407
Hepp-Reymond, M.-C., see Wannier, T.M.J., **382**, 427
Herbert, D.C. and Sheridan, P.J.
Target cells for dihydrotestosterone in the guinea pig pituitary gland, **362**, 318
Herbison, A.E., Hubbard, J.I. and Sirett, N.E.
Neurotensin excites neurons in the arcuate nucleus of the rat hypothalamus in vitro, **364**, 391
Herkenham, M., Rice, K.C., Jacobson, A.E. and Rothman, R.B.
Opiate receptors in rat pituitary are confined to the neural lobe and are exclusively kappa, **382**, 365
Herkenham, M., see Danks, J.A., **385**, 273
Herkenham, M., see Donoghue, J.P., **365**, 397
Herkenham, M., see McLean, S., **378**, 49
Herman, J.P. and Wiegand, S.J.
Ibotenate-induced cell death in the hypothalamic paraventricular nucleus: differential susceptibility of magnocellular and parvicellular neurons, **383**, 367
Herman, J.P., Choulli, K., Geffard, M., Nadaud, D., Taghzouti, K. and Le Moal, M.
Reinnervation of the nucleus accumbens and frontal cortex of the rat by dopaminergic grafts and effects on hoarding behavior, **372**, 210
Hernandez, D.E., Stanley, D.A., Melvin, J.A. and Prange Jr., A.J.
Involvement of brain dopamine systems on neurotensin-induced protection against stress gastric lesions, **381**, 159
Hernandez, T.D., see Schallert, T., **379**, 104
Herndon, R.M., see Kasckow, J.W., **373**, 384
Herndon, R.M., see Kasckow, J.W., **373**, 392
Herranz, A.S., see Lerma, J., **384**, 145
Herrera, A.S., see Stone, E.A., **384**, 401
Herrera-Marschitz, M., see Zetterström, T., **376**, 1
Herreras, O., see Lerma, J., **384**, 145
Herrling, P.L., see Davies, J., **382**, 169
Herrmann, K. and Bischof, H.-J.
Monocular deprivation affects neuron size in the ectostriatum of the zebra finch brain, **379**, 143
Herschkowitz, N., see Reynolds, R., **371**, 253
Herve, D., Studler, J.-M., Blanc, G., Glowinski, J. and Tassin, J.-P.
Partial protection by desmethylimipramine of the mesocortical dopamine neurones from the neurotoxic effect of 6-hydroxydopamine injected in ventral mesencephalic tegmentum. The role of noradrenergic innervation, **383**, 47
Hervonen, A., see Rechthand, E., **374**, 185
Herz, A., see Millan, M.J., **381**, 29
Herz, A., see Morris, B.J., **384**, 362
Herz, A., see Nikolarakis, K.E., **377**, 388
Herz, A., see Nikolarakis, K.E., **399**, 152
Herz, A., see Seizinger, B.R., **378**, 405
Hess, D.T. and Voogd, J.
Chemoarchitectonic zonation of the monkey cerebellum, **369**, 383
Heuschling, P., see De Paermentier, F., **398**, 419
Heverly, R.N., see Pieper, D.R., **380**, 54
Hewitt, L.O., see Swann, A.C., **363**, 401
Heydorn, W.E., Creed, G.J.,

Nguyen, K.Q. and Jacobowitz, D.M.
Effect of 5,7-dihydroxytryptamine on the concentration of individual proteins in different areas of the rat brain, **368**, 193
Heydorn, W.E., Nguyen, K.Q., Creed, G.J., Kostrzewa, R.M. and Jacobowitz, D.M.
Effects of bilateral lesion of the locus coeruleus and of neonatal administration of 6-hydroxydopamine on the concentration of individual proteins in rat brain, **367**, 31
Heydorn, W.E., see Rodriguez-Sierra, J.F., **399**, 379
Heydorn, W.E., see Santer, D.M., **372**, 107
Heyer, E.J.
Dopamine antagonists reduce spontaneous electrical activity in cultured mammalian neurons from ventral mesencephalon, **382**, 404
Heyer, E.J., Chung, E., Van Woert, M. and Parise, J.
Characterization of dopamine receptors on neurons grown in primary dissociated cell culture from ventral mesencephalon of mouse, **377**, 54
Hicks, T.P., see Oka, J.-I., **376**, 194
Higashi, H., see Uchimura, N., **375**, 368
Hilaire, G., Khatib, M. and Monteau, R.
Central drive on Renshaw cells coupled with phrenic motoneurons, **376**, 133
Hilaire, G., see Quintin, L., **362**, 366
Hilaire, G., see Quintin, L., **375**, 235
Hildebrand, C., see Brismar, T., **378**, 347
Hill, C.E., see Hendry, I.A., **376**, 292
Hillyard, C.J., see Inagaki, S., **374**, 287
Hillyard, C.J., see Morishima, Y., **379**, 157
Hillyer, J.G., see Sanberg, P.R., **367**, 314
Himes, B.T., see Tessler, A., **370**, 232
Hinko, A., Kim, Y. and Pearlmutter, A.F.
Protein phosphorylation in rat hippocampal synaptic plasma membranes in response to neurohypophyseal peptides, **384**, 156
Hinks, E.C., see Walz, W., **368**, 226
Hiramatsu, M., see Nabeshima, T., **378**, 234
Hiramatsu, M., see Nabeshima, T., **398**, 354
Hirano, T., see Dinger, B.G., **367**, 328
Hirata, I., see Shibasaki, H., **368**, 361
Hirata, Y., Sugimura, H., Takei, H. and Nagatsu, T.
The effects of pyridinium salts, structurally related compounds of 1-methyl-4-phenylpyridinium ion (MPP^+), on tyrosine hydroxylation in rat striatal tissue slices, **397**, 341
Hirst, B.H., see Whitford, C.A., **398**, 141
Hirst, M., see Kavaliers, M., **372**, 370
Hirst, M., see Kavaliers, M., **383**, 343
Hisano, S., Daikoku, S., Yanaihara, N. and Shibasaki, T.
Intragranular colocalization of CRF and Met-Enk-8 in nerve terminals in the rat median eminence, **370**, 321
Hisano, S., see Heike, Y., **369**, 341
Hjerpe, A., see Gustafsson, M., **367**, 14
Hnatowich, M.R., Labella, F.S., Kiernan, K. and Glavin, G.B.
Cold-restraint stress reduces [^{3}H]etorphine binding to rat brain membranes: influence of acute and chronic morphine and naloxone, **380**, 107
Ho, R.H., see Bishop, G.A., **399**, 369
Hochhaus, G., Yu, V.C. and Sadée, W.
Delta opioid receptors in human neuroblastoma cell lines, **382**, 327
Hochner, B. and Spira, M.E.
Two distinct propagating regenerative potentials in a single ethanol-treated axon, **398**, 164
Hodde, K.C., see Weiger, T., **378**, 285
Hoerman IV, W.A., see Kelsey, J.E., **382**, 278
Hoffer, B.J., see Bickford, P.C., **385**, 405
Hoffman, D.S. and Strick, P.L.
Activity of wrist muscles during step-tracking movements in different directions, **367**, 287
Hoffman Jr., F.J., see Bowers Jr., M.B., **366**, 405
Hoffman, G., see Wray, S., **399**, 327
Hoffman, K., see Illnerová, H., **362**, 403
Hoffman, P.N., see Parhad, I.M., **363**, 315
Hoffman, P.N., see Troncoso, J.C., **364**, 295
Hoffman, W.E., Albrecht, R.F. and Miletich, D.J.
Effect of sympathetic blockade on central prostaglandin E_2-induced hyperthermia, **367**, 73
Hoffmann, G.E., see Watson Jr., R.E., **398**, 157
Hofmann, S., see Remé, C., **369**, 356
Hökfelt, T., see Van Dongen, P.A.M., **366**, 320
Holcomb, B., see Jacobs, S.K., **372**, 386
Holets, V.R., see Anderson, K.J., **369**, 21
Holloway, H.W., see Soncrant, T.T., **369**, 1
Holmes, G.M., see Hull, E.M., **370**, 73
Holmes, L.J., see Colle, L.M., **397**, 27
Holstege, G., Tan, J., Van Ham, J.J. and Graveland, G.A.
Anatomical observations on the afferent projections to the retractor bulbi motoneuronal cell group and other pathways possibly related to the blink reflex in the cat, **374**, 321
Holstege, G., Van Ham, J.J. and Tan, J.
Afferent projections to the orbicularis oculi motoneuronal cell group. An autoradiographical tracing study in the cat, **374**, 306
Holtman Jr., J.R., Anastasi, N.C., Norman, W.P. and Dretchen, K.L.
Effect of electrical and chemical stimulation of the raphe obscurus on phrenic nerve activity in the cat, **362**, 214
Holtzman, S.G., see Appelbaum, B.D., **377**, 330
Homburger, H.A., see Yamamoto, K., **371**, 244
Honegger, C.G., see Jenni-Eiermann, S., **370**, 54
Hong, J.-S., see Rosecrans, J.A., **382**, 71
Hong, J.S., see Li, S., **398**, 390
Hood, J.D., see Bronstein, A.M., **373**, 399
Hopkins, W.G., Liang, J. and Barrett, E.J.
Effect of age and muscle type on regeneration of neuromuscular synapses in mice, **372**, 163
Horie, H., Kawasaki, Y. and Takenaka, T.
Lateral diffusion of membrane lipids changes with aging in C57BL mouse dorsal root ganglion neurons from a fetal stage to an aged stage, **377**, 246
Horie, H., see Kawasaki, Y., **397**, 185
Horita, A., see Lai, H., **372**, 366
Hornykiewicz, O., see Seizinger, B.R., **378**, 405
Horowitz, S.G., see Thal, L.J., **372**, 205
Horvat, A., see Pekovic, S., **379**, 251
Horváth, E., see Spencer Jr., D.G., **380**, 59
Horwitz, B., see Soncrant, T.T., **369**, 1
Hosobuchi, Y., see Baskin, D.S., **371**, 231
Hosobuchi, Y., see Kuroda, H., **379**, 68
Hospod, F.E., see Newman, G.C., **381**, 345
Hoss, W., see Kasckow, J.W., **373**, 384
Hoss, W., see Kasckow, J.W., **373**, 392
Hough, L.B., see Gogas, K.R., **370**, 370
Houk, J.C., see Kennedy, P.R., **364**, 124
Houman, H., see Kiyohara, S., **379**, 353
Houser, C.R., Harris, A.B. and Vaughn, J.E.
Time course of the reduction of GABA terminals in a model of focal epilepsy: a glutamic acid decarboxylase immunocytochemical study, **383**, 129
Howe, J.R. and Yaksh, T.L.
Characterization of [^{3}H]rauwolscine binding to alpha$_2$-adrenoceptor sites in the lumbar spinal cord of the cat: comparison to such binding sites in the cat frontal cerebral cortex, **368**, 87
Howland, R.D. and Alli, P.
Altered phosphorylation of rat neuronal cytoskeletal proteins in acrylamide induced neuropathy,

363, 333
Hoyer, D., Pazos, A., Probst, A. and Palacios, J.M.
Serotonin receptors in the human brain. I. Characterization and autoradiographic localization of 5-HT_{1A} recognition sites. Apparent absence of 5-HT_{1B} recognition sites, **376**, 85
Hoyer, D., Pazos, A., Probst, A. and Palacios, J.M.
Serotonin receptors in the human brain. II. Characterization and autoradiographic localization of 5-HT_{1C} and 5-HT_2 recognition sites, **376**, 97
Hu, H. and Jayaraman, A.
The projection pattern of the suprageniculate nucleus to the caudate nucleus in cats, **368**, 201
Hu, X.-T., see Wang, R.Y., **380**, 363
Huang, C.-M. and Burkard, R.
Frequency sensitivities of auditory neurons in the cerebellum of the cat, **371**, 101
Huang, S., see Tulipan, N., **377**, 163
Hubbard, J.I., see Herbison, A.E., **364**, 391
Hubbard, J.W., see Buchholz, R.A., **365**, 360
Hubeau, C., see Pasteels, J.L., **384**, 294
Hudson, L.C.
The origins of innervation of the canine caudal pharyngeal muscles: an HRP study, **374**, 413
Hughes, J., see Beresford, I.J.M., **398**, 313
Hugues, M., see Mourre, C., **382**, 239
Hull, C.D., see Adams, C.E., **397**, 365
Hull, C.D., see Boylan, M.K., **375**, 176
Hull, C.D., see Dvergsten, C.L., **375**, 395
Hull, C.D., see Fisher, R.S., **384**, 395
Hull, C.D., see Fisher, R.S., **397**, 173
Hull, C.D., see Fisher, R.S., **398**, 148
Hull, C.D., see Gazzara, R.A., **397**, 225
Hull, E.M., Bitran, D., Pehek, E.A., Warner, R.K., Band, L.C. and Holmes, G.M.
Dopaminergic control of male sex behavior in rats: effects of an intracerebrally-infused agonist, **370**, 73
Hunt, C.A., see Ribak, C.E., **363**, 78
Hunt, R., see Towle, A.C., **363**, 38
Hunt, S.P., see Dawbarn, D., **372**, 155
Huntsman, C.S., see Sanberg, P.R., **367**, 314
Hurley-Gius, K.M. and Neafsey, E.J.
The medial frontal cortex and gastric motility: microstimulation results and their possible significance for the overall pattern of organization of rat frontal and parietal cortex, **365**, 241
Hurley-Gius, K.M., see Neafsey, E.J., **377**, 261
Husain, A., see Schiavone, M.T., **397**, 193
Hutchins, B., see Weber, J.T., **397**, 389
Hutchison, J.B., see Schumacher, M., **377**, 63
Hutchison, J.B., Strupish, J. and Nahorski, S.R.
Release of endogenous dopamine and cholecystokinin from rat striatal slices: effects of amphetamine and dopamine antagonists, **370**, 310
Hutson, P.H., see Sahakian, B.J., **399**, 162
Hutton, R.S., see Tyler, A.E., **370**, 171
Hwang, B.H., Chang, K.-J. and Severs, W.B.
Increased δ, but not μ, opiate receptor binding in the medulla oblongata of Long–Evans rats following 5-day water deprivation, **371**, 345
Hwang, B.H., Williams, T.H. and Jew, J.
Plasticity of catecholaminergic terminals in rat paraventricular hypothalamic nucleus after 6-hydroxydopamine lesion: an emphasis on bouton sizes and synaptic frequency, **369**, 267
Hwang, O., see Park, D.H., **370**, 375
Hydén, H., Cupello, A. and Palm, A.
γ-Aminobutyric acid stimulates chloride permeability across microdissected Deiters' neuronal membrane, **379**, 167
Hylden, J.L.K., Hayashi, H., Ruda, M.A. and Dubner, R.
Serotonin innervation of physiologically identified lamina I projection neurons, **370**, 401

I

Iacopino, C., Altavista, M.C., Gozzo, S. and Albanese, A.
Quantitative pharmacohistochemistry of acetylcholinesterase in neostriatum of inbred strains of mice, **374**, 402
Iadarola, M.J., see Garant, D.S., **382**, 372
Iadarola, M.J., Nicoletti, F., Naranjo, J.R., Putnam, F. and Costa, E.
Kindling enhances the stimulation of inositol phospholipid hydrolysis elicited by ibotenic acid in rat hippocampal slices, **374**, 174
Iadarola, M.J., Shin, C., McNamara, J.O. and Yang, H.-Y.T.
Changes in dynorphin, enkephalin and cholecystokinin content of hippocampus and substantia nigra after amygdala kindling, **365**, 185
Iadecola, C., see Chida, K., **370**, 378
Iadecola, C., Underwood, M.D. and Reis, D.J.
Muscarinic cholinergic receptors mediate the cerebrovasodilation elicited by stimulation of the cerebellar fastigial nucleus in rat, **368**, 375
Ibata, Y., Okamura, H., Makino, S., Kawakami, F., Morimoto, N. and Chihara, K.
Light and electron microscopic immunocytochemistry of GRF-like immunoreactive neurons and terminals in the rat hypothalamic arcuate nucleus and median eminence, **370**, 136
Ibayashi, S., see Sadoshima, S., **379**, 205
Ichikawa, T.
Color and spatial antagonism in the visual system of the larval swallowtail butterfly, **397**, 381
Ide, C.
Basal laminae and Meissner corpuscle regeneration, **384**, 311
Idzikowski, C., Mills, F.J. and Glennard, R.
5-Hydroxytryptamine-2 antagonist increases human slow wave sleep, **378**, 164
Igarashi, M., see Thompson, G.C., **370**, 182
Igarashi, M., see Thompson, G.C., **372**, 72
Igarashi, T., see Kato, I., **364**, 12
Ignocheck, A., Weinstein, J.M. and Balaban, C.D.
Human spike potentials prior to saccades and optokinetic nystagmus fast phases: effects of instructions, eye movement direction and electrode laterality, **384**, 94
Iizuka, H., see Yamamoto, T., **374**, 41
Iizuka, R., see Arai, H., **377**, 305
Ikarashi, Y., Okada, M. and Maruyama, Y.
Tissue structure of rat brain after microwave irradiation using maximum magnetic field component, **373**, 182
Ikeda, H., see Tansey, E.M., **397**, 9
Ikeda, H., see Tsujii, S., **399**, 200
Ikenoue, K., see Sonoda, H., **369**, 91
Ikonomidou, C., see Schwarz, M., **373**, 365
Ikonomidou-Turski, C., see Turski, L., **398**, 37
Ikukawa, A., see Iwata, K., **368**, 399
Ikushima, M., Watanabe, M. and Ito, H.
Distribution and morphology of retinal ganglion cells in the Japanese quail, **376**, 320
Illnerová, H., Hoffman, K. and Vaneček, J.
Adjustment of the rat pineal *N*-acetyltransferase rhythm to change from long to short photoperiod depends on the direction of the extension of the dark period, **362**, 403
Ilyas, A., see Noronha, A.B., **385**, 237
Ilyas, A.A., Dalakas, M.C., Brady, R.O. and Quarles, R.H.

Sulfated glucuronyl glycolipids reacting with anti-myelin-associated glycoprotein monoclonal antibodies including IgM paraproteins in neuropathy: species distribution and partial characterization of epitopes, **385**, 1
mai, H., see Matsubayashi, K., **368**, 30
mai, H., see Nakai, K., **381**, 148
mai, S., see Onozuka, M., **362**, 23
maizumi, T., see Osugi, T., **379**, 84
maki, T., Shibasaki, T., Masuda, A., Shizume, K. and Ling, N. The antagonistic effect of corticotropin-releasing factor on pentobarbital in rats, **383**, 323
mamura, K., see Watanabe, Y., **378**, 216
mura, H., see Kabayama, Y., **372**, 394
mura, H., see Suda, M., **374**, 236
mura, H., see Tsujii, S., **399**, 200
nagaki, S., Kito, S., Kubota, Y., Girgis, S., Hillyard, C.J. and Macintyre, I. Autoradiographic localization of calcitonin gene-related peptide binding sites in human and rat brains, **374**, 287
nagaki, S., Kubota, Y. and Kito, S. Ultrastructural localization of enkephalin immunoreactivity in the substantia nigra of the monkey, **362**, 171
nagaki, S., Kubota, Y., Kito, S., Fukuda, M., Ono, T., Yamano, M. and Tohyama, M. Ultrastructural evidence of enkephalinergic input to glucoreceptor neurons in ventromedial hypothalamic nucleus, **378**, 420
nagaki, S., see Kubota, Y., **367**, 374
nagaki, S., see Kubota, Y., **375**, 163
nagaki, S., see Yamano, M., **398**, 337
nagami, T., see Clemens, D.L., **364**, 205
nenaga, K., Dyball, R.E.J., Okuya, S. and Yamashita, H. Characterization of hypothalamic noradrenaline receptors in the supraoptic nucleus and periventricular region of the paraventricular nucleus of mice in vitro, **369**, 37
nfante, C. and Leiva, J. Simultaneous unitary neuronal activity in both superior colliculi and its relation to eye movements in the cat, **381**, 390
ngham, C.A., see Bolam, J.P., **397**, 279
nnis, R.B. and Aghajanian, G.K. Cholecystokinin-containing and nociceptive neurons in rat Edinger–Westphal nucleus, **363**, 230
noue, H., see Kohsaka, S., **372**, 137
noue, H., see Obata, K., **375**, 37
noue, M., see Ogata, N., **377**, 362
noue, N., see Goto, S., **371**, 237
noue, N., see Goto, S., **397**, 161
noue, Y., see Kohsaka, S., **372**, 137
Inouye, S.-I.T. and Turek, F.W. Horizontal knife cuts either ventral or dorsal to the hypothalamic paraventricular nucleus block testicular regression in golden hamsters maintained in short days, **370**, 102
Iovino, M., see Steardo, L., **382**, 145
Iqbal, K., see Rubenstein, R., **372**, 80
Iribar, C., see Alba, F., **368**, 158
Irvin, G.E., Norton, T.T., Sesma, M.A. and Casagrande, V.A. W-like response properties of interlaminar zone cells in the lateral geniculate nucleus of a primate (*Galago crassicaudatus*), **362**, 254
Irvine, D.R.F., see Clarey, J.C., **386**, 12
Irwin, I., see Ricaurte, G.A., **376**, 117
Irwin, J., Ahluwalia, P. and Anisman, H. Sensitization of norepinephrine activity following acute and chronic footshock, **379**, 98
Isacson, O., see Brundin, P., **366**, 346
Isacson, O., see Sofroniew, M.V., **378**, 409
Isacson, O., see Zetterström, T., **362**, 344
Ishida, A., see Yoneda, T., **372**, 89
Ishida, M., see Shinozaki, H., **372**, 260
Ishida, M., see Shinozaki, H., **399**, 395
Ishidori, H., Nishimori, T., Shigenaga, Y., Suemune, S., Dateoka, Y., Sera, M. and Nagasaka, N. Representation of upper and lower primary teeth in the trigeminal sensory nuclear complex in the young dog, **370**, 153
Ismael, Z., Millar, T.J., Small, D.H. and Chubb, I.W. Acetylcholinesterase generates enkephalin-like immunoreactivity when it degrades the soluble proteins (chromogranins) from adrenal chromaffin granules, **376**, 230
Isu, N., see Baker, J., **371**, 166
Isu, N., see Harrison, R.E.W., **371**, 162
Itagaki, S. and Kimura, H. Retardation of resynthesis of GABA-transaminase in some brain regions of amygdala-kindled rats, **381**, 77
Itakura, T., see Nakai, K., **381**, 148
Itaya, S.K., Van Hoesen, G.W. and Barnes, C.L. Anterograde transsynaptic transport of WGA-HRP in the limbic system of rat and monkey, **398**, 397
Ito, H., see Ikushima, M., **376**, 320
Ito, H., see Matsutani, S., **373**, 126
Ito, H., see Murakami, T., **373**, 213
Ito, H., see Murakami, T., **382**, 97
Ito, H., see Uchiyama, H., **369**, 260
Ito, J., see Sasa, M., **377**, 337
Ito, J.-I., Kato, T., Wakabayashi, S., Hara, F., Tanaka, R. and Kato, K. Autocrine regulation of glial proliferation and differentiation: the induction of cytodifferentiation of postmitotic normal glioblast by growth-promoting factor from astrocytoma cell, **374**, 335
Ito, M., see Yu, O., **399**, 374
Itoga, H., see Iwata, K., **368**, 399
Itoh, K., Nomura, S., Konishi, A., Yasui, Y., Sugimoto, T. and Muzino, N. A morphological evidence of direct connections from the cochlear nuclei to tensor tympani motoneurons in the cat: a possible afferent limb of the acoustic middle ear reflex pathways, **375**, 214
Itoh, K., see Yasui, Y., **368**, 384
Itoh, Y., see Yoshitomi, I., **362**, 195
Iuvone, P.M. and Besharse, J.C. Dopamine receptor-mediated inhibition of serotonin *N*-acetyltransferase activity in retina, **369**, 168
Iversen, S.D., see Borges, L.F., **362**, 140
Iversen, S.D., see Elliott, P.J., **363**, 145
Iversen, S.D., see Elliott, P.J., **381**, 68
Iversen, S.D., see Mucha, R.F., **397**, 214
Iwamoto, G.A., see Kaufman, M.P., **377**, 199
Iwamoto, M., see Tamai, Y., **380**, 19
Iwasaki, Y., see Yamamoto, T., **374**, 419
Iwata, J., LeDoux, J.E. and Reis, D.J. Destruction of intrinsic neurons in the lateral hypothalamus disrupts the classical conditioning of autonomic but not behavioral emotional responses in the rat, **368**, 161
Iwata, J., LeDoux, J.E., Meeley, M.P., Arneric, S. and Reis, D.J. Intrinsic neurons in the amygdaloid field projected to by the medial geniculate body mediate emotional responses conditioned to acoustic stimuli, **383**, 195
Iwata, J., see LeDoux, J.E., **371**, 395
Iwata, K., Itoga, H., Ikukawa, A., Tamura, K. and Sumino, R. Cortical cells driven by the low-threshold tooth pulpal afferent in cats, **368**, 399
Izzo, P.N., see Bolam, J.P., **397**, 279

J

Jabbur, S.J., see Saadé, N.E., **369**, 307
Jacklet, J.W., see Carlson, C.G., **376**, 204
Jackson, A., see Sahakian, B.J., **399**, 162
Jackson, P.C., see Frank, E., **378**, 147
Jacobowitz, D.M., see Heydorn, W.E.,

367, 31
Jacobowitz, D.M., see Heydorn, W.E., **368**, 193
Jacobowitz, D.M., see Joyce, J.N., **382**, 360
Jacobowitz, D.M., see Rodriguez-Sierra, J.F., **399**, 379
Jacobowitz, D.M., see Santer, D.M., **372**, 107
Jacobowitz, D.M., see Zamir, N., **365**, 105
Jacobowitz, D.M., see Zamir, N., **373**, 240
Jacobs, B.L., see Morilak, D.A., **399**, 262
Jacobs, B.L., see Rasmussen, K., **369**, 336
Jacobs, B.L., see Rasmussen, K., **371**, 324
Jacobs, B.L., see Rasmussen, K., **371**, 335
Jacobs, S.K., Melin, G., Holcomb, B., Parham, C.W., Kornblith, P.L. and Grimm, E.A.
Lymphokine activated killer (LAK) cell-mediated lysis of murine glioma: trypsin-chymotrypsin-sensitive glioma protein is responsible for tumor-selective recognition by LAK cells, **372**, 386
Jacobson, A.E., see Herkenham, M., **382**, 365
Jacobson, I. and Hamberger, A.
Effects of kynurenic acid on evoked extracellular field potentials in the rat olfactory bulb in vivo, **386**, 389
Jacquin, M., see Egger, M.D., **383**, 68
Jaffard, R., see Durkin, T., **376**, 420
Jaffe, J.H., see Bell, J.A., **382**, 299
Jaimovich, E., see Caviedes, R., **365**, 259
Jain, M., see Dores, R.M., **377**, 251
Jang, E.K., see Oka, J.-I., **376**, 194
Janigro, D., see Bianchi, R., **364**, 400
Janigro, D., see Davis, A.K., **370**, 44
Janse, C., Van der Roest, M. and Slob, W.
Age-related decrease in electrical coupling of two identified neurons in the mollusc *Lymnaea stagnalis*, **376**, 208
Janssen, P.F.M., see Laduron, P.M., **380**, 359
Janssens De Varebeke, P., see De Paermentier, F., **398**, 419
Jansz, H.S., see Bovenberg, R.A.L., **376**, 29
Jard, S., see Audigier, S., **376**, 363
Jarrell, T.W., Gentile, C.G., McCabe, P.M. and Schneiderman, N.
Sinoaortic denervation does not prevent differential pavlovian conditioning of bradycardia in rabbits, **381**, 251
Jarrell, T.W., Gentile, C.G., McCabe, P.M. and Schneiderman, N.
The role of the medial geniculate region in differential Pavlovian conditioning of bradycardia in rabbits, **374**, 126
Jarrell, T.W., Romanski, L.M., Gentile, C.G., McCabe, P.M. and Schneiderman, N.
Ibotenic acid lesions in the medial geniculate region prevent the acquisition of differential pavlovian conditioning of bradycardia to acoustic stimuli in rabbits, **382**, 199
Jarrott, B., see Lewis, S.J., **385**, 383
Jarrott, B., see Lewis, S.J., **399**, 173
Jarvie, P.E., see Dunkley, P.R., **372**, 115
Jassik-Gerschenfeld, D., see Leresche, N., **365**, 138
Jassik-Gerschenfeld, D., see Leresche, N., **365**, 383
Javoy-Agid, F., see Camus, A., **375**, 135
Javoy-Agid, F., see Scatton, B., **380**, 181
Jayaraman, A., see Hu, H., **368**, 201
Jayaraman, A., see Prasad, C., **364**, 331
Jean, A., see Kessler, J.P., **386**, 69
Jeffrey, P.L., see Sinclair, C.M., **398**, 91
Jeftinija, S., Raspantini, C., Randic, M., Yaksh, T.L., Go, V.L.W. and Larson, A.A.
Altered responsiveness to substance P and 5-hydroxytryptamine in cat dorsal horn neurons after 5-HT depletion with *p*-chlorophenylalanine, **368**, 107
Jégou, S., see Benyamina, M., **366**, 230
Jen, L.S. and Au, C.
Intercollicular fibers terminating in the superficial layers of the superior colliculus: a WGA-HRP study in the rat, **379**, 385
Jen, L.S., Dai, Z.-G. and Liu, Z.-H.
The cells of origin of the aberrant recrossed retinotectal projection in the rat, **377**, 368
Jenck, F., Gratton, A. and Wise, R.A.
Effects of pimozide and naloxone on latency for hypothalamically induced eating, **375**, 331
Jenck, F., Gratton, A. and Wise, R.A.
Opposite effects of ventral tegmental and periaqueductal gray morphine injections on lateral hypothalamic stimulation-induced feeding, **399**, 24
Jenck, F., Schmitt, P. and Karli, P.
Morphine injected into the periaqueductal gray attenuates brain stimulation-induced effects: an intensity discrimination study, **378**, 274
Jenden, D.J., see Newton, M.W., **373**, 197
Jennes, L.
The olfactory gonadotropin-releasing hormone immunoreactive system in mouse, **386**, 351
Jenni-Eiermann, S., Von Hahn, H.P. and Honegger, C.G.
Diurnal rhythms in neurotransmitter receptor binding and choline acetyltransferase activity: different patterns in two rat lines of Wistar origin, **370**, 54
Jenq, C.-B. and Coggeshall, R.E.
The effects of an autologous transplant on patterns of regeneration in rat sciatic nerve, **364**, 45
Jensen, T.S. and Yaksh, T.L.
I. Comparison of antinociceptive action of morphine in the periaqueductal gray, medial and paramedial medulla in rat, **363**, 99
Jensen, T.S. and Yaksh, T.L.
II. Examination of spinal monoamine receptors through which brainstem opiate-sensitive systems act in the rat, **363**, 114
Jensen, T.S. and Yaksh, T.L.
III. Comparison of the antinociceptive action of mu and delta opioid receptor ligands in the periaqueductal gray matter, medial and paramedial ventral medulla in the rat as studied by the microinjection technique, **372**, 301
Jervois, P.M., see Willoughby, J.O., **374**, 119
Jew, J., see Hwang, B.H., **369**, 267
Jhanwar-Uniyal, M. and Leibowitz, S.F.
Impact of circulating corticosterone on α1- and α2-noradrenergic receptors in discrete brain areas, **368**, 404
Jiang, C., Gao, L., Shen, E. and Wei, J.Y.
Respiration related neurons in the region of the nucleus tractus solitarius of the rabbit, **377**, 190
Jiang, Z.G. and Dun, N.J.
Facilitation of nicotinic response in the guinea pig prevertebral neurons by substance P, **363**, 196
Jiang, Z.G. and Dun, N.J.
Presynaptic suppression of excitatory postsynaptic potentials in rat ventral horn neurons by muscarinic agonists, **381**, 182
Jin, W.-Q., Zhou, Z.-F. and Han, J.-S.
Electroacupuncture and morphine analgesia potentiated by bestatin and thiorphan administered to the nucleus accumbens of the rabbit, **380**, 317
Jobe, P.C., see Savage, D.D., **376**, 412
Jobert, A., see Dutar, P., **365**, 325
Jobert, A., see Lamour, Y., **362**, 122
Jodkowski, J.S. and Lipski, J.
Decreased excitability of respiratory motoneurons during hypercapnia in the acute spinal cat, **386**, 296
Joh, T.H., see Park, D.H., **370**, 375
Joh, T.H., see Park, D.H., **372**, 185
Joh, T.H., see Park, D.H., **378**, 183
Johannessen, J.N., see Faris, P.L., **367**, 405
Johansen, F.F., Jørgensen, M.B. and Diemer, N.H.
Ischemic CA-1 pyramidal cell loss is prevented by preischemic colchicine destruction of dentate gyrus granule

cells, **377**, 344
ohansen, J. and Kleinhaus, A.L.
Barbiturates block divalent cation action potentials in leech nociceptive cells, **376**, 255
ohanson, C.E., see Harbut, R.E., **374**, 137
ohansson, S., see Arhem, P., **371**, 182
ohnson, A.K., see Carithers, J., **366**, 118
ohnson, A.K., see Gruber, K.A., **378**, 115
ohnson, A.K., see
McRae-Degueurce, A., **374**, 162
ohnson, A.K., see Mitchell, L.D., **399**, 346
ohnson, A.K., see Rettig, R., **370**, 29
ohnson, C.D., see Tumosa, N., **370**, 365
ohnson Jr., E.M., Palmatier, M.A., Rydel, R.E. and Manning, P.T.
Species and structural specificity of the lipopigment accumulation and neuronal destruction induced by N-(2-guanidinoethyl)-4-methyl-1,2,5,6- tetrahydropyridine (guanacline), **383**, 100
ohnson, E.M., see Wallace, T.L., **375**, 92
ohnson, J.A., see Owen, F., **362**, 185
ohnson, J.A., see Ridley, R.M., **376**, 108
ohnson, J.H., see Rosecrans, J.A., **382**, 71
ohnston, K.M., Connolly, J.A. and Van der Kooy, D.
Inhibition of axonal transport 'in vivo' by a tubulin-specific antibody, **385**, 38
ones, A.W., see Davies, J., **382**, 169
ones, D.G., see Oorschot, D.E., **368**, 49
ones, K.J. and Lavelle, A.
Ultrastructural changes in the nucleoplasm of hamster facial neurons during a postnatal maturation period, **377**, 119
ones, L.S., Evans, G.J., Wilson, W.A. and Lewis, D.V.
A novel, calcium-induced triphasic current response in silent, non-bursting *Aplysia* neurons, **385**, 46
ones, R.S.G. and Olpe, H.-R.
Pharmacological characterization of the receptor mediating the adrenergic inhibition of responses to substance P in the cingulate cortex, **367**, 151
ones, S.L. and Gebhart, G.F.
Characterization of coeruleospinal inhibition of the nociceptive tail-flick reflex in the rat: mediation by spinal α_2-adrenoceptors, **364**, 315
onsson, G., see Danysz, W., **365**, 169
onsson, G., see Fernandez-Guasti, A., **377**, 112
onsson, G., see Mohammed, A.K., **398**, 6
ordan, D., see Borson-Chazot, F., **382**, 433
ordan, W., see Vidal, C., **383**, 54
Jørgensen, M.B., see Johansen, F.F., **377**, 344
Joseph, J.A., see Lippa, A.S., **366**, 98
Joseph, N.E., see Renshaw, P.F., **380**, 401
Jouvet, M., see Astier, B., **397**, 333
Jouvet, M., see Léger, L., **362**, 63
Joyce, J.N., Loeschen, S.K., Sapp, D.W. and Marshall, J.F.
Age-related regional loss of caudate-putamen dopamine receptors revealed by quantitative autoradiography, **378**, 158
Joyce, J.N., Marshall, J.F., Bankiewicz, K.S., Kopin, I.J. and Jacobowitz, D.M.
Hemiparkinsonism in a monkey after unilateral internal carotid artery infusion of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) is associated with the regional ipsilateral changes in striatal dopamine D-2 receptor density, **382**, 360
Juhler, M. and Paulson, O.B.
Regional cerebral blood flow in acute experimental allergic encephalomyelitis, **363**, 272
Juler, R.G., see Liang, K.C., **368**, 125
Jung, S., see Reeh, P.W., **384**, 42
Juorio, A.V. and Greenshaw, A.J.
Tryptamine depletion in the rat striatum following electrolytic lesions of the substantia nigra, **371**, 385
Jürgens, U. and Richter, K.
Glutamate-induced vocalization in the squirrel monkey, **373**, 349
Jurna, I., see Rheinert, C., **373**, 57
Justice, C.A., see Sanberg, P.R., **367**, 314

K

Kaas, J.H., see Cusick, C.G., **370**, 359
Kaas, J.H., see Wall, J.T., **372**, 400
Kaba, H., see Tanaka, J., **379**, 200
Kabayama, Y., Kato, Y., Shimatsu, A., Yanaihara, N. and Imura, H.
Stimulation by gastrin-releasing peptide, neurotensin and DN1417, a novel TRH analog, of dopamine and norepinephrine release from perifused rat hypothalamic fragments in vitro, **372**, 394
Kachar, B., see Fex, J., **366**, 106
Kadono, Y., see Minabe, Y., **385**, 201
Kadota, T., see Kishida, R., **385**, 263
Kagawa, Y., see Yamada, S., **375**, 360
Kaji, H., see Kita, T., **398**, 18
Kajiwara, K., see Sugaya, E., **369**, 369
Kakegawa, T., see Koibuchi, N., **382**, 104
Kakucska, I., see Makara, G., **374**, 399
Kalaria, R.N. and Prince, A.K.
Decreased neurotransmitter receptor binding in striatum and cortex from adult hypothyroid rats, **364**, 268
Kaler, L.W., Dyke, A. and Critchlow, V.
Effects of periventricular lesions on the release of somatostatin during perifusion, **386**, 175
Kaler, L.W., see Critchlow, V., **398**, 347
Kalliomäki, J., see Schouenborg, J., **397**, 86
Kallo, I., see Merchenthaler, I., **378**, 297
Kamada, T., see Kanagawa, Y., **379**, 377
Kamada, T., see Matsuyama, T., **373**, 205
Kamada, T., see Wanaka, A., **369**, 185
Kamata, K., Kameyama, T., Okuyama, S., Hashimoto, S. and Aihara, H.
Denervation-like postsynaptic supersensitivity to dopamine agonists induced by microinjection of colchicine into the substantia nigra pars compacta, **367**, 1
Kamata, K., see Wilson, R.L., **370**, 393
Kamata, K., see Wilson, R.L., **384**, 342
Kamata, K., Sugimoto, A. and Kameyama, T.
Effect of chronic haloperidol on dopamine release following microinjection of GABA into the substantia nigra zona reticulata in the rat, **380**, 1
Kamata, K., Wilson, R.L., Alloway, K.D. and Rebec, G.V.
Multiple amphetamine injections reduce the release of ascorbic acid in the neostriatum of the rat, **362**, 331
Kamata, K., Yoshida, S. and Kameyama, T.
Antagonism of footshock stress-induced inhibition of intracranial self-stimulation by naloxone or methamphetamine, **371**, 197
Kamei, I., see Nakai, K., **381**, 148
Kamenka, J.-M., see Vignon, J., **378**, 133
Kameyama, M., see Matsubayashi, K., **368**, 30
Kameyama, T., see Kamata, K., **367**, 1
Kameyama, T., see Kamata, K., **371**, 197
Kameyama, T., see Kamata, K., **380**, 1
Kameyama, T., see Nabeshima, T., **378**, 234
Kameyama, T., see Nabeshima, T., **398**, 354
Kamiya, H.-O., see Takano, Y., **369**, 400
Kamo, H., Kim, S.U., McGeer, P.L. and Shin, D.H.
Functional recovery in a rat model of Parkinson's disease following transplantation of cultured human

sympathetic neurons, **397**, 372
Kamogawa, H. and Bennett, G.J.
Dorsal column postsynaptic neurons in the cat are excited by myelinated nociceptors, **364**, 386
Kanagawa, Y., Matsuyama, T., Wanaka, A., Yoneda, S., Kimura, K., Kamada, T., Steinbusch, H.W.M. and Tohyama, M.
Coexistence of enkephalin- and serotonin-like substances in single small intensely fluorescent cells of the guinea pig superior cervical ganglion, **379**, 377
Kanamoto, Y., Karashima, H., Kim, S.U. and Eto, Y.
Regulation of galactocerebroside and sulfatide synthesis by hormones in chick neural cultures, **371**, 201
Kaneda, N., see Spatz, M., **381**, 363
Kaneko, T., see Yasui, Y., **368**, 384
Kanje, M., Fransson, I., Edström, A. and Löwkvist, B.
Ornithine decarboxylase activity in dorsal root ganglia of regenerating frog sciatic nerve, **381**, 24
Kanje, M., see Zalewska, T., **381**, 58
Kannan, H., Osaka, T., Kasai, M., Okuya, S. and Yamashita, H.
Electrophysiological properties of neurons in the caudal ventrolateral medulla projecting to the paraventricular nucleus of the hypothalamus in rats, **376**, 342
Kanno, T. and Saito, T.
Vasoactive intestinal polypeptide nullifies cytochrome reduction response to afferent activation of the perfused bullfrog brain, **369**, 275
Kanof, P.D., see Haroutunian, V., **386**, 397
Kanosue, K., Nakayama, T., Andrew, P.D., Shen, Z. and Sato, M.
Neuronal activities in ventrobasal complex of thalamus and in trigeminal main sensory nucleus during EEG desynchronization in anesthetized rats, **379**, 90
Kantamaneni, D.B., see Sahakian, B.J., **399**, 162
Kantner, R.M., Goldstein, B.D. and Kirby, M.L.
Regulatory mechanisms for substance P in the dorsal horn during a nociceptive stimulus: axoplasmic transport vs electrical activity, **385**, 282
Kanzaki, R. and Shibuya, T.
Descending protocerebral neurons related to the mating dance of the male silkworm moth, **377**, 378
Kapcala, L.P.
Discordant changes between immunoreactive ACTH and β-endorphin in rat brain and pituitary during early development, **364**, 350
Kaplan, F.S., Brighton, C.T., Boytim, M.J., Selzer, M.E., Lee, V., Spindler, K., Silberberg, D. and Black, J.
Enhanced survival of rat neonatal cerebral cortical neurons at subatmospheric oxygen tensions in vitro, **384**, 199
Kaplan, H., see Mayevsky, A., **367**, 63
Kapoor, V., see Pilowsky, P.M., **366**, 354
Karashima, H., see Kanamoto, Y., **371**, 201
Kargman, S., see Biegon, A., **363**, 91
Kariman, K., Chance, B., Burkhart, D.S. and Bolinger, L.A.
Uncoupling effects of 2,4-dinitrophenol on electron transfer reactions and cell bioenergetics in rat brain in situ, **366**, 300
Kariyama, H., see Fukui, K., **382**, 81
Karli, P., see Jenck, F., **378**, 274
Karli, P., see Sandner, G., **386**, 53
Karmalahti, T., see Haikala, H., **375**, 313
Karpiak, S.E., see Li, Y.S., **377**, 292
Kartje-Tillotson, G., see O'Donhue, D.L., **385**, 311
Kasai, M., see Kannan, H., **376**, 342
Kasckow, J.W., Abood, L.G., Hoss, W. and Herndon, R.M.
Mechanism of phospholipase A_2-induced conduction block in bullfrog sciatic nerve. I. Electrophysiology and morphology, **373**, 384
Kasckow, J.W., Abood, L.G., Hoss, W. and Herndon, R.M.
Mechanism of phospholipase A_2-induced conduction block in bullfrog sciatic nerve. II. Biochemistry, **373**, 392
Kascsak, R.J., see Rubenstein, R., **372**, 80
Kashiba, A., see Fukui, K., **382**, 81
Kashii, S., see Sasa, M., **377**, 337
Kashiwamata, S., see Shinohara, H., **382**, 33
Kasik, P., Cochran, S.L., Dieringer, N. and Precht, W.
Evidence for an alteration in brainstem cholinergic pathways following unilateral labyrinthectomy in the frog, **363**, 188
Kasman, G.S. and Rosenfeld, J.P.
Opiate microinjections into midbrain do not affect the aversiveness of caudal trigeminal stimulation but produce somatotopically organized peripheral hypoalgesia, **383**, 271
Katafuchi, T., see Yoshimatsu, H., **384**, 17
Katafuchi, T., Yoshimatsu, H., Oomura, Y. and Sato, A.
Responses of adrenal catecholamine secretion to lateral hypothalamic stimulation and lesion in rats, **363**, 141
Katagiri, T., Gibson, S.J., Su, H.C. and Polak, J.M.
Composition and central projections of the pudendal nerve in the rat investigated by combined peptide immunocytochemistry and retrograde fluorescent labelling, **372**, 313
Kataoka, Y., see Shibata, K., **372**, 159
Katayama, Y., see Negishi, K., **362**, 389
Kato, H., see Miyakawa, H., **399**, 303
Kato, H., see Sakamoto, N., **364**, 372
Kato, I., Harada, K., Hasegawa, T., Igarashi, T., Koike, Y. and Kawasaki, T.
Role of the nucleus of the optic tract in monkeys in relation to optokinetic nystagmus, **364**, 12
Kato, K., see Ito, J.-I., **374**, 335
Kato, K., see Shinohara, H., **382**, 33
Kato, M., see Koibuchi, N., **382**, 104
Kato, M., see Matsuoka, S., **398**, 253
Kato, N.
Increase in the density of geniculocortical afferents to layer I after reverse suture in kittens, **386**, 393
Kato, N., see Fukui, K., **382**, 81
Kato, S., see Negishi, K., **362**, 389
Kato, T., see Ando, M., **373**, 359
Kato, T., see Ito, J.-I., **374**, 335
Kato, Y., see Kabayama, Y., **372**, 394
Katoh, A., see Nabeshima, T., **398**, 354
Katoh, S., see Heike, Y., **369**, 341
Katz, D.M., Adler, J.E. and Black, I.B.
Expression and regulation of tyrosine hydroxylase in adult sensory neurons in culture: effects of elevated potassium and nerve growth factor, **385**, 68
Katz, M.J.
Quantitative effects of NGF on the growth of embryonic frog axons, **366**, 211
Katzman, R., see Heacock, A.M., **363**, 299
Kaufman, M.P., Rybicki, K.J., Kozlowski, G.P. and Iwamoto, G.A.
Immunoneutralization of substance P attenuates the reflex pressor response to muscular contraction, **377**, 199
Kaulen, P., Brüning, G., Rommelspacher, H. and Baumgarten, H.-G.
Characterization and quantitative autoradiography of [^{3}H]tryptamine binding sites in rat brain, **366**, 72
Kavaliers, M. and Hirst, M.
An octadecaneuropeptide (ODN) derived from diazepam binding inhibitor increases aggressive interactions in mice, **383**, 343
Kavaliers, M. and Hirst, M.
Inhibitory influences of FMRFamide and PLG on stress-induced opioid analgesia and activity, **372**, 370
Kavaliers, M. and Ossenkopp, K.-P.
Magnetic field inhibition of morphine-induced analgesia and behavioral activity in mice: evidence for involvement of calcium ions, **379**, 30

Kawahara, K., Sawada, Y. and Aoki, M.
Dual pathways for thermal afferents from the cat's tongue, **378**, 61
Kawai, M., see Nomura, Y., **379**, 118
Kawai, N., see Miwa, A., **385**, 161
Kawai, Y., see Kubota, Y., **370**, 343
Kawai, Y., see Morishima, Y., **379**, 157
Kawakami, F., see Ibata, Y., **370**, 136
Kawakami, Y., see Chudler, E.H., **397**, 47
Kawamoto, J.C. and Barrett, J.N.
Cryopreservation of primary neurons for tissue culture, **384**, 84
Kawano, H., see Daikoku, S., **399**, 250
Kawasaki, T., see Kato, I., **364**, 12
Kawasaki, T., see Yamamoto, F., **371**, 350
Kawasaki, Y., Horie, H. and Takenaka, T.
The maturation-dependent change in fibronectin receptor density of mouse dorsal root ganglion neurons, **397**, 185
Kawasaki, Y., see Horie, H., **377**, 246
Kayahara, T.
Synaptic connections between spinal motoneurons and dorsal root ganglion cells in the cat, **376**, 299
Kayser, V., Besson, J.M. and Guilbaud, G.
Analgesia produced by low doses of the opiate antagonist naloxone in arthritic rats is reduced in morphine-tolerant animals, **371**, 37
Kayser, V., Neil, A. and Guilbaud, G.
Repeated low doses of morphine induce a rapid tolerance in arthritic rats but a potentiation of opiate analgesia in normal animals, **383**, 392
Kayser, V., see Benoist, J.M., **398**, 49
Kayser, V., see Guilbaud, G., **385**, 86
Kayser, V., see Peschanski, M., **376**, 164
Keeler, J.R., see Helke, C.J., **381**, 1
Keen, P., see Bisby, M.A., **365**, 85
Keeton, T.K., see Buchholz, R.A., **365**, 360
Keil, L.C., see Wurpel, J.N.D., **365**, 21
Keil, L.C., see Wurpel, J.N.D., **365**, 30
Keith, L.D., Crabbe, J.C., Robertson, L.M. and Kendall, J.W.
Ethanol-stimulated endorphin and corticotropin secretion in vitro, **367**, 222
Keith, L.D., see Wilkinson, C.W., **378**, 107
Kellar, K.J., see Whitehouse, P.J., **371**, 146
Kellényi, L., see Buzsáki, G., **365**, 125
Keller, F., Lipp, H.-P. and Waser, P.G.
The organization of intrinsic hippocampal connections in explants of rat hippocampus studied by topical application of HRP crystals, **380**, 191
Kellogg, C.K. and Retell, T.M.
Release of [^{3}H]norepinephrine: alteration by early developmental exposure to diazepam, **366**, 137
Kelsey, J.E., Hoerman IV, W.A., Kimball III, L.D., Radack, L.S. and Carter, M.V.
Arcuate nucleus lesions reduce opioid stress-induced analgesia (SIA) and enhance non-opioid SIA in rats, **382**, 278
Kemp, J.A. and Downes, C.P.
Noradrenaline-stimulated inositol phospholipid breakdown in rat dorsal lateral geniculate nucleus neurones, **371**, 314
Kendall, J.W., see Keith, L.D., **367**, 222
Kendall, J.W., see Wilkinson, C.W., **378**, 107
Kendrick, K.M. and Baldwin, B.A.
The activity of neurones in the lateral hypothalamus and zona incerta of the sheep responding to the sight or approach of food is modified by learning and satiety and reflects food preference, **375**, 322
Kendrick, K.M. and Dixson, A.F.
Anteromedial hypothalamic lesions block proceptivity but not receptivity in the female common marmoset (*Callithrix jacchus*), **375**, 221
Kennedy, C., see Dow-Edwards, D., **373**, 139
Kennedy, P.R., Gibson, A.R. and Houk, J.C.
Functional and anatomic differentiation between parvicellular and magnocellular regions of red nucleus in the monkey, **364**, 124
Kennett, G.A., Chaouloff, F., Marcou, M. and Curzon, G.
Female rats are more vulnerable than males in an animal model of depression: the possible role of serotonin, **382**, 416
Kenney, J.P., see Wilkening, D., **368**, 239
Kenshalo Jr., D.R., see Maixner, W., **374**, 385
Kerdelhue, B., see Makara, G., **374**, 399
Kerkérian, L. and Pelletier, G.
Effects of monosodium L-glutamate administration on neuropeptide Y-containing neurons in the rat hypothalamus, **369**, 388
Kernell, D., see Donselaar, Y., **385**, 22
Kerner, A.-L. and Carson, J.H.
Shiverer*jimpy double mutant mice. I. Biochemical evidence for reciprocal intergenic suppression, **374**, 45
Kerner, A.-L., see Billings-Gagliardi, S., **374**, 54
Kessler, J.P. and Jean, A.
Effect of catecholamines on the swallowing reflex after pressure microinjections into the lateral solitary complex of the medulla oblongata, **386**, 69
Kessler, J.P., see Morin-Surun, M.P., **384**, 106
Khachaturian, H., see Mansour, A., **399**, 69
Khachaturian, H., see Tsou, K., **378**, 28
Khatib, M., see Hilaire, G., **376**, 133
Khorram, O., Bedran De Castro, J.C. and McCann, S.M.
The influence of suckling on the hypothalamic and pituitary secretion of immunoreactive α-melanocyte stimulating hormone, **398**, 361
Khulusi, S.S., Brown, M.W. and Wright, D.M.
Zinc and paired-pulse potentiation in the hippocampus, **363**, 152
Kidd, G.J., see Dunkley, P.R., **372**, 115
Kiedrowski, L., see Gradkowska, M., **375**, 417
Kiernan, K., see Hnatowich, M.R., **380**, 107
Kilts, C.D., see Elliott, P.J., **385**, 379
Kim, J., Shin, H.K., Grant, J.R. and Chung, J.M.
Ascending spinal pathway for arterial pressor response elicited by ventral root afferent inputs in the cat, **377**, 182
Kim, J.H., Ebner, T.J. and Bloedel, J.R.
Comparison of response properties of dorsal and ventral spinocerebellar tract neurons to a physiological stimulus, **369**, 125
Kim, K. and Ramirez, V.D.
Effects of prostaglandin E_2, forskolin and cholera toxin on cAMP production and in vitro LH-RH release from the rat hypothalamus, **386**, 258
Kim, S.U., see Kamo, H., **397**, 372
Kim, S.U., see Kanamoto, Y., **371**, 201
Kim, Y., see Hinko, A., **384**, 156
Kim, Y.S., Lee, M.H. and Wisniewski, H.M.
Aluminum induced reversible change in permeability of the blood–brain barrier to [^{14}C]sucrose, **377**, 286
Kimball III, L.D., see Kelsey, J.E., **382**, 278
Kimble, D.P., Bremiller, R. and Stickrod, G.
Fetal brain implants improve maze performance in hippocampal-lesioned rats, **363**, 358
Kimura, F., see Akema, T., **385**, 366
Kimura, F., see Arita, J., **369**, 391
Kimura, F., see Arita, J., **374**, 37
Kimura, F., see Tadokoro, Y., **380**, 69
Kimura, H., see Fukui, K., **382**, 81
Kimura, H., see Itagaki, S., **381**, 77
Kimura, H., see Mizukawa, K., **379**, 39
Kimura, H., see Sakai, Y., **362**, 199
Kimura, K., see Kanagawa, Y., **379**, 377
Kimura, K., see Matsuyama, T., **373**, 205
Kimura, K., see Wanaka, A., **369**, 185
King, A.E., see Gho, M., **385**, 411
King, J.C., see Liu-Chen, L.-Y., **369**, 12
King, J.S., see Bishop, G.A., **371**, 133

King, T.J., see Boden, P., **385**, 205
Kinghorn, E., see Anderson, R.H., **370**, 1
Kinnman, E. and Aldskogius, H.
Collateral sprouting of sensory axons in the glabrous skin of the hindpaw after chronic sciatic nerve lesion in adult and neonatal rats: a morphological study, **377**, 73
Kinscherf, D.A., see Blazynski, C., **366**, 224
Kirby, M.L., see Kantner, R.M., **385**, 282
Kiritsy-Roy, J.A., see Appel, N.M., **378**, 8
Kirschner, D.A., see Billings-Gagliardi, S., **374**, 54
Kish, S.J., see Seizinger, B.R., **378**, 405
Kishida, R., Onishi, H., Nishizawa, H., Kadota, T., Goris, R.C. and Kusunoki, T.
Organization of the trigeminal and facial motor nuclei in the hagfish, *Eptatretus burgeri*: a retrograde HRP study, **385**, 263
Kiss, A., see Pincus, J.H., **397**, 103
Kiss, J. and Halász, B.
Synaptic connections between serotoninergic axon terminals and tyrosine hydroxylase-immunoreactive neurons in the arcuate nucleus of the rat hypothalamus. A combination of electron microscopic autoradiography and immunocytochemistry, **364**, 284
Kita, H. and Kitai, S.T.
Electrophysiology of rat thalamo-cortical relay neurons: an in vivo intracellular recording and labeling study, **371**, 80
Kita, H., see Kita, T., **372**, 21
Kita, T., Chihara, K., Abe, H., Minamitani, N., Kaji, H., Kodama, H., Chiba, T., Fujita, T.and Yanaihara, N.
Regional distribution of gastrin-releasing peptide- and somatostatin-like immunoreactivity in the rabbit hypothalamus, **398**, 18
Kita, T., Kita, H. and Kitai, S.T.
Electrical membrane properties of rat substantia nigra compacta neurons in an in vitro slice preparation, **372**, 21
Kitabgi, P., see Coquerel, A., **398**, 386
Kitada, Y.
Different receptor sites for Ca^{2+} and Na^{+} in single water fibers of the frog glossopharyngeal nerve, **377**, 211
Kitada, Y.
Salt taste responses in the frog glossopharyngeal nerve: different receptor sites for Mg^{2+} and Na, **380**, 172
Kitahama, K., see Astier, B., **397**, 333
Kitai, S.T., see Chang, H.T., **366**, 392
Kitai, S.T., see Kita, H., **371**, 80
Kitai, S.T., see Kita, T., **372**, 21
Kitamoto, T., see Tashima, T., **399**, 80
Kitamura, K., see Matsuoka, S., **398**, 253
Kitamura, Y., see Nomura, Y., **379**, 118
Kito, S., see Inagaki, S., **362**, 171
Kito, S., see Inagaki, S., **374**, 287
Kito, S., see Inagaki, S., **378**, 420
Kito, S., see Kubota, Y., **367**, 374
Kito, S., see Kubota, Y., **375**, 163
Kito, S., see Miyoshi, R., **377**, 348
Kito, S., see Yamano, M., **398**, 337
Kitzes, L.M., see Moore, D.R., **373**, 268
Kiyama, H., see Negishi, K., **362**, 389
Kiyama, H., see Sakamoto, N., **375**, 353
Kiyama, H., see Shiosaka, S., **382**, 399
Kiyama, H., Shiosaka, S., Sakamoto, N., Michel, J.-P., Pearson, J. and Tohyama, M.
A neurotensin-immunoreactive pathway from the subiculum to the mammillary body in the rat, **375**, 357
Kiyohara, S., Houman, H., Yamashita, S., Caprio, J. and Marui, T.
Morphological evidence for a direct projection of trigeminal nerve fibers to the primary gustatory center in the sea catfish *Plotosus anguillaris*, **379**, 353
Kjeldsen, C., see Pakkenberg, H., **362**, 192
Klein, D.C., see Santer, D.M., **372**, 107
Kleinhaus, A.L., see Johansen, J., **376**, 255
Klockgether, T., see Schwarz, M., **373**, 365
Klockgether, T., see Turski, L., **370**, 294
Klockgether, T., see Turski, L., **379**, 367
Klockgether, T., Turski, L., Schwarz, M. and Sontag, K.-H.
Motor actions of excitatory amino acids and their antagonists within the rat ventromedial thalamic nucleus, **399**, 1
Kloog, Y., see Egozi, Y., **383**, 310
Knappen, F., see Majkowski, J., **386**, 325
Knebel Doeberitz, C.v., see Sloviter, R.S., **367**, 169
Knight, R.T., see Brailowsky, S., **362**, 322
Knight, R.T., see Brailowsky, S., **376**, 71
Knoops, B., see De Paermentier, F., **398**, 419
Knopf, S., see Antelman, S.M., **385**, 58
Kobayashi, H., see Mochida, S., **383**, 299
Kobayashi, M., see Furukawa, Y., **374**, 227
Kobayashi, S.
Warm- and cold-sensitive neurons inactive at normal core temperature in rat hypothalamic slices, **362**, 132
Kocan, D., see Antelman, S.M., **385**, 58
Kocher, L., see Reeh, P.W., **384**, 42
Kocsis, J.D., Gordon, T.R. and Waxman, S.G.
Mammalian optic nerve fibers display two pharmacologically distinct potassium channels, **383**, 357
Kocsis, J.D., see Targ, E.F., **363**, 1
Kodama, H., see Kita, T., **398**, 18
Kodama, T., see Yamamoto, M., **366**, 279
Koehler, W., see Windhorst, U., **398**, 181
Koenig, E.
Isolation of native Mauthner cell axoplasm and an analysis of organelle movement in non-aqueous and aqueous media, **398**, 288
Koerber, H.R., see Maxwell, D.J., **363**, 199
Koerner, J.F., see Robinson, M.B., **381**, 187
Kogure, K., see Sakamoto, N., **364**, 372
Koh, T., see Tsujii, S., **399**, 200
Kohno, M., see Nakano, K., **372**, 338
Kohsaka, S., see Takamiya, Y., **383**, 305
Kohsaka, S., Yoshida, K., Inoue, Y., Shinozaki, T., Takayama, H., Inoue, H., Mikoshiba, K., Takamatsu, K., Otani, M., Toya, S., and Tsukada, Y.
Transplantation of bulk-separated oligodendrocytes into the brains of shiverer mutant mice: immunohistochemical and electron microscopic studies on the myelination, **372**, 137
Koibuchi, N., Kato, M., Kakegawa, T. and Suzuki, M.
Growth hormone release induced by electrical stimulation of the basolateral amygdala, observed in pentobarbital anesthetized rats, **382**, 104
Koike, Y., see Kato, I., **364**, 12
Koizumi, M., see Shimosegawa, T., **379**, 1
Kolb, B., Whishaw, I.Q. and Van der Kooy, D.
Brain development in the neonatally decorticated rat, **397**, 315
Kolb, R., see Schubert, P., **376**, 382
Komai, N., see Nakai, K., **381**, 148
Komatsubara, J., see Sugaya, E., **369**, 369
Kondákor, I., see Buzsáki, G., **365**, 125
Kondo, H., Kuramoto, H. and Fujita, T.
Neuropeptide tyrosine-like immunoreactive nerve fibers in the carotid body chemoreceptor of rats, **372**, 353
Konishi, A., see Itoh, K., **375**, 214
Konno, H., see Yamamoto, T., **374**, 419
Kononenko, N.I., Kostyuk, P.G. and Shcherbatko, A.D.
Properties of cAMP-induced transmembrane current in mollusc

neurons, **376**, 239
Konovalov, G.V., see Chubakov, A.R., **369**, 285
Koob, G.F., see Amalric, M., **386**, 287
Koob, G.F., see Blasco, T.A., **386**, 280
Koob, G.F., see Britton, K.T., **369**, 303
Kopin, I.J., see Joyce, J.N., **382**, 360
Kopp, N., see Borson-Chazot, F., **382**, 433
Kopp, N., see Michel, J.-P., **397**, 93
Kopp, N., see Sakamoto, N., **375**, 353
Kordon, C., see Epelbaum, J., **371**, 376
Koreh, I., see Young, W., **365**, 42
Korn, S.J. and Dingledine, R. Inhibition of GABA uptake in the rat hippocampal slice, **368**, 247
Kornblith, P.L., see Jacobs, S.K., **372**, 386
Kornguth, S.E., see Spear, P.D., **368**, 154
Kosaka, K., see Arai, H., **377**, 305
Kosar, E., Grill, H.J. and Norgren, R. Gustatory cortex in the rat. I. Physiological properties and cytoarchitecture, **379**, 329
Kosar, E., Grill, H.J. and Norgren, R. Gustatory cortex in the rat. II. Thalamocortical projections, **379**, 342
Kostreva, D.R., see Abram, S.E., **385**, 143
Kostrzewa, R.M., see Heydorn, W.E., **367**, 31
Kostyuk, P.G., see Kononenko, N.I., **376**, 239
Kosuge, T., see Yamada, S., **375**, 360
Koulu, M., Saavedra, J.M., Bjelogrlic, N., Niwa, M., Agren, H. and Linnoila, M. Serotonin turnover in discrete hypothalamic nuclei and mesencephalic raphe nuclei of young and adult spontaneously hypertensive rats, **379**, 257
Koulu, M., Saavedra, J.M., Niwa, M. and Linnoila, M. Increased catecholamine metabolism in the locus coeruleus of young spontaneously hypertensive rats, **369**, 361
Koulu, M., Saavedra, J.M., Niwa, M., Scheinin, M. and Linnoila, M. Association between increased serotonin metabolism in rat brainstem nuclei and development of spontaneous hypertension, **371**, 177
Koulu, M., see Agren, H., **397**, 353
Kovács, G.L., Veldhuis, H.D., Versteeg, D.H.G. and De Wied, D. Facilitation of avoidance behavior by vasopressin fragments microinjected into limbic-midbrain structures, **371**, 17
Koves, J.F., see Parhad, I.M., **363**, 315
Koyama, S. Central impairment of renal nerve response to stimulation of medullary pressor area in rabbit endotoxic hypotension, **366**, 217
Kozlowski, G.P., see Kaufman, M.P., **377**, 199
Kozlowski, M.R. and Arbogast, R.E. Specific toxic effects of ethylcholine nitrogen mustard on cholinergic neurons of the nucleus basalis of Meynert, **372**, 45
Kozlowski, M.R. Effects of σ agonist compounds on local cerebral glucose utilization: relationship to psychotomimetic properties, **376**, 190
Kraus, E. and Le Bars, D. Morphine antagonizes inhibitory controls of nociceptive reactions, triggered by visceral pain in the rat, **379**, 151
Krauthamer, G.M., see Yamasaki, D.S.G., **378**, 223
Kreider, B.Q., Corboy, J., Preston, S.L., Auszmann, J.M., DeSalvo, S., Smith, T.M., Lieb, M., Edinburgh, K.J., Pleasure, D., and McMorris, F.A. Characterization of rat schwannoma–Schwann cell hybrids, **397**, 238
Kress, Y., see Peterson, C., **382**, 205
Kretzschmar, R., Landgraf, R., Gjedde, A. and Ermisch, A. Vasopressin binds to microvessels from rat hippocampus, **380**, 325
Kreutzberg, G.W., see Lee, K.S., **380**, 155
Krey, L.C., see Baum, M.J., **368**, 296
Krieger, A.J., see Punnen, S., **382**, 178
Krieglstein, J., see Beck, T., **381**, 327
Kripke, B.R., see Wei, J.Y., **370**, 119
Kristan Jr., W.B., see Granzow, B., **369**, 321
Kristensson, K., see Gustafsson, M., **367**, 14
Krnjevic, K., Morris, M.E. and Ropert, N. Changes in free calcium ion concentration recorded inside hippocampal pyramidal cells in situ, **374**, 1
Krogh, J.E. and Towns, L.C. Is there morphological separation between the spinal cord motor nuclei which innervate the heads of a multiheaded muscle?, **369**, 331
Kruger, L., see Colin, S., **398**, 199
Kruk, Z.L., see Stamford, J.A., **366**, 350
Kruk, Z.L., see Stamford, J.A., **373**, 85
Kruk, Z.L., see Stamford, J.A., **381**, 351
Krukoff, T.L. Segmental distribution of corticotropin-releasing factor-like and vasoactive intestinal peptide-like immunoreactivities in presumptive sympathetic preganglionic neurons of the cat, **382**, 153
Kruszewska, A., see Romandini, S., **377**, 351
Kubo, T. and Amano, H. Vasopressin-induced pressor responses in rats to bilateral electrolytic lesioning of the caudal portion of the nucleus tractus solitarii, **363**, 183
Kubota, K., see Sawaguchi, T., **371**, 404
Kubota, Y., Inagaki, S. and Kito, S. Innervation of substance P neurons by catecholaminergic terminals in the neostriatum, **375**, 163
Kubota, Y., Inagaki, S., Kito, S., Takagi, H. and Smith, A.D. Ultrastructural evidence of dopaminergic input to enkephalinergic neurons in rat neostriatum, **367**, 374
Kubota, Y., see Inagaki, S., **362**, 171
Kubota, Y., see Inagaki, S., **374**, 287
Kubota, Y., see Inagaki, S., **378**, 420
Kubota, Y., Takagi, H., Morishima, Y., Kawai, Y. and Smith, A.D. Relationships between catecholaminergic neurons and cholecystokinin-containing neurons in the caudal part of the dorsomedial medulla oblongata of the rat: light and electron microscopic observations by the 'mirror technique', **370**, 343
Kudo, Y., see Takahashi, M., **382**, 332
Kuga, S., see Goldstein, M., **367**, 114
Kuhar, M.J., see De Souza, E.B., **381**, 176
Kuhar, M.J., see Zarbin, M.A., **374**, 75
Kuhr, W.G. and Wightman, R.M. Real-time measurement of dopamine release in rat brain, **381**, 168
Kukulka, C.G., Russell, A.G. and Moore, M.A. Electrical and mechanical changes in human soleus muscle during sustained maximum isometric contractions, **362**, 47
Kumada, M., see Granata, A.R., **377**, 127
Kümmel, H., see Alstermark, B., **376**, 387
Künzle, H. Projections from the cochlear nuclear complex to rhombencephalic auditory centers and torus semicircularis in the turtle, **379**, 307
Kuo, J.S., Liu, R.H., Wang, S.D., Wang, J.M. and Chai, C.Y. Vagal cardioinhibitory area in and around the caudal inferior olivary nucleus of cats. II. Modulatory actions, **372**, 227
Kuo, J.S., Wang, C.C., Liu, R.H., Wu, C.Y. and Chai, C.Y. Vagal cardioinhibitory area in and around the caudal inferior olivary nucleus of vats. I. Localization and connection, **372**, 217
Kupperman, B., see Ramachandran, V.S., **367**, 309
Kuramoto, H., see Kondo, H., **372**, 353
Kurihara, K., see Yoshii, K., **367**, 45
Kuroda, H., Baskin, D.S., Matsui, T., Loh, H.H., Hosobuchi, Y. and

Lee, N.M.
Effects of dynorphin$_{1-13}$ on opiate binding and dopamine and GABA uptake in stroked cat brain, **379**, 68
Kuroiwa, Y., see Goto, I., **372**, 31
Kuromizu, K., see Takano, Y., **369**, 400
Kurosawa, M., Sato, A., Swenson, R.S. and Takahashi, Y.
Sympatho-adrenal medullary functions in response to intracerebroventricularly injected corticotropin-releasing factor in anesthetized rats, **367**, 250
Kusano, N., see Goldstein, M., **367**, 114
Kusske, J.A., see Rinaldi, P.C., **375**, 302
Kusunoki, T., see Kishida, R., **385**, 263
Kuwayama, Y. and Stone, R.A.
Cholecystokinin-like immunoreactivity occurs in ocular sensory neurons and partially co-localizes with substance P, **381**, 266
Kuypers, H.G.J.M., see Ugolini, G., **365**, 211

L

L'Heureux, R., see Scatton, B., **380**, 181
Labella, F.S., see Hnatowich, M.R., **380**, 107
Lachapelle, P., see Molotchnikoff, S., **375**, 66
Lachica, E.A., see Conley, M., **399**, 332
Lackington, I. and Orrego, F.
Continuous measurement of net potassium movements in rat brain cortex suspensions. Effects of glutamate, veratridine, creatine and other substances, **378**, 390
Lacy, P.S. and Earle, A.M.
A correlation between multiple unit activity in the hypothalamus and electrocardiographic changes during a subarachnoid hemorrhage, **373**, 146
Ladinsky, H., see Consolo, S., **363**, 128
Ladinsky, H., see Consolo, S., **374**, 212
Laduron, P.M. and Janssen, P.F.M.
Impaired axonal transport of opiate and muscarinic receptors in streptozocin-diabetic rats, **380**, 359
Laforet, G., see Booze, R.M., **375**, 251
Lagos, N., see Riveros, N., **386**, 405
Lahita, R.G., see Moskowitz, N., **370**, 38
Lahuerta, J., see Cruccu, G., **371**, 298
Lai, H., Zabawska, J. and Horita, A.
Sodium-dependent, high-affinity choline uptake in hippocampus and frontal cortex of the rat affected by acute restraint stress, **372**, 366
Laing, K., see Thal, L.J., **372**, 205
Lalley, P.M.
Effects of baclofen and γ-aminobutyric acid on different types of medullary respiratory neurons, **376**, 392
Lallkin, A., see Meiri, H., **384**, 355
Lalonde, R. and Botez, M.I.
Navigational deficits in weaver mutant mice, **398**, 175
Lalonde, R.
Delayed spontaneous alternation in weaver mutant mice, **398**, 178
Lalonde, R., Lamarre, Y., Smith, A.M. and Botez, M.I.
Spontaneous alternation and habituation in lurcher mutant mice, **362**, 161
Lam, T.J., see Oka, Y., **367**, 341
Lamarre, Y., see Dubuc, R., **369**, 243
Lamarre, Y., see Lalonde, R., **362**, 161
Lambdin, L.T., see Dohanich, G.P., **366**, 338
Lambert, G.A., see Goadsby, P.J., **381**, 63
Lametschwandtner, A., see Weiger, T., **378**, 285
Lammers, A.J.J.C., see Tonnaer, J.A.D.M., **370**, 200
Lamour, Y., Dutar, P., Rascol, O. and Jobert, A.
Basal forebrain neurons projecting to the rat frontoparietal cortex: electrophysiological and pharmacological properties, **362**, 122
Lamour, Y., see Dutar, P., **365**, 325
Lamour, Y., see Epelbaum, J., **371**, 376
Lance, J.W., see Goadsby, P.J., **381**, 63
Lancet, D., see Chen, Z., **368**, 329
Landas, S.K., see McRae-Degueurce, A., **374**, 162
Landgraf, R., see Ermisch, A., **379**, 24
Landgraf, R., see Kretzschmar, R., **380**, 325
Landis, S.C. and Fredieu, J.R.
Coexistence of calcitonin gene-related peptide and vasoactive intestinal peptide in cholinergic sympathetic innervation of rat sweat glands, **377**, 177
Lane, R.F., Blaha, C.D. and Phillips, A.G.
In vivo electrochemical analysis of cholecystokinin-induced inhibition of dopamine release in the nucleus accumbens, **397**, 200
Lane, R.F., see Cassone, V.M., **384**, 334
Lane, W., see Loring, R.H., **385**, 30
Lanfumey, L., see Adrien, J., **366**, 10
Lanfumey, L., see Cash, R., **370**, 127
Lang, E.J., see Wible, C.G., **399**, 97
Langdon, R.B. and Freeman, J.A.
Antagonists of glutaminergic neurotransmission block retinotectal transmission in goldfish, **398**, 169
Lange, A.B. and Orchard, I.
Identified octopaminergic neurons modulate contractions of locust visceral muscle via adenosine 3′,5′-monophosphate (cyclic AMP), **363**, 340
Langston, J.W., see Ricaurte, G.A., **376**, 117
Láng, T., see Palkovits, M., **373**, 252
Lanoir, J., see Segu, L., **384**, 205
Lantos, P.L., see Greenwood, J., **399**, 148
Lapadula, D.M., see Suwita, E., **374**, 199
Largent, B.L., see Gundlach, A.L., **386**, 266
Larson, A.A., see Jeftinija, S., **368**, 107
Larson, A.A., see Monaghan, P.L., **363**, 364
Larson, J., Wong, D. and Lynch, G.
Patterned stimulation at the theta frequency is optimal for the induction of hippocampal long-term potentiation, **368**, 347
Lasbennes, F., see Mraovitch, S., **380**, 42
Lasek, R.J., see Tytell, M., **363**, 161
Lasher, R.S., see Anderson, K.J., **369**, 21
Latker, C.H., Lynch, K.J. and Rapoport, S.I.
The morphology of pial blood vessels of the frog, preserved by rapid freezing and freeze substitution, **375**, 186
Latov, N., see Friedman, E., **378**, 142
Lau, Y.-S. and Fung, Y.K.
Pharmacological effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on striatal dopamine receptor system, **369**, 311
Lauder, J.M., see Towle, A.C., **363**, 38
Laurier, L.G.
Stimulation by dopamine of protein phosphorylation in rat striatal slices, **385**, 361
Lauritzen, M. and Diemer, N.H.
Uncoupling of cerebral blood flow and metabolism after single episode of cortical spreading depression in the rat brain, **370**, 405
Lavelle, A., see Jones, K.J., **377**, 119
Lavin, A. and Garcia-Munoz, M.
Electrophysiological changes in substantia nigra after dynorphin administration, **369**, 298
Lavoie, J., see Peyronnard, J.M., **364**, 137
Lavoie, J., see Peyronnard, J.M., **373**, 288
Lawson, D.E.M., see Pasteels, J.L., **384**, 294
Lazdunski, M., see Mourre, C., **382**, 239
Le Bars, D., see Calvino, B., **370**, 191
Le Bars, D., see Chitour, D., **377**, 397
Le Bars, D., see Kraus, E., **379**, 151
Le Douarin, C., Penit, J., Glowinski, J. and Thierry, A.M.
Effects of ventro-medial mesencephalic tegmentum (VMT)

stimulation on the spontaneous activity of nucleus accumbens neurones: influence of the dopamine system, **363**, 290
Le Moal, M., see Herman, J.P., **372**, 210
Le Moal, M., see Louilot, A., **397**, 395
Le Saux, F., see Maurin, Y., **366**, 379
Leah, J.D., see Cameron, A.A., **362**, 1
Leboulenger, F., see Benyamina, M., **366**, 230
Leclerc, N., see Gravel, C., **363**, 325
Leclerc, N., see Maler, L., **378**, 337
Lederis, K., see Poulin, P., **381**, 382
Lederis, K., see Sakanaka, M., **382**, 213
LeDoux, J.E., Iwata, J., Pearl, D. and Reis, D.J.
Disruption of auditory but not visual learning by destruction of intrinsic neurons in the rat medial geniculate body, **371**, 395
LeDoux, J.E., see Iwata, J., **368**, 161
LeDoux, J.E., see Iwata, J., **383**, 195
Lee, C. and Malpeli, J.G.
Somata-selective lesions induced by cobaltous chloride: a parametric study, **364**, 396
Lee, D., see Blasco, T.A., **386**, 280
Lee, D.E., see Amalric, M., **386**, 287
Lee, G., see Britton, K.T., **369**, 303
Lee, J.-M., McLean, S., Maggio, J.E., Zamir, N., Roth, R.H., Eskay, R.L. and Bannon, M.J.
The localization and characterization of substance P and substance K in striatonigral neurons, **371**, 152
Lee, J.-M., see Bannon, M.J., **381**, 393
Lee, K., see Robertson, R.T., **368**, 116
Lee, K.S. and Reddington, M.
1,3-Dipropyl-8-cyclopentylxanthine (DPCPX) inhibition of [^{3}H]N-ethylcarboxamidoadenosine (NECA) binding allows the visualization of putative non-A1 adenosine receptors, **368**, 394
Lee, K.S., see Reddington, M., **399**, 232
Lee, K.S., Tetzlaff, W. and Kreutzberg, G.W.
Rapid down regulation of hippocampal adenosine receptors following brief anoxia, **380**, 155
Lee, M.H., see Kim, Y.S., **377**, 286
Lee, N.M., see Kuroda, H., **379**, 68
Lee, R.J., McCabe, R.T., Wamsley, J.K., Olsen, R.W. and Lomax, P.
Opioid receptor alterations in a genetic model of generalized epilepsy, **380**, 76
Lee, V., see Kaplan, F.S., **384**, 199
Lee, Y., Shiosaka, S., Hayashi, N. and Tohyama, M.
The presence of vasoactive intestinal polypeptide-like immunoreactive structures projecting from the myenteric ganglion of the stomach to the celiac ganglion revealed by a double-labelling technique, **382**, 392
Leeman, S.E., see Canick, J.A., **372**, 277
Lees, G. and Beadle, D.J.
Dihydroavermectin B_1: actions on cultured neurones from the insect central nervous system, **366**, 369
Legate, L.S., see Banerji, T.K., **380**, 176
Léger, L., Charnay, Y., Dubois, P.M. and Jouvet, M.
Distribution of enkephalin-immunoreactive cell bodies in relation to serotonin-containing neurons in the raphe nuclei of the cat: immunohistochemical evidence for the coexistence of enkephalins and serotonin in certain cells, **362**, 63
Leibowitz, S.F., see Chafetz, M.D., **384**, 404
Leibowitz, S.F., see Jhanwar-Uniyal, M., **368**, 404
Leigh Jr., J.S., see Renshaw, P.F., **380**, 401
Leiman, A.L. and Seil, F.J.
Influence of subcortical neurons on the functional development of cerebral neocortex in tissue culture, **365**, 205
Leise, E.M. and Mulloney, B.
The osmium-ethyl gallate procedure is superior to silver impregnations for mapping neuronal pathways, **367**, 265
Leiva, J., see Infante, C., **381**, 390
Lemieux, J.F. and Blume, W.T.
Topographical evolution of spike-wave complexes, **373**, 275
Lenoir, V., see Makara, G., **374**, 399
Lentz, T.L., see Hawrot, E., **373**, 227
Lénárd, L., see Nakano, Y., **399**, 167
Lénárd, L., see Oomura, Y., **365**, 335
Leon, M., see Coopersmith, R., **371**, 400
Leonard, R.B., see Dubas, F., **374**, 21
Leresche, N., Hardy, O., Audinat, E. and Jassik-Gerschenfeld, D.
Synaptic organization of inhibitory circuits in the pigeon's optic tectum, **365**, 383
Leresche, N., Hardy, O., Audinat, E. and Jassik-Gerschenfeld, D.
Synaptic transmission of excitation from the retina to cells in the pigeon's optic tectum, **365**, 138
Leresche, N., see Crunelli, V., **380**, 371
Lerma, J., Herranz, A.S., Herreras, O., Abraira, V. and Martin Del Rio, R.
In vivo determination of extracellular concentration of amino acids in the rat hippocampus. A method based on brain dialysis and computerized analysis, **384**, 145
Leroux, P., see Benyamina, M., **366**, 230
Leslie, S.W., see Daniell, L.C., **377**, 18
Leslie, S.W., see Woodward, J.J., **370**, 397
Leslie, S.W., Woodward, J.J., Wilcox, R.E. and Farrar, R.P.
Chronic ethanol treatment uncouples striatal calcium entry and endogenous dopamine release, **368**, 174
Leung, L.-W.S. and Yim, C.Y.
Intracellular records of theta rhythm in hippocampal CA1 cells of the rat, **367**, 323
Leung, M., see Melmed, S., **369**, 83
Leung, M.S., see Baumann, K.I., **377**, 160
Lev-Tov, A. and Fishman, R.
The modulation of transmitter release in motor nerve endings varies with the type of muscle fiber innervated, **363**, 379
Leventhal, A.G., see Schall, J.D., **368**, 18
Levey, A.I., see Bolam, J.P., **397**, 279
Leviel, V., Charriere, B., Fayada, C. and Guibert, B.
Nigroamygdaloid dopamine neurons: nigral modulation of their activity, **381**, 205
Leviel, V., see Mintz, I., **376**, 406
Levine, A.J., see Yagaloff, K.A., **385**, 389
Levine, A.S., see Gosnell, B.A., **369**, 177
Levine, J.D. and Gordon, N.C.
Method of administration determines the effect of naloxone on pain, **365**, 377
Levine, J.D., Rosenwasser, A.M., Yanovski, J.A. and Adler, N.T.
Circadian activity rhythms in rats with midbrain raphe lesions, **384**, 240
Levine, J.D., see Taiwo, Y.O., **373**, 81
Levine, M.S., see Adams, C.E., **397**, 365
Levine, M.S., see Boylan, M.K., **375**, 176
Levine, M.S., see Dvergsten, C.L., **375**, 395
Levine, M.S., see Fisher, R.S., **384**, 395
Levine, M.S., see Fisher, R.S., **397**, 173
Levine, M.S., see Fisher, R.S., **398**, 148
Levine, M.S., see Gazzara, R.A., **397**, 225
Levine, M.S., see Gómez-Pinilla, F., **385**, 343
Levine, S.M., Seyfried, T.N., Yu, R.K. and Goldman, J.E.
Immunocytochemical localization of G_{D3} ganglioside to astrocytes in murine cerebellar mutants, **374**, 260
Levy, R.M., Fields, H.L., Stryker, M.P. and Heinricher, M.M.
The effect of analgesic doses of morphine on regional cerebral glucose metabolism in pain-related structures, **368**, 170
Lewis, D. and Teyler, T.J.
Anti-S-100 serum blocks long-term potentiation in the hippocampal slice, **383**, 159
Lewis, D. and Teyler, T.J.
Long-term potentiation in the goldfish optic tectum, **375**, 246
Lewis, D.V., see Anderson, W.W., **398**, 215

Lewis, D.V., see Jones, L.S., **385**, 46
Lewis, E.R., see Baird, R.A., **369**, 48
Lewis, J.W., see Nelson, L.R., **372**, 234
Lewis, J.W., see Shavit, Y., **372**, 382
Lewis, J.W., see Terman, G.W., **368**, 101
Lewis, M.E., see Mansour, A., **399**, 69
Lewis, S.J., Maccarrone, C. and Jarrott, B.
Modification of the circadian body temperature rhythm of the spontaneously hypertensive rat during and following cessation of continuous clonidine infusion, **385**, 383
Lewis, S.J., Shulkes, A. and Jarrott, B.
Regional brain concentrations of vasoactive intestinal polypeptide in normotensive Wistar-Kyoto and spontaneously hypertensive rats, **399**, 173
Leyris, R., see Heaulme, M., **384**, 224
Li, H.-B., Marshak, D.W., Dowling, J.E. and Man-Kit Lam, D.
Colocalization of immunoreactive substance P and neurotensin in amacrine cells of the goldfish retina, **366**, 307
Li, S., Sivam, S.P. and Hong, J.S.
Regulation of the concentration of dynorphin A_{1-8} in the striatonigral pathway by the dopaminergic system, **398**, 390
Li, Y.S., Mahadik, S.P., Rapport, M.M. and Karpiak, S.E.
Acute effects of GM1 ganglioside: reduction in both behavioral asymmetry and loss of Na^+,K^+-ATPase after nigrostriatal transection, **377**, 292
Liang, J., see Hopkins, W.G., **372**, 163
Liang, K.C., Juler, R.G. and McGaugh, J.L.
Modulating effects of posttraining epinephrine on memory: involvement of the amygdala noradrenergic system, **368**, 125
Liang, T., see Danks, J.A., **385**, 273
Liban, A., see Frenk, H., **373**, 222
Liberona, J.L., see Caviedes, R., **365**, 259
Lichtensteiger, W. and Schlumpf, M.
Permanent alteration of peptide feedback on dopamine neurons after injection of α-melanotropin antiserum at a critical period of postnatal development, **368**, 205
Lieb, M., see Kreider, B.Q., **397**, 238
Liebeskind, J.C., see Nelson, L.R., **372**, 234
Liebeskind, J.C., see Shavit, Y., **372**, 382
Liebeskind, J.C., see Terman, G.W., **368**, 101
Liebeskind, J.C., see Terman, G.W., **372**, 167
Liebisch, D.C., see Seizinger, B.R., **378**, 405
Lieu, C.L., see Robertson, R.T., **368**, 116
Lighton, C., Bennett, G.W. and Marsden, C.A.
Chronic immunization of endogenous thyrotrophin-releasing hormone (TRH) in brain alters the behavioural response to pentobarbital and a TRH analogue, **378**, 385
Lin, C.-T., see Taber, K.H., **386**, 113
Lin, C.-T., see Wu, J.-Y., **373**, 1
Lin, H.S., see Wu, J.-Y., **373**, 1
Lin, L.-H. and Pivorun, E.B.
Effects of intrahypothalamically administered norepinephrine, serotonin and bombesin on thermoregulation in the deermouse (*Peromyscus maniculatus*), **364**, 212
Lincoln, J., see Dhital, K., **367**, 39
Lind, A., see Van Marle, J., **398**, 191
Lind, R.W.
Bi-directional, chemically specified neural connections between the subfornical organ and the midbrain raphe system, **384**, 250
Lind, R.W., see Swanson, L.W., **379**, 399
Linden, D., see Routtenberg, A., **378**, 374
Linden, D.J., Murakami, K. and Routtenberg, A.
A newly discovered protein kinase C activator (oleic acid) enhances long-term potentiation in the intact hippocampus, **379**, 358
Lindner, J., Zinser, G., Werz, W., Goridis, C., Bizzini, B. and Schachner, M.
Experimental modification of postnatal cerebellar granule cell migration in vitro, **377**, 298
Lindstrom, J.M., see Henley, J.M., **364**, 405
Lindstrom, J.M., see Stollberg, J., **378**, 179
Lindström, A., see Arhem, P., **371**, 182
Lindström, K., see Perez, M.T.R., **398**, 106
Ling, N., see Imaki, T., **383**, 323
Ling, N.C., see Wakabayashi, I., **372**, 361
Linnoila, M., see Agren, H., **397**, 353
Linnoila, M., see Koulu, M., **369**, 361
Linnoila, M., see Koulu, M., **371**, 177
Linnoila, M., see Koulu, M., **379**, 257
Lipinski, H.-G. and Bingmann, D.
pO_2-Dependent distribution of potassium in hippocampal slices of the guinea pig, **380**, 267
Lipkin, W.I., see Blount, P., **382**, 257
Lipp, H.-P., see Keller, F., **380**, 191
Lippa, A.S., Critchett, D.J. and Joseph, J.A.
Desensitization of muscarinic acetylcholine receptors: possible relation to receptor heterogeneity and phosphoinositides, **366**, 98
Lipski, J., see Jodkowski, J.S., **386**, 296
Liskowsky, D.R., Norenberg, L.-O.B. and Norenberg, M.D.
Effect of ammonia on cyclic AMP production in primary astrocyte cultures, **386**, 386
Lister, R.G. and Nutt, D.J.
Mice and rats are sensitized to the proconvulsant action of a benzodiazepine-receptor inverse agonist (FG 7142) following a single dose of lorazepam, **379**, 364
Liszczak, T.M., see Liu-Chen, L.-Y., **369**, 12
Liu, J.-W., see Taber, K.H., **386**, 113
Liu, J.W., see Wu, J.-Y., **373**, 1
Liu, R.H., see Kuo, J.S., **372**, 217
Liu, R.H., see Kuo, J.S., **372**, 227
Liu, R.P.C.
Spinal neuronal collaterals to the intralaminar thalamic nuclei and periaqueductal gray, **365**, 145
Liu, R.P.C., see Pechura, C.M., **374**, 357
Liu, X., Zheng, Z., Xi, M. and Wu, C.
Direct synaptic linkage of ventrolateral nucleus of thalamus terminal with cat fast pyramidal tract neuron, **362**, 189
Liu, Z.-H., see Jen, L.S., **377**, 368
Liu-Chen, L.-Y., Liszczak, T.M., King, J.C. and Moskowitz, M.A.
Immunoelectron microscopic study of substance P-containing fibers in feline cerebral arteries, **369**, 12
Livett, B.G., see Marley, P.D., **363**, 10
Livingston, E.M., see Canick, J.A., **372**, 277
Llanos-Q., J., see Mashburn Jr., T.A., **376**, 285
Lloyd, K.G., Scatton, B., Voltz, C., Bryere, P., Valin, A. and Naquet, R.
Cerebrospinal fluid amino acid and monoamine metabolite levels of *Papio papio:* correlation with photosensitivity, **363**, 390
Loeschen, S.K., see Joyce, J.N., **378**, 158
Loewy, A.D., Marson, L., Parkinson, D., Perry, M.A. and Sawyer, W.B.
Descending noradrenergic pathways involved in the A_5 depressor response, **386**, 313
Löffler, F., see Schmidt, R., **386**, 245
Löffner, F., Lohmann, S.M., Walckhoff, B., Walter, U. and Hamprecht, B.
Immunocytochemical characterization of neuron-rich primary cultures of embryonic rat brain cells by established neuronal and glial markers and by monospecific antisera against cyclic nucleotide-dependent protein kinase and the synaptic vesicle protein synapsin I, **363**, 205
Lofthouse, R., see Owen, F., **362**, 185
Logan, K. and Robertson, L.T.
Somatosensory representation of the cerebellar climbing fiber system in the rat, **372**, 290
Logeat, F., see Warembourg, M., **384**, 121

Loh, H.H., see Kuroda, H., **379**, 68
Lohmann, S.M., see Löffner, F., **363**, 205
Lomax, P., see Lee, R.J., **380**, 76
Lombardini, J.B., see Hanretta, A.T., **378**, 205
Lookingland, K.J., Chapin, D.S., McKay, D.W. and Moore, K.E. Comparative effects of the neurotoxins *N*-chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride (DSP4) and 6-hydroxydopamine on hypothalamic noradrenergic, dopaminergic and 5-hydroxytryptaminergic neurons in the male rat, **365**, 228
Lopez-Garcia, C., see Schwerdtfeger, W.K., **384**, 184
Lopez-Rico, M., see Recio, L., **376**, 262
López, L.A. and Bertini, F. Separation of microtubule populations in rat brain homogenates by differential centrifugation, **382**, 46
Lorden, J.F., see McKeon, T.W., **366**, 89
Lorden, J.F., see Oltmans, G.A., **385**, 148
Loring, R.H., Andrews, D., Lane, W. and Zigmond, R.E. Amino acid sequence of toxin F, a snake venom toxin that blocks neuronal nicotinic receptors, **385**, 30
Lott, I.T., see Geddes, J.W., **399**, 156
Lou, J.S. and Bloedel, J.R. The responses of simultaneously recorded Purkinje cells to the perturbations of the step cycle in the walking ferret: a study using a new analytical method — the real-time postsynaptic response (RTPR), **365**, 340
Louie, G.L., Prokocimer, P.G., Nicholls, E.A. and Maze, M. Aminophylline shortens thiopental sleep-time and enhances noradrenergic neurotransmission in rats, **383**, 377
Louilot, A., Le Moal, M. and Simon, H. Differential reactivity of dopaminergic neurons in the nucleus accumbens in response to different behavioral situations. An in vivo voltammetric study in free moving rats, **397**, 395
Lovinger, D., see Routtenberg, A., **378**, 374
Lovinger, D.M., Colley, P.A., Akers, R.F., Nelson, R.B. and Routtenberg, A. Direct relation of long-term synaptic potentiation to phosphorylation of membrane protein F_1, a substrate for membrane protein kinase C, **399**, 205
Low, P.A., see Yao, J.K., **362**, 362
Lowenstein, P.R. and Coyle, J.T. Rapid regulation of [^{3}H]hemicholinium-3 binding sites in the rat brain, **381**, 191
Lowenstein, P.R., see Whitehouse, P.J., **371**, 146
Löwkvist, B., see Kanje, M., **381**, 24
Lowndes, H.E., see Gold, B.G., **362**, 205
Lozano, G., see Yagaloff, K.A., **385**, 389
Lucchi, L., Govoni, S., Spano, P.F. and Trabucchi, M. Release of Met-enkephalin from rat striatal slices: effect of amphetamine and fipexide, **398**, 212
Lucchi, L., see Govoni, S., **381**, 138
Lueddens, H., see Bolger, G.T., **368**, 351
Luine, V., see Renner, K., **366**, 64
Lukowiak, K., see Richmond, J.E., **370**, 159
Lumb, B.M. and Morrison, J.F.B. Electrophysiological evidence for an excitatory projection from ventromedial forebrain structures on to raphe- and reticulo-spinal neurones in the rat, **380**, 162
Lund, D.D., see Pardini, B.J., **384**, 274
Lundborg, G., see Danielsen, N., **376**, 125
Luo, M., Faure, R. and Dussault, J.H. Ontogenesis of nuclear T_3 receptors in primary cultured astrocytes and neurons, **381**, 275
Lutherer, L.O., see Williams, J.L., **399**, 224
Luthert, P.J., see Greenwood, J., **399**, 148
Luttinger, D., see Merritt, W.D., **369**, 136
Luyten, W.H.M.L., Sharp, F.R. and Ryan, A.F. Regional differences of brain glucose metabolic compensation after unilateral labyrinthectomy in rats: a [^{14}C]2-deoxyglucose study, **373**, 68
Lynch, G., see Larson, J., **368**, 347
Lynch, K.J., see Latker, C.H., **375**, 186
Lynch, M.A. and Bliss, T.V.P. On the mechanism of enhanced release of [^{14}C]glutamate in hippocampal long-term potentiation, **369**, 405
Lynch, M.A., see Feasey, K.J., **364**, 39
Lyness, W.H., see Carroll, P.T., **382**, 83
Lynn, B., see Barasi, S., **378**, 21

M

M'Harzi, M., see Monmaur, P., **378**, 262
Maccarrone, C., see Lewis, S.J., **385**, 383
MacDonald, J.F., see Miljkovic, Z., **376**, 396
Maciewicz, R., see Mason, P., **379**, 232
Maciewicz, R., see Strassman, A., **379**, 242
MacInnes, J., see Flanagan, T., **378**, 152
MacIntyre, I., see Inagaki, S., **374**, 287
MacIntyre, I., see Matsuyama, T., **373**, 205
MacIntyre, I., see Morishima, Y., **379**, 157
MacIntyre, I., see Wanaka, A., **369**, 185
MacKenzie, E.T., see Motohashi, N., **397**, 265
MacLeod, P., see Trotier, D., **374**, 205
Madamba, S.G., see Rogers, J., **385**, 253
Maderdrut, J.L., Merchenthaler, I., Sundberg, D.K., Okado, N. and Oppenheim, R.W. Distribution and development of proenkephalin-like immunoreactivity in the lumbar spinal cord of the chicken, **377**, 29
Madl, J.E., see Monaghan, P.L., **363**, 364
Madsen, A.M., see Nahin, R.L., **384**, 367
Maeda, H. and Maki, S. Dopaminergic facilitation of recovery from amygdaloid lesions which affect hypothalamic defensive attack in cats, **363**, 135
Maeda, T., see Matsubayashi, K., **368**, 30
Maggi, C.A., Santicioli, P. and Meli, A. Somatovesical and vesicovesical excitatory reflexes in urethane-anaesthetized rats, **380**, 83
Maggio, J.E., see Bannon, M.J., **381**, 393
Maggio, J.E., see Lee, J.-M., **371**, 152
Mahadik, S.P., see Li, Y.S., **377**, 292
Maher, T.J., see Conlay, L.A., **375**, 210
Mahoney, M.D., see Bawin, S.M., **362**, 350
Mahoney, M.D., see Bawin, S.M., **399**, 194
Maisch, B., see Morton, C.R., **372**, 149
Maixner, W., Dubner, R., Bushnell, M.C., Kenshalo Jr., D.R. and Oliveras, J.-L. Wide-dynamic-range dorsal horn neurons participate in the encoding process by which monkeys perceive the intensity of noxious heat stimuli, **374**, 385
Maixner, W., see Oliveras, J.-L., **371**, 368
Majchrowicz, E., see Eckardt, M.J., **366**, 1
Majewska, M.D., see Crawley, J.N., **398**, 382
Majkowski, J., Danneberg, P., Knappen, F. and Sersen, E.A. Differences in antiepileptic drug efficacy in hippocampally kindled

normal and microcephalic rats, **386**, 325
Makara, G., Kakucska, I., Lenoir, V., Kerdelhue, B. and Palkovits, M. A substance P-containing hypothalamic neuronal system projects to the median eminence, **374**, 399
Maki, S., see Maeda, H., **363**, 135
Makino, S., see Ibata, Y., **370**, 136
Makman, M.H., see Albala, B.J., **370**, 388
Makman, M.H., see Thal, L.J., **372**, 205
Malenka, R.C. and Nicoll, R.A. Dopamine decreases the calcium-activated afterhyperpolarization in hippocampal CA1 pyramidal cells, **379**, 210
Maler, L., Leclerc, N. and Hawkes, R. A monoclonal antibody to mammalian neurofilament protein stains somata and dendrites in gymnotid fish, **378**, 337
Maley, B.E., see Newton, B.W., **376**, 155
Malotka, J., see Matthieu, J.-M., **379**, 137
Malpeli, J.G., see Lee, C., **364**, 396
Man-Kit Lam, D., see Li, H.-B., **366**, 307
Manceau, V., see Weil-Fugazza, J., **374**, 190
Manetti, R., see White, F.V., **381**, 85
Manfredi, M., see Cruccu, G., **371**, 298
Mangel, S.C., see Ariel, M., **372**, 143
Manning, P.T., see Johnson Jr., E.M., **383**, 100
Mansour, A., Lewis, M.E., Khachaturian, H., Akil, H. and Watson, S.J. Pharmacological and anatomical evidence of selective μ, δ, and κ opioid receptor binding in rat brain, **399**, 69
Manthorpe, M., Skaper, S.D., Williams, L.R. and Varon, S. Purification of adult rat sciatic nerve ciliary neuronotrophic factor, **367**, 282
Marchand, C.F. and Schwab, M.E. Binding, uptake and retrograde axonal transport of herpes virus suis in sympathetic neurons, **383**, 262
Marciano, F.F. and Gash, D.M. Structural and functional relationships of grafted vasopressin neurons, **370**, 338
Marcinkiewicz, M., Benjannet, S., Cantin, M., Seidah, N.G. and Chrétien, M. CNS distribution of a novel pituitary protein '7B2': localization in secretory and synaptic vesicles, **380**, 349
Marcou, M., see Kennett, G.A., **382**, 416
Marek, P., see Panocka, I., **397**, 152
Marek, P., see Panocka, I., **397**, 156
Marfurt, C.F., Zaleski, E.M., Adams, C.E. and Welther, C.L. Sympathetic nerve fibers in rat orofacial and cerebral tissues as revealed by the HRP-WGA tracing technique: a light and electron microscopic study, **366**, 373
Margutti, A., see Sandrini, G., **371**, 364
Mariani, A.P., Caserta, M.T. and Barker, J.L. Morphological and histochemical characterization of three types of dopamine-containing neurons in primary cultures of mouse and rat spinal cord, **376**, 335
Marie, J.-C., see Besson, J., **398**, 329
Marien, M.R., see Altar, C.A., **372**, 130
Marietta, C.A., see Eckardt, M.J., **366**, 1
Marin, J., see Recio, L., **376**, 262
Markey, K.A., see Dreyfus, C.F., **379**, 216
Markham, C.H., see Schneider, J.S., **373**, 258
Marks, R.L., see Robinson, M.B., **381**, 187
Markstein, R., see Palacios, J.M., **380**, 151
Marley, P.D., Mitchelhill, K.I. and Livett, B.G. Metorphamide, a novel endogenous adrenal opioid peptide, inhibits nicotine-induced secretion from bovine adrenal chromaffin cells, **363**, 10
Marlot, D., see Morin-Surun, M.P., **384**, 106
Marsden, C.A., see Ford, A.P.D.W., **379**, 162
Marsden, C.A., see Lighton, C., **378**, 385
Marshak, D.W., see Li, H.-B., **366**, 307
Marshall, D.A. and Maruniak, J.A. Masera's organ responds to odorants, **366**, 329
Marshall, I.G., see Whitton, P.S., **385**, 189
Marshall, J.F. and Altar, C.A. Striatal dopamine uptake and swim performance of the aged rat, **379**, 112
Marshall, J.F., see Joyce, J.N., **378**, 158
Marshall, J.F., see Joyce, J.N., **382**, 360
Marson, L., see Loewy, A.D., **386**, 313
Martin, J.B., see Beal, M.F., **368**, 380
Martin, J.B., see Beal, M.F., **377**, 240
Martin, J.B., see Beal, M.F., **397**, 386
Martin, J.R., Beinfeld, M.C. and Wang, R.Y. Modulation of cholecystokinin release from posterior nucleus accumbens by D-2 dopamine receptor, **397**, 253
Martin, T.L., see Mufson, E.J., **370**, 144
Martin Del Rio, R., see Lerma, J., **384**, 145
Martinez, M. Myelin in the developing human cerebrum, **364**, 220
Martinez-Guijarro, F.J., see Schwerdtfeger, W.K., **384**, 184
Martínez-Millán, L., see Y Cajal-Agüeras, S.R., **370**, 333
Martino, A.M., see Whitehouse, P.J., **371**, 146
Marui, T., see Kiyohara, S., **379**, 353
Maruniak, J.A., see Marshall, D.A., **366**, 329
Maruyama, M. Selective solubilization of physalaemin-type substance P binding sites from rat brain membranes by glycodeoxycholate and NaCl, **370**, 186
Maruyama, Y., see Ikarashi, Y., **373**, 182
Mash, D.C., see Mufson, E.J., **370**, 144
Mashburn Jr., T.A., Llanos-Q., J., Ahokas, R.A. and Blatteis, C.M. Thermal and acute-phase protein responses of guinea pigs to intrapreoptic injections of leukotrienes, **376**, 285
Maslim, J. and Stone, J. Synaptogenesis in the retina of the cat, **373**, 35
Mason, J.R., see Silver, W.L., **376**, 22
Mason, P., see Strassman, A., **379**, 242
Mason, P., Strassman, A. and Maciewicz, R. Intracellular responses of raphe magnus neurons during the jaw-opening reflex evoked by tooth pulp stimulation, **379**, 232
Mason, W.T. and Dyball, R.E.J. Single ion channel activity in peptidergic nerve terminals of the isolated rat neurohypophysis related to stimulation of neural stalk axons, **383**, 279
Massey, S.C., see Coleman, P.A., **381**, 172
Massi, M., De Caro, G., Mazzarella, L. and Epstein, A.N. The Role of the subfornical organ in the drinking behavior of the pigeon, **381**, 289
Masson-Pévet, M., see Buijs, R.M., **371**, 193
Mastran, T., see Glass, J.D., **381**, 336
Masuda, A., see Imaki, T., **383**, 323
Masui, H., see Takano, Y., **369**, 400
Masuko, S., see Chiba, T., **380**, 405
Matsubayashi, H., see Miyoshi, R., **377**, 348
Matsubayashi, K., Fukuyama, H., Akiguchi, I., Kameyama, M., Imai, H. and Maeda, T. Localization of monoamine oxidase (MAO) in the rat peripheral nervous system — existence of MAO-containing unmyelinated axons, **368**, 30
Matsui, T., see Kuroda, H., **379**, 68
Matsukado, Y., see Goto, S., **371**, 237
Matsukado, Y., see Goto, S., **397**, 161
Matsumura, M., see Sawaguchi, T., **371**, 404
Matsuo, T., see Ogata, N., **377**, 362

Matsuo, T., see Ogata, N., **385**, 122
Matsuo, T., see Sugaya, E., **369**, 369
Matsuo, T., see Tsujii, S., **399**, 200
Matsuoka, S., Shima, F., Suzuki, M., Kitamura, K. and Kato, M.
Which is responsible for circling behavior in rats, locus coeruleus or dorsolateral pontine tegmentum?, **398**, 253
Matsushima, T., Satou, M. and Ueda, K.
Glossopharyngeal and tectal influences on tongue-muscle motoneurons in the Japanese toad, **365**, 198
Matsushita, M., see Yaginuma, H., **365**, 345
Matsushita, M., see Yaginuma, H., **384**, 175
Matsutani, S., see Uchiyama, H., **369**, 260
Matsutani, S., Uchiyama, H. and Ito, H.
Cytoarchitecture, synaptic organization and fiber connections of the nucleus olfactoretinalis in a teleost (*Navodon modestus*), **373**, 126
Matsuyama, T., see Kanagawa, Y., **379**, 377
Matsuyama, T., see Takagi, H., **364**, 114
Matsuyama, T., see Wanaka, A., **369**, 185
Matsuyama, T., Wanaka, A., Yoneda, S., Kimura, K., Kamada, T., Girgis, S., Macintyre, I., Emson, P.C.and Tohyama, M.
Two distinct calcitonin gene-related peptide-containing peripheral nervous systems: distribution and quantitative differences between the iris and cerebral artery with special reference to substance P, **373**, 205
Matsuzaki, T., see Yamano, M., **398**, 337
Matthews, B. and Robinson, P.P.
The course of postganglionic sympathetic fibres distributed with the facial nerve in the cat, **382**, 55
Matthieu, J.-M., Eschmann, N., Bürgisser, P., Malotka, J. and Waehneldt, T.V.
Expression of myelin proteins characteristic of fish and tetrapods by *Polypterus* revitalizes long discredited phylogenetic links, **379**, 137
Matthieu, J.-M., see White, F.V., **381**, 85
Maurin, Y., Enz, A., Le Saux, F. and Besson, M.-J.
Supernumerary locus coeruleus neurons as a determinant of inherited epilepsy in the convulsive mutant mouse quaking, **366**, 379
Mauro, A., see Schiffer, D., **374**, 110
Maxwell, D.J. and Koerber, H.R.
Fine structure of collateral axons originating from feline spinocervical tract neurons, **363**, 199
Mayevsky, A., Kaplan, H., Haveri, J., Haselgrove, J. and Chance, B.
Three-dimensional metabolic mapping of the freeze-trapped brain: effects of ischemia in the Mongolian gerbil, **367**, 63
Maze, M., see Louie, G.L., **383**, 377
Mazur, P.C., see Anderson, K.J., **369**, 21
Mazurek, M.F., see Beal, M.F., **368**, 380
Mazurek, M.F., see Beal, M.F., **397**, 386
Mazzarella, L., see Massi, M., **381**, 289
Mazzari, S., Aldinio, C., Beccaro, M., Toffano, G. and Schwarcz, R.
Intracerebral quinolinic acid injection in the rat: effects on dopaminergic neurons, **380**, 309
McCabe, P.M., see Jarrell, T.W., **374**, 126
McCabe, P.M., see Jarrell, T.W., **381**, 251
McCabe, P.M., see Jarrell, T.W., **382**, 199
McCabe, R.T., see Lee, R.J., **380**, 76
McCann, S.A., see Sanberg, P.R., **367**, 314
McCann, S.M., see Bedran De Castro, J.C., **384**, 11
McCann, S.M., see Khorram, O., **398**, 361
McCaslin, P.P. and Morgan, W.W.
2-Amino-7-phosphonoheptanoic acid, a selective N-methyl-D-aspartate antagonist, blocks swim-induced elevation of cerebellar cyclic guanosine monophosphate, **398**, 71
McCaslin, P.P. and Morgan, W.W.
Correlation between pentobarbital suppressed cerebellar cyclic GMP and performance of a swimming task, **374**, 367
McCormack, B.M., Swift, D.M., Hegemann, M.T. and Solomon, R.A.
Increased norepinephrine synthesis in the cerebral hemispheres of rats following subarachnoid hemorrhage, **382**, 395
McCourt, M.E., Boyapati, J. and Henry, G.H.
Layering in lamina 6 of cat striate cortex, **364**, 181
McCown, T.J., Hedner, J.A., Towle, A.C., Breese, G.R. and Mueller, R.A.
Brainstem localization of a thyrotropin-releasing hormone-induced change in respiratory function, **373**, 189
McCoy, D.L., see Sanberg, P.R., **367**, 314
McCracken, K.A., see Harik, S.I., **381**, 125
McDonald, E., see Boden, P., **385**, 205
McDonald, J.W., see Greenough, W.T., **380**, 136
McElligott, J.G., Ebner, T.J. and Bloedel, J.R.
Reduction of cerebellar norepinephrine alters climbing fiber enhancement of mossy fiber input to the Purkinje cell, **397**, 245
McEwen, B.S., see Baum, M.J., **368**, 296
McEwen, B.S., see Biegon, A., **363**, 91
McEwen, B.S., see Dohanich, G.P., **366**, 338
McEwen, B.S., see Meaney, M.J., **398**, 324
McEwen, B.S., see Thornton, J.E., **377**, 155
McFarland, D.H., Smith, A., Moore, C.A. and Weber, C.M.
Relationship between amplitude of tremor and reflex responses of the human jaw-closing system, **366**, 272
McGarry, R.C., see Riopelle, R.J., **367**, 20
McGaugh, J.L., see Liang, K.C., **368**, 125
McGee Jr., R., see Delorme, E.M., **397**, 189
McGeer, E.G., see Mizukawa, K., **379**, 39
McGeer, P.L., see Kamo, H., **397**, 372
McGeer, P.L., see Mizukawa, K., **379**, 39
McGinty, D., see Szymusiak, R., **370**, 82
McGinty, D.J., see Shiromani, P.J., **386**, 20
Mchedlishvili, G. and Varazashvili, M.
Systemic hemodynamic phenomenon accounting for advantageous oxygen supply to, and asymmetry of, the brain, **386**, 64
McHugh, P.R., see Moran, T.H., **362**, 175
McKay, D.W., see Lookingland, K.J., **365**, 228
McKeon, A.C., see Mirski, M.A., **397**, 377
McKeon, T.W., Lorden, J.F., Beales, M. and Oltmans, G.A.
Alterations in the noradrenergic projection to the cerebellum of the dystonic (*dt*) Rat, **366**, 89
McKernan, R.M., see Campbell, I.C., **372**, 253
McKinley, M.J., Allen, A., Clevers, J., Denton, D.A. and Mendelsohn, F.A.O.
Autoradiographic localization of angiotensin receptors in the sheep brain, **375**, 373
McKinley, M.J., Coghlan, J.P., Congiu, M., Denton, D.A., Fei, D.T. and Park, R.G.
Augmented plasma renin levels in dehydrated sheep with periventricular lesions, **376**, 416
McLean, S., Rothman, R.B. and Herkenham, M.
Autoradiographic localization of μ- and δ-opiate receptors in the forebrain of the rat, **378**, 49
McLean, S., see Lee, J.-M., **371**, 152
McMorris, F.A., see Kreider, B.Q., **397**, 238
McNamara, J.O., see Fanelli, R.J., **362**, 17

McNamara, J.O., see Iadarola, M.J., **365**, 185
McNamara, J.O., see Shin, C., **398**, 370
McRae-Degueurce, A. and Geffard, M.
One perfusion mixture for immunocytochemical detection of noradrenaline, dopamine, serotonin and acetylcholine in the same rat brain, **376**, 217
McRae-Degueurce, A., Bellin, S.I., Landas, S.K. and Johnson, A.K.
Fetal noradrenergic transplants into amine-depleted basal forebrain nuclei restore drinking to angiotensin, **374**, 162
Meaney, M.J. and McEwen, B.S.
Testosterone implants into the amygdala during the neonatal period masculinize the social play of juvenile female rats, **398**, 324
Meaney, M.J., see Mitchell, J., **383**, 373
Meeley, M.P., see Iwata, J., **383**, 195
Mehler, W.R., see Baskin, D.S., **371**, 231
Meijer, J.H., Groos, G.A. and Rusak, B.
Luminance coding in a circadian pacemaker: the suprachiasmatic nucleus of the rat and the hamster, **382**, 109
Meiri, H.
Detection of cell surface sodium channels by monoclonal antibodies — could the channels become exposed to the external surface and 'down regulated' by binding to antibodies?, **368**, 188
Meiri, H.
Is synaptic transmission modulated by progesterone?, **385**, 193
Meiri, H., Weiss, Y., Lallkin, A. and Collins, I.
Distribution and possible abnormality in antigenic composition of sodium channels in peripheral axons of dystrophic mice, **384**, 355
Meiselman, S.E., see Wakai, S., **386**, 209
Meites, J., see Sonntag, W.E., **380**, 229
Melamed, E., Pikarski, E., Goldberg, A., Rosenthal, J., Uzzan, A. and Conforti, N.
Effect of serotonergic, corticostriatal and kainic acid lesions on the dopaminergic neurotoxicity of 1-methyl-4-phenyl-1,2,5,6-tetrahydropyridine (MPTP) in mice, **399**, 178
Meldrum, B.S., see Millan, M.H., **398**, 204
Meli, A., see Maggi, C.A., **380**, 83
Melin, G., see Jacobs, S.K., **372**, 386
Melis, M.R., Argiolas, A. and Gessa, G.L.
Oxytocin-induced penile erection and yawning: site of action in the brain, **398**, 259
Meller, E., see Goldstein, M., **367**, 114
Melmed, S., Fagin, J. and Leung, M.
Bromocriptine inhibits incorporation of [^{3}H]thymidine into rat pituitary tumor cells, **369**, 83
Melvin, J.A., see Hernandez, D.E., **381**, 159
Melvin, J.E. and Hamill, R.W.
Gonadal hormone regulation of neurotransmitter synthesizing enzymes in the developing hypogastric ganglion, **383**, 38
Memo, M., see Govoni, S., **381**, 138
Menadue, M.F., see Willoughby, J.O., **374**, 119
Menaker, M., see Cassone, V.M., **384**, 334
Menaker, M., see Ralph, M.R., **372**, 405
Menard, J.-F., see Coquerel, A., **398**, 386
Mendell, L.M., see Traub, R.J., **399**, 185
Mendelsohn, F.A.O., see McKinley, M.J., **375**, 373
Mendoza, A.S., see Rehn, B., **373**, 114
Mennini, T., Gobbi, M. and Romandini, S.
Localization of $GABA_A$ and $GABA_B$ receptor subtypes on serotonergic neurons, **371**, 372
Merchenthaler, I., Csontos, C., Kallo, I. and Arimura, A.
The hypothalamo-infundibular growth hormone-releasing hormone (GH-RH) system of the rat, **378**, 297
Merchenthaler, I., see Maderdrut, J.L., **377**, 29
Meredith, M.A. and Stein, B.E.
Spatial factors determine the activity of multisensory neurons in cat superior colliculus, **365**, 350
Merigan, W.H., see Eskin, T.A., **378**, 379
Merritt, W.D., Bissette, G., Luttinger, D., Prange Jr., A.J. and Nemeroff, C.B.
Adaptation to cold antagonizes neurotensin-induced hypothermia in mice, **369**, 136
Merz, P.A., see Rubenstein, R., **372**, 80
Messier, J.P., see Peyronnard, J.M., **364**, 137
Messier, J.P., see Peyronnard, J.M., **373**, 288
Mesulam, M.-M., Mufson, E.J. and Wainer, B.H.
Three-dimensional representation and cortical projection topography of the nucleus basalis (Ch4) in the macaque: concurrent demonstration of choline acetyltransferase and retrograde transport with a stabilized tetramethylbenzidine method for horseradish peroxidase, **367**, 301
Mesulam, M.-M., see Mufson, E.J., **370**, 144
Metlaš R., see Pekovic, S., **379**, 251
Metzler, J., see Davies, R.O., **366**, 22
Meyer, F.B., Tally, P.W., Anderson, R.E., Sundt Jr., T.M., Yaksh, T.L. and Sharbrough, F.W.
Inhibition of electrically induced seizures by a dihydropyridine calcium channel blocker, **384**, 180
Meyer, G., Galindo-Mireles, D., Gonzalez-Hernandez, T., Castañeyra-Perdomo, A. and Ferres-Torres, R.
Direct projections from the reticular formation of the medulla oblongata to the anterior cingulate cortex in the mouse and the rat, **398**, 207
Meyer, G., see González Hernández, T.H., **368**, 268
Mezey, E., see Palkovits, M., **373**, 246
Micevych, P.E., see Akesson, T.R., **385**, 165
Michalak, T., White, F.P., Gard, A.L. and Dutton, G.R.
A monoclonal antibody to the endothelium of rat brain microvessels, **379**, 320
Micheau, J., see Durkin, T., **376**, 420
Michel, J.-P., Sakamoto, N., Bouvier, R., Tommasi, M. and Pearson, J.
Substance P-immunoreactive astrocytes related to deep white matter and striatal blood vessels in human brain, **377**, 383
Michel, J.-P., Sakamoto, N., Kopp, N. and Pearson, J.
Neurotensin immunoreactive structures in the human infant striatum, septum, amygdala and cerebral cortex, **397**, 93
Michel, J.-P., see Kiyama, H., **375**, 357
Michel, J.-P., see Sakamoto, N., **375**, 353
Michel, R., see Gardiner, P., **380**, 114
Michl, J., see Vyklický, L., **363**, 148
Migani, P. and Virgili, M.
Distribution of kainic acid receptor binding sites in the goldfish CNS: evidence for the existence of intracellular sites, **376**, 186
Migani, P., see Villani, L., **379**, 223
Migheli, A., see Schiffer, D., **374**, 110
Mihara, Y., see Goto, S., **371**, 237
Mihara, Y., see Goto, S., **397**, 161
Miki, N., see Negishi, K., **362**, 389
Mikoshiba, K., see Kohsaka, S., **372**, 137
Mikoshiba, K., see Takamiya, Y., **383**, 305
Milan, F., see Bianchi, R., **364**, 400
Milanés, M.V., Del Rio-García, J., Cremades, A. and Vargas, M.L.
Effect of ACTH-like peptides on morphine-induced hypothermia in unrestrained guinea pigs, **375**, 13
Miles, T.S., see Türker, K.S., **363**, 376
Miletich, D.J., see Hoffman, W.E., **367**, 73
Milgrom, E., see Warembourg, M., **384**, 121
Miljkovic, Z. and MacDonald, J.F.
Voltage-dependent block of excitatory amino acid currents by pentobarbital, **376**, 396
Millan, M.H., Patel, S. and

Meldrum, B.S.
Olfactory bulbectomy protects against pilocarpine-induced motor limbic seizures in rats, **398**, 204
Millan, M.H., see Millan, M.J., **381**, 29
Millan, M.J., Millan, M.H., Reid, L.D. and Herz, A.
The role of the mediobasal arcuate hypothalamus in relation to opioid systems in the control of ingestive behaviour in the rat, **381**, 29
Millar, J., see Stamford, J.A., **366**, 350
Millar, J., see Stamford, J.A., **373**, 85
Millar, J., see Stamford, J.A., **381**, 351
Millar, T.J., see Ismael, Z., **376**, 230
Millaruelo, A.I., Nieto-Sampedro, M., Yu, J. and Cotman, C.W.
Neurotrophic activity in the central and peripheral nervous systems of the cat. Effects of injury, **374**, 12
Miller, D.B., see O'Calghan, J.P., **370**, 354
Miller, G.D., see Haring, J.H., **368**, 233
Miller, R.F., see Coleman, P.A., **381**, 172
Miller, R.F., see Zalutsky, R.A., **371**, 360
Miller, S., see Spear, P.D., **368**, 154
Mills, F.J., see Idzikowski, C., **378**, 164
Minabe, Y., Tanii, Y., Kadono, Y., Tsutsumi, M. and Nakamura, I.
Saving-effect of stimulating pulses at low-frequency amygdaloid kindling in cats, **385**, 201
Minami, S., see Wakabayashi, I., **372**, 361
Minamitani, N., see Kita, T., **398**, 18
Minciacchi, D., see Molinari, M., **372**, 1
Minn, A., see Walther, B., **375**, 340
Minor, B.G., see Danysz, W., **365**, 169
Minor, B.G., see Post, C., **363**, 18
Minson, J.B., see Pilowsky, P.M., **366**, 354
Mintz, I., Hammond, C. and Féger, J.
Excitatory effect of iontophoretically applied dopamine on identified neurons of the rat subthalamic nucleus, **375**, 172
Mintz, I., Hammond, C., Guibert, B. and Leviel, V.
Stimulation of the subthalamic nucleus enhances the release of dopamine in the rat substantia nigra, **376**, 406
Mirski, M.A. and Ferrendelli, J.A.
Anterior thalamic mediation of generalized pentylenetetrazol seizures, **399**, 212
Mirski, M.A., McKeon, A.C. and Ferrendelli, J.A.
Anterior thalamus and substantia nigra: two distinct structures mediating experimental generalized seizures, **397**, 377
Missale, C., see Govoni, S., **381**, 138
Mistretta, C.M., see Bradley, R.M., **367**, 364
Mitani-Yamanishi, Y., see Fukuda, Y., **384**, 373
Mitchelhill, K.I., see Marley, P.D., **363**, 10
Mitchell, J., Tatarewicz, J.E. and Meaney, M.J.
Molybdate stabilizes soluble [^{3}H]dexamethasone binding sites in rat brain tissue in incubations at room temperature (22 °C), **383**, 373
Mitchell, L.D., Callahan, M.F., Wilkin, L.D. and Johnson, A.K.
Response of supraoptic magnocellular neurons to stimulation of forebrain α-adrenoceptors, **399**, 346
Mitchell, R., see Anderson, R.A., **365**, 78
Mitchell, R., see Anderson, R.A., **371**, 287
Miura, M., Okada, J. and Takayama, K.
Evidence that the cultured multipolar neurons of the lower brainstem of SHR and WKY rats differ significantly in the mode of responses to catecholamines, **399**, 352
Miwa, A. and Kawai, N.
Presynaptic glutamate receptor — possible involvement of a K^+ channel, **385**, 161
Miyakawa, H. and Kato, H.
Active properties of dendritic membrane examined by current source density analysis in hippocampal CA_1 pyramidal neurons, **399**, 303
Miyamoto, E., see Goto, S., **371**, 237
Miyamoto, E., see Goto, S., **397**, 161
Miyoshi, R., Kito, S., Mizuno, K. and Matsubayashi, H.
Is the effect of somatostatin on muscarinic receptors selective to M1 type?, **377**, 348
Mizukawa, K., McGeer, P.L., Tago, H., Peng, J.H., McGeer, E.G. and Kimura, H.
The cholinergic system of the human hindbrain studied by choline acetyltransferase immunohistochemistry and acetylcholinesterase histochemistry, **379**, 39
Mizuno, K., see Miyoshi, R., **377**, 348
Mizuno, N., see Nomura, S., **380**, 167
Mizuno, N., see Sugimoto, T., **398**, 195
Mizuno, N., see Yasui, Y., **368**, 384
Mjaatvedt, A.E. and Wong-Riley, M.T.T.
Double-labeling of rat α-motoneurons for cytochrome oxidase and retrogradely transported [^{3}H]WGA, **368**, 178
Möbius, P., see Ermisch, A., **379**, 24
Mobley, P.L., Scott, S.L. and Cruz, E.G.
Protein kinase C in astrocytes: a determinant of cell morphology, **398**, 366
Mochida, S. and Kobayashi, H.
Three types of muscarinic conductance changes in sympathetic neurons discriminately evoked by the different concentrations of acetylcholine, **383**, 299
Moffett, S.B. and Yox, D.P.
The common inhibitor innervates muscles proximal to the autotomy fracture plane in *Carcinus maenas*, **366**, 388
Mogenson, G.J., see Brudzynski, S.M., **376**, 38
Mogenson, G.J., see Brudzynski, S.M., **376**, 47
Mogenson, G.J., see Gutman, M.B., **382**, 119
Mogenson, G.J., see Yim, C.Y., **369**, 347
Mohammed, A.K., Jonsson, G. and Archer, T.
Selective lesioning of forebrain noradrenaline neurons at birth abolishes the improved maze learning performance induced by rearing in complex environment, **398**, 6
Mokler, D.J., see Rosecrans, J.A., **382**, 71
Molimard, J.-C., see Heaulme, M., **384**, 224
Molinari, M., Bentivoglio, M., Granato, A. and Minciacchi, D.
Increased collateralization of the cerebellothalamic pathway following neonatal hemicerebellectomy, **372**, 1
Molinari, M., see Bentivoglio, M., **362**, 180
Molotchnikoff, S., Delaunais, D., Casanova, C. and Lachapelle, P.
Influence of a local inactivation in the superior colliculus on lateral geniculate responses in rabbits, **375**, 66
Monaghan, D.T., see Bridges, R.J., **375**, 204
Monaghan, D.T., see Harris, E.W., **382**, 174
Monaghan, P.L., Beitz, A.J., Larson, A.A., Altschuler, R.A., Madl, J.E. and Mullett, M.A.
Immunocytochemical localization of glutamate-, glutaminase- and aspartate aminotransferase-like immunoreactivity in the rat deep cerebellar nuclei, **363**, 364
Monago, J.M., see Sanberg, P.R., **367**, 314
Monfort, J.-C., see Scatton, B., **380**, 181
Monmaur, P. and Thomson, M.A.
Spatial distribution of hippocampal-dentate theta rhythm following colchicine injection into the hippocampal formation of the rat, **365**, 269
Monmaur, P., Thomson, M.A. and M'Harzi, M.
Temporal changes in hippocampal theta activity following twenty minutes of forebrain ischemia in the chronic rat, **378**, 262
Monreal, J., see Garcia-Segura, L.M., **380**, 261
Monsell, E.M., see Saidel, W.M., **374**, 30

Monteau, R., see Hilaire, G., **376**, 133
Montz, H.P.M., see Skaper, S.D., **386**, 130
Moon, M.W., see Piercey, M.F., **385**, 74
Moore, C.A., see McFarland, D.H., **366**, 272
Moore, D.R. and Kitzes, L.M.
Cochlear nucleus lesions in the adult gerbil: effects on neurone responses in the contralateral inferior colliculus, **373**, 268
Moore, G.P., see Stauffer, E.K., **375**, 157
Moore, K.E., see Lookingland, K.J., **365**, 228
Moore, M.A., see Kukulka, C.G., **362**, 47
Morales, F.R., see Chase, M.H., **386**, 237
Morales, M., see Prospéro-Garcia, O., **385**, 169
Moran, J., Pasantes-Morales, H. and Redburn, D.A.
Glutamate receptor agonists release [^{3}H]GABA preferentially from horizontal cells, **398**, 276
Moran, T.H., Robinson, P.H., Goldrich, M.S. and McHugh, P.R.
Two brain cholecystokinin receptors: implications for behavioral actions, **362**, 175
Moran, T.H., see Deckel, A.W., **363**, 383
Moran, T.H., see Deckel, A.W., **365**, 249
Moreau, J.-L. and Fields, H.L.
Evidence for GABA involvement in midbrain control of medullary neurons that modulate nociceptive transmission, **397**, 37
Morency, M.A. and Beninger, R.J.
Dopaminergic substrates of cocaine-induced place conditioning, **399**, 33
Moreno, M.C., see Garcia-Segura, L.M., **380**, 261
Morgan, C., Nadelhaft, I. and De Groat, W.C.
The distribution within the spinal cord of visceral primary afferent axons carried by the lumbar colonic nerve of the cat, **398**, 11
Morgan, M.J., see Terman, G.W., **372**, 167
Morgan, W.W., see McCaslin, P.P., **374**, 367
Morgan, W.W., see McCaslin, P.P., **398**, 71
Morgane, P.J., see Bronzino, J.D., **384**, 348
Mori, A., see Yokoi, I., **385**, 212
Mori, K.
Lectin *Ulex europaeus* agglutinin I specifically labels a subset of primary afferent fibers which project selectively to the superficial dorsal horn of the spinal cord, **365**, 404
Mori, K., see Watanabe, Y., **378**, 216
Morii, N., see Suda, M., **374**, 236
Morilak, D.A., Fornal, C. and Jacobs, B.L.
Single unit activity of noradrenergic neurons in locus coeruleus and serotonergic neurons in the nucleus raphe dorsalis of freely moving cats in relation to the cardiac cycle, **399**, 262
Morilak, D.A., see Rasmussen, K., **371**, 324
Morimoto, A., Ono, T., Watanabe, T. and Murakami, N.
Activation of brain regions of rats during fever, **381**, 100
Morimoto, K., see Yamamoto, K., **384**, 1
Morimoto, N., see Ibata, Y., **370**, 136
Morin, A.M.
Ro 15-1788 suppresses the development of kindling through the benzodiazepine receptor, **397**, 259
Morin, J.K., see Schleicher, G., **397**, 290
Morin-Surun, M.P., Marlot, D., Kessler, J.P. and Denavit-Saubié, M.
The excitation by neurotensin of nucleus tractus solitarius neurons induces apneustic breathing, **384**, 106
Morishima, Y., see Kubota, Y., **370**, 343
Morishima, Y., see Takagi, H., **364**, 114
Morishima, Y., Takagi, H., Kawai, Y., Emson, P.C., Hillyard, C.J., Girgis, S.I. and MacIntyre, I.
Ultrastructural observation of nerve fibers containing both substance P and calcitonin gene-related peptide in the nucleus tractus solitarii of the rat: a combination of immunofluorescence and PAP methods, **379**, 157
Morita, Y., see Murakami, T., **373**, 213
Morita, Y., see Murakami, T., **382**, 97
Morley, B.J. and Garner, L.L.
Increases in the concentration of brain α-bungarotoxin binding sites induced by dietary choline are age-dependent, **378**, 315
Morley, J.E., see Gosnell, B.A., **369**, 177
Mornex, R., see Borson-Chazot, F., **382**, 433
Moroji, T., see Arai, H., **377**, 305
Moroji, T., see Sekiguchi, R., **399**, 271
Morrell, F., see Geinisman, Y., **398**, 266
Morris, B.J. and Herz, A.
Autoradiographic distribution in rat brain of a non-conventional binding site for the opiate [^{3}H]diprenorphine, **384**, 362
Morris, M.E., see Krnjevic, K., **374**, 1
Morrison, A.R., see Amini-Sereshki, L., **384**, 23
Morrison, J.F.B., see Lumb, B.M., **380**, 162
Morrow, C., see Murphy, S., **364**, 177
Morton, C.R., Maisch, B. and Zimmermann, M.
Calcitonin: brainstem microinjection but not systemic administration inhibits spinal nociceptive transmission in the cat, **372**, 149
Moshé, S.L., see Albala, B.J., **370**, 388
Moskowitz, M., see Strassman, A., **379**, 242
Moskowitz, M.A., see Liu-Chen, L.-Y., **369**, 12
Moskowitz, N., Spiera, H., Lahita, R.G. and Puszkin, S.
Brain protein kinase in synaptic vesicles is inhibited by a factor in sera from systemic lupus erythematosus patients with central nervous system manifestations, **370**, 38
Motohashi, N., MacKenzie, E.T. and Scatton, B.
Functional mapping of the effects of lesions of the habenular nuclei and their afferents in the rat, **397**, 265
Mourre, C., Hugues, M. and Lazdunski, M.
Quantitative autoradiographic mapping in rat brain of the receptor of apamin, a polypeptide toxin specific for one class of Ca^{2+}-dependent K^+ channels, **382**, 239
Mower, G.D., White, W.F. and Rustad, R.
[^{3}H]Muscimol binding of GABA receptors in the visual cortex of normal and monocularly deprived cats, **380**, 253
Mraovitch, S., Lasbennes, F., Calando, Y. and Seylaz, J.
Cerebrovascular changes elicited by electrical stimulation of the centromedian-parafascicular complex in rat, **380**, 42
Mrosovsky, N. and Hallonquist, J.D.
Lateral hypothalamic lesions in ground squirrels: rapid recovery and residual deficits, **399**, 282
Mucha, R.F. and Iversen, S.D.
Increased food intake after opioid microinjections into nucleus accumbens and ventral tegmental area of rat, **397**, 214
Mueller, R.A., see McCown, T.J., **373**, 189
Mueller, R.A., see Towle, A.C., **363**, 38
Mufson, E.J., Martin, T.L., Mash, D.C., Wainer, B.H. and Mesulam, M.-M.
Cholinergic projections from the parabigeminal nucleus (Ch8) to the superior colliculus in the mouse: a combined analysis of horseradish peroxidase transport and choline acetyltransferase immunohistochemistry, **370**, 144
Mufson, E.J., see Mesulam, M.-M., **367**, 301
Mufson, E.J., see Rhodes, K.J., **381**, 215
Muir, D., Berl, S. and Clarke, D.D.
Acetate and fluoroacetate as possible markers for glial metabolism in vivo, **380**, 336
Mulchahey, J.J. and Neill, J.D.

Dopamine levels in the anterior pituitary gland monitored by in vivo electrochemistry, **386**, 332
Mulder, A.H., see Steinbusch, H.W.M., **368**, 389
Mulderry, P.K., see Terenghi, G., **365**, 1
Mullett, M.A., see Monaghan, P.L., **363**, 364
Mulloney, B., see Leise, E.M., **367**, 265
Müller, H.W., see Schmidt, R., **386**, 245
Munger, B.L., see Halata, Z., **371**, 205
Munoz, D.P. and Guitton, D.
Presaccadic burst discharges of tecto-reticulo-spinal neurons in the alert head-free and -fixed cat, **398**, 185
Muñoz, C., see Riveros, N., **386**, 405
Munro, A.D., see Oka, Y., **367**, 341
Murakami, K., see Linden, D.J., **379**, 358
Murakami, K., see Routtenberg, A., **378**, 374
Murakami, N., see Morimoto, A., **381**, 100
Murakami, T., Ito, H. and Morita, Y.
Telencephalic afferent nuclei in the carp diencephalon, with special reference to fiber connections of the nucleus preglomerulosus pars lateralis, **382**, 97
Murakami, T., Morita, Y. and Ito, H.
Cytoarchitecture and fiber connections of the superficial pretectum in a teleost, *Navodon modestus*, **373**, 213
Murakoshi, T., see García-Arrarás, J.E., **379**, 188
Murase, K., Ryu, P.D. and Randic, M.
Substance P augments a persistent slow inward calcium-sensitive current in voltage-clamped spinal dorsal horn neurons of the rat, **365**, 369
Murison, R., see Bakke, H.K., **368**, 256
Murphy, D.B., see Price, D.L., **385**, 305
Murphy Jr., G.M.
The human medial amygdaloid nucleus: no evidence for sex difference in volume, **365**, 321
Murphy, S., Pearce, B. and Morrow, C.
Astrocytes have both M_1 and M_2 muscarinic receptor subtypes, **364**, 177
Murray, T.K., see Ridley, R.M., **376**, 108
Murzi, E., see Rolls, E.T., **368**, 79
Musacchio, J.M., see Tortella, F.C., **383**, 314
Mushiake, H., see Yamamoto, M., **366**, 279
Mutai, M., Shibata, H. and Suzuki, T.
Somatotopic organization of motoneurons innervating the pronators, carpal and digital flexors and forepaw muscles in the dog: a retrograde horseradish peroxidase study, **371**, 90
Muzino, N., see Itoh, K., **375**, 214
Myers, S. and Pugsley, T.A.
Decrease in rat striatal dopamine synthesis and metabolism in vivo by metabolically stable adenosine receptor agonists, **375**, 193
Mynlieff, M., see Henley, J.M., **364**, 405

N

Nabeshima, T., Hiramatsu, M. and Kameyama, T.
Phencyclidine-induced stereotyped behaviors after injection of ethylketocyclazocine, Mr 2266 and naltrexone in rats, **378**, 234
Nabeshima, T., Katoh, A., Hiramatsu, M. and Kameyama, T.
A role played by dopamine and opioid neuronal systems in stress-induced motor suppression (conditioned suppression of motility) in mice, **398**, 354
Nadaud, D., see Herman, J.P., **372**, 210
Nadelhaft, I., see Morgan, C., **398**, 11
Naftolin, F., see Garcia-Segura, L.M., **366**, 131
Nagai, T., see Bradley, R.M., **367**, 364
Nagano, M.
Heterogeneity of neurons in the crustacean X-organ as revealed by intracellular recording and injection of horseradish peroxidase, **362**, 379
Nagara, H., see Goto, I., **372**, 31
Nagasaka, N., see Ishidori, H., **370**, 153
Nagashima, A., see Takano, Y., **369**, 400
Nagata, H. and Brimijoin, S.
Neurotoxicity of halogenated phenylacetylureas is linked to abnormal onset of rapid axonal transport, **385**, 136
Nagata, S.
The vestibulothalamic connections in the rat: a morphological analysis using wheat germ agglutinin–horseradish peroxidase, **376**, 57
Nagata, Y., see Ando, M., **373**, 359
Nagatsu, I., see Daikoku, S., **399**, 250
Nagatsu, I., see Spatz, M., **381**, 363
Nagatsu, T., see Hirata, Y., **397**, 341
Nagatsu, T., see Spatz, M., **381**, 363
Nagy, G., see Bánky, Z., **369**, 119
Nahin, R.L., Madsen, A.M. and Giesler Jr., G.J.
Funicular location of the ascending axons of neurons adjacent to the spinal cord central canal in the rat, **384**, 367
Nahorski, S.R., see Hutchison, J.B., **370**, 310
Nairn, A.C., see Woody, C.D., **386**, 379
Naka, Y., see Nakai, K., **381**, 148
Nakagami, Y., Suda, T., Yajima, F., Ushiyama, T., Tomori, N., Sumitomo, T., Demura, H. and Shizume, K.
Effects of serotonin, cyproheptadine and reserpine on corticotropin-releasing factor release from the rat hypothalamus in vitro, **386**, 232
Nakahama, H., see Otsuki, T., **365**, 235
Nakahama, H., see Shima, K., **399**, 317
Nakahama, H., see Yamamoto, M., **366**, 279
Nakai, K., Itakura, T., Naka, Y., Nakakita, K., Kamei, I., Imai, H., Yokote, H. and Komai, N.
The distribution of adrenergic receptors in cerebral blood vessels: an autoradiographic study, **381**, 148
Nakai, Y., see Tsujii, S., **399**, 200
Nakajima, T., Yashima, Y. and Nakamura, K.
Quantitative autoradiographic localization of neuropeptide Y receptors in the rat lower brainstem, **380**, 144
Nakakita, K., see Nakai, K., **381**, 148
Nakamura, I., see Minabe, Y., **385**, 201
Nakamura, K., see Nakajima, T., **380**, 144
Nakamura, S. and Vincent, S.R.
Somatostatin- and neuropeptide Y-immunoreactive neurons in the neocortex in senile dementia of Alzheimer's type, **370**, 11
Nakanishi, J., see Daikoku, S., **399**, 250
Nakano, K., Tokushige, A., Hasegawa, Y. and Kohno, M.
An autoradiographic study of the spinofacial projection in the monkey, **372**, 338
Nakano, Y., Oomura, Y., Lénárd, L., Nishino, H., Aou, S., Yamamoto, T. and Aoyagi, K.
Feeding-related activity of glucose- and morphine-sensitive neurons in the monkey amygdala, **399**, 167
Nakao, K., see Suda, M., **374**, 236
Nakayama, T., see Kanosue, K., **379**, 90
Nambu, J.R., see Shyamala, M., **371**, 49
Nappi, G., see Sandrini, G., **371**, 364
Naquet, R., see Lloyd, K.G., **363**, 390
Narahashi, T., see De Weille, J.R., **386**, 169
Narahashi, T., see Yamamoto, D., **372**, 193
Naranjo, J.R., see Iadorola, M.J., **374**, 174
Nasjletti, A., see Brooks, D.P., **371**, 42
Nathan, M.A., see Buchholz, R.A., **365**, 360
Nauta, W.J.H., see Grove, E.A.,

367, 379
Naylor, A.M., Ruwe, W.D. and Veale, W.L.
Antipyretic action of centrally administered arginine vasopressin but not oxytocin in the cat, **385**, 156
Neafsey, E.J., Hurley-Gius, K.M. and Arvanitis, D.
The topographical organization of neurons in the rat medial frontal, insular and olfactory cortex projecting to the solitary nucleus, olfactory bulb, periaqueductal gray and superior colliculus, **377**, 261
Neafsey, E.J., see Hurley-Gius, K.M., **365**, 241
Neafsey, E.J., see O'Donhue, D.L., **385**, 311
Neafsey, E.J., see Sievert, C.F., **381**, 15
Neal, J.W., Pearson, R.C.A. and Powell, T.P.S.
The organization of the corticocortical projection of area 5 upon area 7 in the parietal lobe of the monkey, **381**, 164
Neal, J.W., Pearson, R.C.A. and Powell, T.P.S.
The relationship between the auditory cortex and the claustrum in the cat, **366**, 145
Neal, J.W., see Pearson, R.C.A., **382**, 149
Neal, T.L., see Carey, R.G., **386**, 155
Neary, J.T., Norenberg, L.-O.B. and Norenberg, M.D.
Calcium-activated, phospholipid-dependent protein kinase and protein substrates in primary cultures of astrocytes, **385**, 420
Neff, N.H., see Hadjiconstantinou, M., **366**, 343
Negishi, K., Kiyama, H., Kato, S., Teranishi, T., Hatakenaka, S., Katayama, Y., Miki, N. and Tohyama, M.
An immunohistochemical study on the river lamprey retina, **362**, 389
Negishi, K., see Teranishi, T., **370**, 196
Neil, A., see Kayser, V., **383**, 392
Neill, J.D., see Mulchahey, J.J., **386**, 332
Nelson, J.L., see Chance, W.T., **380**, 394
Nelson, L. and Delgado-Escueta, A.V.
Fluidity of normal and epileptogenic freeze-lesioned synaptic membranes in the cat, **386**, 32
Nelson, L.R., Taylor, A.N., Lewis, J.W., Branch, B.J. and Liebeskind, J.C.
Morphine analgesia is potentiated in adult rats prenatally exposed to ethanol, **372**, 234
Nelson, R.B., see Lovinger, D.M., **399**, 205
Nemeroff, C.B., see Elliott, P.J., **381**, 259
Nemeroff, C.B., see Elliott, P.J., **385**, 379
Nemeroff, C.B., see Merritt, W.D., **369**, 136
Nerbonne, J.M., Gurney, A.M. and Rayburn, H.B.
Development of the fast, transient outward K^+ current in embryonic sympathetic neurones, **378**, 197
Neshige, R., see Shibasaki, H., **368**, 361
Ness, T.J. and Gebhart, G.F.
Centrifugal modulation of the rat tail flick reflex evoked by graded noxious heating of the tail, **386**, 41
Netick, A., see Orem, J., **366**, 238
Nett, T.M., see Glass, J.D., **381**, 336
Newman, G.C. and Hospod, F.E.
Rhythm of suprachiasmatic nucleus 2-deoxyglucose uptake in vitro, **381**, 345
Newton, B.W., Maley, B.E. and Hamill, R.W.
Immunohistochemical demonstration of serotonin neurons in autonomic regions of the rat spinal cord, **376**, 155
Newton, M.W., Crosland, R.D. and Jenden, D.J.
Effects of chronic dietary administration of the cholinergic false precursor *N*-amino-*N*,*N*-dimethylaminoethanol on behavior and cholinergic parameters in rats, **373**, 197
Nguyen, K.Q., see Heydorn, W.E., **367**, 31
Nguyen, K.Q., see Heydorn, W.E., **368**, 193
Ni, H., see Zhang, J.-X., **386**, 136
Nicholls, E.A., see Louie, G.L., **383**, 377
Nickolson, V.J., see Wilkening, D., **368**, 239
Nicoletti, F., see Iadorola, M.J., **374**, 174
Nicoll, R.A., see Malenka, R.C., **379**, 210
Nieoullon, A., see Errami, M., **366**, 169
Nieoullon, A., see Errami, M., **366**, 178
Nieto-Sampedro, M., see Millaruelo, A.I., **374**, 12
Niizuma, H., see Otsuki, T., **365**, 235
Nikezic, G., see Pekovic, S., **379**, 251
Nikolarakis, K.E., Almeida, O.F.X. and Herz, A.
Corticotropin-releasing factor (CRF) inhibits gonadotropin-releasing hormone (GnRH) release from superfused rat hypothalami in vitro, **377**, 388
Nikolarakis, K.E., Almeida, O.F.X. and Herz, A.
Stimulation of hypothalamic β-endorphin and dynorphin release by corticotropin-releasing factor (in vitro), **399**, 152
Nilaver, G., see Friedman, E., **378**, 142
Nisenbaum, E.S., Stricker, E.M., Zigmond, M.J. and Berger, T.W.
Long-term effects of dopamine-depleting brain lesions on spontaneous activity of type II striatal neurons: relation to behavioral recovery, **398**, 221
Nishi, K., see Oyama, Y., **376**, 280
Nishi, S., see Uchimura, N., **375**, 368
Nishi, S., see Yoshimura, M., **362**, 370
Nishikawa, T. and Scatton, B.
Neuroanatomical site of the inhibitory influence of anxiolytic drugs on central serotonergic transmission, **371**, 123
Nishikawa, T., Fage, D. and Scatton, B.
Evidence for, and nature of, the tonic inhibitory influence of habenulointerpeduncular pathways upon cerebral dopaminergic transmission in the rat, **373**, 324
Nishimori, T., see Ishidori, H., **370**, 153
Nishimori, T., Sera, M., Suemune, S., Yoshida, A., Tsuru, K., Tsuiki, Y., Akisaka, T., Okamoto, T., Dateoka, Y., and Shigenaga, Y.
The distribution of muscle primary afferents from the masseter nerve to the trigeminal sensory nuclei, **372**, 375
Nishimura, H., see Tonoue, T., **378**, 394
Nishino, H., see Fukuda, M., **374**, 249
Nishino, H., see Nakano, Y., **399**, 167
Nishino, H., see Ono, T., **373**, 92
Nishino, H., see Oomura, Y., **365**, 335
Nishino, N., Noguchi-Kuno, S.A., Sugiyama, T. and Tanaka, C.
[^{3}H]Nitrendipine bindig sites are decreased in the substantia nigra and striatum of the brain from patients with Parkinson's disease, **377**, 186
Nishiye, H., see Obata, K., **375**, 37
Nishizawa, H., see Kishida, R., **385**, 263
Niwa, M., see Koulu, M., **369**, 361
Niwa, M., see Koulu, M., **371**, 177
Niwa, M., see Koulu, M., **379**, 257
Niwa, M., see Shigematsu, K., **370**, 383
Noble, E., see Gardiner, P., **380**, 114
Nock, B., see Thornton, J.E., **377**, 155
Noguchi, M., see Daikoku, S., **399**, 250
Noguchi-Kuno, S.A., see Nishino, N., **377**, 186
Nohmi, M., Shinnick-Gallagher, P., Gean, P.-W., Gallagher, J.P. and Cooper, C.W.
Calcitonin and calcitonin gene-related peptide enhance calcium-dependent potentials, **367**, 346
Noisin, E.L., see Terrian, D.M., **366**, 401
Noma, M., see Shimazu, T., **369**, 215
Nomura, S. and Mizuno, N.
Histochemical demonstration of vibrissae-representing patchy patterns of cytochrome oxidase activity within the trigeminal sensory nuclei in the cat, **380**, 167
Nomura, S., see Itoh, K., **375**, 214

Nomura, Y., Kitamura, Y., Kawai, M. and Segawa, T.
α_2-Adrenoceptor–GTP binding regulatory protein–adenylate cyclase system in cerebral cortical membranes of adult and senescent rats, **379**, 118
Norenberg, L.-O.B., see Liskowsky, D.R., **386**, 386
Norenberg, L.-O.B., see Neary, J.T., **385**, 420
Norenberg, M.D., see Liskowsky, D.R., **386**, 386
Norenberg, M.D., see Neary, J.T., **385**, 420
Norgren, R., see Kosar, E., **379**, 329
Norgren, R., see Kosar, E., **379**, 342
Norgren, R., see Travers, S.P., **365**, 305
Norman, A.W., see Fournet, N., **399**, 310
Norman, K.-M., see Burgoyne, R.D., **381**, 113
Norman, W.P., see Gatti, P.J., **381**, 281
Norman, W.P., see Holtman Jr., J.R., **362**, 214
Nornes, H.O., see Buchanan, J.T., **381**, 225
Noronha, A.B., Ilyas, A., Antonicek, H., Schachner, M. and Quarles, R.H.
Molecular specificity of L2 monoclonal antibodies that bind to carbohydrate determinants of neural cell adhesion molecules and their resemblance to other monoclonal antibodies recognizing the myelin-associated glycoprotein, **385**, 237
Norris, D., see Gabrielsson, B., **384**, 218
Norton, T.T., see Irvin, G.E., **362**, 254
Norton, W.T., see Cammer, W., **364**, 91
Norton, W.T., see Goldmuntz, E.A., **397**, 16
Notvest, R.R. and Page, C.H.
The motor program and role of sensory feedback in claw extension of the crayfish, **380**, 235
Nowlin-Finch, N.L., see Finch, D.M., **370**, 273
Numao, Y., see Granata, A.R., **377**, 127
Nutt, D.J., see Lister, R.G., **379**, 364
Nyakas, C., see De Ronde, F.S.W., **374**, 219
Nyberg, F., Nylander, I. and Terenius, L.
Enkephalin-containing polypeptides in human cerebrospinal fluid, **371**, 278
Nylander, I. and Terenius, L.
Chronic haloperidol and clozapine differentially affect dynorphin peptides and substance p in basal ganglia of the rat, **380**, 34
Nylander, I., see Nyberg, F., **371**, 278

O

Obata, K., Nishiye, H., Fujita, S.C., Shirao, T., Inoue, H. and Uchizono, K.
Identification of a synaptic vesicle-specific 38,000-Dalton protein by monoclonal antibodies, **375**, 37
O'Brien, D.R., see Cha, J.-H., **376**, 140
Obeso, A., Almaraz, L. and Gonzalez, C.
Effects of 2-deoxy-D-glucose on in vitro cat carotid body, **371**, 25
O'Calghan, J.P. and Miller, D.B.
Diethyldithiocarbamate increases distribution of cadmium to brain but prevents cadmium-induced neurotoxicity, **370**, 354
Ocorr, K.A., Tabata, M. and Byrne, J.H.
Stimuli that produce sensitization lead to elevation of cyclic AMP levels in tail sensory neurons of *Aplysia*, **371**, 190
O'Del T. and Christensen, B.N.
N-Methyl-D-aspartate receptors coexist with kainate and quisqualate receptors on single isolated catfish horizontal cells, **381**, 359
Oderfeld-Nowak, B., see Gradkowska, M., **375**, 417
O'Donhue, D.L., Kartje-Tillotson, G., Neafsey, E.J. and Castro, A.J.
A study of forelimb movements evoked by intracortical microstimulation after hemicerebellectomy in newborn, young and adult rats, **385**, 311
Oeltmann, T.N. and Wiley, R.G.
Wheat germ agglutinin–ricin a-chain conjugate is neuronotoxic after vagal injection, **377**, 221
Oertel, W.H., see Ribak, C.E., **363**, 78
Oestreicher, A.B. and Gispen, W.H.
Comparison of the immunocytochemical distribution of the phosphoprotein B-50 in the cerebellum and hippocampus of immature and adult rat brain, **375**, 267
Oestreicher, A.B., see Goldenring, J.R., **377**, 47
Ogata, N. and Matsuo, T.
The effects of catecholamines on electrical activity of neurons in the guinea pig supraoptic nucleus in vitro, **385**, 122
Ogata, N., Matsuo, T. and Inoue, M.
Potent depressant action of baclofen on hippocampal epileptiform activity in vitro: possible use in the treatment of epilepsy, **377**, 362
Ogita, K. and Yoneda, Y.
Characterization of Na^+-dependent binding sites of [^{3}H]glutamate in synaptic membranes from rat brain, **397**, 137
Ogita, K., see Yoneda, Y., **383**, 387
Ohno, Y., see Sasa, M., **377**, 337
Ohtomo, H., see Sakamoto, N., **364**, 372
Oishi, K., see Yoneda, T., **372**, 89
Oishi, R., see Yoshitomi, I., **362**, 195
Oishi, R., see Yoshitomi, I., **398**, 57
Oka, J.-I., Jang, E.K. and Hicks, T.P.
Benzodiazepine receptor involvement in the control of receptive field size and responsiveness in primary somatosensory cortex, **376**, 194
Oka, Y., Munro, A.D. and Lam, T.J.
Retinopetal projections from a subpopulation of ganglion cells of the nervus terminalis in the dwarf gourami (*Colisa lalia*), **367**, 341
Okada, J., see Miura, M., **399**, 352
Okada, M., see Ikarashi, Y., **373**, 182
Okado, N., see Maderdrut, J.L., **377**, 29
Okamoto, K., see Sakai, Y., **362**, 199
Okamoto, K., see Sekiguchi, M., **378**, 174
Okamoto, T., see Nishimori, T., **372**, 375
Okamoto, T., see Shinozaki, H., **399**, 395
Okamura, H., see Ibata, Y., **370**, 136
Okamura, Y. and Tsukita, S.
Morphology of freeze-substituted myelinated axon in mouse peripheral nerves, **383**, 146
Okuma, Y. and Osumi, Y.
KCl-induced calcium-independent release of endogenous dopamine from rat brain slices, **363**, 47
Okuya, S., see Inenaga, K., **369**, 37
Okuya, S., see Kannan, H., **376**, 342
Okuyama, S., see Kamata, K., **367**, 1
Olausson, B., see Rydenhag, B., **367**, 337
Olcese, J. and Reuss, S.
Magnetic field effects on pineal gland melatonin synthesis: comparative studies on albino and pigmented rodents, **369**, 365
Oldstone, M.B.A., see Blount, P., **382**, 257
Olesen, S.-P.
Rapid increase in blood–brain barrier permeability during severe hypoxia and metabolic inhibition, **368**, 24
Olichon, D., see Bassant, M.H., **367**, 360
Oliveras, J.-L., Maixner, W., Dubner, R., Bushnell, M.C., Duncan, G., Thomas, D.A. and Bates, R.
Dorsal horn opiate administration attenuates the perceived intensity of noxious heat stimulation in behaving monkey, **371**, 368
Oliveras, J.-L., see Maixner, W., **374**, 385
Oliverio, A., see Pavone, F., **366**, 326
Oliverio, A., see Puglisi-Allegra, S., **380**, 357
Olney, J.W., see Faris, P.L., **367**, 405
Olney, J.W., see Scallet, A.C.,

374, 380
Olney, J.W., see Stewart, G.R., **369**, 377
Olpe, H.-R., see Jones, R.S.G., **367**, 151
Olsen, R.W., see Lee, R.J., **380**, 76
Olson, J.J., see Beck, D.W., **381**, 131
Olson, L., see Björklund, H., **371**, 267
Oltmans, G.A., Beales, M. and Lorden, J.F.
Glutamic acid decarboxylase activity in micropunches of the deep cerebellar nuclei of the genetically dystonic (*dt*) rat, **385**, 148
Oltmans, G.A., see McKeon, T.W., **366**, 89
Olton, D.S., see Wible, C.G., **399**, 97
Olverman, H.J., see Davies, J., **382**, 169
Ondo, J.G. and Dom, R.
The arcuate nucleus: a site for γ-aminobutyric acid regulation of prolactin secretion, **381**, 43
O'Nei, R.D.
Effects of intranigral injection of taurine and GABA on striatal dopamine release monitored voltammetrically in the unanaesthetized rat, **382**, 28
Onishi, H., see Kishida, R., **385**, 263
Onn, S.-P., Berger, T.W., Stricker, E.M. and Zigmond, M.J.
Effects of intraventricular 6-hydroxydopamine on the dopaminergic innervation of striatum: histochemical and neurochemical analysis, **376**, 8
Ono, T., Sasaki, K., Nishino, H., Fukuda, M. and Shibata, R.
Feeding and diurnal related activity of lateral hypothalamic neurons in freely behaving rats, **373**, 92
Ono, T., see Fukuda, M., **374**, 249
Ono, T., see Inagaki, S., **378**, 420
Ono, T., see Morimoto, A., **381**, 100
Onozuka, M., Imai, S. and Sugaya, E.
Pentylenetetrazole-induced bursting activity and cellular protein phosphorylation in snail neurons, **362**, 23
Onteniente, B., see Gamrani, H., **364**, 30
Oomura, Y., Nishino, H., Aou, S. and Lénárd, L.
Opiate mechanism in reward-related neuronal responses during operant feeding behavior of the monkey, **365**, 335
Oomura, Y., see Katafuchi, T., **363**, 141
Oomura, Y., see Nakano, Y., **399**, 167
Oomura, Y., see Shimizu, N., **367**, 128
Oomura, Y., see Yoshimatsu, H., **384**, 17
Oorschot, D.E. and Jones, D.G.
Non-neuronal cell proliferation in tissue culture: implications for axonal regeneration in the central nervous system, **368**, 49
Ophir, D., see Chen, Z., **368**, 329
Oppenheim, R.W., see Maderdrut, J.L., **377**, 29
Opstad, P.K., see Fosse, V.M., **372**, 189
Orband, L., see Slotkin, T.A., **374**, 63
Orchard, I. and Shivers, R.
Electrical coupling and gap junctions between neurosecretory cells in an insect, **397**, 359
Orchard, I., see Belanger, J.H., **382**, 387
Orchard, I., see Lange, A.B., **363**, 340
Orci, L., see Fournet, N., **399**, 310
Orem, J. and Brooks, E.G.
The activity of retrofacial expiratory cells during behavioral respiratory responses and active expiration, **374**, 409
Orem, J. and Netick, A.
Behavioral control of breathing in the cat, **366**, 238
Orlovsky, G.N., see Arshavsky, Y.I., **363**, 354
Orr, W.B., Gardiner, T.W., Stricker, E.M., Zigmond, M.J. and Berger, T.W.
Short-term effects of dopamine-depleting brain lesions on spontaneous activity of striatal neurons: relation to local dopamine concentration and behavior, **376**, 20
Orrego, F., see Lackington, I., **378**, 390
Orrego, F., see Riveros, N., **386**, 405
Osaka, T., see Kannan, H., **376**, 342
Osborne, N.N. and Beaton, D.W.
Direct histochemical localisation of 5,7-dihydroxytryptamine and the uptake of serotonin by a subpopulation of GABA neurones in the rabbit retina, **382**, 158
Osborne, N.N. and Beaton, D.W.
Studies on serotonin-accumulating cells in rabbit retinal cultures, **362**, 287
Oshima, K., see Hayashi, M., **364**, 360
Osorio, C., see Alba, F., **368**, 158
Ossenkopp, K.-P., see Kavaliers, M., **379**, 30
Ossipov, M.H. and Gebhart, G.F.
Opioid, cholinergic and α-adrenergic influences on the modulation of nociception from the lateral reticular nucleus of the rat, **384**, 282
Osugi, T., Uchida, S., Imaizumi, T. and Yoshida, H.
Bradykinin-induced intracellular Ca^{2+} elevation in neuroblastoma × glioma hybrid NG108-15 cells; relationship to the action of inositol phospholipids metabolites, **379**, 84
Osumi, Y., see Okuma, Y., **363**, 47
Oswald, R.E., see Henley, J.M., **364**, 405
Otani, M., see Kohsaka, S., **372**, 137
Otani, M., see Takamiya, Y., **383**, 305
Otsuka, M., see García-Arrarás, J.E., **379**, 188
Otsuki, T., Nakahama, H., Niizuma, H. and Suzuki, J.
Evaluation of the analgesic effects of capsaicin using a new rat model for tonic pain, **365**, 235
Otten, U., see Gasser, U.E., **376**, 351
Owen, F., Chambers, D.R., Cooper, S.J., Crow, T.J., Johnson, J.A., Lofthouse, R. and Poulter, M.
Serotonergic mechanisms in brains of suicide victims, **362**, 185
Oyama, Y., Akaike, N. and Nishi, K.
Effects of *n*-alkanols on the calcium current of intracellularly perfused neurons of *Helix aspersa,* **376**, 280
Oyama, Y., Walker, J.L. and Eyzaguirre, C.
Intracellular potassium activity, potassium equilibrium potential and membrane potential of carotid body glomus cells, **381**, 405
Oyama, Y., Walker, J.L. and Eyzaguirre, C.
The intracellular chloride activity of glomus cells in the isolated rabbit carotid body, **368**, 167

P

Pachman, S., see Slotkin, T.A., **374**, 63
Pachter, B.R., see Eberstein, A., **384**, 304
Paci, D., see Bertoni-Freddari, C., **366**, 187
Pack, A.I., see Davies, R.O., **366**, 22
Paden, C.M., Berglund, D.L., Hapner, S.J. and Welsh, C.J.
A flow cytometric method for intracellular labeling and purification of rare neuronal populations: isolation of fixed neurophysin neurons, **376**, 310
Pagala, M., see Sterz, R., **385**, 99
Pagala, M.K., see Bradley, R.J., **377**, 194
Page, C.H., see Notvest, R.R., **380**, 235
Page, R.B., see Ziedonis, D.M., **373**, 27
Pakkenberg, B., see Pakkenberg, H., **362**, 192
Pakkenberg, H., Pakkenberg, B. and Kjeldsen, C.
The effect of *N*-methyl-4-phenyl-1,2,3,6-tetrahydropyridine on uridine uptake in the mouse brain, **362**, 192
Palacios, J.M., Markstein, R. and Pazos, A.
Serotonin-1C sites in the choroid plexus are not linked in a stimulatory or inhibitory way to adenylate cyclase, **380**, 151
Palacios, J.M., see Cortés, R., **362**, 227
Palacios, J.M., see Cortés, R., **362**, 239
Palacios, J.M., see Hoyer, D., **376**, 85
Palacios, J.M., see Hoyer, D., **376**, 97
Palacios, J.M., see Zarbin, M.A., **374**, 75
Palkovits, M., Láng, T., Patthy, A. and

Elekes, I.
Distribution and stress-induced increase of glutamate and aspartate levels in discrete brain nuclei of rats, **373**, 252
Palkovits, M., Mezey, E., Eskay, R.L. and Brownstein, M.J.
Innervation of the nucleus of the solitary tract and the dorsal vagal nucleus by thyrotropin-releasing hormone-containing raphe neurons, **373**, 246
Palkovits, M., see Makara, G., **374**, 399
Pallage, V., Toniolo, G., Will, B. and Hefti, F.
Long-term effects of nerve growth factor and neural transplants on behavior of rats with medial septal lesions, **386**, 197
Palm, A., see Hydén, H., **379**, 167
Palmatier, M.A., see Johnson Jr., E.M., **383**, 100
Pandya, D.N., see Rockland, K.S., **365**, 174
Pang, I.-H. and Vasko, M.R.
Effect of depletion of spinal cord norepinephrine on morphine-induced antinociception, **371**, 171
Pang, I.-H. and Vasko, M.R.
Morphine and norepinephrine but not 5-hydroxytryptamine and γ-aminobutyric acid inhibit the potassium-stimulated release of substance P from rat spinal cord slices, **376**, 268
Panocka, I., Marek, P. and Sadowski, B.
Differentiation of neurochemical basis of stress-induced analgesia in mice by selective breeding, **397**, 156
Panocka, I., Marek, P. and Sadowski, B.
Inheritance of stress-induced analgesia in mice. Selective breeding study, **397**, 152
Pansini, R., see Sandrini, G., **371**, 364
Pappas, G.D., see Sagen, J., **384**, 189
Pappas, G.D., see Youdim, M.B.H., **381**, 300
Pappius, H.M., see Colle, L.M., **397**, 27
Parakkal, M.H., see Altschuler, R.A., **369**, 316
Parakkal, M.H., see Wenthold, R.J., **380**, 7
Parati, E., see Parenti, M., **367**, 8
Pardini, B.J., Patel, K.P., Schmid, P.G. and Lund, D.D.
Facilitation of baroreflex-induced bradycardia by stimulation of specific hypothalamic sites in the rat, **384**, 274
Parducz, A.
Horseradish peroxidase uptake of the synaptic vesicles in the superior cervical ganglion of the cat, **362**, 375
Parent, A., see Smith, Y., **372**, 241
Parenti, M., Flauto, C., Parati, E., Vescovi, A. and Groppetti, A.
Manganese neurotoxicity: effects of L-DOPA and pargyline treatments, **367**, 8
Parfitt, A.G., see Freschi, J.E., **368**, 366
Parhad, I.M., Griffin, J.W., Hoffman, P.N. and Koves, J.F.
Selective interruption of axonal transport of neurofilament proteins in the visual system by β,β′-iminodipropionitrile (IDPN) intoxication, **363**, 315
Parham, C.W., see Jacobs, S.K., **372**, 386
Parise, J., see Heyer, E.J., **377**, 54
Park, B.R., see Suzuki, I., **367**, 356
Park, D.H., Ehrlich, M., Evinger, M.J. and Joh, T.H.
Strain differences in distribution of phenylethanolamine *N*-methyltransferase activity from rat brain and adrenal gland, **372**, 185
Park, D.H., Snyder, D.W. and Joh, T.H.
Postnatal developmental changes of tryptophan hydroxylase activity in serotonergic cell bodies and terminals of rat brain, **378**, 183
Park, D.H., Woo, J.I., Hwang, O., Ehrlich, M., Abate, C. and Joh, T.H.
Different charge forms of aromatic-L-amino-acid decarboxylase, **370**, 375
Park, R.G., see McKinley, M.J., **376**, 416
Parkening, T.A., see Banerji, T.K., **380**, 176
Parker, Y.-M., see Elliott, P.J., **381**, 259
Parkinson, D., see Loewy, A.D., **386**, 313
Parko, K., see Chafetz, M.D., **384**, 404
Parks, T.N., see Conlee, J.W., **363**, 28
Parks, T.N., see Conlee, J.W., **367**, 96
Parmentier, M., see Pasteels, J.L., **384**, 294
Parnavelas, J.G., see Crunelli, V., **380**, 371
Parnisari, R.M., see Greenough, W.T., **380**, 136
Parra, P., see Y Cajal-Agüeras, S.R., **370**, 333
Parsons, S.M., see Whitton, P.S., **385**, 189
Pasantes-Morales, H., see Moran, J., **398**, 276
Pasteels, J.L., Pochet, R., Surardt, L., Hubeau, C., Chirnoaga, M., Parmentier, M. and Lawson, D.E.M.
Ultrastructural localization of brain 'vitamin D-dependent' calcium binding proteins, **384**, 294
Patel, B.T. and Tudball, N.
Localization of *S*-adenosylhomocysteine hydrolase and adenosine deaminase immunoreactivities in rat brain, **370**, 250
Patel, K.P., see Pardini, B.J., **384**, 274
Patel, S., see Geffard, M., **363**, 395
Patel, S., see Millan, M.H., **398**, 204
Patino, P., see Chavez-Noriega, L., **379**, 300
Patthy, A., see Palkovits, M., **373**, 252
Paul, S.M., see Bolger, G.T., **368**, 351
Paul, S.M., see Crawley, J.N., **398**, 382
Paul, S.M., see Havoundjian, H., **375**, 401
Paulson, O.B., see Juhler, M., **363**, 272
Pavlova, G.A., see Arshavsky, Y.I., **363**, 354
Pavone, F., Castellano, C. and Oliverio, A.
Strain-dependent effects of shock-induced release of opioids: dissociation between analgesia and behavioral seizures, **366**, 326
Payne, J.N., see Shehab, S.A.S., **376**, 180
Pazos, A., see Hoyer, D., **376**, 85
Pazos, A., see Hoyer, D., **376**, 97
Pazos, A., see Palacios, J.M., **380**, 151
Pearce, B., see Murphy, S., **364**, 177
Pearl, D., see LeDoux, J.E., **371**, 395
Pearlmutter, A.F., see Hinko, A., **384**, 156
Pearlstein, R.A., see Robinson, S.M., **371**, 380
Pearson, J., see Kiyama, H., **375**, 357
Pearson, J., see Michel, J.-P., **377**, 383
Pearson, J., see Michel, J.-P., **397**, 93
Pearson, J., see Sakamoto, N., **375**, 353
Pearson, R.C.A. and Powell, T.P.S.
Hypertrophy of motor neurons in the oculomotor nucleus of the rat following removal of the contralateral extraocular muscles, **382**, 189
Pearson, R.C.A., Neal, J.W. and Powell, T.P.S.
Hypertrophy of cholinergic neurones of the basal nucleus in the rat following damage of the contralateral nucleus, **382**, 149
Pearson, R.C.A., see Cuello, A.C., **376**, 373
Pearson, R.C.A., see Esiri, M.M., **366**, 385
Pearson, R.C.A., see Neal, J.W., **366**, 145
Pearson, R.C.A., see Neal, J.W., **381**, 164
Pearson, R.C.A., see Sofroniew, M.V., **398**, 393
Pechura, C.M. and Liu, R.P.C.
Spinal neurons which project to the periaqueductal gray and the medullary reticular formation via axon collaterals: a double-label fluorescence study in the rat, **374**, 357
Pedersen, C.A., see Drago, F., **368**, 287
Pegram, G.V., see Gnadt, J.W., **384**, 29
Pehek, E.A., see Hull, E.M., **370**, 73
Pekovic, S., Nikezic, G., Horvat, A. and Metlaš, R.
A high affinity calcium-stimulated ATPase in synaptic plasma

membranes detectable in the presence and absence of exogenous magnesium, **379**, 251
Pelisson, D. and Prablanc, C. Vestibulo-ocular reflex (VOR) induced by passive head rotation and goal-directed saccadic eye movements do not simply add in man, **380**, 397
Pelletier, G., see Benyamina, M., **366**, 230
Pelletier, G., see Kerkérian, L., **369**, 388
Pellmar, T. Electrophysiological correlates of peroxide damage in guinea pig hippocampus in vitro, **364**, 377
Pellow, S. and File, S.E. Evidence that the α-carboline, ZK 91296, can reduce anxiety in animals at doses well below those causing sedation, **363**, 174
Pender, M.P. Conduction block due to demyelination at the ventral root exit zone in experimental allergic encephalomyelitis, **367**, 398
Peng, J.H., see Mizukawa, K., **379**, 39
Penit, J., see Le Douarin, C., **363**, 290
Penney, J.B., see Richfield, E.K., **383**, 121
Peper, K., see Bradley, R.J., **376**, 199
Peper, K., see Sterz, R., **385**, 99
Pequignot, J.M., Cottet-Emard, J.M., Dalmaz, Y., De Sigy, M.D. and Peyrin, L. Biochemical evidence for norepinephrine stores outside the sympathetic nerves in rat carotid body, **367**, 238
Perel, J.M., see Antelman, S.M., **385**, 58
Perez, M.T.R., Ehinger, B.E., Lindström, K. and Fredholm, B.B. Release of endogenous and radioactive purines from the rabbit retina, **398**, 106
Pérez-Clausell, J. and Danscher, G. Release of zinc sulphide accumulations into synaptic clefts after in vivo injection of sodium sulphide, **362**, 358
Perlow, M., see Friedman, E., **378**, 142
Perlow, M.J., see Sagen, J., **384**, 189
Peroutka, S.J., see Ricaurte, G.A., **376**, 117
Perrin, M.H., see Chen, F.M., **381**, 49
Perry, M.A., see Loewy, A.D., **386**, 313
Perry, V.H., see Schall, J.D., **368**, 18
Pert, A., see Weiss, S.R.B., **372**, 345
Perumal, A.S., see Smith, T.M., **367**, 385
Peschanski, M., Kayser, V. and Besson, J.-M. Behavioral evidence for a crossed ascending pathway for pain transmission in the anterolateral quadrant of the rat spinal cord, **376**, 164
Peskind, E.R., Raskind, M.A., Wilkinson, C.W., Flatness, D.E. and Halter, J.B. Peripheral sympathectomy and adrenal medullectomy do not alter cerebrospinal fluid norepinephrine, **367**, 258
Peterfreund, R.A. and Vale, W.W. Local anesthetics inhibit veratridine-induced secretion of calcitonin gene-related peptide (CGRP) from cultured rat trigeminal ganglion cells, **380**, 159
Peterson, B., see Baker, J., **371**, 166
Peterson, B.W., see Harrison, R.E.W., **371**, 162
Peterson, C., Suzuki, K., Kress, Y. and Goldman, J.E. Abnormalities of dendritic actin organization in the brindled mouse, **382**, 205
Peterson, E.R., see Crain, S.M., **370**, 61
Petitti, N., see Etgen, A.M., **375**, 385
Petrovic, S.L., see Bedran De Castro, J.C., **384**, 11
Pévet, P., see Buijs, R.M., **371**, 193
Peyrin, L., see Pequignot, J.M., **367**, 238
Peyronnard, J.M., Charron, L., Lavoie, J. and Messier, J.P. Differences in horseradish peroxidase labeling of sensory, motor and sympathetic neurons following chronic axotomy of the rat sural nerve, **364**, 137
Peyronnard, J.M., Charron, L.F., Lavoie, J. and Messier, J.P. Motor, sympathetic and sensory innervation of rat skeletal muscles, **373**, 288
Pezzotta, S., see Schiffer, D., **374**, 110
Pfaff, D.W., see Sullivan, J.M., **368**, 197
Pfaffmann, C., see Travers, S.P., **365**, 305
Phillips, A.G., see Lane, R.F., **397**, 200
Phillips, R.E. and Youngren, O.M. Unilateral kainic acid lesions reveal dominance of right archistriatum in avian fear behavior, **377**, 216
Picard, M., see Bassant, M.H., **367**, 360
Piccardi, M.P., see Del Zompo, M., **378**, 320
Pich, E.M., see Romandini, S., **377**, 351
Pickard, G.E. and Zucker, I. Influence of deuterium oxide on circadian activity rhythms of hamsters: role of the suprachiasmatic nuclei, **376**, 149
Pickoff-Matuk, J.F., Rosenfeld, J.P. and Broton, J.G. Lesions of the mid-spinal trigeminal complex are effective in producing perioral thermal hypoalgesia, **382**, 291
Pieper, D.R., Samyn, M.M. and Heverly, R.N. Olfactory bulbectomy prevents short photoperiod-induced anestrus in female golden hamsters, **380**, 54
Piercey, M.F., Moon, M.W., Blinn, J.R. and Dobry-Schreur, P.J.K. Analgesic activities of spinal cord substance P antagonists implicate substance P as a neurotransmitter of pain sensation, **385**, 74
Pieri, C., see Bertoni-Freddari, C., **366**, 187
Pierok, A.L., see Walkley, S.U., **382**, 379
Pikarski, E., see Melamed, E., **399**, 178
Pilowsky, P.M., Kapoor, V., Minson, J.B., West, M.J. and Chalmers, J.P. Spinal cord serotonin release and raised blood pressure after brainstem kainic acid injection, **366**, 354
Pin, J.-P., Bockaert, J. and Recasens, M. The binding of acidic amino acids to snail, *Helix aspersa,* periesophagic ring membranes reveals a single high-affinity glutamate/kainate site, **366**, 290
Pincus, J.H. and Kiss, A. Phenytoin reduces early acetylcholine release after depolarization, **397**, 103
Pirch, J.H., see Rucker, H.K., **376**, 368
Piredda, S. and Gale, K. Role of excitatory amino acid transmission in the genesis of seizures elicited from the deep prepiriform cortex, **377**, 205
Pittman, Q.J., see Burnard, D.M., **362**, 40
Pittman, Q.J., see Riphagen, C.L., **374**, 371
Pivorun, E.B., see Lin, L.-H., **364**, 212
Pixley, S.K.R., see Gibbs, R.B., **382**, 409
Pleasure, D., see Kreider, B.Q., **397**, 238
Pleasure, D., see Sobue, G., **362**, 23
Plioplys, A., see Gravel, C., **363**, 325
Plioplys, A.V. and Hawkes, R. A survey of MabQ113 immunoreactivity in the adult rat brain: differential staining of the lateral and medial habenular nuclei, **375**, 1
Ploska, A., see Cash, R., **370**, 127
Plunkett, L.M., see Correa, F.M.A., **375**, 259
Pochet, R., see Pasteels, J.L., **384**, 294
Poduslo, J.F., see Windebank, A.J., **385**, 197
Polak, J.M., see Katagiri, T., **372**, 313
Polak, J.M., see Terenghi, G., **365**, 1
Poletti, C.E., see Sandrew, B.B., **373**, 235
Poli, A., see Villani, L., **379**, 223
Politis, M.J. Retina-derived growth-promoting extract supports axonal regeneration in vivo, **364**, 369
Pollard, H.B., see Youdim, M.B.H., **381**, 300

Polosa, C., see Yoshimura, M., **362**, 370
Pomeroy, G., Ardell, J.L. and Wurster, R.D.
Spinal opiate modulation of cardiovascular reflexes in the exercising dog, **381**, 385
Pontiroli, A.E., see Scarpignato, C., **371**, 187
Pook, P., see Davies, J., **382**, 169
Pool, C.W., see Buijs, R.M., **371**, 193
Popova, L.B., see Arshavsky, Y.I., **363**, 354
Porter, J.P. and Brody, M.J.
A comparison of the hemodynamic effects produced by electrical stimulation of subnuclei of the paraventricular nucleus, **375**, 20
Post, C., Minor, B.G., Davies, M. and Archer, T.
Analgesia induced by 5-hydroxytryptamine receptor agonists is blocked or reversed by noradrenaline depletion in rats, **363**, 18
Post, C., see Danysz, W., **365**, 169
Post, R.M., see Weiss, S.R.B., **372**, 345
Potter, W.Z., see Agren, H., **397**, 353
Poulain, D.A., see Demotes-Mainard, J., **381**, 314
Poulain, P. and Carette, B.
Effects of GRF on paraventricular neurons in slices of guinea-pig hypothalamus, **371**, 355
Poulain, P.
Properties of antidromically identified neurons in the enkephalinergic magnocellular dorsal nucleus of the guinea pig hypothalamus, **362**, 74
Poulin, P., Suzuki, Y., Lederis, K. and Rorstad, O.P.
Autoradiographic localization of binding sites for vasoactive intestinal peptide (VIP) in bovine cerebral arteries, **381**, 382
Poulter, M., see Owen, F., **362**, 185
Powell, T.P.S., see Esiri, M.M., **366**, 385
Powell, T.P.S., see Neal, J.W., **366**, 145
Powell, T.P.S., see Neal, J.W., **381**, 164
Powell, T.P.S., see Pearson, R.C.A., **382**, 149
Powell, T.P.S., see Pearson, R.C.A., **382**, 189
Powley, T.L. and Fox, E.A.
Vagotomy does not alter circannual body weight cycles in the hibernator *Citellus lateralis*, **364**, 159
Powley, T.L. and Prechtl, J.C.
Gold thioglucose selectively damages dorsal vagal nuclei, **367**, 192
Prablanc, C., see Pelisson, D., **380**, 397
Prado, R., see Watson, B.D., **367**, 296
Prange Jr., A.J., see Drago, F., **368**, 287
Prange Jr., A.J., see Hernandez, D.E., **381**, 159
Prange Jr., A.J., see Merritt, W.D., **369**, 136
Pranzatelli, M.R. and Snodgrass, S.R.
Serotonin-lesion myoclonic syndromes. II. Analysis of individual syndrome elements, locomotor activity and behavioral correlations, **364**, 67
Pranzatelli, M.R., Rubin, G. and Snodgrass, S.R.
Serotonin-lesion myoclonic syndromes. I. Neurochemical profile and S-1 receptor binding, **364**, 57
Praputpittaya, C., see Akema, T., **385**, 366
Prasad, C. and Jayaraman, A.
Metabolism of thyrotropin-releasing hormone in human cerebrospinal fluid. Isolation and characterization of pyroglutamate aminopeptidase activity, **364**, 331
Pratt, O.E., see Greenwood, J., **399**, 148
Precht, W., see Kasik, P., **363**, 188
Prechtl, J.C., see Powley, T.L., **367**, 192
Preston, S.L., see Kreider, B.Q., **397**, 238
Price, D.L., Altschuler, R.J., Struble, R.G., Casanova, M.F., Cork, L.C. and Murphy, D.B.
Sequestration of tubulin in neurons in Alzheimer's disease, **385**, 305
Price, D.L., see Gold, B.G., **362**, 205
Price, D.L., see Troncoso, J.C., **364**, 295
Price, D.L., see Whitehouse, P.J., **371**, 146
Price, M., see Stewart, G.R., **369**, 377
Prilipko, L.L., see Erin, A.N., **398**, 85
Prince, A.K., see Kalaria, R.N., **364**, 268
Printz, M.P., see Rettig, R., **364**, 233
Prior, P., see Yeomans, J., **372**, 95
Pritz, M.B. and Stritzel, M.E.
Percentage of relay and intrinsic neurons in two sensory thalamic nuclei projecting to the non-cortical telencephalon in reptiles *Caiman crocodilus*, **376**, 169
Privat, A., see Vignon, J., **378**, 133
Probst, A., see Cortés, R., **362**, 239
Probst, A., see Hoyer, D., **376**, 85
Probst, A., see Hoyer, D., **376**, 97
Prochiantz, A., see Brundin, P., **366**, 346
Prokocimer, P.G., see Louie, G.L., **383**, 377
Proshansky, E., see Egger, M.D., **383**, 68
Prospéro-Garcia, O., Morales, M., Arankowsky-Sandoval, G. and Drucker-Colin, R.
Vasoactive intestinal polypeptide (VIP) and cerebrospinal fluid (CSF) of sleep-deprived cats restores REM sleep in insomniac recipients, **385**, 169
Prospéro-Garcia, O., see Arankowsky-Sandoval, G., **375**, 377
Proudfit, H.K., see Brodie, M.S., **371**, 70
Proudfit, H.K., see Sagen, J., **370**, 93
Pröve, E., see Balthazart, J., **378**, 240
Prusiner, S.B., see Crook, R.B., **384**, 138
Pubols, L.M., Foglesong, M.E. and Vahle-Hinz, C.
Electrical stimulation reveals relatively ineffective sural nerve projections to dorsal horn neurons in the cat, **371**, 109
Puglisi-Allegra, S., Cabib, S. and Oliverio, A.
Chronic stress reduces the analgesic but not the stimulant effect of morphine in mice, **380**, 357
Pugsley, T.A., see Myers, S., **375**, 193
Pujol, J.-F., see Quintin, L., **362**, 366
Pujol, J.-F., see Quintin, L., **375**, 235
Punnen, S., Willette, R.N., Krieger, A.J. and Sapru, H.N.
Medullary pressor area: site of action of intravenous physostigmine, **382**, 178
Puro, D.G., see Tsai, W.H., **380**, 375
Puszkin, S., see Moskowitz, N., **370**, 38
Putnam, F., see Iadorola, M.J., **374**, 174

Q

Quandt, F.N., see Shingai, R., **369**, 65
Quarles, R.H., see Ilyas, A.A., **385**, 1
Quarles, R.H., see Noronha, A.B., **385**, 237
Quik, M. and Garofalo, L.
Contrasting effect of a brain supernatant extract on neuronal vs neuromuscular α-bungarotoxin receptors, **374**, 395
Quik, M., Fournier, S. and Trifaró, J.M.
Modulation of the nicotinic α-bungarotoxin site in chromaffin cells in culture by a factor(s) endogenous to neuronal tissue, **372**, 11
Quinn, M.R., see Goldstein, N.I., **370**, 205
Quintern, J., see Dietz, V., **362**, 355
Quintern, J., see Dietz, V., **384**, 166
Quintin, L., Buda, M., Hilaire, G., Bardelay, C., Ghignone, M. and Pujol, J.-F.
Catecholamine metabolism in the rat locus coeruleus as studied by in vivo differential pulse voltammetry. III. Evidence for the existence of an α_2-adrenergic tonic inhibition in behaving rats, **375**, 235
Quintin, L., Gonon, F., Buda, M., Ghignone, M., Hilaire, G. and Pujol, J.-F.
Clonidine modulates locus coeruleus metabolic hyperactivity induced by stress in behaving rats, **362**, 366

R

Rabey, J.M., see Shenkman, L., **380**, 303
Rabii, J., see Callahan, P., **381**, 106
Racine, R.J., see Robinson, G.B., **379**, 63
Radack, L.S., see Kelsey, J.E., **382**, 278
Rafferty, P., see Boden, P., **385**, 205
Raisman, R., see Cash, R., **370**, 127
Raizada, M.K., see Boyd Jr., F.T., **398**, 1
Raizada, M.K., see Feldstein, J.B., **370**, 265
Raju, T.R. and Bennett, M.R.
Retinal ganglion cell survival requirements: a major but transient dependence on Müller glia during development, **383**, 165
Ralph, M.R. and Menaker, M.
Effects of diazepam on circadian phase advances and delays, **372**, 405
Ramachandran, V.S. and Kupperman, B.
Reversal of the physiological effects of monocular deprivation in adult dark-reared cats, **367**, 309
Ramana Reddy, S.V., Yaksh, T.L., Anderson, R.E. and Sundt Jr., T.M.
Effect in cat of locus coeruleus lesions on the response of cerebral blood flow and cardiac output to altered p_aCO_2, **365**, 278
Ramirez, M., see Alba, F., **368**, 158
Ramirez, O.A. and Wang, R.Y.
Electrophysiological evidence for locus coeruleus norepinephrine autoreceptor subsensitivity following subchronic administration of D-amphetamine, **385**, 415
Ramirez, O.A. and Wang, R.Y.
Locus coeruleus norepinephrine-containing neurons: effects produced by acute and subchronic treatment with antipsychotic drugs and amphetamine, **362**, 165
Ramirez, V.D., see Chang, G.D., **368**, 134
Ramirez, V.D., see Kim, K., **386**, 258
Ramm, P. and Frost, B.J.
Cerebral and local cerebral metabolism in the cat during slow wave and REM sleep, **365**, 112
Randic, M., Ryu, P.D. and Urban, L.
Effects of polyclonal and monoclonal antibodies to substance P on slow excitatory transmission in rat spinal dorsal horn, **383**, 15
Randic, M., see Jeftinija, S., **368**, 107
Randic, M., see Murase, K., **365**, 369
Randic, M., see Wei, J.Y., **370**, 108
Randich, A.
Volume loading hypoalgesia in SHR, WKY and F_1 offspring of a SHR × WKY cross, **363**, 178
Ransom, B.R., see Black, J.A., **380**, 122
Rapoport, S.I., see Latker, C.H., **375**, 186
Rapoport, S.I., see Rechthand, E., **374**, 185
Rapoport, S.I., see Soncrant, T.T., **369**, 1
Rapoport, S.I., see Tai, C.-Y., **385**, 227
Rapoport, S.I., see Weerasuriya, A., **375**, 150
Rapport, M.M., see Li, Y.S., **377**, 292
Raptis, L., see Wise, R.A., **368**, 62
Rascol, O., see Dutar, P., **365**, 325
Rascol, O., see Lamour, Y., **362**, 122
Raskind, M.A., see Peskind, E.R., **367**, 258
Rasmussen, K. and Aghajanian, G.K.
Effect of hallucinogens on spontaneous and sensory-evoked locus coeruleus unit activity in the rat: reversal by selective 5-HT_2 antagonists, **385**, 395
Rasmussen, K. and Jacobs, B.L.
Single unit activity of locus coeruleus neurons in the freely moving cat. II. Conditioning and pharmacologic studies, **371**, 335
Rasmussen, K., Morilak, D.A. and Jacobs, B.L.
Single unit activity of locus coeruleus neurons in the freely moving cat. I. During naturalistic behaviors and in response to simple and complex stimuli, **371**, 324
Rasmussen, K., Strecker, R.E. and Jacobs, B.L.
Single unit response of noradrenergic, serotonergic and dopaminergic neurons in freely moving cats to simple sensory stimuli, **369**, 336
Raspantini, C., see Jeftinija, S., **368**, 107
Rassoli, A.H., see Banerji, T.K., **380**, 176
Rath, M., see Zilles, K., **380**, 201
Ravid, R., Swaab, D.F., Van der Woude, T.P. and Boer, G.J.
Immunocytochemically stained binding sites for oxytocin and α-melanocyte-stimulating hormone in rat brain following ventricular administration, **379**, 404
Ray, R.B., see Toews, A.D., **398**, 298
Rayburn, H.B., see Nerbonne, J.M., **378**, 197
Raymond, M.A., see Bittner, G.D., **367**, 351
Rebec, G.V., see Kamata, K., **362**, 331
Rebec, G.V., see Wilson, R.L., **370**, 393
Rebec, G.V., see Wilson, R.L., **384**, 342
Recasens, M., see Pin, J.-P., **366**, 290
Rechthand, E., Hervonen, A., Sato, S. and Rapoport, S.I.
Distribution of adrenergic innervation of blood vessels in peripheral nerve, **374**, 185
Recio, L., Marin, J., Reviriego, J., Salaices, M. and Lopez-Rico, M.
Effect of morphine on the cat middle cerebral artery, **376**, 262
Redburn, D.A., see Moran, J., **398**, 276
Reddington, M., Erfurth, A. and Lee, K.S.
Heterogeneity of binding sites for N-ethylcarboxamido[^{3}H]adenosine in rat brain: effects of N-ethylmaleimide, **399**, 232
Reddington, M., see Lee, K.S., **368**, 394
Redgate, E.S., Deupree, J.D. and Axelrod, J.
Interaction of neuropeptides and biogenic amines on cyclic adenosine monophosphate accumulation in hypothalamic nuclei, **365**, 61
Reeh, P.W., Kocher, L. and Jung, S.
Does neurogenic inflammation alter the sensitivity of unmyelinated nociceptors in the rat?, **384**, 42
Reeks, K.A., see Altschuler, R.A., **369**, 316
Reeks, K.A., see Wenthold, R.J., **380**, 7
Reese, J.H., see Hawrot, E., **373**, 227
Rehn, B., Breipohl, W., Mendoza, A.S. and Apfelbach, R.
Changes in granule cells of the ferret olfactory bulb associated with imprinting on prey odours, **373**, 114
Reichlin, S., see Stryker, T.D., **362**, 339
Reichlin, S., see Tessler, A., **370**, 232
Reid, A., see Sawynok, J., **386**, 341
Reid, K., see Ashton, D., **385**, 185
Reid, K.H., see Schurr, A., **374**, 244
Reid, L.D., see Millan, M.J., **381**, 29
Reigel, C.E., see Savage, D.D., **376**, 412
Reiner, A.
The co-occurrence of substance P-like immunoreactivity and dynorphin-like immunoreactivity in striatopallidal and striatonigral projection neurons in birds and reptiles, **371**, 155
Reiner, P.B.
Correlational analysis of central noradrenergic neuronal activity and sympathetic tone in behaving cats, **378**, 86
Reis, D.J., see Arneric, S.P., **374**, 153
Reis, D.J., see Chida, K., **370**, 378
Reis, D.J., see Granata, A.R., **377**, 127
Reis, D.J., see Iadecola, C., **368**, 375
Reis, D.J., see Iwata, J., **368**, 161
Reis, D.J., see Iwata, J., **383**, 195
Reis, D.J., see LeDoux, J.E., **371**, 395
Remé, C., Wirz-Justice, A., Rhyner, A. and Hofmann, S.
Circadian rhythm in the light response of rat retinal disk-shedding and autophagy, **369**, 356
Renaud, B., see Astier, B., **397**, 333
Renner, K. and Luine, V.
Analysis of temporal and dose-dependent effects of estrogen on monoamines in brain nuclei, **366**, 64
Renshaw, P.F., Joseph, N.E. and Leigh Jr., J.S.

Chronic dietary lithium induces increased levels of myo-inositol-1-phosphatase activity in rat cerebral cortex homogenates, **380**, 401
Reppert, S.M., see Duncan, M.J., **369**, 326
Represa, A., Tremblay, E., Schoevart, D. and Ben-Ari, Y. Development of high affinity kainate binding sites in human and rat hippocampi, **384**, 170
Retell, T.M., see Kellogg, C.K., **366**, 137
Rettig, R. and Johnson, A.K. Aortic baroreceptor deafferentation diminishes saline-induced drinking in rats, **370**, 29
Rettig, R., Healy, D.P. and Printz, M.P. Cardiovascular effects of microinjections of angiotensin II into the nucleus tractus solitarii, **364**, 233
Reuss, S., see Best, J., **385**, 356
Reuss, S., see Olcese, J., **369**, 365
Reviriego, J., see Recio, L., **376**, 262
Reyes-Vazquez, C., Enna, S.J. and Dafny, N. The parafasciculus thalami as a site for mediating the antinociceptive response to GABAergic drugs, **383**, 177
Reynolds, R. and Herschkowitz, N. Selective uptake of neuroactive amino acids by both oligodendrocytes and astrocytes in primary dissociated culture: a possible role for oligodendrocytes in neurotransmitter metabolism, **371**, 253
Rhees, R.W., see Anderson, R.H., **370**, 1
Rheinert, C., Jurna, I. and Bock, R. Morphological changes of rat neurosecretory neurones after stereotaxic injection of kainic acid into the supraoptic nucleus or the supraoptico-hypophyseal tract, **373**, 57
Rhoades, R.W., see Yamasaki, D.S.G., **378**, 223
Rhodes, C.H. and Gonatas, N.K. Lectin affinity and PAGE analysis of soluble axonally transported glycoconjugates in the rat visual system, **399**, 42
Rhodes, K.J., Zottoli, S.J. and Mufson, E.J. Choline acetyltransferase immunohistochemical staining in the goldfish (*Carassius auratus*) brain: evidence that the Mauthner cell does not contain choline acetyltransferase, **381**, 215
Rhyner, A., see Remé, C., **369**, 356
Ribak, C.E., Hunt, C.A., Bakay, R.A.E. and Oertel, W.H. A decrease in the number of GABAergic somata is associated with the preferential loss of GABAergic terminals at epileptic foci, **363**, 78
Ribeiro-Da-Silva, A., Castro-Lopes, J.M. and Coimbra, A. Distribution of glomeruli with fluoride-resistant acid phosphatase (FRAP)-containing terminals in the substantia gelatinosa of the rat, **377**, 323
Ricaurte, G.A., Langston, J.W., Delanney, L.E., Irwin, I., Peroutka, S.J. and Forno, L.S. Fate of nigrostriatal neurons in young mature mice given 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine: a neurochemical and morphological reassessment, **376**, 117
Rice, K.C., see Herkenham, M., **382**, 365
Richards, M.L. and Sadee, W. Human neuroblastoma cell lines as models of catechol uptake, **384**, 132
Richardson, D.E., see Baskin, D.S., **371**, 231
Richardson, R.T. and De Long, M.R. Nucleus basalis of Meynert neuronal activity during a delayed response task in monkey, **399**, 364
Richfield, E.K., Young, A.B. and Penney, J.B. Properties of D_2 dopamine receptor autoradiography: high percentage of high-affinity agonist sites and increased nucleotide sensitivity in tissue sections, **383**, 121
Richmond, G. and Clemens, L.G. Cholinergic mediation of feminine sexual receptivity: demonstration of progesterone independence using a progestin receptor antagonist, **373**, 159
Richmond, J.E., Bulloch, A.G.M. and Lukowiak, K. Peptidergic modulation of a neuromuscular junction in *Aplysia*: bioactivity and immunocytochemistry, **370**, 159
Richter, K., see Jürgens, U., **373**, 349
Ridley, R.M., Murray, T.K., Johnson, J.A. and Baker, H.F. Learning impairment following lesion of the basal nucleus of Meynert in the marmoset: modification by cholinergic drugs, **376**, 108
Rieger, F., see Ruberg, M., **362**, 83
Rieling, J., see Chase, R., **384**, 232
Rigor, B.M., see Schurr, A., **374**, 244
Rigsbee, L.C., see Shin, C., **398**, 370
Rigual, R., Gonzalez, E., Gonzalez, C. and Fidone, S. Synthesis and release of catecholamines by the cat carotid body in vitro: effects of hypoxic stimulation, **374**, 101
Rikard-Bell, G.C., Törk, I. and Bystrzycka, E.K. Distribution of corticospinal motor fibres within the cervical spinal cord with special reference to the phrenic nucleus: a WGA-HRP anterograde transport study in the cat, **379**, 75
Riley, D.A., see Fahlman, C.S., **363**, 156
Rinaldi, P.C., Fairchild, M.D. and Kusske, J.A. Perfusion with lithium modifies neurophysiological responses in the CA1 region of the hippocampal slice preparation, **375**, 302
Riopelle, R.J., McGarry, R.C. and Roder, J.C. Adhesion properties of a neuronal epitope recognized by the monoclonal antibody HNK-1, **367**, 20
Riphagen, C.L. and Pittman, Q.J. Oxytocin and [1-deamino, 8-D-arginine]-vasopressin (dDAVP): intrathecal effects on blood pressure, heart rate and urine output, **374**, 371
Rips, R., see Scherman, D., **370**, 176
Ristic, G.A., see Thompson, R., **367**, 402
Ritter, R.C., see South, E.H., **372**, 283
Ritter, S. and Dinh, T.T. Progressive postnatal dilation of brain ventricles in spontaneously hypertensive rats, **370**, 327
Rius, R.A., Govoni, S., Battaini, F. and Trabucchi, M. Cyclic AMP-dependent protein phosphorylation is reduced in rat striatum after chronic ethanol treatment, **365**, 355
Riveros, N., Fiedler, J., Lagos, N., Muñoz, C. and Orrego, F. Glutamate in rat brain cortex synaptic vesicles: influence of the vesicle isolation procedure, **386**, 405
Rivier, J., see Britton, K.T., **369**, 303
Rivier, J., see Chen, F.M., **381**, 49
Robbins, N., see Fahim, M.A., **383**, 353
Roberts, P.J., see Butcher, S.P., **381**, 305
Roberts, R.L., see Beck, D.W., **381**, 131
Roberts, W.J. and Elardo, S.M. Clustering of primary afferent fibers in peripheral nerve fascicles by sensory modality, **370**, 149
Roberts-Lewis, J.M., Welsh, M.J. and Gnegy, M.E. Chronic amphetamine treatment increases striatal calmodulin in rats, **384**, 383
Robertson, G.S. and Robertson, H.A. Synergistic effects of D_1 and D_2 dopamine agonists on turning behaviour in rats, **384**, 387
Robertson, H.A., see Cottrell, G.A., **365**, 393
Robertson, H.A., see Robertson, G.S., **384**, 387
Robertson, L.M., see Keith, L.D., **367**, 222
Robertson, L.T., see Logan, K., **372**, 290
Robertson, R.T., Lieu, C.L., Lee, K. and Gorenstein, C. Distribution of 'non-specific'

cholinesterase-containing neurons in the dorsal thalamus of the rat, **368**, 116
Robinson, G.B. and Racine, R.J. Interactions between septal and entorhinal inputs to the rat dentate gyrus: facilitation effects, **379**, 63
Robinson, G.B. Enhanced long-term potentiation induced in rat dentate gyrus by coactivation of septal and entorhinal inputs: temporal constraints, **379**, 56
Robinson, M.B., Whittemore, E.R., Marks, R.L. and Koerner, J.F. Exposure of hippocampal slices to quisqualate sensitizes synaptic responses to phosphonate-containing analogues of glutamate, **381**, 187
Robinson, P.H., see Moran, T.H., **362**, 175
Robinson, P.J., see Williams, J.L., **399**, 224
Robinson, P.P. A peripheral stimulus initiates the collateral reinnervation of cat teeth, **366**, 397
Robinson, P.P., see Matthews, B., **382**, 55
Robinson, R.A., Teneyck, C.J. and Hart, M.N. Growth control in cerebral microvessel-derived endothelial cells, **384**, 114
Robinson, R.G., see Deckel, A.W., **363**, 383
Robinson, R.G., see Deckel, A.W., **365**, 249
Robinson, S.E. 6-Hydroxydopamine lesion of the ventral noradrenergic bundle blocks the effect of amphetamine on hippocampal acetylcholine, **397**, 181
Robinson, S.E., see Rosecrans, J.A., **382**, 71
Robinson, S.M., Fox, T.O., Dikkes, P. and Pearlstein, R.A. Sex differences in the shape of the sexually dimorphic nucleus of the preoptic area and suprachiasmatic nucleus of the rat: 3-D computer reconstructions and morphometrics, **371**, 380
Robson, T., see Gabrielsson, B., **384**, 218
Rock, A.-M., see Geffard, M., **363**, 395
Rockland, K.S. and Pandya, D.N. Topography of occipital lobe commissural connections in the rhesus monkey, **365**, 174
Roder, J.C., see Riopelle, R.J., **367**, 20
Rodier, P.M., see Aschner, M., **381**, 244
Rodrigo, J., see Terenghi, G., **365**, 1
Rodriguez, F., see Demotes-Mainard, J., **381**, 314
Rodriguez-Sierra, J.F., Heydorn, W.E., Creed, G.J. and Jacobowitz, D.M. Isolation of specific proteins affected by estradiol in the arcuate-median eminence of prepuberal female rats, **399**, 379
Rogers, J., Madamba, S.G., Staunton, D.A. and Siggins, G.R. Ethanol increases single unit activity in the inferior olivary nucleus, **385**, 253
Rolls, E.T., Murzi, E., Yaxley, S., Thorpe, S.J. and Simpson, S.J. Sensory-specific satiety: food-specific reduction in responsiveness of ventral forebrain neurons after feeding in the monkey, **368**, 79
Romandini, S., Pich, E.M., Esposito, E., Kruszewska, A. and Samanin, R. The effect of different lesions of the median raphe on morphine analgesia, **377**, 351
Romandini, S., see Mennini, T., **371**, 372
Romanski, L.M., see Jarrell, T.W., **382**, 199
Rommelspacher, H., see Kaulen, P., **366**, 72
Romo, R., see Covenas, R., **377**, 355
Rompré, P.-P. and Shizgal, P. Electrophysiological characteristics of neurons in forebrain regions implicated in self-stimulation of the medial forebrain bundle in the rat, **364**, 338
Ropert, N., see Krnjevic, K., **374**, 1
Roques, B., see Benoist, J.M., **398**, 49
Rorstad, O.P., see Poulin, P., **381**, 382
Rose, J.G., see Sanberg, P.R., **367**, 314
Rosecrans, J.A., Robinson, S.E., Johnson, J.H., Mokler, D.J. and Hong, J.-S. Neuroendocrine, biogenic amine and behavioral responsiveness to a repeated foot-shock-induced analgesia (FSIA) stressor in Sprague-Dawley (CD) and Fischer-344 (CDF) rats, **382**, 71
Rosella-Dampman, L.M., see Hartman, R.D., **382**, 352
Rosén, I., see Schouenborg, J., **397**, 86
Rosenberg, H.C., see Yu, O., **399**, 374
Rosenfeld, J.P., see Broton, J.G., **397**, 1
Rosenfeld, J.P., see Kasman, G.S., **383**, 271
Rosenfeld, J.P., see Pickoff-Matuk, J.F., **382**, 291
Rosenstein, R.E. and Cardinali, D.P. Melatonin increases in vivo GABA accumulation in rat hypothalamus, cerebellum, cerebral cortex and pineal gland, **398**, 403
Rosenthal, J., see Melamed, E., **399**, 178
Rosenwasser, A.M., see Levine, J.D., **384**, 240
Rosloff, B., see Dow-Edwards, D., **373**, 139
Ross, C.D. and Godfrey, D.A. Effect of enucleation on choline acetyltransferase activity in layers of goldfish optic tectum, **373**, 49
Rosselin, G., see Besson, J., **398**, 329
Rossignol, S., see Dubuc, R., **369**, 243
Rostas, J.A.P., see Dunkley, P.R., **372**, 115
Rostene, W., see Besson, J., **398**, 329
Roth, R.H., see Bannon, M.J., **381**, 393
Roth, R.H., see Deutch, A.Y., **363**, 307
Roth, R.H., see Lee, J.-M., **371**, 152
Rothman, R.B., see Danks, J.A., **385**, 273
Rothman, R.B., see Herkenham, M., **382**, 365
Rothman, R.B., see McLean, S., **378**, 49
Roubos, E.W., see Buma, P., **380**, 26
Routtenberg, A., Colley, P., Linden, D., Lovinger, D., Murakami, K. and Sheu, F.-S. Phorbol ester promotes growth of synaptic plasticity, **378**, 374
Routtenberg, A., see Linden, D.J., **379**, 358
Routtenberg, A., see Lovinger, D.M., **399**, 205
Rouzioux, J.M., see Borson-Chazot, F., **382**, 433
Rowntree, C.I. and Bland, B.H. An analysis of cholinoceptive neurons in the hippocampal formation by direct microinfusion, **362**, 98
Rubenstein, R., Kascsak, R.J., Merz, P.A., Wisniewski, H.M., Carp, R.I. and Iqbal, K. Paired helical filaments associated with Alzheimer disease are readily soluble structures, **372**, 80
Ruberg, M., Rieger, F., Villageois, A., Bonnet, A.M. and Agid, Y. Acetylcholinesterase and butyrylcholinesterase in frontal cortex and cerebrospinal fluid of demented and non-demented patients with Parkinson's disease, **362**, 83
Rubin, B.S., Fox, T.O. and Bridges, R.S. Estrogen binding in nuclear and cytosolic extracts from brain and pituitary of middle-aged female rats, **383**, 60
Rubin, G., see Pranzatelli, M.R., **364**, 57
Rucker, H.K., Corbus, M.J. and Pirch, J.H. Discriminative conditioning-related slow potential and single-unit responses in the frontal cortex of urethane-anesthetized rats, **376**, 368
Ruda, M.A., see Hylden, J.L.K., **370**, 401
Ruddock, K.H., see Hankins, M.W., **380**, 297
Rusak, B., see Meijer, J.H., **382**, 109
Russell, A.G., see Kukulka, C.G., **362**, 47
Rustad, R., see Mower, G.D., **380**, 253
Rustioni, A., see Barbaresi, P., **382**, 305
Ruwe, W.D., see Naylor, A.M.,

385, 156
Ryan, A.F. and Schwartz, I.R.
Nipecotic acid: preferential accumulation in the cochlea by GABA uptake systems and selective retrograde transport to brainstem, **399**, 399
Ryan, A.F., see Luyten, W.H.M.L., **373**, 68
Ryan, K.J., see Canick, J.A., **372**, 277
Rybicki, K.J., see Kaufman, M.P., **377**, 199
Rydel, R.E., see Johnson Jr., E.M., **383**, 100
Rydenhag, B., Shyu, B.C., Olausson, B. and Andersson, S.A.
Influence of changes of tooth temperature on reflex and central activity evoked by stimulation of tooth pulp afferents, **367**, 337
Rye, D.B., see Bolam, J.P., **397**, 279
Rye, D.B., see Standaert, D.G., **382**, 163
Ryu, P.D., see Murase, K., **365**, 369
Ryu, P.D., see Randic, M., **383**, 15
Ryugo, D.K., see Berglund, A.M., **383**, 327

S

Saadé, N.E., Tabet, M.S., Soueidan, S.A., Bitar, M., Atweh, S.F. and Jabbur, S.J.
Supraspinal modulation of nociception in awake rats by stimulation of the dorsal column nuclei, **369**, 307
Saavedra, J.M., see Agren, H., **397**, 353
Saavedra, J.M., see Correa, F.M.A., **375**, 259
Saavedra, J.M., see Koulu, M., **369**, 361
Saavedra, J.M., see Koulu, M., **371**, 177
Saavedra, J.M., see Koulu, M., **379**, 257
Saavedra, J.M., see Shigematsu, K., **370**, 383
Sabri, M.I., see Srivastava, S.P., **371**, 319
Sadee, W., see Richards, M.L., **384**, 132
Sadée, W., see Hochhaus, G., **382**, 327
Sadoshima, S., Fujii, K., Yao, H., Ibayashi, S. and Fujishima, M.
Effect of chronic sympathetic denervation on cerebrovascular hypertrophy during the development of hypertension in rats, **379**, 205
Sadowski, B., see Panocka, I., **397**, 152
Sadowski, B., see Panocka, I., **397**, 156
Saeki, K., see Yoshitomi, I., **362**, 195
Saeki, K., see Yoshitomi, I., **398**, 57
Sagar, S.M.
NADPH diaphorase histochemistry in the rabbit retina, **373**, 153
Sagen, J. and Proudfit, H.K.
Alterations in nociception following lesions of the A5 catecholamine nucleus, **370**, 93
Sagen, J., Pappas, G.D. and Perlow, M.J.
Adrenal medullary tissue transplants in the rat spinal cord reduce pain sensitivity, **384**, 189
Sahakian, B.J., Sarna, G.S., Kantamaneni, D.B., Jackson, A., Hutson, P.H. and Curzon, G.
CSF tryptophan and transmitter amine turnover may predict social behaviour in the normal rat, **399**, 162
Saidel, W.M. and Monsell, E.M.
Organization of the motor neuron components of the pallial nerve in octopus, **374**, 30
Saito, H., see Tanaka, J., **379**, 200
Saito, M., see Shimazu, T., **369**, 215
Saito, N. and Tanaka, C.
Immunohistochemical demonstration of GABA containing neurons in the guinea pig ileum using purified GABA antiserum, **376**, 78
Saito, T., see Kanno, T., **369**, 275
Saitoh, T. and Dobkins, K.R.
Protein kinase C in human brain and its inhibition by calmodulin, **379**, 196
Sakai, Y., Kimura, H. and Okamoto, K.
Pharmacological characterization of serotonin receptor induced by rat brain messenger RNA in *Xenopus* oocytes, **362**, 199
Sakai, Y., see Sekiguchi, M., **378**, 174
Sakamoto, M., see Suda, M., **374**, 236
Sakamoto, N., Kogure, K., Kato, H. and Ohtomo, H.
Disturbed Ca^{2+} homeostasis in the gerbil hippocampus following brief transient ischemia, **364**, 372
Sakamoto, N., Michel, J.-P., Kiyama, H., Tohyama, M., Kopp, N. and Pearson, J.
Neurotensin immunoreactivity in the human cingulate gyrus, hippocampal subiculum and mammillary bodies. Its potential role in memory processing, **375**, 353
Sakamoto, N., see Kiyama, H., **375**, 357
Sakamoto, N., see Michel, J.-P., **377**, 383
Sakamoto, N., see Michel, J.-P., **397**, 93
Sakanaka, M., Shibasaki, T. and Lederis, K.
Distribution and efferent projections of corticotropin-releasing factor-like immunoreactivity in the rat amygdaloid complex, **382**, 213
Sakellaridis, N., see Davies, D.L., **378**, 251
Salaices, M., see Recio, L., **376**, 262
Salame, C.G., see Dum, R.P., **372**, 198
Saland, L.C., Wallace, J.A. and Comunas, F.
Serotonin-immunoreactive nerve fibers of the rat pituitary: effects of anticatecholamine and antiserotonin drugs on staining patterns, **368**, 310
Salinger, W.L., see Schroeder, C.E., **381**, 143
Salvadori, S., see Sandrini, G., **371**, 364
Samanin, R., see Romandini, S., **377**, 351
Samorajski, T., see Dougherty, P.M., **385**, 401
Samorajski, T., see Wiggins, R.C., **368**, 277
Samyn, M.M., see Pieper, D.R., **380**, 54
Sanberg, P.R., Bunsey, M.D., Hagenmeyer-Houser, S.H., Fine, K.E., Hillyer, J.G., Huntsman, C.S., Justice, C.A., McCann, S.A., McCoy, D.L., Monago, J.M., and Rose, J.G.
Regulatory changes following kainic acid-induced striatal lesions, **367**, 314
Sanberg, P.R., see Deckel, A.W., **365**, 249
Sandner, G., Schmitt, P. and Karli, P.
Unit activity alterations induced in the mesencephalic periaqueductal gray by local electrical stimulation, **386**, 53
Sandrew, B.B., Edwards, D.L., Poletti, C.E. and Foote, W.E.
Amygdalospinal projections in the cat, **373**, 235
Sandrini, G., Degli Uberti, E.C., Salvadori, S., Margutti, A., Trasforini, G., Tomatis, R., Nappi, G. and Pansini, R.
Dermorphin inhibits spinal nociceptive flexion reflex in humans, **371**, 364
Sándor, P., De Jong, W. and De Wied, D.
Endorphinergic mechanisms in cerebral blood flow autoregulation, **386**, 122
Sans, A., Etchecopar, B., Brehier, A. and Thomasset, M.
Immunocytochemical detection of vitamin D-dependent calcium-binding protein (CaBP-28K) in vestibular sensory hair cells and vestibular ganglion neurones of the cat, **364**, 190
Santer, D.M., Heydorn, W.E., Creed, G.J., Klein, D.C. and Jacobowitz, D.M.
Subfornical organ: effects of salt loading and water deprivation on in vitro radioamino acid incorporation into individual proteins, **372**, 107
Santicioli, P., see Maggi, C.A., **380**, 83
Saper, C.B., see Standaert, D.G., **382**, 163
Sapp, D.W., see Joyce, J.N., **378**, 158
Sapru, H.N., see Punnen, S., **382**, 178
Sarkisova, E.F., see Chubakov, A.R., **369**, 285

Sarna, G.S., see Sahakian, B.J., **399**, 162
Sarrieau, A., see Besson, J., **398**, 329
Sasa, M., Ohno, Y., Ito, J., Kashii, S., Utsumi, S. and Takaori, S.
β-Receptor involvement in locus coeruleus-induced inhibition of spinal trigeminal nucleus neurons: microiontophoretic and HRP studies, **377**, 337
Sasaki, K. and Gemba, H.
Effects of premotor cortex cooling upon visually initiated hand movements in the monkey, **374**, 278
Sasaki, K., see Fukuda, M., **374**, 249
Sasaki, K., see Ono, T., **373**, 92
Sasek, C.A. and Elde, R.P.
Coexistence of enkephalin and dynorphin immunoreactivities in neurons in the dorsal gray commissure of the sixth lumbar and first sacral spinal cord segments in rat, **381**, 8
Sato, A., see Katafuchi, T., **363**, 141
Sato, A., see Kurosawa, M., **367**, 250
Sato, M., see Kanosue, K., **379**, 90
Sato, S., see Rechthand, E., **374**, 185
Sato, Y., see Tashima, T., **399**, 80
Sato, Y., see Yamamoto, F., **371**, 350
Satou, M., see Matsushima, T., **365**, 198
Satrústegui, J., see Vitorica, J., **378**, 36
Sauren, Y., see Steinbusch, H.W.M., **368**, 389
Savage, D.D., Reigel, C.E. and Jobe, P.C.
Angular bundle kindling is accelerated in rats with a genetic predisposition to acoustic stimulus-induced seizures, **376**, 412
Savasta, M., Dubois, A. and Scatton, B.
Autoradiographic localization of D_1 dopamine receptors in the rat brain with [^{3}H]SCH 23390, **375**, 291
Sawada, Y., see Kawahara, K., **378**, 61
Sawaguchi, T., Matsumura, M. and Kubota, K.
Dopamine modulates neuronal activities related to motor performance in the monkey prefrontal cortex, **371**, 404
Sawai, H., see Fukuda, Y., **384**, 373
Sawyer, S.F., see Tepper, J.M., **367**, 230
Sawyer, W.B., see Loewy, A.D., **386**, 313
Sawynok, J. and Reid, A.
Role of ascending and descending noradrenergic pathways in the antinociceptive effect of baclofen and clonidine, **386**, 341
Sayson, S.C., see Helke, C.J., **381**, 1
Scabini, D., see Brailowsky, S., **362**, 322
Scallet, A.C. and Olney, J.W.
Components of hypothalamic obesity: bipiperidyl-mustard lesions add hyperphagia to monosodium glutamate-induced hyperinsulinemia, **374**, 380
Scallet, A.C., see Faris, P.L., **367**, 405
Scarfone, E., see Favre, D., **384**, 379
Scarpignato, C., Tirelli, F. and Pontiroli, A.E.
Bombesin inhibits growth hormone response to insulin-induced hypoglycemia in humans, **371**, 187
Scatton, B., Dennis, T., L'Heureux, R., Monfort, J.-C., Duyckaerts, C. and Javoy-Agid, F.
Degeneration of noradrenergic and serotonergic but not dopaminergic neurones in the lumbar spinal cord of parkinsonian patients, **380**, 181
Scatton, B., see Camus, A., **375**, 135
Scatton, B., see Lloyd, K.G., **363**, 390
Scatton, B., see Motohashi, N., **397**, 265
Scatton, B., see Nishikawa, T., **371**, 123
Scatton, B., see Nishikawa, T., **373**, 324
Scatton, B., see Savasta, M., **375**, 291
Scatton, B., see Serrano, A., **378**, 191
Sceats Jr., D.J., Friedman, W.A., Sypert, G.W. and Ballinger Jr., W.E.
Regeneration in peripheral nerve grafts to the cat spinal cord, **362**, 149
Schachner, M., see Lindner, J., **377**, 298
Schachner, M., see Noronha, A.B., **385**, 237
Schäfer, S. and Bicker, G.
Common projection areas of 5-HT- and GABA-like immunoreactive fibers in the visual system of the honeybee, **380**, 368
Schairer, J.O. and Bennett, M.V.L.
Changes in gain of the vestibulo-ocular reflex induced by combined visual and vestibular stimulation in goldfish, **373**, 164
Schairer, J.O. and Bennett, M.V.L.
Changes in gain of the vestibulo-ocular reflex induced by sinusoidal visual stimulation in goldfish, **373**, 177
Schall, J.D., Perry, V.H. and Leventhal, A.G.
Retinal ganglion cell dendritic fields in Old-World monkeys are oriented radially, **368**, 18
Schallert, T., Hernandez, T.D. and Barth, T.M.
Recovery of function after brain damage: severe and chronic disruption by diazepam, **379**, 104
Schanne, F.A.X., see Stanton, P.K., **382**, 185
Scheich, H., see Gonzalez-Lima, F., **363**, 239
Scheidt, P., Waehneldt, T.V., Beuche, W. and Friede, R.L.
Changes of myelin proteins during wallerian degeneration in situ and in millipore diffusion chambers preventing active phagocytosis, **379**, 380
Scheinin, M., see Koulu, M., **371**, 177
Scheller, R.H., see Shyamala, M., **371**, 49
Scherman, D., Boschi, G., Rips, R. and Henry, J.-P.
The regionalization of [^{3}H]dihydrotetrabenazine binding sites in the mouse brain and its relationship to the distribution of monoamines and their metabolites, **370**, 176
Schiavone, M.T., Brosnihan, K.B., Husain, A. and Ferrario, C.M.
Basal and potassium-evoked release of angiotensin II from the rat hypothalamus, **397**, 193
Schick, R.R., Yaksh, T.L. and Go, V.L.W.
An intragastric meal releases the putative satiety factor cholecystokinin from hypothalamic neurons in cats, **370**, 349
Schiffer, D., Giordana, M.T., Migheli, A., Giaccone, G., Pezzotta, S. and Mauro, A.
Glial fibrillary acidic protein and vimentin in the experimental glial reaction of the rat brain, **374**, 110
Schild, D. and Schultens, H.A.
The Fourier transform of a peristimulus time histogram can lead to erroneous results, **369**, 353
Schipper, J., see Berkenbosch, F., **399**, 87
Schleicher, A., see Zilles, K., **380**, 201
Schleicher, G., Stumpf, W.E., Morin, J.K. and Drews, U.
Sites of aromatization of [^{3}H]testosterone in forebrain of male, female and androgen receptor-deficient Tfm mice: an autoradiographic study, **397**, 290
Schlumpf, B.E. and Davis, R.E.
Intraocular colchicine inhibits competition between resident and foreign optic axons for functional connections in the doubly innervated goldfish optic tectum, **386**, 305
Schlumpf, M., see Lichtensteiger, W., **368**, 205
Schmechel, D.E., see Walsh, T.J., **398**, 23
Schmid, P.G., see Pardini, B.J., **384**, 274
Schmidley, J.W. and Wissig, S.L.
Anionic sites on the luminal surface of fenestrated and continuous capillaries of the CNS, **363**, 265
Schmidt, H., see Siebler, M., **362**, 299
Schmidt, R., Löffler, F., Müller, H.W. and Seifert, W.
Immunological cross-reactivity of cultured rat hippocampal neurons with goldfish brain proteins synthesized during memory consolidation, **386**, 245
Schmidt, R.E., Grabau, G.G. and Yip, H.K.
Retrograde axonal transport of [^{125}I]nerve growth factor in ileal mesenteric nerves in vitro: effect of streptozotocin diabetes, **378**, 325
Schmitt, P., see Jenck, F., **378**, 274
Schmitt, P., see Sandner, G., **386**, 53

Schmued, L.C. and Fallon, J.H.
Fluoro-Gold: a new fluorescent retrograde axonal tracer with numerous unique properties, **377**, 147
Schneider, J.S. and Markham, C.H.
Neurotoxic effects of *N*-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in the cat. Tyrosine hydroxylase immunohistochemistry, **373**, 258
Schneiderman, J.H.
Low concentrations of penicillin reveal rhythmic, synchronous synaptic potentials in hippocampal slice, **398**, 231
Schneiderman, N., see Jarrell, T.W., **374**, 126
Schneiderman, N., see Jarrell, T.W., **381**, 251
Schneiderman, N., see Jarrell, T.W., **382**, 199
Schneiderman, N., see Vera, P.L., **386**, 84
Schoevart, D., see Represa, A., **384**, 170
Schomburg, E.D., Steffens, H. and Warneke, G.
Functional organization of the spinal reflex pathways from forelimb afferents to hindlimb motoneurones in the cat. II. Conditions of the interneuronal connections, **375**, 280
Schonfeld, A.R., see Heacock, A.M., **363**, 299
Schouenborg, J. and Sjölund, B.H.
First-order nociceptive synapses in rat dorsal horn are blocked by an amino acid antagonist, **379**, 394
Schouenborg, J., Kalliomäki, J., Gustavsson, P. and Rosén, I.
Field potentials evoked in rat primary somatosensory cortex (SI) by impulses in cutaneous Aβ- and C-fibres, **397**, 86
Schroeder, C.E., Salinger, W.L. and Garraghty, P.E.
The relationship between axonal and perisynaptic conduction times in the retinogeniculate pathway of cats, **381**, 143
Schubert, P., Heinemann, U. and Kolb, R.
Differential effect of adenosine on pre- and postsynaptic calcium fluxes, **376**, 382
Schulte, B.A., see Streit, W.J., **377**, 1
Schultens, H.A., see Schild, D., **369**, 353
Schulz, D.W., see Walsh, T.J., **363**, 222
Schulz, D.W., see Walsh, T.J., **398**, 23
Schumacher, M. and Balthazart, J.
Testosterone-induced brain aromatase is sexually dimorphic, **370**, 285
Schumacher, M. and Hutchison, J.B.
Testosterone induces hypothalamic aromatase during early development in quail, **377**, 63
Schumacher, M., see Balthazart, J., **378**, 240
Schurr, A., Reid, K.H., Tseng, M.T., West, C. and Rigor, B.M.
Adaptation of adult brain tissue to anoxia and hypoxia in vitro, **374**, 244
Schwab, M.E., see Marchand, C.F., **383**, 262
Schwarcz, R., see Björklund, H., **371**, 267
Schwarcz, R., see Goldstein, M., **367**, 114
Schwarcz, R., see Mazzari, S., **380**, 309
Schwartz, I.R., see Ryan, A.F., **399**, 399
Schwartz-Giblin, S., see Sullivan, J.M., **368**, 197
Schwartzkroin, P.A., see Davis, A.K., **370**, 44
Schwartzkroin, P.A., see Taube, J.S., **379**, 275
Schwartzman, R.J., Eidelberg, E. and Alexander, G.M.
Asymmetrical regional changes in energy metabolism of the central nervous system during walking, **398**, 113
Schwarz, M., Ikonomidou, C., Klockgether, T., Turski, L., Ellenbroek, B. and Sontag, K.-H.
The role of striatal cholinergic mechanisms for the development of limb rigidity: an electromyographic study in rats, **373**, 365
Schwarz, M., see Klockgether, T., **399**, 1
Schwarz, M., see Turski, L., **370**, 294
Schwarz, M., see Turski, L., **379**, 367
Schweitzer, J.S., see Brown Jr., R.H., **381**, 237
Schwerdtfeger, W.K. and Buhl, E.
Various types of non-pyramidal hippocampal neurons project to the septum and contralateral hippocampus, **386**, 146
Schwerdtfeger, W.K., Lopez-Garcia, C., Martinez-Guijarro, F.J. and Tineo Roberto, P.L.
GABAergic neurons in the septum of the lizard, *Podarcis hispanica*, **384**, 184
Schwindt, P.C., see Flatman, J.A., **363**, 62
Scott, S.L., see Mobley, P.L., **398**, 366
Seal, J., see Commenges, D., **383**, 350
Sebille, A., see Bondoux-Jahan, M., **382**, 39
Sedivec, M.J., see Traub, R.J., **399**, 185
Seeds, N.W., see Hawkins, R.L., **398**, 63
Segal, M. and Azmitia, E.C.
Fetal raphe neurons grafted into the hippocampus develop normal adult physiological properties, **364**, 162
Segawa, T., see Nomura, Y., **379**, 118
Segu, L., Abdelkefi, J., Dusticier, G. and Lanoir, J.
High-affinity serotonin binding sites: autoradiographic evidence for their location on retinal afferents in the rat superior colliculus, **384**, 205
Seguela, P., see Gamrani, H., **364**, 30
Seidah, N.G., see Marcinkiewicz, M., **380**, 349
Seidah, N.G., see Van Leeuwen, F.W., **379**, 171
Seidel, W.T. and Corcoran, M.E.
Relations between amygdaloid and anterior neocortical kindling, **385**, 375
Seiden, L.S., see Commins, D.L., **365**, 15
Seifert, W., see Schmidt, R., **386**, 245
Seifert, W., see Wieraszko, A., **371**, 305
Seil, F.J., see Bourdette, D.N., **366**, 333
Seil, F.J., see Leiman, A.L., **365**, 205
Seino, K., see Tonoue, T., **378**, 394
Seizinger, B.R., Liebisch, D.C., Kish, S.J., Arendt, R.M., Hornykiewicz, O. and Herz, A.
Opioid peptides in Huntington's disease: alterations in prodynorphin and proenkephalin system, **378**, 405
Sekiguchi, M., Okamoto, K. and Sakai, Y.
Release of endogenous aspartate and glutamate induced by electrical stimulation in guinea pig cerebellar slices, **378**, 174
Sekiguchi, R. and Moroji, T.
A comparative study on characterization and distribution of cholecystokinin binding sites among the rat, mouse and guinea pig brain, **399**, 271
Selzer, M.E., see Adler, E.M., **362**, 271
Selzer, M.E., see Kaplan, F.S., **384**, 199
Semba, K., see Egger, M.D., **383**, 68
Semba, R., see Shinohara, H., **382**, 33
Sera, M., see Ishidori, H., **370**, 153
Sera, M., see Nishimori, T., **372**, 375
Seroogy, K.B., see Gall, C., **374**, 389
Serrano, A., D'Angio, M. and Scatton, B.
In vivo voltammetric measurement of extracellular DOPAC levels in the anteromedial prefrontal cortex of the rat, **378**, 191
Sersen, E.A., see Majkowski, J., **386**, 325
Sesma, M.A., see Irvin, G.E., **362**, 254
Seth, P.K., see Srivastava, S.P., **371**, 319
Seto, K., see Tanaka, J., **379**, 200
Severs, W.B., see Hwang, B.H., **371**, 345
Severs, W.B., see Wurpel, J.N.D., **365**, 21
Severs, W.B., see Wurpel, J.N.D., **365**, 30
Severs, W.B., see Ziedonis, D.M., **373**, 27
Seyfried, T.N., see Levine, S.M., **374**, 260
Seylaz, J., see Mraovitch, S., **380**, 42
Shaikh, M.B., see Brutus, M., **366**, 53
Shank, R.P., see Friedman, R.N., **364**, 172

Shapiro, M., see Wible, C.G., **399**, 97
Sharbrough, F.W., see Meyer, F.B., **384**, 180
Share, L., see Brooks, D.P., **371**, 42
Sharma, S.C., see Fraley, S.M., **385**, 179
Sharp, F.R., see Gonzalez, M.F., **369**, 395
Sharp, F.R., see Luyten, W.H.M.L., **373**, 68
Sharp, T., see Zetterström, T., **362**, 344
Sharpless, N.S., see Albala, B.J., **370**, 388
Shavit, Y., Terman, G.W., Lewis, J.W., Zane, C.J., Gale, R.P. and Liebeskind, J.C.
Effects of footshock stress and morphine on natural killer lymphocytes in rats: studies of tolerance and cross-tolerance, **372**, 382
Shcherbatko, A.D., see Kononenko, N.I., **376**, 239
Shefner, S.A. and Chiu, T.H.
Adenosine inhibits locus coeruleus neurons: an intracellular study in a rat brain slice preparation, **366**, 364
Shehab, S.A.S. and Atkinson, M.E.
Vasoactive intestinal polypeptide (VIP) increases in the spinal cord after peripheral axotomy of the sciatic nerve originate from primary afferent neurons, **372**, 37
Shehab, S.A.S., Atkinson, M.E. and Payne, J.N.
The origins of the sciatic nerve and changes in neuropeptides after axotomy: a double labelling study using retrograde transport of True blue and vasoactive intestinal polypeptide immunohistochemistry, **376**, 180
Shen, E., see Jiang, C., **377**, 190
Shen, Z., see Kanosue, K., **379**, 90
Shenkman, L., Rabey, J.M. and Gilad, G.M.
Cholinergic muscarinic binding by rat lymphocytes: effects of antagonist treatment, strain and aging, **380**, 303
Sheppard, A.R., see Bawin, S.M., **362**, 350
Sheppard, A.R., see Bawin, S.M., **399**, 194
Sheridan, P.J., see Herbert, D.C., **362**, 318
Sheu, F.-S., see Routtenberg, A., **378**, 374
Shibasaki, H., Barrett, G., Neshige, R., Hirata, I. and Tomoda, H.
Volitional movement is not preceded by cortical slow negativity in cerebellar dentate lesion in man, **368**, 361
Shibasaki, T., see Hisano, S., **370**, 321
Shibasaki, T., see Imaki, T., **383**, 323
Shibasaki, T., see Sakanaka, M., **382**, 213
Shibata, H., see Mutai, M., **371**, 90
Shibata, K., Kataoka, Y., Yamashita, K. and Ueki, S.
An important role of the central amygdaloid nucleus and mammillary body in the mediation of conflict behavior in rats, **372**, 159
Shibata, R., see Ono, T., **373**, 92
Shibuya, T., see Kanzaki, R., **377**, 378
Shigematsu, K., Niwa, M. and Saavedra, J.M.
Increased density of substance P binding sites in specific brainstem nuclei of spontaneously hypertensive rats, **370**, 383
Shigenaga, Y., see Ishidori, H., **370**, 153
Shigenaga, Y., see Nishimori, T., **372**, 375
Shima, F., see Matsuoka, S., **398**, 253
Shima, K., Nakahama, H. and Yamamoto, M.
Firing properties of two types of nucleus raphe dorsalis neurons during the sleep–waking cycle and their responses to sensory stimuli, **399**, 317
Shima, K., see Yamamoto, M., **366**, 279
Shimahara, T., see Takeda, K., **398**, 75
Shimatsu, A., see Kabayama, Y., **372**, 394
Shimazu, T., Noma, M. and Saito, M.
Chronic infusion of norepinephrine into the ventromedial hypothalamus induces obesity in rats, **369**, 215
Shimizu, N. and Oomura, Y.
Calcitonin-induced anorexia in rats: evidence for its inhibitory action on lateral hypothalamic chemosensitive neurons, **367**, 128
Shimoji, K., see Takahata, Y., **381**, 368
Shimosegawa, T., Koizumi, M., Toyota, T., Goto, Y., Yanaihara, C. and Yanaihara, N.
An immunohistochemical study of methionine-enkephalin-Arg^6-Gly^7-Leu^8-like immunoreactivity-containing liquor-contacting neurons (LCNs) in the rat spinal cord, **379**, 1
Shin, C., Rigsbee, L.C. and McNamara, J.O.
Anti-seizure and anti-epileptogenic effect of γ-vinyl γ-aminobutyric acid in amygdaloid kindling, **398**, 370
Shin, C., see Iadarola, M.J., **365**, 185
Shin, D.H., see Kamo, H., **397**, 372
Shin, H.K., see Kim, J., **377**, 182
Shingai, R. and Quandt, F.N.
Single inward rectifier channels in horizontal cells, **369**, 65
Shinnick-Gallagher, P., see Akasu, T., **365**, 365
Shinnick-Gallagher, P., see Nohmi, M., **367**, 346
Shinohara, H., Semba, R., Kato, K., Kashiwamata, S. and Tanaka, O.
Immunohistochemical localization of γ-enolase in early human embryos, **382**, 33
Shinohara, Y., see Yamano, M., **398**, 337
Shinozaki, H. and Ishida, M.
A new potent channel blocker: effects on glutamate responses at the crayfish neuromuscular junction, **372**, 260
Shinozaki, H., Ishida, M. and Okamoto, T.
Acromelic acid, a novel excitatory amino acid from a poisonous mushroom: effects on the crayfish neuromuscular junction, **399**, 395
Shinozaki, T., see Kohsaka, S., **372**, 137
Shiosaka, S., Kiyama, H., Wanaka, A. and Tohyama, M.
A new method for producing a specific and high titre antibody against glutamate using colloidal gold as a carrier, **382**, 399
Shiosaka, S., see Kiyama, H., **375**, 357
Shiosaka, S., see Lee, Y., **382**, 392
Shirao, T., see Obata, K., **375**, 37
Shirasu, A., see Yokoi, I., **385**, 212
Shiromani, P.J. and McGinty, D.J.
Pontine neuronal response to local cholinergic infusion: relation to REM sleep, **386**, 20
Shivers, R., see Orchard, I., **397**, 359
Shizgal, P., see Rompré, P.-P., **364**, 338
Shizume, K., see Imaki, T., **383**, 323
Shizume, K., see Nakagami, Y., **386**, 232
Shouse, M.N., see Sterman, M.B., **383**, 382
Shulkes, A., see Lewis, S.J., **399**, 173
Shuman, S., see Sobue, G., **362**, 23
Shyamala, M., Nambu, J.R. and Scheller, R.H.
Expression of the egg-laying hormone gene family in the head ganglia of *Aplysia*, **371**, 49
Shyu, B.C., see Rydenhag, B., **367**, 337
Sicard, G.
Electrophysiological recordings from olfactory receptor cells in adult mice, **397**, 405
Sidenius, P., see Brændgaard, H., **378**, 1
Siebler, M. and Schmidt, H.
Induction of the action potential in innervated slow muscle fibers of the frog. Effects of tetrodotoxin, vincristine and colchicine, **362**, 299
Siegel, A., see Brutus, M., **366**, 53
Sieklucka, M., see Consolo, S., **363**, 128
Sieklucka-Dziuba, M., see Turski, L., **398**, 37
Sierra, V., see Uphouse, L., **381**, 376
Siest, G., see Walther, B., **375**, 340
Sievert, C.F. and Neafsey, E.J.
A chronic unit study of the sensory properties of neurons in the forelimb areas of rat sensorimotor cortex, **381**, 15
Siggins, G.R., see Rogers, J., **385**, 253
Silage, D.A., see Davies, R.O., **366**, 22
Silberberg, D., see Kaplan, F.S., **384**, 199
Silva, B.W., see Dahl, J.L., **373**, 316
Silver, I.A., see Erecinska, M., **369**, 193

Silver, I.A., see Erecinska, M., **369**, 203
Silver, W.L., Mason, J.R., Adams, M.A. and Smeraski, C.A. Nasal trigeminal chemoreception: responses to *n*-aliphatic alcohols, **376**, 221
Simon, H., see Louilot, A., **397**, 395
Simon, J., see Sterz, R., **385**, 99
Simon, J., see Wei, J.Y., **370**, 108
Simons, J., see Wassef, M., **399**, 125
Simpson, S.J., see Rolls, E.T., **368**, 79
Sinclair, C.M., Bartlett, P.F., Greig, D.I. and Jeffrey, P.L. Distribution of Thy-1 in the avian nervous system: immunohistochemical and absorption analyses with a monoclonal antibody, **398**, 91
Siok, C.J., see Bronzino, J.D., **384**, 348
Sirett, N.E., see Herbison, A.E., **364**, 391
Sirinathsinghji, D.J.S. Regulation of lordosis behaviour in the female rat by corticotropin-releasing factor, β-endorphin/corticotropin and luteinizing hormone-releasing hormone neuronal systems in the medial preoptic area, **375**, 49
Sirinathsinghji, D.J.S., Whittington, P.E. and Audsley, A.R. Neurochemical changes in the substantiae nigrae and caudate nuclei following acute unilateral intranigral infusions of *N*-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP), **399**, 339
Sirinathsinghji, D.J.S., Whittington, P.E. and Audsley, A.R. Regulation of mating behaviour in the female rat by gonadotropin-releasing hormone in the ventral tegmental area: effects of selective destruction of the A10 dopamine neurones, **374**, 167
Sivam, S.P., see Li, S., **398**, 390
Sjölund, B.H., see Schouenborg, J., **379**, 394
Skaggs, K.K., see Wenthold, R.J., **363**, 371
Skaper, S.D., Montz, H.P.M. and Varon, S. Control of Na^+,K^+-pump activity in dorsal root ganglionic neurons by different neuronotrophic agents, **386**, 130
Skaper, S.D., see Manthorpe, M., **367**, 282
Skofitsch, G., see Zamir, N., **365**, 105
Skofitsch, G., see Zamir, N., **373**, 240
Skolnick, P., see Bolger, G.T., **368**, 351
Skolnick, P., see Havoundjian, H., **375**, 401
Skup, M., see Gradkowska, M., **375**, 417
Sladek, C.D., see Aravich, P.F., **385**, 245
Sladek, C.D., see Armstrong, W.E., **365**, 192
Sladek, C.D., see Earnest, D.J., **382**, 129
Sladek, C.D., see Sladek Jr., J.R., **365**, 293
Sladek Jr., J.R., Davis, B.J. and Sladek, C.D. Localization of vasopressin-neurophysin and norepinephrine in the supraoptic nucleus of spontaneously hypertensive rats, **365**, 293
Slater, N.T., Filbert, M. and Carpenter, D.O. Multiple interactions of anticholinesterases with *Aplysia* acetylcholine responses, **375**, 407
Slob, W., see Janse, C., **376**, 208
Slotkin, T.A., Cowdery, T.S., Orband, L., Pachman, S. and Whitmore, W.L. Effects of neonatal hypoxia on brain development in the rat: immediate and long-term biochemical alterations in discrete regions, **374**, 63
Sloviter, R.S., Knebel Doeberitz, C.v., Walsh, T.J. and Dempster, D.W. On the role of seizure activity in the hippocampal damage produced by trimethyltin, **367**, 169
Sluiter, A.A., see Van Leeuwen, F.W., **379**, 171
Small, D.H., see Ismael, Z., **376**, 230
Smeraski, C.A., see Silver, W.L., **376**, 221
Smith, A., see McFarland, D.H., **366**, 272
Smith, A.D., see Bolam, J.P., **397**, 279
Smith, A.D., see Kubota, Y., **367**, 374
Smith, A.D., see Kubota, Y., **370**, 343
Smith, A.M., see Lalonde, R., **362**, 161
Smith, A.T., see Hammond, P., **386**, 93
Smith, C., see Wilkening, D., **368**, 239
Smith, D.H., see Wilkening, D., **368**, 239
Smith, K.E., Hachinski, V.C., Gibson, C.J. and Ciriello, J. Changes in plasma catecholamine levels after insula damage in experimental stroke, **375**, 182
Smith, N.T., see Amalric, M., **386**, 287
Smith, N.T., see Blasco, T.A., **386**, 280
Smith, P.F., Darlington, C.L. and Curthoys, I.S. The effect of visual deprivation on vestibular compensation in the guinea pig, **364**, 195
Smith, Q.R., see Tai, C.-Y., **385**, 227
Smith, T.M., Perumal, A.S., Suckow, R.F. and Cooper, T.B. Brain regional [^{3}H]flunitrazepam binding in rats chronically treated with bupropion or B.W.306U, **367**, 385
Smith, T.M., see Kreider, B.Q., **397**, 238
Smith, Y. and Parent, A. Neuropeptide Y-immunoreactive neurons in the striatum of cat and monkey: morphological characteristics, intrinsic organization and co-localization with somatostatin, **372**, 241
Smithson, K.G., see Cobbett, P., **362**, 7
Snell, C.R., see Whitford, C.A., **398**, 141
Snodgrass, S.R., see Pranzatelli, M.R., **364**, 57
Snodgrass, S.R., see Pranzatelli, M.R., **364**, 67
Snow, P.J., see Cameron, A.A., **362**, 1
Snow, R.W. and Dudek, F.E. Evidence for neuronal interactions by electrical field effects in the CA3 and dentate regions of rat hippocampal slices, **367**, 292
Snyder, D.W., see Park, D.H., **378**, 183
Snyder, L., see Biegon, A., **363**, 91
Snyder, S.H., see Gundlach, A.L., **386**, 266
So, K.-F., Xiao, Y.-M. and Diao, Y.-C. Effects on the growth of damaged ganglion cell axons after peripheral nerve transplantation in adult hamsters, **377**, 168
Sobue, G., Shuman, S. and Pleasure, D. Schwann cell responses to cyclic AMP: proliferation, change in shape, and appearance of surface galactocerebroside, **362**, 23
Sofroniew, M.V., Isacson, O. and Björklund, A. Cortical grafts prevent atrophy of cholinergic basal nucleus neurons induced by excitotoxic cortical damage, **378**, 409
Sofroniew, M.V., Pearson, R.C.A., Cuello, A.C., Tagari, P.C. and Stephens, P.H. Parenterally administered GM_1 ganglioside prevents retrograde degeneration of cholinergic cells of the rat basal forebrain, **398**, 393
Sofroniew, M.V., see Cuello, A.C., **376**, 373
Soja, P.J., see Chase, M.H., **386**, 237
Sokoloff, L., see Dow-Edwards, D., **373**, 139
Sokolovsky, M., see Egozi, Y., **383**, 310
Solomon, R.A., see McCormack, B.M., **382**, 395
Somjen, G.G., see Aitken, P.G., **369**, 163
Somjen, G.G., see Balestrino, M., **377**, 229
Somjen, G.G., see Balestrino, M., **385**, 219
Soncrant, T.T., Horwitz, B., Holloway, H.W. and Rapoport, S.I. The pattern of functional coupling of brain regions in the awake rat, **369**, 1
Song, G.-X., see Wu, J.-Y., **373**, 1
Sonnier, B.J., see Gómez-Pinilla, F., **385**, 343
Sonntag, W.E., Gottschall, P.E. and

Meites, J.
Increased secretion of somatostatin-28 from hypothalamic neurons of aged rats in vitro, **380**, 229
Sonoda, H., Ikenoue, K. and Yokota, T.
Periaqueductal gray inhibition of visceral intercostal and galvanic skin reflexes, **369**, 91
Sontag, K.-H., see Klockgether, T., **399**, 1
Sontag, K.-H., see Schwarz, M., **373**, 365
Sontag, K.-H., see Turski, L., **370**, 294
Sontag, K.-H., see Turski, L., **379**, 367
Sotelo, C., see Bourrat, F., **378**, 69
Sotelo, C., see Wassef, M., **399**, 125
Sotgiu, M.L.
Effects of noxious stimuli on neurons of the lateral reticular nucleus region in rabbits, **375**, 168
Soueidan, S.A., see Saadé, N.E., **369**, 307
South, E.H. and Ritter, R.C.
Substance P-containing trigeminal sensory neurons project to the nucleus of the solitary tract, **372**, 283
Southern, P.J., see Blount, P., **382**, 257
Spampinato, U., see Girault, J.A., **374**, 362
Spano, P.F., see Govoni, S., **381**, 138
Spano, P.F., see Lucchi, L., **398**, 212
Sparenborg, S., see Gabriel, M., **384**, 195
Sparkman, D.R.
A cyclic nucleotide and calcium-independent protein kinase of chick brain: activation by a heat-stable protein, **385**, 51
Spatz, L., see Friedman, E., **378**, 142
Spatz, M., Kaneda, N., Sumi, C., Nagatsu, I., Creveling, C.R. and Nagatsu, T.
The presence of catechol-O-methyltransferase activity in separately cultured cerebromicrovascular endothelial and smooth muscle cells, **381**, 363
Spear, P.D., Miller, S., Vielhuber, K. and Kornguth, S.E.
Visual field defects in cats with neonatal or adult immunological loss of retinal ganglion cells, **368**, 154
Spencer Jr., D.G., Horváth, E. and Traber, J.
Direct autoradiographic determination of M1 and M2 muscarinic acetylcholine receptor distribution in the rat brain: relation to cholinergic nuclei and projections, **380**, 59
Spencer, S.E. and Talman, W.T.
Central modulation of gastric pressure by substance P: a comparison with glutamate and acetylcholine, **385**, 371
Sperk, G., see Widmann, R., **367**, 244
Sperling, M.R. and Wilson, C.L.
The effect of limbic and extralimbic electrical stimulations upon prolactin secretion in humans, **371**, 293
Spicer, S.S., see Streit, W.J., **377**, 1
Spiera, H., see Moskowitz, N., **370**, 38
Spies, H.G., see Francis Pau, K.-Y., **399**, 15
Spindler, K., see Kaplan, F.S., **384**, 199
Spira, M.E., see Hochner, B., **398**, 164
Spreafico, R., see Barbaresi, P., **382**, 305
Spreafico, R., see De Biasi, S., **399**, 143
Sripanidkulchai, K. and Wyss, J.M.
Two rapid methods of counterstaining fluorescent dye tracer containing sections without reducing the fluorescence, **397**, 117
Srivastava, S.P., Sabri, M.I., Agrawal, A.K. and Seth, P.K.
Effect of single and repeated doses of acrylamide and *Bis*-acrylamide on glutathione-*S*-transferase and dopamine receptors in rat brain, **371**, 319
Stamford, J.A., Kruk, Z.L. and Millar, J.
An in vivo voltammetric comparison of the effects of three psychomotor stimulants on electrically evoked neostriatal dopamine release, **366**, 350
Stamford, J.A., Kruk, Z.L. and Millar, J.
In vivo voltammetric characterization of low affinity striatal dopamine uptake: drug inhibition profile and relation to dopaminergic innervation density, **373**, 85
Stamford, J.A., Kruk, Z.L. and Millar, J.
Sub-second striatal dopamine release measured by in vivo voltammetry, **381**, 351
Standaert, D.G., Saper, C.B., Rye, D.B. and Wainer, B.H.
Colocalization of atriopeptin-like immunoreactivity with choline acetyltransferase-and substance P-like immunoreactivity in the pedunculopontine and laterodorsal tegmental nuclei in the rat, **382**, 163
Stanley, D.A., see Hernandez, D.E., **381**, 159
Stanley, E.F. and Drachman, D.B.
The effects of nerve section on the non-quantal release of ACh from the motor nerve terminal, **365**, 289
Stanley, H.F. and Fink, G.
Synthesis of specific brain proteins is influenced by testosterone at mRNA level in the neonatal rat, **370**, 223
Stanley, H.F., Borthwick, N.M. and Fink, G.
Brain protein changes during development and sexual differentiation in the rat, **370**, 215
Stanton, P.K. and Schanne, F.A.X.
Hippocampal long-term potentiation increases mitochondrial calcium pump activity in rat, **382**, 185
Stauffer, E.K., Auriemma, R.A. and Moore, G.P.
Responses of Golgi tendon organs to concurrently active motor units, **375**, 157
Staunton, D.A., see Rogers, J., **385**, 253
Steardo, L. and Iovino, M.
Vasopressin release after enhanced serotonergic transmission is not due to activation of the peripheral renin-angiotensin system, **382**, 145
Steel, C.G.H., see Chiang, R.G., **377**, 83
Steffens, H., see Schomburg, E.D., **375**, 280
Stein, B.E., see Meredith, M.A., **365**, 350
Stein, R.D., Genovesi, S., Demarest, K.T. and Weaver, L.C.
Capsaicin treatment attenuates the reflex excitation of sympathetic activity caused by chemical stimulation of intestinal afferent nerves, **397**, 145
Steinbusch, H.W.M., Sauren, Y., Groenewegen, H., Watanabe, T. and Mulder, A.H.
Histaminergic projections from the premammillary and posterior hypothalamic region to the caudate–putamen complex in the rat, **368**, 389
Steinbusch, H.W.M., see Kanagawa, Y., **379**, 377
Steinbusch, H.W.M., see Tonnaer, J.A.D.M., **370**, 200
Steindler, D.A., see Cooper, N.G.F., **380**, 341
Stell, W.K., see Tumosa, N., **370**, 365
Stell, W.K., see Walker, S.E., **384**, 262
Stephens, P.H., see Cuello, A.C., **376**, 373
Stephens, P.H., see Sofroniew, M.V., **398**, 393
Sterman, M.B., Shouse, M.N., Fairchild, M.D. and Belsito, O.
Kindled seizure induction alters and is altered by zinc absorption, **383**, 382
Sternberger, L.A., see Troncoso, J.C., **364**, 295
Sternberger, N.H., see Troncoso, J.C., **364**, 295
Sterz, R., Peper, K., Simon, J., Ebert, J.P., Edge, M., Pagala, M. and Bradley, R.J.
Agonist and blocking effects of choline at the neuromuscular junction, **385**, 99
Sterz, R., see Bradley, R.J., **376**, 199
Stevens, C.W. and Yaksh, T.L.
Spinal action of dermorphin, an extremely potent opioid peptide from frog skin, **385**, 300
Stevens, D.R. and Cotman, C.W.
Excitatory amino acid antagonists depress transmission in hippocampal projections to the lateral septum, **382**, 437
Steward, O., see Sutula, T., **385**, 291
Stewart, G.R., Price, M., Olney, J.W., Hartman, B.K. and Cozzari, C.

N-Methylaspartate: an effective tool for lesioning basal forebrain cholinergic neurons of the rat, **369**, 377
Stewart, M.G., see Chmielowska, J., **368**, 371
Stickrod, G., see Kimble, D.P., **363**, 358
Stiller, R., see Antelman, S.M., **385**, 58
Stollberg, J., Whiting, P.J., Lindstrom, J.M. and Berg, D.K. Functional blockade of neuronal acetylcholine receptors by antisera to a putative receptor from brain, **378**, 179
Stone, E.A. and Herrera, A.S. α-Adrenergic modulation of cyclic AMP formation in rat CNS: highest level in olfactory bulb, **384**, 401
Stone, J., see Maslim, J., **373**, 35
Stone, R.A., see Kuwayama, Y., **381**, 266
Stone, T.W. The relative potencies of (−)-2-amino-5-phosphonovalerate and (−)-2-amino-7-phosphonoheptanoate as antagonists of *N*-methylaspartate and quinolinic acids and repetitive spikes in rat hippocampal slices, **381**, 195
Stone, T.W. The suppression of hippocampal potentials by the benzodiazepine antagonist Ro 15-1788 may be mediated by purines, **380**, 379
Strassman, A., Mason, P., Moskowitz, M. and Maciewicz, R. Response of brainstem trigeminal neurons to electrical stimulation of the dura, **379**, 242
Strassman, A., see Mason, P., **379**, 232
Strecker, R.E., see Rasmussen, K., **369**, 336
Streit, W.J., Schulte, B.A., Balentine, J.D. and Spicer, S.S. Evidence for Glycoconjugate in Nociceptive Primary Sensory Neurons and its Origin from the Golgi Complex, **377**, 1
Strick, P.L., see Greenan, T.J., **362**, 384
Strick, P.L., see Hoffman, D.S., **367**, 287
Stricker, E.M., see Nisenbaum, E.S., **398**, 221
Stricker, E.M., see Onn, S.-P., **376**, 8
Stricker, E.M., see Orr, W.B., **376**, 20
Stritzel, M.E., see Pritz, M.B., **376**, 169
Struble, R.G., see Price, D.L., **385**, 305
Strupish, J., see Hutchison, J.B., **370**, 310
Stryker, M.P., see Levy, R.M., **368**, 170
Stryker, T.D., Conlin, T. and Reichlin, S. Influence of a benzodiazepine, midazolam, and gamma-aminobutyric acid (GABA) on basal somatostatin secretion from cerebral and diencephalic neurons in dispersed cell culture, **362**, 339
Stuart, D.G., see Windhorst, U., **398**, 181
Studler, J.-M., see Herve, D., **383**, 47
Stumpf, W.E., see Schleicher, G., **397**, 290
Su, H.C., see Katagiri, T., **372**, 313
Su, K., see Gogas, K.R., **370**, 370
Suberg, S.N., see Watkins, L.R., **362**, 308
Suckow, R.F., see Smith, T.M., **367**, 385
Suda, M., Nakao, K., Sakamoto, M., Morii, N., Sugawara, A. and Imura, H. Changes in the immunoreactivities of an opioid peptide leumorphin in the hypothalamus and anterior pituitary during the estrous cycle of the rat and their relation to sexual behavior, **374**, 236
Suda, T., see Nakagami, Y., **386**, 232
Suemune, S., see Ishidori, H., **370**, 153
Suemune, S., see Nishimori, T., **372**, 375
Sugawara, A., see Suda, M., **374**, 236
Sugaya, E., Matsuo, T., Takagi, T., Kajiwara, K. and Komatsubara, J. Direct current potential changes of the vagal nuclear area induced by trigeminal stimulation, **369**, 369
Sugaya, E., see Onozuka, M., **362**, 23
Sugihara, H., see Wakabayashi, I., **372**, 361
Sugimoto, A., see Kamata, K., **380**, 1
Sugimoto, T. and Mizuno, N. Immunohistochemical demonstration of neurotensin in striatal neurons of the cat, with particular reference to coexistence with enkephalin, **398**, 195
Sugimoto, T., see Itoh, K., **375**, 214
Sugimoto, T., see Yasui, Y., **368**, 384
Sugimura, H., see Hirata, Y., **397**, 341
Sugino, H., see Takahashi, M., **382**, 332
Sugiyama, H. and Yamashita, Y. Characterization of putative nicotinic acetylcholine receptors solubilized from rat brains, **373**, 22
Sugiyama, T., see Nishino, N., **377**, 186
Sullivan, J.M., Schwartz-Giblin, S. and Pfaff, D.W. Correlations between EEG state and spontaneous and evoked axial muscle EMG, **368**, 197
Sullivan, T.L., see Weiss, S.R.B., **372**, 345
Sumi, C., see Spatz, M., **381**, 363
Sumino, R., see Iwata, K., **368**, 399
Sumitomo, T., see Nakagami, Y., **386**, 232
Summy-Long, J.Y., see Hartman, R.D., **382**, 352
Sumners, C., see Feldstein, J.B., **370**, 265
Sumners, C., see Wilson, K.M., **382**, 87
Sun, M.-K. and Guyenet, P.G. Effect of clonidine and γ-aminobutyric acid on the discharges of medullo-spinal sympathoexcitatory neurons in the rat, **368**, 1
Sundberg, D.K., see Maderdrut, J.L., **377**, 29
Sundt Jr., T.M., see Meyer, F.B., **384**, 180
Sundt Jr., T.M., see Ramana Reddy, S.V., **365**, 278
Surardt, L., see Pasteels, J.L., **384**, 294
Suszkiw, J.B. and Toth, G. Storage and release of acetylcholine in rat cortical synaptosomes: effects of D,L-2-(4-phenylpiperidino)-cyclohexanol (AH5183), **386**, 371
Sutherling, W., see Barth, D.S., **368**, 36
Sutula, T., Harrison, C. and Steward, O. Chronic epileptogenesis induced by kindling of the entorhinal cortex: the role of the dentate gyrus, **385**, 291
Suwita, E., Lapadula, D.M. and Abou-Donia, M.B. Calcium and calmodulin stimulated in vitro phosphorylation of rooster brain tubulin and MAP-2 following a single oral dose of tri-*O*-cresyl phosphate, **374**, 199
Suzuki, F., Hayashi, H. and Hayaishi, O. Transport of prostaglandin D_2 into brain, **385**, 321
Suzuki, I., Park, B.R. and Wilson, V.J. Directional sensitivity of, and neck afferent input to, cervical and lumbar interneurons modulated by neck rotation, **367**, 356
Suzuki, J., see Otsuki, T., **365**, 235
Suzuki, K., see Peterson, C., **382**, 205
Suzuki, M., see Koibuchi, N., **382**, 104
Suzuki, M., see Matsuoka, S., **398**, 253
Suzuki, T., see Mutai, M., **371**, 90
Suzuki, Y. and Taguchi, K. In vivo voltammetric studies of the effect of morphine on the serotonergic system in the cat spinal cord, **398**, 413
Suzuki, Y., see Poulin, P., **381**, 382
Sved, A.F. Pontine pressor sites which release vasopressin, **369**, 143
Svensson, T.H., see Elam, M., **366**, 254
Svensson, T.H., see Elam, M., **375**, 117
Swaab, D.F., see Fliers, E., **375**, 363
Swaab, D.F., see Ravid, R., **379**, 404
Swann, A.C., Hewitt, L.O. and Guynn, R.W. High-affinity hemicholinium-3 binding to brain membranes: reduction by treatment with physostigmine in vivo, **363**, 401
Swanson, L.W. and Lind, R.W. Neural projections subserving the initiation of a specific motivated behavior in the rat: new projections from the subfornical organ, **379**, 399
Swanson, M.S., see Davanzo, J.P., **369**, 224

Swartzwelder, H.S., see Anderson, W.W., **398**, 215
Swenson, R.S., see Kurosawa, M., **367**, 250
Swerdlow, N., see Bakhit, C., **365**, 159
Swerdlow, N.R., see Amalric, M., **386**, 287
Swerdlow, N.R., see Blasco, T.A., **386**, 280
Swift, D.M., see McCormack, B.M., **382**, 395
Swindale, N.V. and Cynader, M.S. Physiological segregation of geniculocortical afferents in the visual cortex of dark-reared cats, **362**, 281
Sypert, G.W., see Sceats Jr., D.J., **362**, 149
Szafarczyk, A., see Alonso, G., **397**, 297
Szymusiak, R. and McGinty, D. Sleep-related neuronal discharge in the basal forebrain of cats, **370**, 82

T

Tabata, M., see Ocorr, K.A., **371**, 190
Tabatabai, M., Booth, A.M. and De Groat, W.C. Morphological and electrophysiological properties of pelvic ganglion cells in the rat, **382**, 61
Taber, K.H., Lin, C.-T., Liu, J.-W., Thalmann, R.H. and Wu, J.-Y. Taurine in hippocampus: localization and postsynaptic action, **386**, 113
Tabet, M.S., see Saadé, N.E., **369**, 307
Tadokoro, Y., Akema, T. and Kimura, F. Dopaminergic involvement in the estrogen-induced suppression of frequency of pulsatile luteinizing hormone secretion in the ovariectomized rat, **380**, 69
Tagari, P.C., see Cuello, A.C., **376**, 373
Tagari, P.C., see Sofroniew, M.V., **398**, 393
Taghzouti, K., see Herman, J.P., **372**, 210
Taglialatela, M., Amoroso, S., Yasumoto, T., Di Renzo, G. and Annunziato, L. Maitotoxin and BAY-K-8644: two putative calcium channel activators with different effects on endogenous dopamine release from tuberoinfundibular neurons, **381**, 356
Tago, H., see Mizukawa, K., **379**, 39
Taguchi, K., see Suzuki, Y., **398**, 413
Tai, C.-Y., Smith, Q.R. and Rapoport, S.I. Calcium influxes into brain and cerebrospinal fluid are linearly related to plasma ionized calcium concentration, **385**, 227
Taiwo, Y.O. and Levine, J.D. Indomethacin blocks central nociceptive effects of $PGF_{2\alpha}$, **373**, 81
Takada, M. and Hattori, T. Collateral projections from the substantia nigra to the cingulate cortex and striatum in the rat, **380**, 331
Takada, M. and Hattori, T. Transneuronal transport of WGA-HRP from the ipsi- to contralateral medial habenular nucleus through the interpeduncular nucleus in the rat, **384**, 77
Takagi, H., Morishima, Y., Matsuyama, T., Hayashi, H., Watanabe, T. and Wada, H. Histaminergic axons in the neostriatum and cerebral cortex of the rat: a correlated light and electron microscopic immunocytochemical study using histidine decarboxylase as a marker, **364**, 114
Takagi, H., see Kubota, Y., **367**, 374
Takagi, H., see Kubota, Y., **370**, 343
Takagi, H., see Morishima, Y., **379**, 157
Takagi, S.F., see Watanabe, Y., **378**, 216
Takagi, T., see Sugaya, E., **369**, 369
Takahashi, H., see Tsujii, S., **399**, 200
Takahashi, J.S., see Cassone, V.M., **384**, 334
Takahashi, M., Sugino, H. and Kudo, Y. The mechanism of calcium-independent catecholamine depleting action of monensin from clonal rat pheochromocytoma cells, **382**, 332
Takahashi, Y., see Kurosawa, M., **367**, 250
Takahata, Y. and Shimoji, K. Brain injury improves survival of mice following brain ischemia, **381**, 368
Takamatsu, K., see Kohsaka, S., **372**, 137
Takamiya, Y., Kohsaka, S., Toya, S., Otani, M., Mikoshiba, K. and Tsukada, Y. Possible association of platelet-derived growth factor (PDGF) with the appearance of reactive astrocytes following brain injury in situ, **383**, 305
Takano, Y., Nagashima, A., Masui, H., Kuromizu, K. and Kamiya, H.-O. Distribution of substance K (neurokinin A) in the brain and peripheral tissues of rats, **369**, 400
Takaori, S., see Sasa, M., **377**, 337
Takatsuji, K., see Fukuda, Y., **384**, 373
Takayama, H., see Kohsaka, S., **372**, 137
Takayama, K., see Miura, M., **399**, 352
Takayanagi, N., see Yamada, S., **375**, 360
Takeda, K., Shimahara, T., Tauc, L. and Berwald-Netter, Y. Acetylcholine-activated currents in mouse neuroblastoma cells, **398**, 75
Takei, H., see Hirata, Y., **397**, 341
Takenaka, T., see Horie, H., **377**, 246
Takenaka, T., see Kawasaki, Y., **397**, 185
Tally, P.W., see Meyer, F.B., **384**, 180
Talman, W.T., see Spencer, S.E., **385**, 371
Tam, S.-Y., see Bannon, M.J., **381**, 393
Tamai, Y., Iwamoto, M. and Tsujimoto, T. Pathway of the blink reflex in the brainstem of the cat: interneurons between the trigeminal nuclei and the facial nucleus, **380**, 19
Tamura, K., see Iwata, K., **368**, 399
Tan, J., see Holstege, G., **374**, 306
Tan, J., see Holstege, G., **374**, 321
Tanaka, C., see Nishino, N., **377**, 186
Tanaka, C., see Saito, N., **376**, 78
Tanaka, J., Kaba, H., Saito, H. and Seto, K. Lateral hypothalamic area stimulation excites neurons in the region of the subfornical organ with efferent projections to the hypothalamic paraventricular nucleus in the rat, **379**, 200
Tanaka, O., see Shinohara, H., **382**, 33
Tanaka, R., see Ando, M., **373**, 359
Tanaka, R., see Ito, J.-I., **374**, 335
Tanii, Y., see Minabe, Y., **385**, 201
Tansey, E.M. and Ikeda, H. The relationship between axonal transport of protein and demyelination in the optic nerves of mice infected with Semliki Forest Virus, **397**, 9
Tappaz, M.L., see Wassef, M., **399**, 125
Taraskevich, P.S., Tomiko, S.A. and Douglas, W.W. Electrical stimulation of neurointermediate lobes of mice elicits calcium-dependent output of melanocyte-stimulating hormone, **379**, 390
Targ, E.F. and Kocsis, J.D. Action potential characteristics of demyelinated rat sciatic nerve following application of 4-aminopyridine, **363**, 1
Tashima, T., Kitamoto, T., Tateishi, J. and Sato, Y. Congophilia in cerebral amyloidosis is modified by inactivation procedures on slow transmissible pathogens, **399**, 80
Tassin, J.-P., see Herve, D., **383**, 47
Tatarewicz, J.E., see Mitchell, J., **383**, 373
Tateishi, J., see Goto, I., **372**, 31
Tateishi, J., see Tashima, T., **399**, 80
Taube, J.S. and Schwartzkroin, P.A. Ineffectiveness of organic calcium channel blockers in antagonizing long-term potentiation, **379**, 275

Tauc, L., see Takeda, K., **398**, 75
Taveira Dasilva, A.M., see Gatti, P.J., **381**, 281
Tavitian, B., Hassig, R., Di Giamberardino, L. and Besson, J.-M.
Slow and fast axonal transport of acetylcholinesterase molecular forms in polyarthritic rats, **375**, 391
Taylor, A.N., see Nelson, L.R., **372**, 234
Taylor, D.M., see Bragdon, A.C., **378**, 169
Teeter, J.H., see Goldstein, N.I., **370**, 205
Tehovnik, E.J. and Yeomans, J.S.
Two converging brainstem pathways mediating circling behavior, **385**, 329
Teichberg, V.I., see Frenk, H., **373**, 222
Teneyck, C.J., see Robinson, R.A., **384**, 114
Tepper, J.M., Sawyer, S.F., Young, S.J. and Groves, P.M.
Autoreceptor-mediated changes in dopaminergic terminal excitability: effects of potassium channel blockers, **367**, 230
Teranishi, T. and Negishi, K.
Dendritic morphology of dopaminergic cells revealed by intracellular injection of Lucifer yellow in fixed carp retina, **370**, 196
Teranishi, T., see Negishi, K., **362**, 389
Terenghi, G., Polak, J.M., Rodrigo, J., Mulderry, P.K. and Bloom, S.R.
Calcitonin gene-related peptide-immunoreactive nerves in the tongue, epiglottis and pharynx of the rat: occurrence, distribution and origin, **365**, 1
Terenius, L., see Nyberg, F., **371**, 278
Terenius, L., see Nylander, I., **380**, 34
Terman, G.W., Lewis, J.W. and Liebeskind, J.C.
Two opioid forms of stress analgesia: studies of tolerance and cross-tolerance, **368**, 101
Terman, G.W., Morgan, M.J. and Liebeskind, J.C.
Opioid and non-opioid stress analgesia from cold water swim: importance of stress severity, **372**, 167
Terman, G.W., see Shavit, Y., **372**, 382
Terrian, D.M., Noisin, E.L. and Thomas, W.E.
Choline uptake by glomerular synapses isolated from bovine cerebellar vermis, **366**, 401
Tessler, A., Himes, B.T., Gruber-Bollinger, J. and Reichlin, S.
Characterization of forms of immunoreactive somatostatin in sensory neuron and normal and deafferented spinal cord, **370**, 232
Tetzlaff, W., see Lee, K.S., **380**, 155
Teyler, T.J., see Lewis, D., **375**, 246
Teyler, T.J., see Lewis, D., **383**, 159
Teyler, T.J., see Wilhite, B.L., **365**, 54
Thal, L.J., Laing, K., Horowitz, S.G. and Makman, M.H.
Dopamine stimulates rat cortical somatostatin release, **372**, 205
Thalmann, R.H., see Taber, K.H., **386**, 113
Thierry, A., see Vignon, J., **378**, 133
Thierry, A.M., see Le Douarin, C., **363**, 290
Thind, K.K. and Goldsmith, P.C.
GABAergic and catecholaminergic synaptic interactions in the macaque hypothalamus: double label immunostaining with peroxidase–antiperoxidase and colloidal gold, **383**, 215
Thind, K.K. and Goldsmith, P.C.
Ultrastructural analysis of synapses involving tyrosine hydroxylase-containing neurons in the ventral periventricular hypothalamus of the macaque, **366**, 37
Thomander, L., see Aldskogius, H., **375**, 126
Thomas, D.A., see Oliveras, J.-L., **371**, 368
Thomas, W.E., see Terrian, D.M., **366**, 401
Thomasset, M., see Sans, A., **364**, 190
Thompson, G.C., Cortez, A.M. and Igarashi, M.
GABA-like immunoreactivity in the squirrel monkey organ of Corti, **372**, 72
Thompson, G.C., Igarashi, M. and Cortez, A.M.
GABA imbalance in squirrel monkey after unilateral vestibular end-organ ablation, **370**, 182
Thompson, R., Gibbs, R.B., Ristic, G.A., Cotman, C.W. and Yu, J.
Lack of correlation between cortical levels of choline acetyltransferase and learning scores in rats with globus pallidus lesions, **367**, 402
Thomson, M.A., see Monmaur, P., **365**, 269
Thomson, M.A., see Monmaur, P., **378**, 262
Thorén, P., see Elam, M., **366**, 254
Thorén, P., see Elam, M., **375**, 117
Thornton, J.E., Nock, B., McEwen, B.S. and Feder, H.H.
Noradrenergic modulation of hypothalamic progestin receptors in female guinea pigs is specific to the ventromedial nucleus, **377**, 155
Thornton, S.N.
Osmoreceptor localization in the brain of the pigeon (*Columba livia*), **377**, 96
Thorpe, S.J., see Rolls, E.T., **368**, 79
Thurston, C.L., see Watkins, L.R., **362**, 308
Tiffany, S.T., see Dahl, J.L., **373**, 316
Tilders, F.J.H., see Berkenbosch, F., **399**, 87
Tilson, H.A., Emerich, D. and Bondy, S.C.
Inhibition of ornithine decarboxylase alters neurological responsiveness to a tremorigen, **379**, 147
Tilson, H.A., see Walsh, T.J., **363**, 222
Tilson, H.A., see Walsh, T.J., **398**, 23
Tineo Roberto, P.L., see Schwerdtfeger, W.K., **384**, 184
Tirelli, F., see Scarpignato, C., **371**, 187
Tobet, S.A., Zahniser, D.J. and Baum, M.J.
Sexual dimorphism in the preoptic/anterior hypothalamic area of ferrets: effects of adult exposure to sex steroids, **364**, 249
Tobler, H.-J., see Cortés, R., **362**, 239
Toews, A.D., Ray, R.B., Goines, N.D. and Bouldin, T.W.
Increased synthesis of membrane macromolecules is an early response of retinal neurons to trimethyltin intoxication, **398**, 298
Toffano, G., see Commissiong, J.W., **380**, 205
Toffano, G., see Mazzari, S., **380**, 309
Tohyama, M., see Inagaki, S., **378**, 420
Tohyama, M., see Kanagawa, Y., **379**, 377
Tohyama, M., see Kiyama, H., **375**, 357
Tohyama, M., see Lee, Y., **382**, 392
Tohyama, M., see Matsuyama, T., **373**, 205
Tohyama, M., see Negishi, K., **362**, 389
Tohyama, M., see Sakamoto, N., **375**, 353
Tohyama, M., see Shiosaka, S., **382**, 399
Tohyama, M., see Wanaka, A., **369**, 185
Tohyama, M., see Yamano, M., **398**, 337
Tokumoto, H., Watanabe, Y., Yamashita, A., Arai, Y. and Hayaishi, O.
Specificity of prostaglandin D_2 binding to synaptic membrane fraction of rat brain, **362**, 114
Tokushige, A., see Nakano, K., **372**, 338
Tokushige, K., see Tonoue, T., **378**, 394
Tokuzen, M., see Daikoku, S., **399**, 250
Töltl, M., see Wannier, T.M.J., **382**, 427
Tomatis, R., see Sandrini, G., **371**, 364
Tomiko, S.A., see Taraskevich, P.S., **379**, 390
Tommasi, M., see Michel, J.-P., **377**, 383
Tomoda, H., see Shibasaki, H., **368**, 361
Tomori, N., see Nakagami, Y., **386**, 232
Tomozawa, Y. and Appel, S.H.
Soluble striatal extracts enhance development of mesencephalic dopaminergic neurons in vitro, **399**, 111
Tonegawa, Y., see Wakabayashi, I., **372**, 361

Toniolo, G., see Pallage, V., **386**, 197
Tonnaer, J.A.D.M., Lammers, A.J.J.C., Wieringa, J.H. and Steinbusch, H.W.M. Immunohistochemical evidence for degeneration of cholinergic neurons in the forebrain of the rat following injection of AF64A-picrylsulfonate into the dorsal hippocampus, **370**, 200
Tonon, M.C., see Benyamina, M., **366**, 230
Tonoue, T., Nishimura, H., Tokushige, K. and Seino, K. Thyrotropin-releasing hormone-induced changes in electroencephalographic and vagal activity in the cross-circulated brain of the rat, **378**, 394
Törk, I., see Rikard-Bell, G.C., **379**, 75
Torres, B., see Gómez, C., **381**, 401
Tortella, F.C. and Musacchio, J.M. Dextromethorphan and carbetapentane: centrally acting non-opioid antitussive agents with novel anticonvulsant properties, **383**, 314
Toth, G., see Suszkiw, J.B., **386**, 371
Tourniaire, J., see Borson-Chazot, F., **382**, 433
Towle, A.C., Breese, G.R., Mueller, R.A., Hunt, R. and Lauder, J.M. Early postnatal administration of 5,7-dihydroxytryptamine: effects on substance P and thyrotropin-releasing hormone neurons and terminals in rat brain, **363**, 38
Towle, A.C., see McCown, T.J., **373**, 189
Towns, L.C., see Krogh, J.E., **369**, 331
Toya, S., see Kohsaka, S., **372**, 137
Toya, S., see Takamiya, Y., **383**, 305
Toyota, T., see Shimosegawa, T., **379**, 1
Traber, J., see Spencer Jr., D.G., **380**, 59
Traber, J., see Zilles, K., **380**, 201
Trabucchi, M., see Govoni, S., **381**, 138
Trabucchi, M., see Lucchi, L., **398**, 212
Trabucchi, M., see Rius, R.A., **365**, 355
Tramonte, R. and Bauer, J.A. The location of the preganglionic neurons that innervate the submandibular gland of the cat. A horseradish peroxidase study, **375**, 381
Trasforini, G., see Sandrini, G., **371**, 364
Traub, R.J., Sedivec, M.J. and Mendell, L.M. The rostral projection of small diameter primary afferents in Lissauer's tract, **399**, 185
Travers, S.P., Pfaffmann, C. and Norgren, R. Convergence of lingual and palatal gustatory neural activity in the nucleus of the solitary tract, **365**, 305
Treacy, G., see Wilkening, D., **368**, 239
Tremblay, E., see Represa, A., **384**, 170
Trifaró, J.M., see Quik, M., **372**, 11
Triggs, W.J., see Willmore, L.J., **382**, 422
Troeger, M.B., see Erecinska, M., **369**, 203
Troncoso, J.C., Sternberger, N.H., Sternberger, L.A., Hoffman, P.N. and Price, D.L. Immunocytochemical studies of neurofilament antigens in the neurofibrillary pathology induced by aluminum, **364**, 295
Trotier, D. and MacLeod, P. Intracellular recordings from salamander olfactory supporting cells, **374**, 205
Trugman, J.M. and Wooten, G.F. The effects of L-DOPA on regional cerebral glucose utilization in rats with unilateral lesions of the substantia nigra, **379**, 264
Tsai, W.H. and Puro, D.G. Dopamine modulates evoked transmission at cholinergic synapses formed by rat retinal neurons with muscle cells, **380**, 375
Tseng, M.T., see Schurr, A., **374**, 244
Tsiang, H., see Gourmelon, P., **398**, 128
Tsou, K., Khachaturian, H., Akil, H. and Watson, S.J. Immunocytochemical localization of pro-opiomelanocortin-derived peptides in the adult rat spinal cord, **378**, 28
Tsuiki, Y., see Nishimori, T., **372**, 375
Tsuji, K., see Yamada, S., **375**, 360
Tsujii, S., Nakai, Y., Koh, T., Takahashi, H., Usui, T., Ikeda, H., Matsuo, T. and Imura, H. Effect of food deprivation on opioid receptor binding in the brain of lean and fatty Zucker rats, **399**, 200
Tsujimoto, T., see Tamai, Y., **380**, 19
Tsukada, Y., see Kohsaka, S., **372**, 137
Tsukada, Y., see Takamiya, Y., **383**, 305
Tsukita, S., see Okamura, Y., **383**, 146
Tsuru, K., see Nishimori, T., **372**, 375
Tsuruo, Y., see Heike, Y., **369**, 341
Tsutsumi, M., see Minabe, Y., **385**, 201
Tudball, N., see Patel, B.T., **370**, 250
Tulipan, N., Huang, S., Whetsell, W.O. and Allen, G.S. Neonatal striatal grafts prevent lethal syndrome produced by bilateral intrastriatal injection of kainic acid, **377**, 163
Tumosa, N., Stell, W.K., Johnson, C.D. and Epstein, M.L. Putative cholinergic interneurons in the optic tectum of goldfish, **370**, 365
Turek, F.W., see Inouye, S.-I.T., **370**, 102
Türker, K.S. and Miles, T.S. Climbing fiber lesions disrupt conditioning of the nictitating membrane response in the rabbit, **363**, 376
Turner, J.E., Blair, J.R. and Chappell, E.T. Peripheral nerve implantation into a penetrating lesion of the eye: stimulation of the damaged retina, **376**, 246
Turski, L., Cavalheiro, E.A., Schwarz, M., Turski, W.A., De Moraes Mello, L.E.A., Bortolotto, Z.A., Klockgether, T. and Sontag, K.-H. Susceptibility to seizures produced by pilocarpine in rats after microinjection of isoniazid or γ-vinyl-GABA into the substantia nigra, **370**, 294
Turski, L., Cavalheiro, E.A., Sieklucka-Dziuba, M., Ikonomidou-Turski, C., Czuczwar, S.J. and Turski, W.A. Seizures produced by pilocarpine: neuropathological sequelae and activity of glutamate decarboxylase in the rat forebrain, **398**, 37
Turski, L., Schwarz, M., Klockgether, T. and Sontag, K.-H. Substantia nigra and entopeduncula nucleus: supraspinal sites of the muscle relaxant action of tizanidine, **379**, 367
Turski, L., see Cavalheiro, E.A., **377**, 173
Turski, L., see Klockgether, T., **399**, 1
Turski, L., see Schwarz, M., **373**, 365
Turski, W.A., see Turski, L., **370**, 294
Turski, W.A., see Turski, L., **398**, 37
Tyce, G.M. and Yaksh, T.L. Conjugates of biogenic amines in ventriculocisternal perfusates of conscious African green monkeys, **372**, 269
Tyler, A.E. and Hutton, R.S. Was Sherrington right about co-contractions?, **370**, 171
Tytell, M., Greenberg, S.G. and Lasek, R.J. Heat shock-like protein is transferred from glia to axon, **363**, 161
Tyurin, V.A., see Erin, A.N., **398**, 85

U

Uchida, S., see Osugi, T., **379**, 84
Uchimura, N., Higashi, H. and Nishi, S. Hyperpolarizing and depolarizing actions of dopamine via D-1 and D-2 receptors on nucleus accumben neurons, **375**, 368
Uchiyama, H., Matsutani, S. and

Ito, H.
Tectal projection neurons to the retinopetal nucleus in the filefish, **369**, 260
Uchiyama, H., see Matsutani, S., **373**, 126
Uchizono, K., see Obata, K., **375**, 37
Ueda, K., see Matsushima, T., **365**, 198
Ueki, S., see Shibata, K., **372**, 159
Ugolini, G. and Kuypers, H.G.J.M.
Collaterals of corticospinal and pyramidal fibres to the pontine grey demonstrated by a new application of the fluorescent fibre labelling technique, **365**, 211
Ujec, E., see Vyklický, L., **363**, 148
Underwood, M.D., see Chida, K., **370**, 378
Underwood, M.D., see Iadecola, C., **368**, 375
Ungerstedt, U., see Zetterström, T., **362**, 344
Ungerstedt, U., see Zetterström, T., **376**, 1
Uphouse, L., Williams, J., Eckols, K. and Sierra, V.
Variations in binding of [^{3}H]5-HT to cortical membranes during the female rat estrous cycle, **381**, 376
Urban, L., see Randic, M., **383**, 15
Urca, G., see Frenk, H., **373**, 222
Usherwood, P.N.R., see Boden, P., **385**, 205
Ushiyama, T., see Nakagami, Y., **386**, 232
Usui, T., see Tsujii, S., **399**, 200
Utsumi, S., see Sasa, M., **377**, 337
Uzzan, A., see Melamed, E., **399**, 178

V

Vacas, M.I., see Cardinali, D.P., **363**, 350
Vaccaro, D.E., see Canick, J.A., **372**, 277
Vahle-Hinz, C., see Pubols, L.M., **371**, 109
Valcana, T., see Davies, D.L., **378**, 251
Vale, W., see Britton, K.T., **369**, 303
Vale, W., see Chen, F.M., **381**, 49
Vale, W.W., see Peterfreund, R.A., **380**, 159
Valin, A., see Lloyd, K.G., **363**, 390
Valli, P., Botta, L., Zucca, G. and Casella, C.
Functional organization of the peripheral efferent vestibular system in the frog, **362**, 92
Van Boom, J.H., see Bovenberg, R.A.L., **376**, 29
Van den Bosch De Aguilar, P., see De Paermentier, F., **398**, 419
Van den Buuse, M., Versteeg, D.H.G. and De Jong, W.
Brain dopamine depletion by lesions in the substantia nigra attenuates the development of hypertension in the spontaneously hypertensive rat, **368**, 69
Van der Kloot, T.E., see Van der Kloot, W., **376**, 378
Van der Kloot, W. and Van der Kloot, T.E.
Catecholamines, insulin and ACTH increase quantal size at the frog neuromuscular junction, **376**, 378
Van der Kooy, D., see Johnston, K.M., **385**, 38
Van der Kooy, D., see Kolb, B., **397**, 315
Van der Roest, M., see Janse, C., **376**, 208
Van der Sluis, P.J., see Van Leeuwen, F.W., **379**, 171
Van der Wal, N., see Fliers, E., **375**, 363
Van der Woude, T.P., see Ravid, R., **379**, 404
Van der Woude, T.P., see Van Leeuwen, F.W., **379**, 171
Van Deusen, E.B., see Gasser, U.E., **367**, 368
Van Die, G.C. and Collewijn, H.
Control of human optokinetic nystagmus by the central and peripheral retina: effects of partial visual field masking, scotopic vision and central retinal scotomata, **383**, 185
Van Dongen, P.A.M., Grillner, S. and Hökfelt, T.
5-Hydroxytryptamine (serotonin) causes a reduction in the afterhyperpolarization following the action potential in lamprey motoneurons and premotor interneurons, **366**, 320
Van Dyke, T., see Yagaloff, K.A., **385**, 389
Van Ham, J.J., see Holstege, G., **374**, 306
Van Ham, J.J., see Holstege, G., **374**, 321
Van Heerikhuize, J., see De Vries, G.J., **399**, 296
Van Hoesen, G.W., see Itaya, S.K., **398**, 397
Van Leeuwen, F.W., Caffé, R., Van der Sluis, P.J., Sluiter, A.A., Van der Woude, T.P., Seidah, N.G. and Chrétien, M.
Propressophysin is present in neurones at multiple sites in Wistar and homozygous Brattleboro rat brain, **379**, 171
Van Lieshout, D., see Harting, J.K., **366**, 358
Van Loon, G.R., see Appel, N.M., **378**, 8
Van Loon, G.R., see De Souza, E.B., **367**, 77
Van Marle, J., Veldsema-Currie, R.D., Lind, A. and Van Weeren-Kramer, J.
Dexamethasone reduces the high-affinity binding of hemicholinium-3 to rat phrenic nerve endings in vitro: an autoradiographic study, **398**, 191
Van Weeren-Kramer, J., see Van Marle, J., **398**, 191
Van Woert, M., see Heyer, E.J., **377**, 54
Vanderwolf, C.H. and Baker, G.B.
Evidence that serotonin mediates non-cholinergic neocortical low voltage fast activity, non-cholinergic hippocampal rhythmical slow activity and contributes to intelligent behavior, **374**, 342
Vaneček, J., see Illnerová, H., **362**, 403
Varazashvili, M., see Mchedlishvili, G., **386**, 64
Vargas, M.L., see Milanés, M.V., **375**, 13
Varon, S., see Manthorpe, M., **367**, 282
Varon, S., see Skaper, S.D., **386**, 130
Varro, A. and Dockray, G.J.
Identification of the C-terminal flanking peptide of preprocholecystokinin in rat brain by a novel radioimmunoassay, **376**, 213
Vasko, M.R., see Pang, I.-H., **371**, 171
Vasko, M.R., see Pang, I.-H., **376**, 268
Vaudry, H., see Benyamina, M., **366**, 230
Vaughn, J.E., see Houser, C.R., **383**, 129
Veale, W.L., see Burnard, D.M., **362**, 40
Veale, W.L., see Naylor, A.M., **385**, 156
Veeneman, G.H., see Bovenberg, R.A.L., **376**, 29
Veisseire, M., see Borson-Chazot, F., **382**, 433
Veldhuis, H.D., see Kovács, G.L., **371**, 17
Veldsema-Currie, R.D., see Van Marle, J., **398**, 191
Vera, P.L., Ellenberger, H.H., Haselton, J.R., Haselton, C.L. and Schneiderman, N.
The intermediolateral nucleus: an 'open' or 'closed' nucleus?, **386**, 84
Vergnes, M., see Depaulis, A., **367**, 87
Vernadakis, A., see Davies, D.L., **378**, 251
Vernier, V.G., see Wilkening, D., **368**, 239
Versteeg, D.H.G., see Kovács, G.L., **371**, 17
Versteeg, D.H.G., see Van den Buuse, M., **368**, 69
Vescovi, A., see Parenti, M., **367**, 8
Vezzani, A., see Consolo, S., **374**, 212
Vial, M., see Besson, J., **398**, 329
Vidal, C., Jordan, W. and Zieglgänsberger, W.
Corticosterone reduces the excitability of hippocampal pyramidal cells in vitro, **383**, 54
Videen, T.O., Daw, N.W. and Collins, R.C.
Penicillin-induced epileptiform

activity does not prevent ocular dominance shifts in monocularly deprived kittens, **371**, 1
Vielhuber, K., see Spear, P.D., **368**, 154
Vietje, B.P., see Wells, J., **383**, 333
Vignon, J., Privat, A., Chaudieu, I., Thierry, A., Kamenka, J.-M. and Chicheportiche, R.
[^{3}H]Thienyl-phencyclidine ([^{3}H]TCP) binds to two different sites in rat brain. localization by autoradiographic and biochemical techniques, **378**, 133
Vijverberg, H.P.M., see De Weille, J.R., **386**, 169
Villablanca, J.R., Burgess, J.W. and Benedetti, F.
There is less thalamic degeneration in neonatal-lesioned than in adult-lesioned cats after cerebral hemispherectomy, **368**, 211
Villablanca, J.R., see Gómez-Pinilla, F., **385**, 343
Villageois, A., see Ruberg, M., **362**, 83
Villani, L., Contestabile, A., Migani, P., Poli, A. and Fonnum, F.
Ultrastructural and neurochemical effects of the presumed cholinergic toxin AF64A in the rat interpeduncular nucleus, **379**, 223
Villanueva, L., see Chitour, D., **377**, 397
Villiger, J.W., see Faull, R.L.M., **381**, 153
Vincent, J.D., see Demotes-Mainard, J., **381**, 314
Vincent, S.R., see Nakamura, S., **370**, 11
Vinogradova, O.S., see Brazhnik, E.S., **380**, 94
Virgili, M., see Migani, P., **376**, 186
Vitorica, J. and Satrústegui, J.
Involvement of mitochondria in the age-dependent decrease in calcium uptake of rat brain synaptosomes, **378**, 36
Vivien-Roels, B., see Buijs, R.M., **371**, 193
Vlachová, V., see Vyklický, L., **363**, 148
Voltz, C., see Lloyd, K.G., **363**, 390
Von Hahn, H.P., see Jenni-Eiermann, S., **370**, 54
Voogd, J., see Hess, D.T., **369**, 383
Vreeburg, J.T.M., see De Vries, G.J., **399**, 296
Vrijmoed-De Vries, M.C. and Cools, A.R.
Differential effects of striatal injections of dopaminergic, cholinergic and GABAergic drugs upon swimming behavior of rats, **364**, 77
Vyklický Jr., L., see Vyklický, L., **363**, 148
Vyklický, L., Vyklický Jr., L., Vyskocil, F., Vlachová, V., Ujec, E. and Michl, J.
Evidence that excitatory amino acids not only activate the receptor channel complex but also lead to use-dependent block, **363**, 148
Vyskocil, F., see Vyklický, L., **363**, 148

W

Wada, H., see Takagi, H., **364**, 114
Waehneldt, T.V., see Matthieu, J.-M., **379**, 137
Waehneldt, T.V., see Scheidt, P., **379**, 380
Wainer, B.H., see Adams, C.E., **397**, 365
Wainer, B.H., see Bolam, J.P., **397**, 279
Wainer, B.H., see Mesulam, M.-M., **367**, 301
Wainer, B.H., see Mufson, E.J., **370**, 144
Wainer, B.H., see Standaert, D.G., **382**, 163
Wakabayashi, I., Hatano, H., Minami, S., Tonegawa, Y., Akira, S., Sugihara, H. and Ling, N.C.
Effects of neonatal administration of monosodium glutamate on plasma growth hormone (GH) response to GH-releasing factor in adult male and female rats, **372**, 361
Wakabayashi, S., see Ito, J.-I., **374**, 335
Wakai, S., Meiselman, S.E. and Brightman, M.W.
Focal circumvention of blood–brain barrier with grafts of muscle, skin and autonomic ganglia, **386**, 209
Wakakuwa, K., see Fukuda, Y., **384**, 373
Walberg, F. and Dietrichs, E.
Is there a reciprocal connection between the red nucleus and the interposed cerebellar nuclei? Conclusions based on observations of anterograde and retrograde transport of peroxidase-labelled lectin in the same animal, **397**, 73
Walberg, F., see Dietrichs, E., **373**, 373
Walckhoff, B., see Löffner, F., **363**, 205
Walker, C.H., see Bondy, S.C., **371**, 96
Walker, D., see Weiss, S.R.B., **372**, 345
Walker, G.E. and Yaksh, T.L.
Studies on the effects of intrathalamically injected DADL and morphine on nociceptive thresholds and electroencephalographic activity: a thalamic δ receptor syndrome, **383**, 1
Walker, J.L., see Oyama, Y., **368**, 167
Walker, J.L., see Oyama, Y., **381**, 405
Walker, S.E. and Stell, W.K.
Gonadotropin-releasing hormone (GnRF), molluscan cardioexcitatory peptide (FMRFamide), enkephalin and related neuropeptides affect goldfish retinal ganglion cell activity, **384**, 262
Walkley, S.U. and Pierok, A.L.
Ferric ion-ferrocyanide staining in ganglioside storage disease establishes that meganeurites are of axon hillock origin and distinct from axonal spheroids, **382**, 379
Wall, J.T. and Kaas, J.H.
Long-term cortical consequences of reinnervation errors after nerve regeneration in monkeys, **372**, 400
Wall, J.T., see Cusick, C.G., **370**, 359
Wallace, J.A., see Saland, L.C., **368**, 310
Wallace, T.L. and Johnson, E.M.
Characterization of choline acetyltransferase-sustaining and survival-promoting activities for parasympathetic neurons in pig lung, **375**, 92
Wallen, K., see Hennessey, A.C., **370**, 21
Walsh, T.J., Schulz, D.W., Tilson, H.A. and Dehaven, D.L.
Acute exposure to triethyl lead enhances the behavioral effects of dopaminergic agonists: involvement of brain dopamine in organolead neurotoxicity, **363**, 222
Walsh, T.J., Schulz, D.W., Tilson, H.A. and Schmechel, D.E.
Colchicine-induced granule cell loss in rat hippocampus: selective behavioral and histological alterations, **398**, 23
Walsh, T.J., see Sloviter, R.S., **367**, 169
Walter, U., see Löffner, F., **363**, 205
Walther, B., Ghersi-Egea, J.F., Minn, A. and Siest, G.
Subcellular distribution of cytochrome P-450 in the brain, **375**, 340
Walther, B., see Bakke, H.K., **368**, 256
Walz, W. and Hinks, E.C.
A transmembrane sodium cycle in astrocytes, **368**, 226
Wamsley, J.K., see Beckman, A.L., **386**, 223
Wamsley, J.K., see Lee, R.J., **380**, 76
Wamsley, J.K., see Zarbin, M.A., **374**, 75
Wanaka, A., Matsuyama, T., Yoneda, S., Kimura, K., Kamada, T., Girgis, S., MacIntyre, I., Emson, P.C.and Tohyama, M.
Origins and distribution of calcitonin gene-related peptide-containing nerves in the wall of the cerebral arteries of the guinea pig with special reference to the coexistence with substance P, **369**, 185
Wanaka, A., see Kanagawa, Y., **379**, 377
Wanaka, A., see Matsuyama, T., **373**, 205

Wanaka, A., see Shiosaka, S., **382**, 399
Wang, C.C., see Kuo, J.S., **372**, 217
Wang, J.-X., see Consolo, S., **374**, 212
Wang, J.M., see Kuo, J.S., **372**, 227
Wang, R.Y. and Hu, X.-T.
Does cholecystokinin potentiate dopamine action in the nucleus accumbens?, **380**, 363
Wang, R.Y., see Haring, J.H., **366**, 152
Wang, R.Y., see Martin, J.R., **397**, 253
Wang, R.Y., see Ramirez, O.A., **362**, 165
Wang, R.Y., see Ramirez, O.A., **385**, 415
Wang, S.D., see Kuo, J.S., **372**, 227
Wang, Y.-Y., see Aghajanian, G.K., **371**, 390
Wannier, T.M.J., Töltl, M. and Hepp-Reymond, M.-C.
Neuronal activity in the postcentral cortex related to force regulation during a precision grip task, **382**, 427
Warembourg, M., Logeat, F. and Milgrom, E.
Immunocytochemical localization of progesterone receptor in the guinea pig central nervous system, **384**, 121
Warneke, G., see Schomburg, E.D., **375**, 280
Warner, R.K., see Hull, E.M., **370**, 73
Waser, P.G., see Keller, F., **380**, 191
Wassef, M., Simons, J., Tappaz, M.L. and Sotelo, C.
Non-Purkinje cell GABAergic innervation of the deep cerebellar nuclei: a quantitative immunocytochemical study in C57BL and in Purkinje cell degeneration mutant mice, **399**, 125
Wasterlain, C.G., Csiszar, E. and Fairchild, M.D.
Habituation of the local cyclic GMP response during amygdaloid carbachol kindling in the rat, **397**, 345
Wasterlain, C.G., see Fujikawa, D.G., **397**, 61
Wasterlain, C.G., see Goldenring, J.R., **377**, 47
Watanabe, M.
Prefrontal unit activity during delayed conditional Go/No-Go discrimination in the monkey. I. Relation to the stimulus, **382**, 1
Watanabe, M.
Prefrontal unit activity during delayed conditional Go/No-Go discrimination in the monkey. II. Relation to Go and No-Go responses, **382**, 15
Watanabe, M., see Fukuda, Y., **384**, 373
Watanabe, M., see Ikushima, M., **376**, 320
Watanabe, T., see Morimoto, A., **381**, 100
Watanabe, T., see Steinbusch, H.W.M., **368**, 389
Watanabe, T., see Takagi, H., **364**, 114
Watanabe, Y., Mori, K., Imamura, K., Takagi, S.F. and Hayaishi, O.
Modulation by prostaglandin D_2 of mitral cell responses to odor stimulation in rabbit olfactory bulb, **378**, 216
Watanabe, Y., see Tokumoto, H., **362**, 114
Waters, C.M., see Dawbarn, D., **372**, 155
Watkins, J.C., see Davies, J., **382**, 169
Watkins, J.C., see Harris, E.W., **382**, 174
Watkins, L.R., see Carstens, E., **382**, 266
Watkins, L.R., Suberg, S.N., Thurston, C.L. and Culhane, E.S.
Role of spinal cord neuropeptides in pain sensitivity and analgesia: thyrotropin releasing hormone and vasopressin, **362**, 308
Watson, B.D., Prado, R., Dietrich, W.D., Ginsberg, M.D. and Green, B.A.
Photochemically induced spinal cord injury in the rat, **367**, 296
Watson Jr., R.E., Hoffmann, G.E. and Wiegand, S.J.
Sexually dimorphic opioid distribution in the preoptic area: manipulation by gonadal steroids, **398**, 157
Watson, S.J., see Mansour, A., **399**, 69
Watson, S.J., see Tsou, K., **378**, 28
Watson, W.E.
Actions of angiotensin on area postrema of the rat, **380**, 216
Watters, D.J., see Hendry, I.A., **376**, 292
Wauquier, A., see Ashton, D., **385**, 185
Waxman, S.G., see Black, J.A., **380**, 122
Waxman, S.G., see Kocsis, J.D., **383**, 357
Weaver, L.C., see Stein, R.D., **397**, 145
Weber, C.M., see McFarland, D.H., **366**, 272
Weber, J.T. and Giolli, R.A.
The medial terminal nucleus of the monkey: evidence for a 'complete' accessory optic system, **365**, 164
Weber, J.T., Chen, I. and Hutchins, B.
The pretectal complex of the cat: cells of origin of projections to the pulvinar nucleus, **397**, 389
Weerasuriya, A. and Rapoport, S.I.
Endoneurial capillary permeability to [^{14}C]sucrose in frog sciatic nerve, **375**, 150
Wei, J.Y., Kripke, B.R. and Burgess, P.R.
Classification of muscle spindle receptors, **370**, 119
Wei, J.Y., see Jiang, C., **377**, 190
Wei, J.Y., Simon, J., Randic, M. and Burgess, P.R.
Joint angle signaling by muscle spindle receptors, **370**, 108
Wei, S.C., see Wu, J.-Y., **373**, 1
Weiger, T., Lametschwandtner, A., Hodde, K.C. and Adam, H.
The angioarchitecture of the choroid plexus of the lateral ventricle of the rabbit. A scanning electron microscopic study of vascular corrosion casts, **378**, 285
Weight, F.F., see Eckardt, M.J., **366**, 1
Weight, F.F., see Wilson, J.A., **368**, 357
Weil-Fugazza, J., Godefroy, F., Manceau, V. and Besson, J.M.
Increased norepinephrine and uric acid levels in the spinal cord of arthritic rats, **374**, 190
Weiland, N.G. and Wise, P.M.
Effects of age on β_1- and β_2-adrenergic receptors in the brain assessed by quantitative autoradiography, **398**, 305
Weinberger, N.M., see Diamond, D.M., **372**, 357
Weinstein, J.M., see Ignocheck, A., **384**, 94
Weiss, H.R., see Buchweitz, E., **377**, 105
Weiss, H.R., see Buchweitz, E., **397**, 308
Weiss, J., Goldberg, M.P. and Choi, D.W.
Ketamine protects cultured neocortical neurons from hypoxic injury, **380**, 186
Weiss, S.R.B., Post, R.M., Gold, P.W., Chrousos, G., Sullivan, T.L., Walker, D. and Pert, A.
CRF-induced seizures and behavior: interaction with amygdala kindling, **372**, 345
Weiss, Y., see Meiri, H., **384**, 355
Weissman, B.A., see Bolger, G.T., **368**, 351
Wells, D.G., see Wells, J., **383**, 333
Wells, J., Vietje, B.P., Wells, D.G., Boucher, M. and Bodony, R.P.
Xenografts of brain cells labeled in cell suspensions show growth and differentiation in septo-hippocampal transplants, **383**, 333
Welsh, C.J., see Paden, C.M., **376**, 310
Welsh, M.J., see Roberts-Lewis, J.M., **384**, 383
Welther, C.L., see Marfurt, C.F., **366**, 373
Wenthold, R.J., see Altschuler, R.A., **369**, 316
Wenthold, R.J., see Fex, J., **366**, 106
Wenthold, R.J., Skaggs, K.K. and Altschuler, R.A.
Immunocytochemical localization of aspartate aminotransferase and glutaminase immunoreactivities in the cerebellum, **363**, 371
Wenthold, R.J., Zempel, J.M., Parakkal, M.H., Reeks, K.A. and Altschuler, R.A.
Immunocytochemical localization of GABA in the cochlear nucleus of the guinea pig, **380**, 7
Wermuth, C.G., see Heaulme, M., **384**, 224
Werz, W., see Lindner, J., **377**, 298
Weskamp, G., see Gasser, U.E., **376**, 351

West, C., see Schurr, A., **374**, 244
West, M.J., see Pilowsky, P.M., **366**, 354
Westman, J., see Wiberg, M., **399**, 51
Wetsel, W.C. and Fernstrom, J.D.
Effect of hypophysectomy on somatostatin-14 and somatostatin-28 biosynthesis in the rat hypothalamus, **370**, 315
Wheal, H.V., see Ashwood, T.J., **367**, 390
Whetsell, W.O., see Tulipan, N., **377**, 163
Whishaw, I.Q., see Dunnett, S.B., **378**, 357
Whishaw, I.Q., see Kolb, B., **397**, 315
White, F.P., see Michalak, T., **379**, 320
White, F.V., Burroni, D., Ceccarini, C., Matthieu, J.-M., Manetti, R. and Ceccarini, E.C.
Trembler mouse Schwann cells in culture: anomalies in the synthesis of lipids and proteins, **381**, 85
White, W.F., see Mower, G.D., **380**, 253
Whitehouse, P.J., Martino, A.M., Antuono, P.G., Lowenstein, P.R., Coyle, J.T., Price, D.L. and Kellar, K.J.
Nicotinic acetylcholine binding sites in Alzheimer's disease, **371**, 146
Whitford, C.A., Bloxham, C.A., Snell, C.R., Candy, J.M. and Hirst, B.H.
Regional distribution of high-affinity [^{3}H]somatostatin binding sites in the human brain, **398**, 141
Whiting, P.J., see Stollberg, J., **378**, 179
Whitmore, W.L., see Slotkin, T.A., **374**, 63
Whitney, J.F. and Glenn, L.L.
Pentobarbital and halothane hyperpolarize cat α-motoneurons, **381**, 199
Whittemore, E.R., see Robinson, M.B., **381**, 187
Whittington, D.L., see Woodruff, M.L., **379**, 10
Whittington, P.E., see Sirinathsinghji, D.J.S., **374**, 167
Whittington, P.E., see Sirinathsinghji, D.J.S., **399**, 339
Whitton, P.S., Marshall, I.G. and Parsons, S.M.
Reduction of quantal size by vesamicol (AH5183), an inhibitor of vesicular acetylcholine storage, **385**, 189
Whitworth Jr., R.H. and Haines, D.E.
The inferior olive of *Saimiri sciureus:* olivocerebellar projections to the anterior lobe, **372**, 55
Wiberg, M., Westman, J. and Blomqvist, A.
The Projection to the mesencephalon from the sensory trigeminal nuclei. An anatomical study in the cat, **399**, 51
Wible, C.G., Findling, R.L., Shapiro, M., Lang, E.J., Crane, S. and Olton, D.S.
Mnemonic correlates of unit activity in the hippocampus, **399**, 97
Wible Jr., J.H. and DiMicco, J.A.
Biphasic effects of systemically administered GABA antagonists on cardiac vagal activity, **363**, 279
Wickland, C., see Baker, J., **371**, 166
Wickland, C.R., see Harrison, R.E.W., **371**, 162
Widmann, R. and Sperk, G.
Topographical distribution of amines and major amine metabolites in the rat striatum, **367**, 244
Wied, D.D., see Bovenberg, R.A.L., **376**, 29
Wiegand, S.J., see Herman, J.P., **383**, 367
Wiegand, S.J., see Watson Jr., R.E., **398**, 157
Wiegant, V.M., see Bovenberg, R.A.L., **376**, 29
Wieraszko, A. and Seifert, W.
Evidence for the functional role of monosialoganglioside GM1 in synaptic transmission in the rat hippocampus, **371**, 305
Wieraszko, A.
Evidence that ruthenium red disturbs the synaptic transmission in the rat hippocampal slices through interacting with sialic acid residues, **378**, 120
Wieringa, J.H., see Tonnaer, J.A.D.M., **370**, 200
Wiesenfeld-Hallin, Z.
Substance P and somatostatin modulate spinal cord excitability via physiologically different sensory pathways, **372**, 172
Wiesner, J.B., Henriksen, S.J. and Bloom, F.E.
Opioid enhancement of perforant path transmission: effect of an enkephalin analog on inhibition and facilitation in the dentate gyrus, **399**, 404
Wiggins, R.C., Delaney, A.C. and Samorajski, T.
A morphometric analysis of pyramidal tract structures during postnatal undernourishment and recovery, **368**, 277
Wightman, R.M., see Kuhr, W.G., **381**, 168
Wightman, R.M., see Wilson, R.L., **370**, 393
Wightman, R.M., see Wilson, R.L., **384**, 342
Wilcox, R.E., see Leslie, S.W., **368**, 174
Wiley, R.G., see Oeltmann, T.N., **377**, 221
Wilhite, B.L., Teyler, T.J. and Hendricks, C.
Functional relations of the rodent claustral–entorhinal–hippocampal system, **365**, 54
Wilkening, D., Vernier, V.G., Arthaud, L.E., Treacy, G., Kenney, J.P., Nickolson, V.J., Clark, R., Smith, D.H., Smith, C., and Boswell, G.
A Parkinson-like neurologic deficit in primates is caused by a novel 4-substituted piperidine, **368**, 239
Wilkin, L.D., see Gruber, K.A., **378**, 115
Wilkin, L.D., see Mitchell, L.D., **399**, 346
Wilkinson, C.W., Crabbe, J.C., Keith, L.D., Kendall, J.W. and Dorsa, D.M.
Influence of ethanol dependence on regional brain content of β-endorphin in the mouse, **378**, 107
Wilkinson, C.W., see Peskind, E.R., **367**, 258
Will, B., see Pallage, V., **386**, 197
Willems, R., see Ashton, D., **385**, 185
Willer, J.C. and Ernst, M.
Diazepam reduces stress-induced analgesia in humans, **362**, 398
Willette, R.N., see Punnen, S., **382**, 178
Williams, J., see Uphouse, L., **381**, 376
Williams, J.L., Robinson, P.J. and Lutherer, L.O.
Inhibitory effects of cerebellar lesions on respiration in the spontaneously breathing, anesthetized cat, **399**, 224
Williams, L.R., see Manthorpe, M., **367**, 282
Williams, T.H., see Hwang, B.H., **369**, 267
Willmore, L.J., Triggs, W.J. and Gray, J.D.
The role of iron-induced hippocampal peroxidation in acute epileptogenesis, **382**, 422
Willott, J.F. and Demuth, R.M.
The influence of stimulus repetition on the acoustic startle response and on responses of inferior colliculus neurons of mice, **386**, 105
Willoughby, J.O., Jervois, P.M., Menadue, M.F. and Blessing, W.W.
Activation of GABA receptors in the hypothalamus stimulates secretion of growth hormone and prolactin, **374**, 119
Wilson, C.J.
Postsynaptic potentials evoked in spiny neostriatal projection neurons by stimulation of ipsilateral and contralateral neocortex, **367**, 201
Wilson, C.L., see Sperling, M.R., **371**, 293
Wilson, D.F., see Erecinska, M., **369**, 203
Wilson, J.A., Wilson, J.S. and Weight, F.F.
MPTP causes a non-reversible depression of synaptic transmission in mouse neostriatal brain slice, **368**, 357
Wilson, J.S., see Wilson, J.A., **368**, 357
Wilson, K.M., Sumners, C., Hathaway, S. and Fregly, M.J.
Mineralocorticoids modulate central angiotensin II receptors in rats, **382**, 87
Wilson, P.T., see Hawrot, E., **373**, 227

Wilson, R.L., Kamata, K., Bigelow, J.C., Rebec, G.V. and Wightman, R.M.
Crus cerebri lesions abolish amphetamine-induced ascorbate release in the rat neostriatum, **370**, 393
Wilson, R.L., Kamata, K., Wightman, R.M. and Rebec, G.V.
Unilateral, intranigral infusions of amphetamine produce differential, bilateral changes in unit activity and extracellular levels of ascorbate in the neostriatum of the rat, **384**, 342
Wilson, R.L., see Kamata, K., **362**, 331
Wilson, V.J., see Suzuki, I., **367**, 356
Wilson, W.A., see Anderson, W.W., **398**, 215
Wilson, W.A., see Bragdon, A.C., **378**, 169
Wilson, W.A., see Jones, L.S., **385**, 46
Windebank, A.J. and Poduslo, J.F.
Neuronal growth factors produced by adult peripheral nerve after injury, **385**, 197
Windhorst, U., Christakos, C.N., Koehler, W., Hamm, T.M., Enoka, R.M. and Stuart, D.G.
Amplitude reduction of motor unit twitches during repetitive activation is accompanied by relative increase of hyperpolarizing membrane potential trajectories in homonymous α-motoneurons, **398**, 181
Windhorst, U., see Christakos, C.N., **365**, 388
Windhorst, U., see Christakos, C.N., **367**, 52
Winson, J., see Dahl, D., **377**, 391
Wirsig, C.R. and Getchell, T.V.
Amphibian terminal nerve: distribution revealed by LHRH and AChE markers, **385**, 10
Wirz-Justice, A., see Remé, C., **369**, 356
Wise, P.M., see Weiland, N.G., **398**, 305
Wise, R.A. and Raptis, L.
Effects of naloxone and pimozide on initiation and maintenance measures of free feeding, **368**, 62
Wise, R.A., see Jenck, F., **375**, 331
Wise, R.A., see Jenck, F., **399**, 24
Wisniewski, H.M., see Kim, Y.S., **377**, 286
Wisniewski, H.M., see Rubenstein, R., **372**, 80
Wissig, S.L., see Schmidley, J.W., **363**, 265
Witkin, J., see Bolger, G.T., **368**, 351
Wixon, H.N., see Eckardt, M.J., **366**, 1
Wolf, M.K., see Billings-Gagliardi, S., **374**, 54
Wolfe Jr., S.A. and Gainer, H.
Effects of calcium on frequency-modulated secretion of vasopressin from isolated murine neural lobes, **399**, 190
Wolter, H.J.
Endocrine cells do not exist in rat Brunner's glands. An electron microscopic study, **367**, 141
Wolter, H.J.
β-Endorphin is contained within presumptive receptosomes and lysosomes of the myenteric plexus of the rat, **381**, 121
Wong, D., see Larson, J., **368**, 347
Wong, E.E., see Finch, D.M., **370**, 273
Wong, E.E., see Finch, D.M., **397**, 205
Wong-Riley, M.T.T., see Mjaatvedt, A.E., **368**, 178
Woo, J.I., see Park, D.H., **370**, 375
Woodruff, M.L., Baisden, R.H. and Whittington, D.L.
Effects of electrical stimulation of the pontine A5 cell group on blood pressure and heart rate in the rabbit, **379**, 10
Woodward, J.J. and Leslie, S.W.
Bay K 8644 stimulation of calcium entry and endogenous dopamine release in rat striatal synaptosomes antagonized by nimodipine, **370**, 397
Woodward, J.J., see Leslie, S.W., **368**, 174
Woody, C.D., Bartfai, T., Gruen, E. and Nairn, A.C.
Intracellular injection of cGMP-dependent protein kinase results in increased input resistance in neurons of the mammalian motor cortex, **386**, 379
Wooten, G.F., see Geary II, W.A., **399**, 181
Wooten, G.F., see Trugman, J.M., **379**, 264
Wrathall, J.R.
Reduced neuronotrophic activity of fibroblasts from individuals with dysautonomia in cultures of newborn mouse sensory ganglion cells, **364**, 23
Wray, S. and Hoffman, G.
Catecholamine innervation of LH-RH neurons: a developmental study, **399**, 327
Wright, D.M., see Khulusi, S.S., **363**, 152
Wu, C., see Liu, X., **362**, 189
Wu, C.-P., see Zheng, Z.-H., **380**, 389
Wu, C.Y., see Kuo, J.S., **372**, 217
Wu, J.-Y., Denner, L.A., Wei, S.C., Lin, C.-T., Song, G.-X., Xu, Y.F., Liu, J.W. and Lin, H.S.
Production and characterization of polyclonal and monoclonal antibodies to rat brain L-glutamate decarboxylase, **373**, 1
Wu, J.-Y., see Taber, K.H., **386**, 113
Wu, S.M.
Effects of γ-aminobutyric acid on cones and bipolar cells of the tiger salamander retina, **365**, 70
Wurpel, J.N.D., Dundore, R.L., Barbella, Y.R., Balaban, C.D., Keil, L.C. and Severs, W.B.
Barrel rotation evoked by intracerebroventricular vasopressin injections in conscious rats. I. Description and general pharmacology, **365**, 21
Wurpel, J.N.D., Dundore, R.L., Barbella, Y.R., Balaban, C.D., Keil, L.C. and Severs, W.B.
Barrel rotation evoked by intracerebroventricular vasopressin injections in conscious rats. II. Visual/vestibular interactions and efficacy of antiseizure drugs, **365**, 30
Wurster, R.D., see Pomeroy, G., **381**, 385
Wurtman, R.J., see Conlay, L.A., **375**, 210
Wyss, J.M., see Sripanidkulchai, K., **397**, 117

X

Xi, M., see Liu, X., **362**, 189
Xi, M.-C., see Zheng, Z.-H., **380**, 389
Xiao, Y.-M., see So, K.-F., **377**, 168
Xu, Y.F., see Wu, J.-Y., **373**, 1

Y

Y Cajal-Agüeras, S.R., Contamina, P., Parra, P. and Martínez-Millán, L.
The distribution of VIP-immunoreactive neurons in the visual cortex of adult rabbits and during postnatal development, **370**, 333
Yaari, Y., see Adler, E.M., **362**, 271
Yagaloff, K.A., Lozano, G., Van Dyke, T., Levine, A.J. and Hartig, P.R.
Serotonin 5-HT_{1C} receptors are expressed at high density on choroid plexus tumors from transgenic mice, **385**, 389
Yaginuma, H. and Matsushita, M.
Spinocerebellar projection fields in the horizontal plane of lobules of the cerebellar anterior lobe in the cat: an anterograde wheat germ agglutinin–horseradish peroxidase study, **365**, 345
Yaginuma, H. and Matsushita, M.
The projection fields of spinal border cells in the cerebellar anterior lobe in the cat: an anterograde WGA-HRP study, **384**, 175
Yajima, F., see Nakagami, Y., **386**, 232
Yaksh, T.L., see Furui, T., **367**, 162
Yaksh, T.L., see Howe, J.R., **368**, 87
Yaksh, T.L., see Jeftinija, S., **368**, 107
Yaksh, T.L., see Jensen, T.S., **363**, 114

Yaksh, T.L., see Jensen, T.S., **363**, 99
Yaksh, T.L., see Jensen, T.S., **372**, 301
Yaksh, T.L., see Meyer, F.B., **384**, 180
Yaksh, T.L., see Ramana Reddy, S.V., **365**, 278
Yaksh, T.L., see Schick, R.R., **370**, 349
Yaksh, T.L., see Stevens, C.W., **385**, 300
Yaksh, T.L., see Tyce, G.M., **372**, 269
Yaksh, T.L., see Walker, G.E., **383**, 1
Yamada, S., Kagawa, Y., Takayanagi, N., Hayashi, E., Tsuji, K. and Kosuge, T.
Inhibition by neosurugatoxin of nicotine-induced antinociception, **375**, 360
Yamagata, Y., see Hada, J., **363**, 165
Yamaguchi, T.
Descending pathways eliciting forelimb stepping in the lateral funiculus: experimental studies with stimulation and lesion of the cervical cord in decerebrate cats, **379**, 125
Yamamoto, D., Yeh, J.Z. and Narahashi, T.
Ion permeation and selectivity of squid axon sodium channels modified by tetramethrin, **372**, 193
Yamamoto, F., Sato, Y. and Kawasaki, T.
The neuronal pathway from the flocculus to the oculomotor nucleus: an electrophysiological study of group y nucleus in cats, **371**, 350
Yamamoto, K., Morimoto, K. and Yanagihara, T.
Cerebral ischemia in the gerbil: transmission electron microscopic and immunoelectron microscopic investigation, **384**, 1
Yamamoto, K., Yoshimine, T., Homburger, H.A. and Yanagihara, T.
Immunohistochemical investigation of regional cerebral ischemia in the gerbil: occlusion of the posterior communicating artery, **371**, 244
Yamamoto, M., Nakahama, H., Shima, K., Kodama, T. and Mushiake, H.
Markov-dependency and spectral analyses on spike-counts in mesencephalic reticular neurons during sleep and attentive states, **366**, 279
Yamamoto, M., see Shima, K., **399**, 317
Yamamoto, M., see Yokoi, I., **385**, 212
Yamamoto, T., Iwasaki, Y., Konno, H. and Iizuka, H.
Identification of cells undergoing physiological neuronal death in the neonatal rat brain by the Fink–Heimer method, **374**, 419
Yamamoto, T., see Nakano, Y., **399**, 167
Yamano, M., Inagaki, S., Kito, S., Matsuzaki, T., Shinohara, Y. and Tohyama, M.
Enkephalinergic projection from the ventromedial hypothalamic nucleus to the midbrain central gray matter in the rat: an immunocytochemical analysis, **398**, 337
Yamano, M., see Inagaki, S., **378**, 420
Yamasaki, D.S.G., Krauthamer, G.M. and Rhoades, R.W.
Superior collicular projection to intralaminar thalamus in rat, **378**, 223
Yamashima, T.
Ultrastructural study of the final cerebrospinal fluid pathway in human arachnoid villi, **384**, 68
Yamashita, A., see Tokumoto, H., **362**, 114
Yamashita, H., see Inenaga, K., **369**, 37
Yamashita, H., see Kannan, H., **376**, 342
Yamashita, K., see Shibata, K., **372**, 159
Yamashita, S., see Kiyohara, S., **379**, 353
Yamashita, Y., see Sugiyama, H., **373**, 22
Yanagihara, T., see Yamamoto, K., **371**, 244
Yanagihara, T., see Yamamoto, K., **384**, 1
Yanagisawa, M., see García-Arrarás, J.E., **379**, 188
Yanaihara, C., see Shimosegawa, T., **379**, 1
Yanaihara, N., see Hisano, S., **370**, 321
Yanaihara, N., see Kabayama, Y., **372**, 394
Yanaihara, N., see Kita, T., **398**, 18
Yanaihara, N., see Shimosegawa, T., **379**, 1
Yang, H.-Y.T., see Iadarola, M.J., **365**, 185
Yang, S., see Davis, M., **371**, 58
Yanovski, J.A., see Levine, J.D., **384**, 240
Yao, H., see Sadoshima, S., **379**, 205
Yao, J.K. and Low, P.A.
Improvement of endoneurial lipid abnormalities in experimental diabetic neuropathy by oxygen modification, **362**, 362
Yashima, Y., see Nakajima, T., **380**, 144
Yasuda, R.P., Dunwiddie, T.V. and Zahniser, N.R.
The acute effects of 6-hydroxydopamine treatment on noradrenergic function in the rat hippocampus in vitro, **367**, 121
Yasui, Y., Itoh, K., Kaneko, T., Sugimoto, T. and Mizuno, N.
Direct projections from the parvocellular part of the posteromedial ventral nucleus of the thalamus to the infralimbic cortex in the cat, **368**, 384
Yasui, Y., see Itoh, K., **375**, 214
Yasumoto, T., see Taglialatela, M., **381**, 356
Yaxley, S., see Rolls, E.T., **368**, 79
Yeh, J.Z., see Yamamoto, D., **372**, 193
Yeomans, J., Prior, P. and Bateman, F.
Current–distance relations of axons mediating circling elicited by midbrain stimulation, **372**, 95
Yeomans, J.S., see Tehovnik, E.J., **385**, 329
Ygge, J., see Arvidsson, J., **373**, 15
Ygge, J., see Arvidsson, J., **397**, 130
Yim, C.Y. and Mogenson, G.J.
Mesolimbic dopamine projection modulates amygdala-evoked EPSP in nucleus accumbens neurons: an in vivo study, **369**, 347
Yim, C.Y., see Leung, L.-W.S., **367**, 323
Yip, H.K., see Schmidt, R.E., **378**, 325
Yokoi, I., Yamamoto, M., Fujikawa, N., Shirasu, A. and Mori, A.
Determination of neurotransmitter release into the caudate nucleus during convulsions induced by pentylenetetrazole using in vivo differential pulse voltammetry, **385**, 212
Yokota, T., see Sonoda, H., **369**, 91
Yokote, H., see Nakai, K., **381**, 148
Yokouchi, C., see Yoshii, K., **367**, 45
Yoneda, S., see Kanagawa, Y., **379**, 377
Yoneda, S., see Matsuyama, T., **373**, 205
Yoneda, S., see Wanaka, A., **369**, 185
Yoneda, T., Oishi, K., Fujikura, S. and Ishida, A.
Recruitment threshold force and its changing type of motor units during voluntary contraction at various speeds in man, **372**, 89
Yoneda, Y. and Ogita, K.
Localization of [^{3}H]glutamate binding sites in rat adrenal medulla **383**, 387
Yoneda, Y., see Ogita, K., **397**, 137
Yoon, M.G., Benowitz, L.I. and Baker, F.A.
The optic tectum regulates the transport of specific proteins in regenerating optic fibers of goldfish, **382**, 339
Yoon, M.G., see Henken, D.B., **364**, 186
Yoshida, A., see Nishimori, T., **372**, 375
Yoshida, H., see Osugi, T., **379**, 84
Yoshida, K., see Kohsaka, S., **372**, 137
Yoshida, S., see Kamata, K., **371**, 197
Yoshii, K., Yokouchi, C. and Kurihara, K.
Synergistic effects of 5′-nucleotides on rat taste responses to various amino acids, **367**, 45
Yoshimatsu, H., Oomura, Y., Katafuchi, T. and Akaike, N.
Hypothalamic regulation of sodium–potassium pump activity in skeletal muscle, **384**, 17
Yoshimatsu, H., see Katafuchi, T., **363**, 141
Yoshimine, T., see Yamamoto, K., **371**, 244
Yoshimura, M., Polosa, C. and Nishi, S.
Noradrenaline modifies sympathetic

preganglionic neuron spike and afterpotential, **362**, 370
Yoshitomi, I., Itoh, Y., Oishi, R. and Saeki, K.
Brain histamine turnover enhanced by footshock, **362**, 195
Yoshitomi, I., Oishi, R. and Saeki, K.
Involvement of opioid and non-opioid mechanisms in footshock-induced enhancement of brain histamine turnover in mice, **398**, 57
Youdim, M.B.H., Feldman, S.C., Pappas, G.D. and Pollard, H.B.
Serotonin metabolism and the nature of monoamine oxidase in squid central nervous system, **381**, 300
Young, A.B., see Richfield, E.K., **383**, 121
Young, S.J., see Tepper, J.M., **367**, 230
Young, W. and Koreh, I.
Potassium and calcium changes in injured spinal cords, **365**, 42
Youngren, O.M., see Phillips, R.E., **377**, 216
Younkin, S.G., see Brockman, S.K., **376**, 409
Yox, D.P., see Moffett, S.B., **366**, 388
Yu, J., see Millaruelo, A.I., **374**, 12
Yu, J., see Thompson, R., **367**, 402
Yu, O., Ito, M., Chiu, T.H. and Rosenberg, H.C.
GABA-gated chloride ion influx and receptor binding studies in C57BL6J and DBA2J mice, **399**, 374
Yu, R.K., see Levine, S.M., **374**, 260
Yu, V.C., see Hochhaus, G., **382**, 327
Yutzey, D.A., see Denenberg, V.H., **397**, 327

Z

Zabawska, J., see Lai, H., **372**, 366
Zafra, F. and Gimenez, C.
Characterization of glycine uptake in plasma membrane vesicles isolated from cultured glioblastoma cells, **397**, 108
Zahniser, D.J., see Tobet, S.A., **364**, 249
Zahniser, N.R., see Yasuda, R.P., **367**, 121
Zajac, J.M., see Benoist, J.M., **398**, 49
Zaleski, E.M., see Marfurt, C.F., **366**, 373
Zalewska, T., Kanje, M. and Edström, A.
A calcium-activated neutral protease in the frog nervous system which degrades rapidly transported axonal proteins, **381**, 58
Zalutsky, R.A. and Miller, R.F.
Neurotensin actions in the retina: mechanisms and variability, **371**, 360
Zamir, N., see Bannon, M.J., **381**, 393
Zamir, N., see Dawbarn, D., **372**, 155
Zamir, N., see Lee, J.-M., **371**, 152
Zamir, N., Skofitsch, G. and Jacobowitz, D.M.
Distribution of immunoreactive melanin-concentrating hormone in the central nervous system of the rat, **373**, 240
Zamir, N., Skofitsch, G., Eskay, R.L. and Jacobowitz, D.M.
Distribution of immunoreactive atrial natriuretic peptides in the central nervous system of the rat, **365**, 105
Zane, C.J., see Shavit, Y., **372**, 382
Zarbin, M.A., Wamsley, J.K., Palacios, J.M. and Kuhar, M.J.
Autoradiographic localization of high affinity GABA, benzodiazepine, dopaminergic, adrenergic and muscarinic cholinergic receptors in the rat, monkey and human retina, **374**, 75
Zatz, M.
Translocation of protein kinase C in rat hippocampal slices, **385**, 174
Zeigler, H.P., see Arends, J.J.A., **398**, 375
Zemlan, F.P., see Behbehani, M.M., **369**, 110
Zempel, J.M., see Fex, J., **366**, 106
Zempel, J.M., see Wenthold, R.J., **380**, 7
Zetterström, T., Brundin, P., Gage, F.H., Sharp, T., Isacson, O., Dunnett, S.B., Ungerstedt, U. and Björklund, A.
In vivo measurement of spontaneous release and metabolism of dopamine from intrastriatal nigral grafts using intracerebral dialysis, **362**, 344
Zetterström, T., Herrera-Marschitz, M. and Ungerstedt, U.
Simultaneous measurement of dopamine release and rotational behaviour in 6-hydroxydopamine denervated rats using intracerebral dialysis, **376**, 1
Zhang, J.-X., Harper, R.M. and Ni, H.
Cryogenic blockade of the central nucleus of the amygdala attenuates aversively conditioned blood pressure and respiratory responses, **386**, 136
Zheng, Z., see Liu, X., **362**, 189
Zheng, Z.-H., Wu, C.-P. and Xi, M.-C.
Thalamic projection to motor area and area 3a of the cat cerebral cortex, **380**, 389
Zhou, F.C. and Azmitia, E.C.
Induced homotypic sprouting of serotonergic fibers in hippocampus. II. An immunocytochemistry study, **373**, 337
Zhou, Z.-F., see Jin, W.-Q., **380**, 317
Ziedonis, D.M., Severs, W.B., Brennan, R.W. and Page, R.B.
Blood flow and functional responses correlate in the ovine neural lobe, **373**, 27
Zieglgänsberger, W., see Vidal, C., **383**, 54
Zigmond, M.J., see Nisenbaum, E.S., **398**, 221
Zigmond, M.J., see Onn, S.-P., **376**, 8
Zigmond, M.J., see Orr, W.B., **376**, 20
Zigmond, R.E., see Loring, R.H., **385**, 30
Zilles, K., Rath, M., Schleicher, A., Glaser, T. and Traber, J.
Ontogenesis of serotonin (5-HT) binding sites in the choroid plexus of the rat brain, **380**, 201
Zimmerman, R.P.
Specific neuronal staining by in vitro uptake of Lucifer yellow, **383**, 287
Zimmermann, M., see Morton, C.R., **372**, 149
Zinser, G., see Lindner, J., **377**, 298
Zipser, B., see Flanagan, T., **378**, 152
Zottoli, S.J., see Rhodes, K.J., **381**, 215
Zubenko, G.S.
Hippocampal membrane alteration in Alzheimer's disease, **385**, 115
Zucca, G., see Valli, P., **362**, 92
Zucker, I., see Pickard, G.E., **376**, 149

BRAIN RESEARCH
SUBJECT INDEX
1986
VOLUMES 362–368, 397–399

A

A-current
Connor–Stevens; Equation; Ion current; Hodgkin–Huxley (De Schutter, E.) **382,** 134

Aδ nerve fiber
Second somatosensory cortex; Tooth pulp; Evoked potential; Nociception; Escape behavior (Chudler, E.H.) **397,** 47

Aδ primary afferent
Lissauer's tract; C-fiber primary afferent; Pain; Spinal cord (Traub, R.J.) **399,** 185

A1 noradrenergic neuron
Arterial pressure; Tyramine; Kainic acid; Renal nerve activity; Rostral ventrolateral medulla; C1 adrenergic neuron; 6-Hydroxydopamine; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

A5 cell group
Nucleus tractus solitarii; Intermediolateral cell column; Blood pressure regulation; Noradrenaline (Loewy, A.D.) **386,** 313

A5 noradrenergic nucleus
Blood pressure; Pons; Electrical stimulation; Rabbit (Woodruff, M.L.) **379,** 10

A5 nucleus
Norepinephrine; Pain; Analgesia; Lesion; Brainstem; Spinal cord (Sagen, J.) **370,** 93

A10 cell group
Ventral tegmental area; Locus ceruleus; Noradrenaline; Dopamine; 3-Methoxy-4-hydroxyphenolglycol (Deutch, A.Y.) **363,** 307

A10 dopamine neurone
Gonadotropin-releasing hormone; Ventral tegmental area; 6-Hydroxydopamine; Lordosis behaviour; Female rat (Sirinathsinghji, D.J.S.) **374,** 167

Abducens nucleus
Motoneuron; Internuclear neuron; Ocular fixation (Gómez, C.) **381,** 401

Ablation
Plasma renin concentration; Dehydration; Anteroventral third ventricle (McKinley, M.J.) **376,** 416

Abnormal myelination
Sodium channel; Monoclonal antibody; Sciatic nerve; Dystrophic mouse (Meiri, H.) **384,** 355

Absent vestibular function
Cervico-ocular reflex; Vestibulo-ocular reflex; Eye movement; Compensatory mechanism (Bronstein, A.M.) **373,** 399

Accessory optic system
Medial terminal nucleus; Ventral midbrain tegmentum; Monkey; Autoradiography (Weber, J.T.) **365,** 164

Accumbens
Motivation; Food intake; Water intake; Opioid; Morphine; Ventral tegmental area; Microinjection (Mucha, R.F.) **397,** 214

Accurel
Oxytocin; α-Melanocyte-stimulating hormone; Immunocytochemistry; Binding site; Brattleboro rat (Ravid, R.) **379,** 404

Acetate
Fluoroacetate; Glia; Metabolism; Autoradiography (Muir, D.) **380,** 336

Acetylation
β-Endorphin; α-Melanocyte-stimulating hormone; Medulla oblongata; Nucleus tractus solitarius; Post-translational processing; Mammalian central nervous system (Dores, R.M.) **377,** 251

Acetylcholine
Rat; Nucleus basalis; Globus pallidus; Substantia innominata; Cholinergic neuron; Antidromic stimulation; Microiontophoresis; Cholinergic agonist (Lamour, Y.) **362,** 122

Hippocampus; Microiontophoresis; Electrophysiology; Aging; Rat (Haigler, H.J.) **362,** 157

Decortication; Corticostriatal pathway; Nigrostriatal pathway; Striatum; Apomorphine; Choline; Bromocriptine; Neuroleptic; Rat (Consolo, S.) **363,** 128

Vestibular compensation; Muscarinic synapse; Plasticity; Isolated brain (Kasik, P.) **363,** 188

Hemicholinium-3; Choline uptake; Physostigmine (Swann, A.C.) **363,** 401

Neostriatum; Dopamine; γ-Aminobutyric acid; Behavior; Rat (Vrijmoed-De Vries, M.C.) **364,** 77

Cerebellar glomerulus; Mossy fiber rosette; Bovine cerebellar vermis; Choline uptake; Hemicholinium-3 (Terrian, D.M.) **366,** 401

Muscarinic receptor; Carotid body; Neurotransmission; Autoradiography (Dinger, B.G.) **367,** 328

Pain; Nucleus cuneiformis (Behbehani, M.M.) **369,** 110

Sleep mechanism; Basal forebrain neuronal activity; Sleep–wake cycle; Non-rapid eye movement sleep control (Szymusiak, R.) **370,** 82

Alzheimer's disease; Choline acetyltransferase; Nicotinic cholinergic receptor (Whitehouse, P.J.) **371,** 146

Ethylcholine aziridinium ion; Nucleus basalis of Meynert; Alzheimer's disease (Kozlowski, M.R.) **372,** 45

Cerebral dopaminergic transmission; Stria medullaris; Habenular nucleus; Fasciculus retroflexus; Raphe nucleus; Opioid peptide; Substance P (Nishikawa, T.) **373,** 324

Amino acid; α-Aminoisobutyric acid; Uptake; ATPase, (Ca^{2+},Mg^{2+})-; Glia maturation factor; Nodose ganglion; Rat (Ando, M.) **373,** 359

Somatostatin; Cholecystokinin octapeptide; Dopamine receptor; Caudate nucleus; Release (Arneric, S.P.) **374,** 153

Molluscan neuron; Cholinoreceptor; Cholinergic antagonist; Voltage-clamp; Ion channel (Furukawa, Y.) **374,** 227

α-Bungarotoxin; Nicotinic receptor; Endogenous factor; Muscle cell culture (Quik, M.) **374,** 395

Basal nucleus of Meynert; Arecoline; Learning; Marmoset (Ridley, R.M.) **376,** 108

Noradrenaline; Dopamine; Serotonin; Immunocytochemistry; Rat brain (McRae-Degueurce, A.) **376,** 217

Seizure; γ-Aminobutyric acid; Bicuculline; Excitatory amino acid; *n*-Methyl-D-aspartate; Glutamate; 2-Amino-7-phosphonohepatanoic acid (Piredda, S.) **377,** 205

Neural transplant; Acetylcholinesterase; Cortex; Hippocampus; Septum; Nucleus basalis magnocellularis; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Retinal neuron; Neurotransmission; Dopamine; Retina–muscle coculture; Receptor, D_1-dopamine- (Tsai, W.H.) **380,** 375

Autoradiography; Brain; M1 muscarinic receptor subtype; M2 muscarinic receptor subtype; Neuroanatomy; Rat (Spencer, D.G.) **380,** 59

Choline; Hippocampus; Veratridine; Subcellular fraction; Choline *O*-acetyltransferase; Acetylcholinesterase; Septal lesion (Carroll, P.T.) **383,** 83

Sympathetic neuron; Slow depolarization; Membrane conductance; Muscarinic receptor (Mochida, S.) **383,** 299

Nucleus tractus solitarii; Substance P; L-Glutamate; Arterial pressure; Gastric motility (Spencer, S.E.) **385,** 371

Rapid eye movement sleep; Brainstem; Neuronal activity; Reticular formation (Shiromani, P.J.) **386,** 20

Amphetamine; Hippocampus;

Noradrenaline; Ventral noradrenergic bundle (Robinson, S.E.) **397,** 181

Corticotropin-releasing factor receptor; Muscarinic cholinergic receptor; Atropine treatment; Adenylate cyclase activity; Alzheimer's disease (De Souza, E.B.) **397,** 401

Neuroblastoma; Nicotinic; Muscarinic; Patch clamp; Single channel current (Takeda, K.) **398,** 75

Acetylcholine iontophoresis
Frog endplate; Pyridostigmine; Phospholine iodide; Desensitization (Bradley, R.J.) **376,** 199

Endplate; Choline; Curare; Desensitization (Sterz, R.) **385,** 99

Acetylcholine receptor
α-Bungarotoxin; Nicotinic receptor; Cholinergic receptor; Optic tectum; Retinotectal projection (Henley, J.M.) **364,** 405

Central nervous system; α-Bungarotoxin; Wheat germ agglutinin; Central nicotinic receptor; Glycoprotein (Sugiyama, H.) **373,** 22

Neostigmine; Pyridostigmine; *Aplysia*; Desensitization (Slater, N.T.) **375,** 407

Acetylcholine release
Non-quantal transmitter release; Neuromuscular transmission; Tropic regulation of muscle (Stanley, E.F.) **365,** 289

Muscarinic receptor; Aged rat; Oxotremorine; Striatum; Hippocampus; Cortex (Consolo, S.) **374,** 212

AH5183; Rat synaptosome; Acetylcholine storage (Suszkiw, J.B.) **386,** 371

Phenytoin; Synaptosome (Pincus, J.H.) **397,** 103

D_1-dopamine receptor; Rabbit retina; SKF 38398; SKF 82526; SCH 23390 (Hensler, J.G.) **398,** 407

Acetylcholine rhythm
Sex dimorphism; Pentobarbital; Estrous cycle; Critical period (Egozi, Y.) **383,** 310

Acetylcholine storage
AH5183; Rat synaptosome; Acetylcholine release (Suszkiw, J.B.) **386,** 371

Acetylcholine transport inhibitor
2-(4-Phenylpiperidino)cyclohexanol; Miniature endplate potential; Synaptic vesicle; Evoked release; Mouse phrenic nerve (Whitton, P.S.) **385,** 189

Acetylcholinesterase
Parkinsonism; Dementia; Butyrylcholinesterase; Cerebrospinal fluid; Human brain (Ruberg, M.) **362,** 83

Cerebellum; Chemoarchitecture; Cytochrome oxidase (Hess, D.T.) **369,** 383

Animal strain; Basal ganglion; Cholinergic system; Genetic study; Histochemistry; Microphotometry (Iacopino, C.) **374,** 402

Polyarthritic rat; Axonal transport; Molecular form (Tavitian, B.) **375,** 391

Peptidase; Chromogranin; Hydrolysis; Enkephalin generation (Ismael, Z.) **376,** 230

Neural transplant; Acetylcholine; Cortex; Hippocampus; Septum; Nucleus basalis magnocellularis; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Flunitrazepam; Benzodiazepine receptor; Striosome; Striatum; Human (Faull, R.L.M.) **381,** 153

Immunohistochemistry; Choline acetyltransferase; Cholinergic neuron; Mauthner cell (Rhodes, K.J.) **381,** 215

Acetylcholine; Choline; Hippocampus; Veratridine; Subcellular fraction; Choline *O*-acetyltransferase; Septal lesion (Carroll, P.T.) **383,** 83

Septum; γ-Aminobutyric acid; Golgi; *Podarcis*; Lizard (Schwerdtfeger, W.K.) **384,** 184

Terminal nerve; Luteinizing hormone-releasing hormone; Tiger salamander; Bullfrog; Hypophysectomy (Wirsig, C.R.) **385,** 10

Nerve growth factor; Nucleus basalis; Ibotenic acid lesion; Choline acetyltransferase; Cortex; Rat (Haroutunian, V.) **386,** 397

Acetylcholinesterase metabolism
Acetylcholinesterase secretion; Cultured embryonic rat myotube (Brockman, S.K.) **376,** 409

Acetylcholinesterase secretion
Acetylcholinesterase metabolism; Cultured embryonic rat myotube (Brockman, S.K.) **376,** 409

Acetylcholinesterase staining
Cholinergic structure; Human brainstem; Choline acetyltransferase immunohistochemistry (Mizukawa, K.) **379,** 39

3-Acetylpyridine
Harmaline; Freeze-fracture; Filipin; Cholesterol; Purkinje cell; Climbing fiber; Plasma membrane; Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Rubral activity; Inferior olive (Billard, J.) **374,** 270

Golgi; Purkinje cell; Plasticity; Image analysis (Anderson, W.A.) **382,** 228

***N*-Acetyltransferase**
Rat; Pineal; Circadian rhythm; Photoperiod (Illnerová, H.) **362,** 403

Acid phosphatase
Glomerulus; Primary afferent; Substantia gelatinosa; Rat (Ribeiro-da-Silva, A.) **377,** 323

Acidic amino acid
Kynurenic acid; Kainic acid; Quisqualate; Retina; Antagonist (Coleman, P.A.) **381,** 172

Cerebellum; Cyclic guanosine monophosphate; Swimming performance; 2-Amino-7-phosphonoheptanoic acid; Locomotor activity; *N*-Methyl-D-aspartate (McCaslin, P.P.) **398,** 71

Acidosis
Third ventricle choroid plexus; Cerebrospinal fluid; Sodium; Potassium ion; Ion homeostasis; Tela choroidea (Harbut, R.E.) **374,** 137

Acoustic middle ear reflex
Cochlear nucleus; Trigeminal motor nucleus; Tensor tympani muscle; Cat; Horseradish peroxidase; Wheat germ agglutinin–horseradish peroxidase (Itoh, K.) **375,** 214

Acoustic response
Hippocampus; Evoked potential; Cellular activity; Depth profile; Tooth pulp stimulation; Behavior (Brankačk, J.) **378,** 303

Acoustic startle response
Stimulus repetition; Inferior colliculus central nucleus; Inferior colliculus external nucleus (Willott, J.F.) **386,** 105

Acromelic acid
Glutamate; Quisqualate; Domoic acid; Kainate; Excitatory amino acid; Crayfish (Shinozaki, H.) **399,** 395

Acrylamide
bis-Acrylamide; Glutathione-*S*-transferase; Glutathione; Dopamine receptor; Neurotoxicity; Neuropathy; Neurotoxin; Axonopathy (Srivastava, S.P.) **371,** 319

Acrylamide neuropathy
Axonal cytoskeleton; Phosphorylation; Neurofilament (Howland, R.D.) **363,** 333

***bis*-Acrylamide**
Acrylamide; Glutathione-*S*-transferase; Glutathione; Dopamine receptor; Neurotoxicity; Neuropathy; Neurotoxin; Axonopathy (Srivastava, S.P.) **371,** 319

Actin
Copper deficiency; Menkes' disease; Immunocytochemistry; Immunogold; Cytoskeletal; Dendrite; Cortex; Cerebellum; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Action potential
Dorsal root ganglion; Primary afferent; Sensory modality; Somatotopy; Morphology (Cameron, A.A.) **362,** 1

Phenytoin; Lamprey; Spinal cord; Axon; Frequency dependence; Potassium (Adler, E.M.) **362,** 271

Slow muscle fiber; Tetrodotoxin; Colchicine; Vincristine; Axonal transport (Siebler, M.) **362,** 299

Neurosecretory terminal; Sinus gland; Ionic mechanism; Neurosecretion; Isopod (Chiang, R.G.) **377,** 83

Axon; Ethanol (Hochner, B.) **398,** 164

Action potential repolarization
Optic nerve; 4-Aminopyridine; Potassium channel (Kocsis, J.D.) **383,** 357

Activation
Microiontophoresis; Dopamine; Flupenthixol (Mintz, I.) **375,** 172

Active expiration
Retrofacial expiratory cell; Behavioral control (Orem, J.) **374,** 409

Active fragment
Vasopressin; Passive avoidance behavior; Limbic structure; Selective effect (Kovács, G.L.) **371,** 17

Active oxygen
Hydrogen peroxide; Hippocampus; Fenton reaction; Hydroxyl free radical (Pellmar, T.) **364,** 377

Active sleep
Reticular formation; Nucleus reticularis gigantocellularis; Spinal cord; Motoneuron; Inhibitory postsynaptic potential; Sleep; Wakefulness; Quiet sleep (Chase, M.H.) **386,** 237

Activity
Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; MIF-1; Naloxone; Analgesia; Opiate antagonist; Stress; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Analgesia; Magnetic field; Morphine; Morphine-induced analgesia; Opiate antagonist; Calcium ion (Kavaliers, M.) **379,** 30

Circadian rhythm; Midbrain; Raphe nucleus; Serotonin; Rat (Levine, J.D.) **384,** 240

Acute lithium
Neurophysiology; Field potential; Hippocampal slice; CA1 region (Rinaldi, P.C.) **375,** 302

Acute-phase reaction
Fever; Interleukin-1; Prostaglandin; Leukotriene; Preoptic-anterior hypothalamus (Mashburn, T.A.) **376,** 285

Adaptation
Anoxia; Hypoxia; Hippocampal slice; CA1 population spike (Schurr, A.) **374,** 244

Adaptive gain control
Vestibulo-ocular reflex; Oculomotor system; Goldfish; Optokinetic (Schairer, J.O.) **373,** 164

Adenine nucleotide
Adenosine; Uptake; Release; Retina; Rabbit; In vitro (Perez, M.T.R.) **398,** 106

Adenosine
Goldfish optic nerve; Axonal transport; Tetrodotoxin; Ribonucleic acid; Uridine; Guanosine; Transcellular transfer (Edwards, D.L.) **364,** 258

Cyclic adenosine monophosphate; Cyclic nucleotide; Retina (Blazynski, C.) **366,** 224

Locus ceruleus; Intracellular recording; Brain slice; Theophylline (Shefner, S.A.) **366,** 364

Xanthine; Autoradiography; Receptor; *N*-Ethylcarboxamidoadenosine; Cyclohexyladenosine (Lee, K.S.) **368,** 394

Hippocampus; Calcium flux; Presynaptic flux; Postsynaptic flux; Receptor, A_1 (Schubert, P.) **376,** 382

Anoxia; Receptor; Down regulation; Hippocampus; Cyclohexyladenosine (Lee, K.S.) **380,** 155

Benzodiazepine; Benzodiazepine antagonist; Ro 15-1788; Purine; Hippocampus (Stone, T.W.) **380,** 379

Adenine nucleotide; Uptake; Release; Retina; Rabbit; In vitro (Perez, M.T.R.) **398,** 106

Receptor; *N*-Ethylcarboxamidoadenosine; Autoradiography; Striatum; *N*-Ethylmaleimide (Reddington, M.) **399,** 232

Adenosine deaminase
Adenosylhomocysteine hydrolase; Cerebellum; Hippocampal formation; Basal hypothalamus; Superior colliculus; Immunocytochemistry (Patel, B.T.) **370,** 250

Adenosine monophosphate, cyclic
Visceral muscle; Octopaminergic control; Insect; Locust (Lange, A.B.) **363,** 340

Mollusc neuron; Voltage clamp; Stationary current (Kononenko, N.I.) **376,** 239

Adenosine receptor
Nucleoside transport site; Nitrobenzylthioinosine; Cyclohexyladenosine; Striatum; Superior colliculus (Geiger, J.D.) **363,** 404

Adenosine triphosphate content
Carotid body; Arterial chemoreceptor; 2-Deoxy-D-glucose; Dopamine release; Chemoafferent activity; Metabolic hypothesis (Obeso, A.) **371,** 25

Adenosylhomocysteine hydrolase
Cerebellum; Hippocampal formation; Adenosine deaminase; Basal hypothalamus; Superior colliculus; Immunocytochemistry (Patel, B.T.) **370,** 250

Adenylate cyclase
Cyclic adenosine monophosphate; Opioid tolerance; Spinal cord culture; Dorsal-horn network (Crain, S.M.) **370,** 61

α_2-Adrenoceptor; Hyperpolarization; Locus coeruleus; Opiate receptor; Noradrenergic neuron; Pertussis toxin (Aghajanian, G.K.) **371,** 390

Dopamine receptor; Culture; Flupenthixol; 1-Methyl-4-phenylpyridine receptor binding; Spiroperidol; Ventral mesencephalon (Heyer, E.J.) **377,** 54

Aging; Cerebral cortex; Adrenoreceptor, α_2-; Guanosine triphosphate binding protein; *Pertussis* toxin; Cholera toxin (Nomura, Y.) **379,** 118

Corticotropin releasing factor; Peptide receptor; Brain (Chen, F.M.) **381,** 49

Adenylate cyclase activity
Serotonin; Mesulergine; Serotonin-1C-site; Choroid plexus; Guanylnucleotide regulation (Palacios, J.M.) **380,** 151

Corticotropin-releasing factor receptor; Acetylcholine; Muscarinic cholinergic receptor; Atropine treatment; Alzheimer's disease (De Souza, E.B.) **397,** 401

Adhesion molecule
Glycoprotein; Glycolipid; L2 monoclonal antibody; Myelin-associated glycoprotein; Neural cell adhesion molecule (Noronha, A.B.) **385,** 237

Adrenal
Steroid; Anxiety; Benzodiazepine; γ-Aminobutyric acid; Receptor (Crawley, J.N.) **398,** 382

Adrenal and brain
Aromatic-L-amino-acid decarboxylase; Charge isozyme; Isoelectric point; Chromatofocusing; Species difference (Park, D.H.) **370,** 375

Adrenal catecholamine secretion
Lateral hypothalamic area; Stimulation; Lesion; Rat (Katafuchi, T.) **363,** 141

Adrenal gland
Corticotropin-releasing factor; Sympathetic nervous system; Adrenal medulla; Catecholamine secretion; Adrenaline; Anesthetized rat (Kurosawa, M.) **367,** 250

Phenylethanolamine *N*-methyltransferase; Immunochemical titration; Strain difference; Dot blot

hybridization; Medulla oblongata; Messenger ribonucleic acid (Park, D.H.) **372,** 185

L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Catecholamine; Cerebrospinal fluid (Di Paolo, T.) **379,** 286

Adrenal medulla
Metorphamide; Opioid peptide; Chromaffin cell; Coexistence; Secretion (Marley, P.D.) **363,** 10

Corticotropin-releasing factor; Sympathetic nervous system; Adrenal gland; Catecholamine secretion; Adrenaline; Anesthetized rat (Kurosawa, M.) **367,** 250

α-Bungarotoxin; Chromaffin cell culture; Endogenous ligand; Nicotinic receptor (Quik, M.) **372,** 11

Glutamate binding; Quisqualic acid; *N*-Methyl-D-aspartic acid; Sodium ion (Yoneda, Y.) **383,** 387

Neural transplant; Chromaffin cell; Analgesia; Nociception; Opioid peptide (Sagen, J.) **384,** 189

Adrenal medullectomy
Sympathectomy; Guanethidine; Noradrenaline; Cerebrospinal fluid; Blood–brain barrier; Adrenaline; Catecholamine (Peskind, E.R.) **367,** 258

Adrenalectomy
α_1-Noradrenoceptor; α_2-Noradrenoceptor; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus; Extra-hypothalamic area; Feeding behavior (Jhanwar-Uniyal, M.) **368,** 404

Benzodiazepine receptor; Glucocorticoid; Adrenocorticotropic hormone; Corticotropin-releasing factor; Dexamethasone; Neurotransmitter receptor binding (De Souza, E.B.) **381,** 176

Adrenaline
Striatum; Transmitter; Dopamine metabolism; Serotonin metabolism; Histamine; Noradrenaline (Widmann, R.) **367,** 244

Corticotropin-releasing factor; Sympathetic nervous system; Adrenal medulla; Adrenal gland; Catecholamine secretion; Anesthetized rat (Kurosawa, M.) **367,** 250

Sympathectomy; Guanethidine; Noradrenaline; Cerebrospinal fluid; Blood–brain barrier; Catecholamine; Adrenal medullectomy (Peskind, E.R.) **367,** 258

Stress; 5-Hydroxyindoleacetic acid; 5-Hydroxytryptophan; Noradrenaline; Dopamine; Dihydroxyphenylalanine; Corticosterone (De Souza, E.B.) **367,** 77

Amygdala; Inhibitory avoidance; Memory; Noradrenaline; Propranolol; Retention (Liang, K.C.) **368,** 125

Adrenaline neuron
Locus ceruleus; Neuronal interaction; Noradrenaline neuron; Phenylethanolamine-*N*-methyltransferase; Rat brainstem; Tyrosine hydroxylase (Astier, B.) **397,** 333

Adrenergic
Peripheral; Autonomic; Optic-nerve; Vasa nervorum; Nervi nervorum (Dhital, K.) **367,** 39

Peripheral nerve; Blood vessel; Capillary; Perineurium; Nerve ischemia; Neuropathy; Blood–nerve barrier (Rechthand, E.) **374,** 185

Adrenergic agonist
Substance P; Noradrenaline interaction; Cingulate cortex; Adrenergic antagonist; Iontophoresis (Jones, R.S.G.) **367,** 151

Adrenergic antagonist
Substance P; Noradrenaline interaction; Cingulate cortex; Adrenergic agonist; Iontophoresis (Jones, R.S.G.) **367,** 151

Adrenergic receptor
Subcellular fractionation; Locus coeruleus; Cerebral cortex; Parkinson's disease (Cash, R.) **370,** 127

Autoradiography; Cerebral blood vessel; Rat; Human (Nakai, K.) **381,** 148

Cell culture; Hypertension; Brainstem; Neuron; Neurotransmitter; Peptide (Miura, M.) **399,** 352

Adrenoceptor
α_2-Adrenergic; Cortex; Spinal cord (Howe, J.R.) **368,** 87

Freely moving rat; Locus coeruleus; Yohimbine; Piperoxane; Clonidine; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Adrenocorticotropic hormone
Immunoreactive β-endorphin; Brain concentration; Molecular form; Immunoreaction; Developmental aging; Pro-opiomelanocortin; Regulation; Chromatography (Kapcala, L.P.) **364,** 350

Catecholamine; Insulin; Quantal size; Frog; Neuromuscular junction (Van der Kloot, W.) **376,** 378

Pro-opiomelanocortin; β-Endorphin; α-Melanocyte-stimulating hormone; Peptide, 16K; Spinal cord; Descending fiber; Rat (Tsou, K.) **378,** 28

Benzodiazepine receptor; Adrenalectomy; Glucocorticoid; Corticotropin-releasing factor; Dexamethasone; Neurotransmitter receptor binding (De Souza, E.B.) **381,** 176

Adrenocorticotropin
Rat duodenum; Brunner's gland cell; Endocrine cell; Receptosome; Lysosome; Mucopeptide synthesis; Electron microscopy (Wolter, H.J.) **367,** 141

Ethanol dependence; β-Endorphin; Brain; Withdrawal; Pituitary; α-Melanotropin; Corticosterone (Wilkinson, C.W.) **378,** 107

Adrenocorticotropin(1–24)
Morphine; Hypothermia; Adrenocorticotropin(4–10); Guinea pig (Milanés, M.V.) **375,** 13

Adrenocorticotropin(4–10)
Morphine; Hypothermia; Adrenocorticotropin(1–24); Guinea pig (Milanés, M.V.) **375,** 13

α-Adrenergic
Lateral reticular nucleus; Antinociception; Descending inhibition; Tail flick reflex; Hot plate test; Opioid; Cholinergic (Ossipov, M.H.) **384,** 282

α_2-Adrenergic
Adrenoceptor; Cortex; Spinal cord (Howe, J.R.) **368,** 87

α-Adrenergic receptor
Cyclic adenosine monophosphate; Forskolin; Brain slice (Duman, R.S.) **384,** 391

α-Adrenoceptor
Bulbospinal pathway; Raphe magnus; Spinal reflex; Analgesia; Serotonin (Jensen, T.S.) **363,** 114

Superior cervical ganglion; Growth hormone; Prolactin; Noradrenaline; β-Adrenoceptor; Degeneration activity (Cardinali, D.P.) **363,** 350

β-Adrenoceptor; Cyclic adenosine monophosphate; Olfactory bulb; Central nervous system; α-Potentiation effect (Stone, E.A.) **384,** 401

α_1-Adrenoceptor
β_1-Adrenoceptor; Mouse; Reeler; Forebrain; Midbrain (Goffinet, A.M.) **366,** 193

Experimental autoimmune encephalomyelitis; Glial fibrillary acidic protein; Prazosin; Reactive astrocyte; Vimentin (Goldmuntz, E.A.) **397,** 16

Norepinephrine; Vasopressin; Magnocellular; α_2-Adrenoceptor; Supraoptic nucleus (Mitchell, L.D.) **399,** 346

α_2-Adrenoceptor
Adenylate cyclase; Hyperpolarization; Locus coeruleus; Opiate receptor; Noradrenergic neuron; Pertussis toxin (Aghajanian, G.K.) **371,** 390

Antidepressant; Calcium; Noradrenaline; Synaptosome; Release (Campbell, I.C.) **372,** 253

Aging; Cerebral cortex; Guanosine triphosphate binding protein; Adenylate cyclase; *Pertussis* toxin; Cholera toxin (Nomura, Y.) **379,** 118

Noradrenaline neuron; Locus ceruleus; D-Amphetamine; Subsensitivity; Autoreceptor; Clonidine (Ramirez, O.A.) **385,** 415

Norepinephrine; Vasopressin; Magnocellular; α_1-Adrenoceptor; Supraoptic nucleus (Mitchell, L.D.) **399,** 346

β-Adrenergic receptor
Locus coeruleus; Spinal trigeminal nucleus; Noradrenaline (Sasa, M.) **377,** 337

β-Adrenoceptor
Superior cervical ganglion; Growth hormone; Prolactin; Noradrenaline; α-Adrenoceptor; Degeneration activity (Cardinali, D.P.) **363,** 350

Cerebral cortex; Hypothalamus; Rhinencephalon; Estrous cycle; Ovariectomy (Bedran De Castro, J.C.) **384,** 11

α-Adrenoceptor; Cyclic adenosine monophosphate; Olfactory bulb; Central nervous system; α-Potentiation effect (Stone, E.A.) **384,** 401

Aging; Quantitative autoradiography; Hypothalamus; Pineal gland (Weiland, N.G.) **398,** 305

β_1-Adrenoceptor
α_1-Adrenoceptor; Mouse; Reeler; Forebrain; Midbrain (Goffinet, A.M.) **366,** 193

Adult
Visual cortex; Vasoactive intestinal polypeptide; Peroxidase-antiperoxidase method; Postnatal development; Rabbit (Y Cajal-Agüeras, S.R.) **370,** 333

Axon regeneration; Somatotopical organization; Neonatal; Facial motor nucleus; Retrograde axonal transport; Horseradish peroxidase (Aldskogius, H.) **375,** 126

Adult rat
Cholinergic neuron; Septohippocampal pathway; Partial fimbrial lesion; Hippocampus; Recovery of cholinergic enzyme; Compensatory collateral sprouting; Homotypic reinnervation (Gasser, U.E.) **367,** 368

AF64A
Immunohistochemistry; Cholinergic neuron; Degeneration; Morphometry; In vitro study (Tonnaer, J.A.D.J6.) **370,** 200

Affective defense
Amygdala; Pyriform cortex; Seizure; Aggressive behavior; Quiet attack; Electrical stimulation (Brutus, M.) **366,** 53

Afferent excitability
Tooth pulp stimulation; Temperature; Heat block; Jaw-opening reflex (Rydenhag, B.) **367,** 337

Afferent fiber
Nociceptor; Sympathetic nerve; Skin; Mechanoreceptor (Barasi, S.) **378,** 21

Afferent gain increase
Motor unit; Fatigue; Muscle spindle afferent; Information on motor unit contraction (Christakos, C.N.) **365,** 388

Afferent neuron
Efferent neuron; Pharynx; Dog; Horseradish peroxidase (Hudson, L.C.) **374,** 413

Afferent projection
Raphe-spinal neuron; Anterior hypothalamus; Preoptic area (Lumb, B.M.) **380,** 162

Affinity
Aspartate; Glutaraldehyde; Specificity; Immunocytochemistry; Cerebral cortex (Campistron, G.) **365,** 179

Glycine; Glutaraldehyde; Specificity; Immunocytochemistry; Brainstem; Spinal cord (Campistron, G.) **376,** 400

Afterdischarge
Prolactin; Amygdala; Hippocampus (Sperling, M.R.) **371,** 293

γ-Aminobutyric acid; γ-Vinyl γ-aminobutyric acid; Kindling development; Kindled seizure (Shin, C.) **398,** 370

Afterdischarge duration
Protein malnutrition; Hippocampal kindling; Dorsal hippocampus; Seizure behavior; Kindling threshold; Postictal depression (Bronzino, J.D.) **384,** 348

Afterhyperpolarization
Serotonin; Intracellular recording; Lamprey; Spinal cord (Van Dongen, P.A.M.) **366,** 320

Dopamine; Calcium-activated potassium conductance; Hippocampus; Pyramidal cell; Receptor, β-adrenergic- (Malenka, R.C.) **379,** 210

Afterpotential
Sympathetic preganglionic neuron; Calcium current; Noradrenaline; Repetitive firing (Yoshimura, M.) **362,** 370

Age
Lymphocyte; Muscarinic binding; Atropine; Strain (Shenkman, L.) **380,** 303

Audiogenic seizure; Chloride ion; γ-Aminobutyric acid receptor; Benzodiazepine receptor; Glutamate receptor; Mouse (Yu, O.) **399,** 374

Age-associated
Estrogen receptor; Estrogen binding; Aging; Hypothalamus; Preoptic area; Anterior pituitary; Estrous cyclicity (Rubin, B.S.) **383,** 60

Aged rat
Muscarinic receptor; Acetylcholine release; Oxotremorine; Striatum; Hippocampus; Cortex (Consolo, S.) **374,** 212

Aggression
Corticotropin-releasing factor; Kindling; Seizure (Weiss, S.R.B.) **372,** 345

Octadecaneuropeptide; Diazepam binding inhibitor; Analgesia; Defeat; Benzodiazepine; γ-Aminobutyric acid; Social conflict; Ro 15-1788 (Kavaliers, M.) **383,** 343

Aggressive behavior
Amygdala; Pyriform cortex; Seizure; Affective defense; Quiet attack; Electrical stimulation (Brutus, M.) **366,** 53

Rat; γ-Aminobutyric acid; Picrotoxin; Intracerebral microinjection; Periaqueductal gray matter; Defense; Open-field; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Testosterone uptake; Regional brain distribution; Castration; Mouse (Davanzo, J.P.) **369,** 224

Aging
Hippocampus; Microiontophoresis; Acetylcholine; Electrophysiology; Rat (Haigler, H.J.) **362,** 157

Kindled seizure; Hippocampus; Benzodiazepine receptor (Fanelli, R.J.) **362,** 17

Recovery of function; Hemiplegia; Rat model; γ-Aminobutyric acid; Cortical inactivation (Brailowsky, S.) **362,** 322

Synaptic plasticity; Morphometry; EPTA stained synapse; Hippocampus; Aging of synaptic membranes (Bertoni-Freddari, C.) **366,** 187

Calcium ion; 3,4-Dihydroxyphenylalanine; Tuberoinfundibular dopaminergic neuron (Arita, J.) **369,** 391

Neuromuscular synapse; Muscle; Nerve regeneration; Sprouting; Multiple innervation (Hopkins, W.G.) **372,** 16

Mollusc; Identified neuron; Electrical coupling (Janse, C.) **376,** 208

Dentate fascia; Dendritic spine; Spine apparatus; Calcium (Fifková, E.) **376,** 357

Membrane fluidity; Lipid; Regeneration; Development; Tissue culture; Fluorescence photobleaching recovery; Dorsal root ganglion; Mouse;

Neuron (Horie, H.) **377,** 246

Calcium uptake; Calcium distribution; Brain mitochondrion; Synaptosome; Membrane lipid fluidity (Vitorica, J.) **378,** 36

Senescence; Quantitative autoradiography; Spiroperidol; Caudate-putamen; Striatum; Receptor, D_2- (Joyce, J.N.) **378,** 158

Dopamine; Striatum; Senescence; Nomifensine; Bupropion; Motor performance (Marshall, J.F.) **379,** 112

Cerebral cortex; Adrenoreceptor, α_2-; Guanosine triphosphate binding protein; Adenylate cyclase; *Pertussis* toxin; Cholera toxin (Nomura, Y.) **379,** 118

Cerebellum; Purkinje cell; Dendrite; Plasticity; Learning (Greenough, W.T.) **380,** 136

Somatostatin; Growth hormone; Hypothalamus; Somatomedin-C (Sonntag, W.E.) **380,** 229

Estrogen receptor; Estrogen binding; Age-associated; Hypothalamus; Preoptic area; Anterior pituitary; Estrous cyclicity (Rubin, B.S.) **383,** 60

Noradrenaline; Modulation; Climbing fiber; Electrophysiology; Cerebellum (Bickford, P.C.) **385,** 405

Maturation; Fibronectin receptor; Tissue culture; Dorsal root ganglion; Neuron; Cytofluorometry (Kawasaki, Y.) **397,** 185

Spatial working memory; Hippocampal dentate gyrus; Synapse quantitation (Geinisman, Y.) **398,** 266

β-Adrenoceptor; Quantitative autoradiography; Hypothalamus; Pineal gland (Weiland, N.G.) **398,** 305

Aging cerebral cortex
Noradrenaline; Tyrosine hydroxylase; 3,4-Dihydroxyphenylalanine decarboxylase; High-affinity noradrenaline uptake (Harik, S.I.) **381,** 125

Aging of synaptic membranes
Synaptic plasticity; Aging; Morphometry; EPTA stained synapse; Hippocampus (Bertoni-Freddari, C.) **366,** 187

Agonist
Astrocyte; Muscarinic receptor; Inositol phospholipid; Cyclic adenosine monophosphate; Antagonist; Cell culture (Murphy, S.) **364,** 177

Wrist muscle; Step-tracking movement; Antagonist; Electromyographic activity; Movement direction (Hoffman, D.S.) **367,** 287

Agonist specific opioid receptor
Ventrobasal thalamus; Rat; Noxious stimulus (Benoist, J.M.) **398,** 49

σ-Agonist
Phencyclidine; Local cerebral glucose utilization; Schizophrenia (Kozlowski, M.R.) **376,** 190

Agranular insular cortex
Taste; Gustatory cortex; Cytoarchitecture; Rat (Kosar, E.) **379,** 329

Taste; Gustatory cortex; Cytoarchitecture; Rat; Autoradiography; Thalamocortical projection; Medial parvicellular component of the nucleus ventralis posteromedialis (Kosar, E.) **379,** 342

AH5183
Rat synaptosome; Acetylcholine storage; Acetylcholine release (Suszkiw, J.B.) **386,** 371

D-Ala-D-Leu-enkephalin
Opioid receptor, expression in neuroblastoma line; Delta opioid binding site; Human neuroblastoma cell; IMR-32, NMB, SK-N-SH neuroblastoma line (Hochhaus, G.) **382,** 327

Albinism
Pigmentation; Mutation; Auditory system (Conlee, J.W.) **363,** 28

Alcohol
Trigeminal receptor; Olfactory receptor; Smell; Odor; Chemoreception (Silver, W.L.) **376,** 221

Aldosterone
Brain angiotensin II receptor; Mineralocorticoid hormone; Deoxycorticosterone acetate; Drinking; Blood pressure; Neuronal cell culture (Wilson, K.M.) **382,** 87

Alfentanil
Rigidity; Catatonia; Methylnaloxonium; Nucleus raphe pontis; Caudate nucleus; Electromyography (Blasco, T.A.) **386,** 280

Catatonia; Methylnaloxonium; Rat; Opiate; Caudate nucleus; Nucleus raphe pontis (Amalric, M.) **386,** 287

Alkaline phosphatase
Blood–brain barrier; Cerebral endothelium; ATPase, (Na^+,K^+)-; Glial cell (Beck, D.W.) **381,** 131

***n*-Alkanol**
Calcium current; Voltage clamp (Oyama, Y.) **376,** 280

Allometry
Limbic system; Thalamus; Human evolution; Primate (Armstrong, E.) **362,** 394

Aluminum chloride
Aluminum hydroxide; Aluminum lactate; Blood–brain barrier; Sucrose; Cerebrovascular permeability; Transient change (Kim, Y.S.) **377,** 286

Aluminum hydroxide
Aluminum chloride; Aluminum lactate; Blood–brain barrier; Sucrose; Cerebrovascular permeability; Transient change (Kim, Y.S.) **377,** 286

Aluminum intoxication
Immunocytochemistry; Neurofilament antigen; Neurofibrillary degeneration (Troncoso, J.C.) **364,** 295

Aluminum lactate
Aluminum chloride; Aluminum hydroxide; Blood–brain barrier; Sucrose; Cerebrovascular permeability; Transient change (Kim, Y.S.) **377,** 286

Alzheimer disease/senile dementia of the Alzheimer type
Paired helical filament; Isolation; Solubility; Polyacrylamide gel electrophoresis; Immunoblot (Rubenstein, R.) **372,** 80

Alzheimer's disease
Auditory cortex (Esiri, M.M.) **366,** 385

Somatostatin; Cortex; Somatostatin-28_{1-12} (Beal, M.F.) **368,** 380

Acetylcholine; Choline acetyltransferase; Nicotinic cholinergic receptor (Whitehouse, P.J.) **371,** 146

Ethylcholine aziridinium ion; Acetylcholine; Nucleus basalis of Meynert (Kozlowski, M.R.) **372,** 45

Septum; Cholinergic neuron; Triiodothyronine; Thyroid hormone; Nerve growth factor (Hefti, F.) **375,** 413

α-Melanocyte stimulating hormone; Extrahypophyseal distribution; Human brain; Senile dementia; Enzyme immunoassay (Arai, H.) **377,** 305

Membrane alteration; Fluorescence spectroscopy (Zubenko, G.S.) **385,** 115

Granular inclusion; Hippocampus; Neuronal cytoskeleton; Tubulin (Price, D.L.) **385,** 305

Parkinson's disease; Dementia; Somatostatin; Human; Cortex (Beal, M.F.) **397,** 386

Corticotropin-releasing factor receptor; Acetylcholine; Muscarinic cholinergic receptor; Atropine treatment; Adenylate cyclase activity (De Souza, E.B.) **397,** 401

Congophilia; Amyloid deposit; Creutzfeldt–Jakob disease; Gerstmann–Sträussler syndrome; Senile dementia; Infectivity of subacute spongiform encephalopathy (Tashima, T.) **399,** 80

Glutamate; *N*-Methyl-D-aspartate; Excitatory amino acid receptor; Hippocampus (Geddes, J.W.) **399,** 156

Amacrine cell
Japanese dace; Dopamine; Ethidium bromide; Intracellular response;

Morphology (Chino, Y.M.) **372,** 323

NADPH diaphorase; Retina; Rabbit (Sagar, S.M.) **373,** 153

Retina; Immunocytochemistry; Choline acetyltransferase; Tree shrew (Conley, M.) **399,** 332

Ambiguus nucleus
Bradycardia; Cardioinhibitory area; Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Vagus nerve (Kuo, J.S.) **372,** 217

Amblyopia
γ-Aminobutyric acid; Visual cortex; Monocular deprivation; Ocular dominance; Inhibition (Mower, G.D.) **380,** 253

Amino acid
Epilepsy; γ-Aminobutyric acid; Photosensitivity; *Papio papio*; Cerebrospinal fluid; Taurine; Monoamine (Lloyd, K.G.) **363,** 390

Glial cell; Neurotransmitter; Energy parameter; Energetics; Ion; Ion gradient (Erecinska, M.) **369,** 193

Neurotransmitter; Glial cell; Astrocyte; Aspartate transport (Erecinska, M.) **369,** 203

Acetylcholine; α-Aminoisobutyric acid; Uptake; ATPase, (Ca^{2+},Mg^{2+})-; Glia maturation factor; Nodose ganglion; Rat (Ando, M.) **373,** 359

Neurotransmitter; Horizontal cell; Voltage clamp (O'Dell, T.) **381,** 359

Retina; Dopamine; Tyrosine; Substrate availability; Dietary protein (Gibson, C.J.) **382,** 195

Brain dialysis; Hippocampus; Neurotransmitter; Extracellular fluid (Lerma, J.) **384,** 145

Amino acid antagonist
Phosphate; *N*-Methyl-D-aspartate (Stone, T.W.) **381,** 195

Amino acid composition
γ-Endorphin; α-Endorphin; Pituitary gland; Schizophrenia; Pro-opiomelanocortin Messenger ribonucleic acid; Primer extension technique; Pro-opiomelanocortin cDNA (Bovenberg, R.A.L.) **376,** 29

Amino acid neurotransmitter
Glutaminase; Aspartate aminotransferase; Cerebellum; Immunocytochemistry (Wenthold, R.J.) **363,** 371

Retina; Horizontal cell; Kynurenic acid; Quinolinic acid (Hankins, M.W.) **380,** 297

Amino acid receptor
Glutamate; Aspartate; Olfactory cortex; Prepyriform cortex; Desensitization; Brain slice (Braitman, D.J.) **364,** 199

Synthetic quisqualate; Natural quisqualate; Glutamate; Locust nerve–muscle junction; Glutamate synapse (Boden, P.) **385,** 205

Amino acid sequence
Toxin F; Bungarotoxin 3.1; α-Bungarotoxin; Neuronal nicotinic receptor; *Bungarus multicinctus* venom; Nicotinic antagonist (Loring, R.H.) **385,** 30

Amino acid synergism
5′-Nucleotide; Taste response; Chorda tympani (Yoshii, K.) **367,** 45

Amino acid uptake
γ-Aminobutyric acid; D-Aspartate; Oligodendrocyte; Astrocyte; Tissue culture; Autoradiography; Immunocytochemistry (Reynolds, R.) **371,** 253

Nipecotic acid; γ-Aminobutyric acid; Retrograde transport; Olivocochlear efferent system (Ryan, A.F.) **399,** 399

Aminoglycoside
Mechanoreceptor; Neomycin; SA I-receptor; Skin; Touch (Baumann, K.I.) **377,** 160

Aminopeptidase
Neurochemical asymmetry; Cortex (Alba, F.) **368,** 158

2-Amino-4-phosphonobutanoate
Hippocampal slice; Synaptic field potential; Glutamate analogue; Excitatory amino acid; Extracellular recording; Quisqualate; Sensitization (Robinson, M.B.) **381,** 187

2-Amino-4-phosphonobutyric acid
Ibotenic acid; Hippocampus; Inositol phospholipid; Electrical stimulation (Iadorola, M.J.) **374,** 174

Prepyriform cortex slice; Kynurenic acid; Excitatory amino acid; Lateral olfactory tract; Synaptic antagonist (Hearn, T.J.) **379,** 372

2-Amino-4-phosphonobutyric acid receptor
Glutamate receptor; Lateral perforant path; Glutamate binding; Glutamate uptake (Bridges, R.J.) **375,** 204

2-Amino-5-phosphonovalerate
Epilepsy; Anticonvulsant; γ-D-Glutamylglycine; 3-Hydroxy-2-quinoxalinecarboxylic acid (Frenk, H.) **373,** 222

Kynurenate; *Cis*-2,3-Piperidine dicarboxylate; γ-D-Glutamylglycine; Fast excitatory postsynaptic potential; Concentration–effect curve (Langdon, R.B.) **398,** 169

2-Amino-7-phosphonoheptanoic acid
Seizure; γ-Aminobutyric acid; Bicuculline; Acetylcholine; Excitatory amino acid; *n*-Methyl-D-aspartate; Glutamate (Piredda, S.) **377,** 205

Cerebellum; Cyclic guanosine monophosphate; Swimming performance; Acidic amino acid; Locomotor activity; *N*-Methyl-D-aspartate (McCaslin, P.P.) **398,** 71

4-Aminopyridine
Demyelination; Peripheral nerve; Lysophosphatidylcholine (Targ, E.F.) **363,** 1

Dopamine; Autoreceptor; Transmitter release; Tetraethylammonium (Tepper, J.M.) **367,** 230

Rhythmic activity; Fictive locomotion; Decerebrate cat; Spinal cat; Spinal cord; Chronic spinal rat; Cross-correlation (Dubuc, R.) **369,** 243

Optic nerve; Action potential repolarization; Potassium channel (Kocsis, J.D.) **383,** 357

γ-Aminobutyric acid
Recovery of function; Aging; Hemiplegia; Rat model; Cortical inactivation (Brailowsky, S.) **362,** 322

Benzodiazepine; Midazolam; Somatostatin; Neuropeptide; Cell culture; Cerebral; Neuron; Hypothalamus (Stryker, T.D.) **362,** 339

Decerebration; Spinal cord transection; Cardiac vagus; Heart rate; Blood pressure; γ-Aminobutyric acid antagonist (Wible, J.H.) **363,** 279

Epilepsy; Photosensitivity; *Papio papio*; Cerebrospinal fluid; Taurine; Amino acid; Monoamine (Lloyd, K.G.) **363,** 390

Electron microscopy; Hippocampus; Immunoreactivity; Peroxidase–antiperoxidase (Gamrani, H.) **364,** 30

Neostriatum; Dopamine; Acetylcholine; Behavior; Rat (Vrijmoed-De Vries, M.C.) **364,** 77

Oxygen at high pressure; Oxygen; Inhibitory transmission; Transmitter release (Colton, C.A.) **364,** 151

Tryptamine; Neurotransmitter release; Calcium; Glutamate (Friedman, R.N.) **364,** 172

Neurotransmitter; Retina; Cone; Bipolar cell; Membrane conductance; Receptive field (Wu, S.M.) **365,** 70

Muscimol; Nipecotic acid; Uptake blocker; Hippocampus (Dalkara, T.) **366,** 314

Immunocytochemistry; Cochlea; Efferent neuron; Olivocochlear; Video enhanced microscopy (Fex, J.) **366,** 106

Rat; Picrotoxin; Intracerebral microinjection; Periaqueductal gray matter; Aggressive behavior; Defense; Open-field; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Epilepsy; Hippocampus; Kainate (Ashwood, T.J.) **367,** 390

Hippocampus; Hippocampal slice; Epilepsy; γ-Aminobutyric acid uptake; γ-Aminobutyric acid receptor agonist; Cis-4-hydroxy-nipecotic acid; 4,5,6,7-Tetrahydroisoxazolo-[4,5-c]pyridine-3-ol (Korn, S.J.) **368,** 247

Vestibular compensation; Vestibular deafferentation; Deiters' cell; Vestibular nucleus; Squirrel monkey (Thompson, G.C.) **370,** 182

Combined immunocytochemistry and radioautography; Serotonin; Supraependymal fiber; Rat; Epithalamus (Harandi, M.) **370,** 241

Calcium; D-Aspartate; Difluoromethylornithine; Ornithine decarboxylase; Synaptosomal fraction (Bondy, S.C.) **371,** 96

Anxiolytic drug; Benzodiazepine receptor; Central serotonergic neuron; 5-Hydroxytryptophan accumulation (Nishikawa, T.) **371,** 123

D-Aspartate; Amino acid uptake; Oligodendrocyte; Astrocyte; Tissue culture; Autoradiography; Immunocytochemistry (Reynolds, R.) **371,** 253

Olivocochlear bundle; Cochlear efferent; Primate (Thompson, G.C.) **372,** 72

Circadian phase shift; Benzodiazepine; Diazepam (Ralph, M.R.) **372,** 405

Glutamate decarboxylase; Glutamate decarboxylase monoclonal antibody; Glutamate decarboxylase polyclonal antibody (Wu, J.-Y.) **373,** 1

Anterior hypothalamus; Medial basal hypothalamus; Growth hormone; Prolactin; Muscimol (Willoughby, J.O.) **374,** 119

Stress; Benzodiazepine receptor; Chloride ionophore; *t*-Butylbicyclophosphorothionate; Anion (Havoundjian, H.) **375,** 401

Hemiplegia; Phenytoin; Motor cortex (Brailowsky, S.) **376,** 71

D-Aspartate; Horizontal cell; L-Glutamate; L-Aspartate; Kainate; Quisqualate (Cha, J.-H.) **376,** 140

Substance P; Norepinephrine; Serotonin; Morphine; Potassium-stimulated release (Pang, I.-H.) **376,** 268

Baclofen; Medullary respiratory neuron; Phrenic nerve activity (Lalley, P.M.) **376,** 392

Seizure; Bicuculline; Acetylcholine; Excitatory amino acid; *n*-Methyl-D-aspartate; Glutamate; 2-Amino-7-phosphonohepatanoic acid (Piredda, S.) **377,** 205

Stroke; Dynorphin$_{1-13}$; Opiate binding; Dopamine (Kuroda, H.) **379,** 68

Nerve membrane; Chloride permeability; Pentobarbitone (Hydén, H.) **379,** 167

Spinal cord; Dorsal root reflex; Primary afferent depolarization; Motoneuron; Benzodiazepine (Duchen, M.R.) **379,** 182

Dopamine; In vivo voltammetry; Neostriatum; Long-term treatment; Haloperidol (Kamata, K.) **380,** 1

Antibody production; Cochlear nucleus; Immunocytochemistry (Wenthold, R.J.) **380,** 7

Visual cortex; Monocular deprivation; Ocular dominance; Inhibition; Amblyopia (Mower, G.D.) **380,** 253

Muscimol; Prolactin; Arcuate; Hypothalamus; *N*-Methyl aspartate (Ondo, J.G.) **381,** 43

Amygdala kindling; γ-Aminobutyric acid transaminase activity; Gabaculine; Histochemistry (Itagaki, S.) **381,** 77

Voltammetry; Striatum; Nigra; Homovanillic acid; Taurine; Taurine antagonist (O'Neill, R.D.) **382,** 28

5,7-Dihydroxytryptamine; Serotonin; Retina; Co-occurrence (Osborne, N.N.) **382,** 158

Interneuron; Somatosensory thalamus; Dorsal column nucleus (Barbaresi, P.) **382,** 305

Glucocorticoid; Corticosterone; Hippocampus; Brain slice; Population spike; Opioid peptide (Vidal, C.) **383,** 54

Monkey; Epilepsy; Cerebral cortex; Glutamic acid decarboxylase; Immunocytochemistry; Morphology; Electroencephalography (Houser, C.R.) **383,** 129

Thalamus; Morphine; 4,5,6,7-Tetrahydroisoxazolo-(5,4-c)pyridin-3-ol; Antinociception (Reyes-Vazquez, C.) **383,** 177

Cat cortex; Single cell; Inhibition; Contrast adaptation (DeBruyn, E.J.) **383,** 339

Octadecaneuropeptide; Diazepam binding inhibitor; Aggression; Analgesia; Defeat; Benzodiazepine; Social conflict; Ro 15-1788 (Kavaliers, M.) **383,** 343

Septum; Acetylcholinesterase; Golgi; *Podarcis*; Lizard (Schwerdtfeger, W.K.) **384,** 184

Bicuculline; SR 95103; SR 95531; SR 42641; γ-Aminobutyric acid-A receptor (Heaulme, M.) **384,** 224

Periaqueductal gray; Nucleus raphe magnus; Tail-flick test; Analgesia; Rat (Moreau, J.-L.) **397,** 37

Neostriatum; Striatonigral axon; Glutamic acid decarboxylase; Medium spiny cell; Neuronal morphology; Neuronal ultrastructure; Combined immunoperoxidase and transport labeling (Fisher, R.S.) **398,** 148

Glutamate; Aspartate; Kainate; Retina (Moran, J.) **398,** 276

γ-Vinyl γ-aminobutyric acid; Kindling development; Afterdischarge; Kindled seizure (Shin, C.) **398,** 370

Steroid; Anxiety; Adrenal; Benzodiazepine; Receptor (Crawley, J.N.) **398,** 382

Melatonin; Pineal gland; Cerebellum; Hypothalamus; Cerebral cortex (Rosenstein, R.E.) **398,** 403

Cerebellum; Mutant mouse; Purkinje cell; Deep cerebellar nucleus; Immunocytochemistry (Wassef, M.) **399,** 125

Thalamic reticular nucleus; Immunocytochemistry; Rat; Electron microscopy; Immunogold staining (De Biasi, S.) **399,** 143

Nipecotic acid; Amino acid uptake; Retrograde transport; Olivocochlear efferent system (Ryan, A.F.) **399,** 399

γ-Aminobutyric acid agonist
Self-injurious behavior; Stereotyped behavior; Nociception; Analgesia; Locomotion; Substantia nigra; Midbrain reticular formation; Muscimo
(Baumeister, A.A.) **369,** 231

γ-Aminobutyric acid antagonism
Taurine; Focal epilepsy
(Fariello, R.G.) **380,** 196

γ-Aminobutyric acid antagonist
γ-Aminobutyric acid (GABA); Decerebration; Spinal cord transection; Cardiac vagus; Heart rate; Blood pressure (Wible, J.H.) **363,** 279

γ-Aminobutyric acid antiserum, purified
Immunohistochemistry; γ-Aminobutyric acid, enteric neuron (Saito, N.) **376,** 78

γ-Aminobutyric acid B-receptor; Pituitary gland (Anderson, R.A.) **365,** 78

γ-Aminobutyric acid; Bicuculline; SR 95103; SR 95531; SR 42641 (Heaulme, M.) **384,** 224

γ-Aminobutyric acid A-receptor sensitivity
Bullfrog; Primary afferent neuron; Prednisolone; Hydrocortisone; Glucocorticoid (Ariyoshi, M.) **367,** 332

γ-Aminobutyric acid B-receptor
γ-Aminobutyric acud A-receptor; Pituitary gland (Anderson, R.A.) **365,** 78

γ-Aminobutyric acid binding
L-Pipecolic acid; Barbiturate-enhancement;

Neuromodulator (Feigenbaum, P.) **372,** 176

γ-Aminobutyric acid neuron
γ-Aminobutyric acid terminal; Focal epilepsy; Monkey; Motor cortex (Ribak, C.E.) **363,** 78

γ-Aminobutyric acid receptor
Avermectin; Insect neuron; Cultured neuron (Lees, G.) **366,** 369

γ-Aminobutyric acidergic function; FG 7142 (Corda, M.G.) **384,** 60

Audiogenic seizure; Chloride ion; Age; Benzodiazepine receptor; Glutamate receptor; Mouse (Yu, O.) **399,** 374

γ-Aminobutyric acid receptor agonist
Hippocampus; Hippocampal slice; γ-Aminobutyric acid; Epilepsy; γ-Aminobutyric acid uptake; Cis-4-hydroxy-nipecotic acid; 4,5,6,7-Tetrahydroisoxazolo-[4,5-c]pyridine-3-ol (Korn, S.J.) **368,** 247

γ-Aminobutyric acid terminal
γ-Aminobutyric acid neuron; Focal epilepsy; Monkey; Motor cortex (Ribak, C.E.) **363,** 78

γ-Aminobutyric acid transaminase activity
Amygdala kindling; γ-Aminobutyric acid; Gabaculine; Histochemistry (Itagaki, S.) **381,** 77

γ-Aminobutyric acid uptake
Hippocampus; Hippocampal slice; γ-Aminobutyric acid; Epilepsy; γ-Aminobutyric acid receptor agonist; Cis-4-hydroxy-nipecotic acid; 4,5,6,7-Tetrahydroisoxazolo-[4,5-c]pyridine-3-ol (Korn, S.J.) **368,** 247

Metal; High affinity uptake; Glutamate uptake (Gabrielsson, B.) **384,** 218

γ-Aminobutyric acid, enteric neuron
γ-Aminobutyric acid antiserum, purified; Immunohistochemistry (Saito, N.) **376,** 78

γ-Aminobutyric acid-like immunoreactivity
Honeybee; Insect visual system; Lamina; Tangential fiber; 5-Hydroxytryptamine-like-immunoreactivity; Neurotransmitter (Schäfer, S.) **380,** 368

γ-Aminobutyric acidergic function
FG 7142; γ-Aminobutyric acid receptor (Corda, M.G.) **384,** 60

γ-Aminobutyric acidergic inhibition
Nucleus accumbens; Brain slice; In vitro recording (Chang, H.T.) **366,** 392

α-Aminoisobutyric acid
Acetylcholine; Amino acid; Uptake; ATPase, (Ca^{2+},Mg^{2+})-; Glia maturation factor; Nodose ganglion; Rat (Ando, M.) **373,** 359

***N*-Amino-*N*,*N*-dimethylaminoethanol**
False precursor; Cholinergic false transmitter; Passive avoidance behavior; Animal model; Cholinergic dysfunction (Newton, M.W.) **373,** 197

D-2-Amino-5-phosphonovaleric acid
Brain dialysis; Kynurenate; Olfactory bulb; In vivo (Jacobson, I.) **386,** 389

DL-2-Amino-4-phosphonobutyrate binding
Striatum; Distribution; L-2-Amino-4-phosphonobutyrate sensitive receptor (Butcher, S.P.) **381,** 305

L-2-Amino-4-phosphonobutyrate sensitive receptor
DL-2-Amino-4-phosphonobutyrate binding; Striatum; Distribution (Butcher, S.P.) **381,** 305

Ammonia
Astrocyte; Primary culture; Isoproterenol; Cyclic adenosine monophosphate; Hepatic encephalopathy (Liskowsky, D.R.) **386,** 386

Amphetamine
Ascorbic acid; Dopamine; In vivo voltammetry; Long-term treatment; Neostriatum (Kamata, K.) **362,** 331

Noradrenaline neuron; Locus ceruleus; Antipsychotic drug; Haloperidol; Clozapine; Rat (Ramirez, O.A.) **362,** 165

Triethyl lead; Organolead; Dopamine; Apomorphine; Locomotor activity (Walsh, T.J.) **363,** 222

Classical conditioning; Circling; 6-Hydroxydopamine; Apomorphine (Carey, R.J.) **365,** 379

Neuronal grafting; Dopamine neuron; 6-Hydroxydopamine; Striatum; Turning behavior; Mouse (Brundin, P.) **366,** 346

Ascorbic acid; Crus cerebri; In vivo voltammetry; Neostriatum; Picrotoxin; Substantia nigra (Wilson, R.L.) **370,** 393

Startle; Dopamine; Apomorphine; Strychnine; Cochlear nucleus (Davis, M.) **371,** 58

Serotonin sulfate; Dopamine sulfate; Norepinephrine sulfate; Potassium ion depolarization; Nomifensine (Tyce, G.M.) **372,** 269

Glutamate; Aspartate; Cerebral cortex; Hypothalamic nucleus; Brainstem nucleus; Pain-stress (Palkovits, M.) **373,** 252

Intracerebral dialysis; Dopamine release; 6-Hydroxydopamine; Rotational behavior; L-Dihydroxyphenylalanine (Zetterström, T.) **376,** 1

Ascorbic acid; Haloperidol; In vivo voltammetry; Neostriatum; Substantia nigra; Unit activity (Wilson, R.L.) **384,** 342

Calcium; Calmodulin; Dopamine; Sensitization; Striatum; Radioimmunoassay (Roberts-Lewis, J.M.) **384,** 383

Substance P; Immunoneutralization; Nucleus accumbens; Dopamine; Dihydroxyphenylacetic acid; Locomotor activity; Dopamine release (Elliott, P.J.) **385,** 379

Noradrenaline neuron; Locus ceruleus; Subsensitivity; α_2-Adrenoceptor; Autoreceptor; Clonidine (Ramirez, O.A.) **385,** 415

Acetylcholine; Hippocampus; Noradrenaline; Ventral noradrenergic bundle (Robinson, S.E.) **397,** 181

Striatal slice; Met-enkephalin release; Fipexide (Lucchi, L.) **398,** 212

Amphetamine-induced activity
Locomotor activity; Hypothalamic/preoptic area; Cholinergic system; Carbachol; Mesencephalic locomotor region; Extracellular unit recording; Rat (Brudzynski, S.M.) **376,** 47

Amphibian
Dermorphin; Morphine; Tolerance; Analgesia (Stevens, C.W.) **385,** 300

Amygdala
Methamphetamine; Apomorphine; Dopamine; Hypothalamic ventromedial nucleus; Defensive attack (Maeda, H.) **363,** 135

Hypothalamic efferent; Fluorescent latex microsphere; Retrograde fluorescent tracer; Cerebellum; Spinal cord (Dietrichs, E.) **364,** 241

Kindling; Dynorphin; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Cholecystokinin; Hippocampus; Substantia nigra; Epilepsy; Limbic system (Iadarola, M.J.) **365,** 185

Rat; Septohippocampal neuron; Cholinergic neuron; Microiontophoresis; Cholinergic agonist; Medial forebrain bundle; Barbiturate (Dutar, P.) **365,** 325

Pyriform cortex; Seizure; Aggressive behavior; Affective defense; Quiet attack; Electrical stimulation (Brutus, M.) **366,** 53

Adrenaline; Inhibitory avoidance; Memory; Noradrenaline; Propranolol; Retention (Liang, K.C.) **368,** 125

Seizure; Epilepsy; Convulsion;

Kindling; Substantia nigra; Catecholamine; Rat (Albala, B.J.) **370,** 388

Prolactin; Hippocampus; Afterdischarge (Sperling, M.R.) **371,** 293

Mammillary body; Conflict behavior; Rat (Shibata, K.) **372,** 159

Spinal cord; Retrograde transport; Bead; Cat (Sandrew, B.B.) **373,** 235

Vasopressin; Oxytocin; Septal nucleus; Hippocampus; Locus coeruleus; Bed nucleus of the stria terminalis (Fliers, E.) **375,** 363

Entorhinal cortex; Subiculum; Inhibition; Electrophysiology (Colino, A.) **378,** 416

Medial geniculate body; Classical conditioning; Emotion (Iwata, J.) **383,** 195

Kindling; Low-frequency stimulation; Cat; Experimental epilepsy (Minabe, Y.) **385,** 201

Kindling; Anterior neocortex; Transfer (Seidel, W.T.) **385,** 375

Blood pressure; Heart rate; Respiration; Central nucleus; Cryoprobe; Conditioning (Zhang, J.-X.) **386,** 136

Neurotensin; Immunocytochemistry; Human; Infant; Striatum; Septum; Cerebral cortex (Michel, J.-P.) **397,** 93

Cholecystokinin; Receptor; Radioreceptor assay; High-pressure liquid chromatography; Cholecystokinin-4; Hypothalamus; Cortex (Beresford, I.J.M.) **398,** 313

Androgen; Sexual differentiation; Social play; Testosterone (Meaney, M.J.) **398,** 324

Single neuron activity; Glucose; Morphine; Feeding behavior; Monkey (Nakano, Y.) **399,** 167

Amygdala central nucleus
Corneo-retinal potential; Differential Pavlovian conditioning; Heart rate; Horseradish peroxidase; Medial geniculate; Rabbit (Jarrell, T.W.) **374,** 126

Amygdala efferent
Entorhinal cortex; Neurophysiology; Dentate gyrus; Rat; Intracellular recording (Finch, D.M.) **370,** 273

Amygdala kindling
γ-Aminobutyric acid; γ-Aminobutyric acid transaminase activity; Gabaculine; Histochemistry (Itagaki, S.) **381,** 77

Cat; Plasma zinc level; Dietary zinc content (Sterman, M.B.) **383,** 382

Amygdaloid complex
Dopamine release; Substantia nigra; Rat (Leviel, V.) **381,** 205

Corticotropin releasing factor; Cobalt-enhanced immunohistochemistry; Efferent projection (Sakanaka, M.) **382,** 213

Amyloid deposit
Congophilia; Creutzfeldt–Jakob disease; Gerstmann–Sträussler syndrome; Senile dementia; Alzheimer's disease; Infectivity of subacute spongiform encephalopathy (Tashima, T.) **399,** 80

Anabantoid fish
Retinopetal projection; Ganglion cell; Nervus terminalis; Cobaltic lysine; Dwarf gourami (Oka, Y.) **367,** 341

Anaesthetic
Dopamine metabolism; In vivo voltammetry (Ford, A.P.D.A6.) **379,** 162

Analgesia
Microinjection; Opiate receptor; Spinal reflex; Periaqueductal gray; Medulla; Raphe magnus (Jensen, T.S.) **363,** 99

Bulbospinal pathway; α-Adrenoceptor; Raphe magnus; Spinal reflex; Serotonin (Jensen, T.S.) **363,** 114

Naloxone; Placebo; Pain (Levine, J.D.) **365,** 377

Morphine; Nucleus raphe magnus; Tail flick reflex; Rat (Barbaro, N.M.) **366,** 203

Seizure; Footshock; Electroconvulsive shock; Opioid; Mouse (Pavone, F.) **366,** 326

Morphine; Regional cerebral metabolism; Deoxyglucose; Autoradiography; Pain (Levy, R.M.) **368,** 170

Self-injurious behavior; Stereotyped behavior; Nociception; Locomotion; Substantia nigra; Midbrain reticular formation; Muscimol; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Norepinephrine; A5 nucleus; Pain; Lesion; Brainstem; Spinal cord (Sagen, J.) **370,** 93

Histamine; Naloxone; Cimetidine; H_2-receptor (Gogas, K.R.) **370,** 370

Opioid peptide; Opiate receptor; Morphine; Ethanol; Fetal ethanol exposure; Prenatal ethanol exposure (Nelson, L.R.) **372,** 234

Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; MIF-1; Naloxone; Activity; Opiate antagonist; Stress; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Pain; Hyperalgesia; Prostaglandin; Non-steroidal anti-inflammatory agent; Central nervous system (Taiwo, Y.O.) **373,** 81

Pain; Medial thalamus; Periaqueductal gray; Cerebral cortex; Intracellular recording (Andersen, E.) **375,** 30

Nucleus raphe magnus; Tail flick reflex; Rat; Morphine; Periaqueductal gray (Cheng, Z.-F.) **375,** 57

Opioid peptide; Stress; Restraint; Body temperature; Stress-induced change (Appelbaum, B.D.) **377,** 330

Morphine; Serotonin (Romandini, S.) **377,** 351

Activity; Magnetic field; Morphine; Morphine-induced analgesia; Opiate antagonist; Calcium ion (Kavaliers, M.) **379,** 30

Electroacupuncture; Morphine; Enkephalin; Naloxone; Thiorphan; Bestatin; Nucleus accumbens (Jin, W.-Q.) **380,** 317

Chronic stress; Opioid tolerance; Locomotor activity; Mice (Puglisi-Allegra, S.) **380,** 357

Antinociception; Quaternary naloxone; Tail-flick; Stress; Footshock; Endorphin (Chance, W.T.) **380,** 394

Opiate; Pain; Hypoalgesia; Periaqueductal gray; Trigeminal nucleus; Morphine (Kasman, G.S.) **383,** 271

Octadecaneuropeptide; Diazepam binding inhibitor; Aggression; Defeat; Benzodiazepine; γ-Aminobutyric acid; Social conflict; Ro 15-1788 (Kavaliers, M.) **383,** 343

Neural transplant; Adrenal medulla; Chromaffin cell; Nociception; Opioid peptide (Sagen, J.) **384,** 189

Dermorphin; Morphine; Tolerance; Amphibian (Stevens, C.W.) **385,** 300

γ-Aminobutyric acid; Periaqueductal gray; Nucleus raphe magnus; Tail-flick test; Rat (Moreau, J.-L.) **397,** 37

Swim stress; Selection; Mouse line (Panocka, I.) **397,** 152

Swim stress; Mouse line; Naloxone; Morphine (Panocka, I.) **397,** 156

Analgesic
Capsaicin; Mouse; Pain; Scratch; Spinal cord; Substance P; Substance P antagonist (Piercey, M.F.) **385,** 74

Analgesic brain stimulation
Periaqueductal gray stimulation; Pain; Naloxone (Baskin, D.S.) **371,** 231

Analgesic test
Pain; Tonic; Rat; Capsaicin; Morphine (Otsuki, T.) **365,** 235

Analytical technique
Cerebellum; Cerebellar cortex; Purkinje cell; Climbing fiber; Corticonuclear system (Lou, J.S.) **365,** 340

Anatomy
Avian; Auditory; Trigeminal; Nucleus

basalis; Lateral lemniscus; Cochlear nucleus; Pigeon (Arends, J.J.A.) **398,** 375

Androgen
Sexual differentiation; Social play; Amygdala; Testosterone (Meaney, M.J.) **398,** 324

Vasopressin; Oxytocin; Lateral septum; Bed nucleus of the stria terminalis; Paraventricular nucleus; Estrogen; Testosterone (De Vries, G.J.) **399,** 296

Anesthesia
Pentobarbital; Halothane; Membrane potential; Hyperpolarization (Whitney, J.F.) **381,** 199

Methylxanthine; Barbiturate; Monoaminergic neurotransmission; Arousal (Louie, G.L.) **383,** 377

Anesthetic
Pentobarbital; Excitatory amino acid; Kainate; L-Aspartate; Voltage-dependent block (Miljkovic, Z.) **376,** 396

Anesthetized rat
Corticotropin-releasing factor; Sympathetic nervous system; Adrenal medulla; Adrenal gland; Catecholamine secretion; Adrenaline (Kurosawa, M.) **367,** 250

Anestrus
Olfactory bulbectomy; Short photoperiod (Pieper, D.R.) **380,** 54

Angiotensin
Subfornical organ; Drinking behavior; Tachykinin; Bombesin; Hypovolemic thirst; Hyperosmotic thirst; Pigeon (Massi, M.) **381,** 289

Subfornical organ; Midbrain raphe system; Serotonin; Immunohistochemistry; Tract tracing; Double-labeling (Lind, R.W.) **384,** 250

Angiotensin II
Atropine; Blood pressure; Heart rate; Nucleus tractus solitarii; Saralasin (Rettig, R.) **364,** 233

Neuronal cell culture; Brain; Receptor; Sodium; Cation; Spontaneously hypertensive rat (Feldstein, J.B.) **370,** 265

Drinking; Hypertonic saline; Isoproterenol; Polyethylene glycol; Sinoaortic baroreceptor deafferentation; Water deprivation (Rettig, R.) **370,** 29

Norepinephrine; Angiotensin-induced thirst; Anteroventral third ventricle; Catecholamine; 6-Hydroxydopamine (McRae-Degueurce, A.) **374,** 162

Blood pressure control; Median preoptic area; Neuronal activation (Gambino, M.C.) **375,** 230

Receptor; Autoradiography; Organum vasculosum of the lamina terminalis; Subfornical organ; Medulla; Hypothalamus (McKinley, M.J.) **375,** 373

Central osmoreceptor; Preoptic area; Lateral hypothalamus; Drinking; Pigeon (Thornton, S.N.) **377,** 96

Lateral hypothalamic area; Subfornical organ; Paraventricular nucleus; Connection; Microiontophoresis; Saralasin; Atropine (Tanaka, J.) **379,** 200

Lateral hypothalamus; Motivation; Prefrontal cortex; Septal region; Subfornical organ; Zona incerta (Swanson, L.W.) **379,** 399

Area postrema; Sodium intake; Sodium balance (Watson, W.E.) **380,** 216

Vasopressin; Circumventricular organ; Hypothalamus; Cardiovascular regulation; Drinking (Gutman, M.B.) **382,** 119

Potassium depolarization; Hypothalamo-neurohypophysial system; Renin-angiotensin system; Vasopressin (Schiavone, M.T.) **397,** 193

Angiotensin-converting enzyme inhibitor
Quantitative enzyme autoradiography; Kininase II; Brain nucleus; Microdensitometry of brain enzyme; Brain peptide (Correa, F.M.A.) **375,** 259

Angiotensin-induced thirst
Norepinephrine; Anteroventral third ventricle; Catecholamine; Angiotensin II; 6-Hydroxydopamine (McRae-Degueurce, A.) **374,** 162

Angiotensinogen
Cell culture; Neuroblastoma; Astroglioma; Monoclonal antibody (Clemens, D.L.) **364,** 205

Glial fibrillary acidic protein; Immunocytochemistry; Rat brain; Astrocyte (Deschepper, C.F.) **374,** 195

Animal model
N-Amino-*N,N*-dimethylaminoethanol; False precursor; Cholinergic false transmitter; Passive avoidance behavior; Cholinergic dysfunction (Newton, M.W.) **373,** 197

Animal strain
Acetylcholinesterase; Basal ganglion; Cholinergic system; Genetic study; Histochemistry; Microphotometry (Iacopino, C.) **374,** 402

Anion
Stress; Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ionophore; *t*-Butylbicyclophosphorothionate (Havoundjian, H.) **375,** 401

Anoxia
Adaptation; Hypoxia; Hippocampal slice; CA1 population spike (Schurr, A.) **374,** 244

Adenosine; Receptor; Down regulation; Hippocampus; Cyclohexyladenosine (Lee, K.S.) **380,** 155

Antagonism
Shock-induced analgesia; 5-Methoxy-*N,N*-dimethyltryptamine; Tail-flick; Hot-plate; Intrathecal 6-Hydroxydopamine; Intrathecal yohimbine; Rat (Danysz, W.) **365,** 169

Antagonist
Astrocyte; Muscarinic receptor; Inositol phospholipid; Cyclic adenosine monophosphate; Agonist; Cell culture (Murphy, S.) **364,** 177

Wrist muscle; Step-tracking movement; Agonist; Electromyographic activity; Movement direction (Hoffman, D.S.) **367,** 287

Kynurenic acid; Kainic acid; Quisqualate; Retina; Acidic amino acid (Coleman, P.A.) **381,** 172

Anterior cingulate cortex
Reticular formation; Medulla oblongata; Horseradish peroxidase (Meyer, G.) **398,** 207

Anterior ectosylvian sulcus
Single unit; Auditory response; Cat (Clarey, J.C.) **386,** 12

Anterior hypothalamic area
Sexual dimorphism; Preoptic area; Hypothalamus; Ferret; Image analysis (Tobet, S.A.) **364,** 249

Baroreflex; Ventromedial nucleus of the hypothalamus; Parasympathetic nervous system; Heart rate (Pardini, B.J.) **384,** 274

Anterior hypothalamus
Medial basal hypothalamus; Growth hormone; Prolactin; γ-Aminobutyric acid; Muscimol (Willoughby, J.O.) **374,** 119

Raphe-spinal neuron; Afferent projection; Preoptic area (Lumb, B.M.) **380,** 162

Anterior lobe
Spinocerebellar tract; Projection field; Horseradish peroxidase; Cat (Yaginuma, H.) **365,** 345

Anterior neocortex
Kindling; Amygdala; Transfer (Seidel, W.T.) **385,** 375

Anterior nucleus
Cholinesterase; Intralaminar nucleus; Midline nucleus; Thalamus (Robertson, R.T.) **368,** 116

Anterior pituitary
Estrogen receptor; Estrogen binding; Aging; Age-associated; Hypothalamus; Preoptic area; Estrous cyclicity (Rubin, B.S.) **383,** 60

Prolactin secretion; Dopamine; Posterior pituitary; In vivo electrochemistry (Mulchahey, J.J.)

386, 332

Anterior thalamic nucleus
Subicular cortex; Cingulate cortex; Learning; Memory (Gabriel, M.) **384,** 195

Anterior thalamus
Substantia nigra; Pentylenetetrazol; Maximal electroshock; Generalized seizure (Mirski, M.A.) **397,** 377

Generalized seizure; Pentylenetetrazol; Muscimol; γ-Vinyl-γ-aminobutyric acid (Mirski, M.A.) **399,** 212

Anterior tongue
Nucleus tractus solitarii; Gustatory response; Rat; Convergence; Nasoincisor duct; Sucrose; Sodium chloride (Travers, S.P.) **365,** 305

Anterograde axonal transport
2,5-Hexanedione; Retrograde axonal transport; Peripheral neuropathy; Sensory nerve; Motor nerve; Distal axonopathy (Brændgaard, H.) **378,** 1

Anterograde tracing
Thalamus; *Phaseolus vulgaris*-leucoagglutinin; Immunohistochemistry; Striatum (Carlsen, J.) **374,** 375

Motor cortex; Corticospinal tract; Phrenic nucleus; Cat (Rikard-Bell, G.C.) **379,** 75

Anterograde transport
Horseradish peroxidase–wheat germ agglutinin; Tetramethylbenzidine; Sympathetic innervation; Iris; Pineal gland; Vascular innervation (Marfurt, C.F.) **366,** 373

Horseradish peroxidase; Glossopharyngeal nerve; Taste bud (Bradley, R.M.) **367,** 364

Collateral sprouting; Sensory axon; Glabrous skin; Sciatic nerve lesion; Wheat germ agglutinin–horseradish peroxidase conjugate; Microinjection (Kinnman, E.) **377,** 73

Trigeminal nucleus; Mesencephalon; Retrograde transport; Lectin conjugate; Cat (Wiberg, M.) **399,** 51

Anterolateral quadrant
Pain pathway; Noxious test; Vocalization; Spinal cord (Peschanski, M.) **376,** 164

Anteroventral third ventricle
Norepinephrine; Angiotensin-induced thirst; Catecholamine; Angiotensin II; 6-Hydroxydopamine (McRae-Degueurce, A.) **374,** 162

Plasma renin concentration; Dehydration; Ablation (McKinley, M.J.) **376,** 416

Anti-axolemma antibody
Anti-axon antibody; Axolemma; Neural tissue culture (Bourdette, D.N.) **366,** 333

Anti-axon antibody
Anti-axolemma antibody; Axolemma; Neural tissue culture (Bourdette, D.N.) **366,** 333

Anti-glutamate antibody
Colloidal gold particle; Carrier; Immunohistochemistry (Shiosaka, S.) **382,** 399

Anti-ischemic factor
Brain injury; Brain ischemia; Survival (Takahata, Y.) **381,** 368

Antibody
Noradrenaline; Glutaraldehyde; Rat brain; Locus ceruleus; Enzyme-linked immunosorbent assay; Immunocytochemistry (Geffard, M.) **363,** 395

Vision; Y cell; α cell; Head orientation; Retina; Superior colliculus; Lateral geniculate nucleus (Spear, P.D.) **368,** 154

Antibody infusion (i.c.v.)
Thyrotrophin-releasing hormone; Thyrotrophin-releasing hormone analogue, CG 3509; Osmotic minipump; Pentobarbital anaesthesia (Lighton, C.) **378,** 385

Antibody production
γ-Aminobutyric acid (GABA); Cochlear nucleus; Immunocytochemistry (Wenthold, R.J.) **380,** 7

Anticholinergic drug
Septum; θ-Rhythm; Neuronal activity; Pentobarbital (Brazhnik, E.S.) **380,** 94

Anticonvulsant
Epilepsy; 2-Amino-5-phosphonovalerate; γ-D-Glutamylglycine; 3-Hydroxy-2-quinoxalinecarboxylic acid (Frenk, H.) **373,** 222

Baclofen; Hippocampus; Epilepsy; Brain slice; Focal paroxysm (Ogata, N.) **377,** 362

Frontal cortex damage; Recovery of function; Benzodiazepine; Sensorimotor; Critical period; Extinction (Schallert, T.) **379,** 104

Excitatory amino acid antagonist; 3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; *N*-Methyl-D-aspartate receptor; Binding site; Spinal cord (Davies, J.) **382,** 169

Substance P; Tachykinin; Substantia nigra; Epilepsy; Seizure; Maximal electroshock; Bicuculline (Garant, D.S.) **382,** 372

Epilepsy; Non-opioid antitussive; Dextromethorphan; Carbetapentane; Diphenylhydantoin (Tortella, F.C.) **383,** 314

Olfactory bulb; Pilocarpine seizure (Millan, M.H.) **398,** 204

Antidepressant
Calcium; α_2-Adrenoceptor; Noradrenaline; Synaptosome; Release (Campbell, I.C.) **372,** 253

Antidiuretic hormone
Vasopressin; Bradykinin; Blood pressure; Vasopressin blocker (Brooks, D.P.) **371,** 42

Antidromic activation
Ventral lateral geniculate nucleus; Pretectum; Superior colliculus; Receptive field property; Single unit; Cat (Hada, J.) **363,** 165

Antidromic impulse
Locus coeruleus; Norepinephrine; Unit recording; Collateral inhibition; Self-inhibition; Dorsal noradrenergic bundle (Ennis, M.) **374,** 299

Antidromic latency technique
Inspiratory neuron; Nucleus tractus solitarii; Control of respiration; Lung inflation; Vagal pulmonary afferents; Medulla; Cat (Davies, R.O.) **366,** 22

Antidromic plasma extravasation
Neurogenic inflammation; Nociceptor; C-fiber; Sensitization (Reeh, P.W.) **384,** 42

Antidromic stimulation
Rat; Nucleus basalis; Globus pallidus; Substantia innominata; Cholinergic neuron; Microiontophoresis; Acetylcholine; Cholinergic agonist (Lamour, Y.) **362,** 122

Antiepileptic
Vasopressin; Barrel rotation; Central nervous system; Seizure; Visual/vestibular system (Wurpel, J.N.D.) **365,** 30

Antiepileptic drug evaluation
Hippocampal kindling; Epileptic afterdischarge; Seizure; Microcephaly; Rat (Majkowski, J.) **386,** 325

Antinociception
Electroconvulsive shock; Opiate receptor; Spinopetal pathway; Noradrenaline; Serotonin (Furui, T.) **367,** 162

Norepinephrine; Morphine; Nucleus reticularis paragigantocellularis; 6-Hydroxydopamine; Spinal cord (Pang, I.-H.) **371,** 171

Pain; Cholinergic neuron; Noradrenergic neuron; Nucleus raphe magnus; Spinal cord (Brodie, M.S.) **371,** 70

Opiate receptor; Mu opioid receptor ligand; Delta opioid receptor ligand; Periaqueductal gray; Medullary reticular formation (Jensen, T.S.) **372,** 301

Quaternary naloxone; Tail-flick; Stress; Footshock; Endorphin; Analgesia (Chance, W.T.) **380,** 394

Thalamus; Morphine; 4,5,6,7-Tetrahydroisoxazolo-

(5,4-c)pyridin-3-ol; γ-Aminobutyric acid (Reyes-Vazquez, C.) **383,** 177

Lateral reticular nucleus; Descending inhibition; Tail flick reflex; Hot plate test; Opioid; Cholinergic; α-Adrenergic (Ossipov, M.H.) **384,** 282

Interferon; Cyclosporine; Irradiation; Morphine; Tolerance (Dougherty, P.M.) **385,** 401

Baclofen; Clonidine; 6-Hydroxydopamine lesion; Dorsal noradrenergic bundle; Locus ceruleus; Tail-flick test (Sawynok, J.) **386,** 341

Antiprogesterone
RU 486; Progestin receptor; Heat duration; Sexual behavior; Lordosis; Progesterone; Guinea pig (Brown, T.J.) **373,** 103

Antipsychotic drug
Noradrenaline neuron; Locus ceruleus; Haloperidol; Clozapine; Amphetamine; Rat (Ramirez, O.A.) **362,** 165

Antiserum
Exercise; Reflex cardiovascular control; Spinal cord; Muscle afferent (Kaufman, M.P.) **377,** 199

Anxiety
Ethyl 5-benzyloxy-4-methoxymethyl β-carboline-3-carboxylate (ZK 91296); β-Carboline; Exploration; Motor activity; Rat (Pellow, S.) **363,** 174

Locus coeruleus; Noradrenergic neuron; Freely moving cat; Aversive conditioning; Appetitive conditioning; Diazepam; Yohimbine (Rasmussen, K.) **371,** 335

Steroid; Adrenal; Benzodiazepine; γ-Aminobutyric acid; Receptor (Crawley, J.N.) **398,** 382

Anxiolytic drug
Benzodiazepine receptor; γ-Aminobutyric acid; Central serotonergic neuron; 5-Hydroxytryptophan accumulation (Nishikawa, T.) **371,** 123

Aortic arch
Asymmetry of forelegs; Asymmetry of the brain; Local hematocrit (Mchedlishvili, G.) **386,** 64

Aortic depressor nerve
Ventrolateral medulla; Nucleus tractus solitarii; Carotid sinus nerve; Cardiovascular reflex pathway; Central regulation of circulation (Ciriello, J.) **367,** 273

Apamin
Brain cortex; Potassium; Glutamate; Veratridine; Creatine (Lackington, I.) **378,** 390

Potassium channel, calcium-dependent; Quantitative autoradiography; Rat brain; Septal area; Hippocampus; Cerebellum; Limbic system (Mourre, C.) **382,** 239

Aplysia
Cyclic adenosine monophosphate; Learning; Modulation; Sensory neuron; Sensitization (Ocorr, K.A.) **371,** 190

Neurotransmitter; Receptor; Cerebral ganglion (Gaillard, W.D.) **373,** 303

Synapse; Cerebrum; Ganglion; Neurotransmitter (Gaillard, W.D.) **373,** 311

Neostigmine; Pyridostigmine; Acetylcholine receptor; Desensitization (Slater, N.T.) **375,** 407

Calcium; Current; Non-bursting neuron; Potassium; Tetraethylammonium (Jones, L.S.) **385,** 46

Aplysia californica
Non-linear summation (Guthrie, P.B.) **386,** 364

Egg-laying behavior; Neuropeptide; Gene expression; Recombinant deoxyribonucleic acid (Shyamala, M.) **371,** 49

Apneusis
Cerebellum; Fastigial nucleus; Vagus nerve; Control of respiration; Control of circulation (Williams, J.L.) **399,** 224

Apomorphine
Decortication; Corticostriatal pathway; Nigrostriatal pathway; Striatum; Acetylcholine; Choline; Bromocriptine; Neuroleptic; Rat (Consolo, S.) **363,** 128

Methamphetamine; Dopamine; Hypothalamic ventromedial nucleus; Defensive attack; Amygdala (Maeda, H.) **363,** 135

Triethyl lead; Organolead; Dopamine; Amphetamine; Locomotor activity (Walsh, T.J.) **363,** 222

Classical conditioning; Circling; 6-Hydroxydopamine; Amphetamine (Carey, R.J.) **365,** 379

Circling behavior; Colchicine; 6-Hydroxydopamine; Electrolytic lesion; Methamphetamine (Kamata, K.) **367,** 1

Sexual behavior; Dopamine; Medial preoptic area; Caudate-putamen; Nucleus accumbens; Lateral septum (Hull, E.M.) **370,** 73

Startle; Dopamine; D-Amphetamine; Strychnine; Cochlear nucleus (Davis, M.) **371,** 58

Apomorphine-stimulated climbing behavior
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Spiperone binding site; Calmodulin-dependent phosphorylation; Dopamine receptor supersensitivity; Striatum (Lau, Y.-S.) **369,** 311

Appetitive conditioning
Locus coeruleus; Noradrenergic neuron; Freely moving cat; Aversive conditioning; Diazepam; Yohimbine; Anxiety (Rasmussen, K.) **371,** 335

Arcuate
γ-Aminobutyric acid; Muscimol; Prolactin; Hypothalamus; *N*-Methyl aspartate (Ondo, J.G.) **381,** 43

Arcuate nucleus
Tuberoinfundibular dopamine system; Serotonergic terminal (Kiss, J.) **364,** 284

Neurotensin; Synaptic inhibition; Brain slice; Single unit (Herbison, A.E.) **364,** 391

Synapse; Neuronal plasticity; Estrogen; Estradiol valerate; Rat (Garcia-Segura, L.M.) **366,** 131

Median eminence; Immunocytochemistry; Growth hormone-releasing factor; Electron microscopy; Rat (Ibata, Y.) **370,** 136

β-Endorphin; Dynorphin; Diurnal rhythm; Food intake; Water intake; Deprivation; Naloxone (Millan, M.J.) **381,** 29

β-Endorphin; Lesion; Naltrexone; Non-opioid analgesia; Opioid analgesia; Stress-induced analgesia; Time-dependent (Kelsey, J.E.) **382,** 278

Brain protein; Estradiol; Median eminence; Two-dimensional gel electrophoresis (Rodriguez-Sierra, J.F.) **399,** 379

Area 1
Somatosensory cortex; Somatotopic representation; Area 3b; Squirrel monkey (Cusick, C.G.) **370,** 359

Area 3a
Tooth-pulp driven neuron; Low-threshold tooth pulpal afferent; Low threshold masseteric nerve afferent; Coronal gyrus; Cat (Iwata, K.) **368,** 399

Thalamocortical projection; Motor cortex; Retrograde fluorescence tracer (Zheng, Z.-H.) **380,** 389

Area 3b
Somatosensory cortex; Somatotopic representation; Area 1; Squirrel monkey (Cusick, C.G.) **370,** 359

Area 5
Cortex; Area 7; Corticocortical connection (Neal, J.W.) **381,** 164

Area 7
Cortex; Area 5; Corticocortical connection (Neal, J.W.) **381,** 164

Area postrema
Cholecystokinin; Receptor; Nucleus tractus solitarii; Autoradiography (Moran, T.H.) **362,** 175

Angiotensin II; Sodium intake; Sodium balance (Watson, W.E.) **380,** 216

Arecoline
Basal nucleus of Meynert; Acetylcholine; Learning; Marmoset (Ridley, R.M.) **376,** 108

Arg-vasopressin
Convulsion; Neuropeptide; Vasopressor antagonist (Burnard, D.M.) **362,** 40

Arginine vasopressin
Substance P; Paraventricular nucleus; Synapse; Electron microscopic immunocytochemistry; Rat (Heike, Y.) **369,** 341

Cerebral blood flow; Neural lobe; Microsphere (Ziedonis, D.M.) **373,** 27

Fever; Pyrogen; Oxytocin; Ventral septal area; Endogenous antipyresis (Naylor, A.M.) **385,** 156

Secretion; Neurosecretion; Facilitation; Calcium; Cooperativity; Neurohypophysis; Mouse (Wolfe, S.A.) **399,** 190

Arginine vasopressin biosynthesis
Somatostatin biosynthesis; Hypothalamus; Hypophysectomy (Wetsel, W.C.) **370,** 315

Arginine vasotocin
Phe-Met-Arg-Phe-NH_2 (FMRFamide); Small cardioactive peptide B; Mollusc; Modulation; Neuromuscular junction; Immunocytochemistry (Richmond, J.E.) **370,** 159

Aromatase
Sexual dimorphism; Testosterone metabolism; Japanese quail; Sexual behavior; Preoptic area; Hypothalamus (Schumacher, M.) **370,** 285

Hypothalamic culture; 5α-Reductase; Kainic acid; Neuron (Canick, J.A.) **372,** 277

Hypothalamus; Preoptic area; Testosterone; Metabolism of testosterone; Reproductive behavior; Brain differentiation; Sexual differentiation (Schumacher, M.) **377,** 63

Aromatic-L-amino-acid decarboxylase
Charge isozyme; Isoelectric point; Adrenal and brain; Chromatofocusing; Species difference (Park, D.H.) **370,** 375

Aromatization
Testosterone; Brain; Testicular feminization mouse; Autoradiography (Schleicher, G.) **397,** 290

Arousal
Methylxanthine; Anesthesia; Barbiturate; Monoaminergic neurotransmission (Louie, G.L.) **383,** 377

Trigeminal nucleus; Face-rub response; Nociception; Organization; Syringobulbia (Broton, J.G.) **397,** 1

Arrhythmia
Subarachnoid hemorrhage; Hypothalamus; Multiple unit activity (Lacy, P.S.) **373,** 146

Arterial chemoreceptor
Carotid body; 2-Deoxy-D-glucose; Adenosine triphosphate content; Dopamine release; Chemoafferent activity; Metabolic hypothesis (Obeso, A.) **371,** 25

Arterial pressure
A1 noradrenergic neuron; Tyramine; Kainic acid; Renal nerve activity; Rostral ventrolateral medulla; C1 adrenergic neuron; 6-Hydroxydopamine; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

Ventral surface of the medulla; Respiratory activity; L-Glutamic acid; Nucleus paragigantocellularis lateralis; Lateral reticular nucleus; Glycine-sensitive area (Gatti, P.J.) **381,** 281

Nucleus tractus solitarii; Substance P; L-Glutamate; Acetylcholine; Gastric motility (Spencer, S.E.) **385,** 371

Arthritic rat
Writhing behavior; Endogenous opioid system; Counter irritation; Pain (Calvino, B.) **370,** 191

Morphine tolerance; Naloxone; Pain threshold (Kayser, V.) **371,** 37

Norepinephrine; Uric acid; High-pressure liquid chromatography with electrochemical detection; Spinal cord; Pain (Weil-Fugazza, J.) **374,** 190

Opioid tolerance (Kayser, V.) **383,** 392

Ascending spinal pathway
Ventral root afferent; Pressor response; Unmyelinated fiber; Spinal cord; Spinal lesion (Kim, J.) **377,** 182

Ascending spinal system
Double-label fluorescence method; Spinoannular tract; Spinomesencephalic tract; Spinoreticular tract; Axon collaterals of spinal neuron (Pechura, C.M.) **374,** 357

Ascorbate
Serotonin-1 binding assay; Serotonin receptor; Serotonin; Serotonergic-myoclonic syndrome; 5,7-Dihydroxytryptamine (Pranzatelli, M.R.) **364,** 57

Ascorbic acid
D-Amphetamine; Dopamine; In vivo voltammetry; Long-term treatment; Neostriatum (Kamata, K.) **362,** 331

Amphetamine; Crus cerebri; In vivo voltammetry; Neostriatum; Picrotoxin; Substantia nigra (Wilson, R.L.) **370,** 393

Amphetamine; Haloperidol; In vivo voltammetry; Neostriatum; Substantia nigra; Unit activity (Wilson, R.L.) **384,** 342

Asialoglycoprotein
Retrograde axonal transport; Endocytosis; Receptor; Endogenous lectin; Trigeminal neuron; Dorsal root ganglia neuron; Mouse (Gustafsson, M.) **367,** 14

Aspartate
Glutamate; Olfactory cortex; Prepyriform cortex; Amino acid receptor; Desensitization; Brain slice (Braitman, D.J.) **364,** 199

Glutaraldehyde; Specificity; Affinity; Immunocytochemistry; Cerebral cortex (Campistron, G.) **365,** 179

Glutamate; Cerebral cortex; Hypothalamic nucleus; Brainstem nucleus; Pain-stress; Amphetamine (Palkovits, M.) **373,** 252

Glutamate; Cerebellum; Climbing fiber; Parallel fiber; Neurotransmitter release; Mass fragmentography (Sekiguchi, M.) **378,** 174

Glutamate; Kainate; γ-Aminobutyric acid; Retina (Moran, J.) **398,** 276

Aspartate aminotransferase
Glutamate; Glutaminase; Cerebellar nucleus; Immunohistochemistry (Monaghan, P.L.) **363,** 364

Glutaminase; Cerebellum; Amino acid neurotransmitter; Immunocytochemistry (Wenthold, R.J.) **363,** 371

Aspartate transport
Neurotransmitter; Amino acid; Glial cell; Astrocyte (Erecinska, M.) **369,** 203

D-Aspartate
γ-Aminobutyric acid; Amino acid uptake; Oligodendrocyte; Astrocyte; Tissue culture; Autoradiography; Immunocytochemistry (Reynolds, R.) **371,** 253

Calcium; γ-Aminobutyric acid; Difluoromethylornithine; Ornithine decarboxylase; Synaptosomal fraction (Bondy, S.C.) **371,** 96

γ-Aminobutyric acid; Horizontal cell; L-Glutamate; L-Aspartate; Kainate; Quisqualate (Cha, J.-H.) **376,** 140

Glutamate binding; Sodium-dependent binding; Sodium-independent binding; Dissociation of ligand; Quisqualic acid; Sulphhydryl-reagent (Ogita, K.) **397,** 137

D-aspartate
Seizure; γ-Aminobutyric acid; Bicuculline; Acetylcholine; Excitatory amino acid; Glutamate; 2-Amino-7-phosphonohepatanoic acid (Piredda, S.) **377,** 205

D-Aspartate uptake
Visual cortex; Superior colliculus; Glutamate decarboxylase;

Noradrenaline; Plasticity; Rat
(Fosse, V.M.) **372,** 189

L-Aspartate
D-Aspartate; γ-Aminobutyric acid; Horizontal cell; L-Glutamate; Kainate; Quisqualate (Cha, J.-H.) **376,** 140

Anesthetic; Pentobarbital; Excitatory amino acid; Kainate; Voltage-dependent block
(Miljkovic, Z.) **376,** 396

Astrocyte
Muscarinic receptor; Inositol phospholipid; Cyclic adenosine monophosphate; Agonist; Antagonist; Cell culture (Murphy, S.) **364,** 177

Iodothyronine; Thyroxine; Triiodothyronine; Deiodinase; Oligodendrocyte; Neuroglia
(Cavalieri, R.R.) **364,** 382

Coupling ratio; Furosemide; Glial cell; Sodium-potassium pump; Ouabain; Potassium homeostasis; Sodium ion
(Walz, W.) **368,** 226

Neurotransmitter; Amino acid; Glial cell; Aspartate transport
(Erecinska, M.) **369,** 203

γ-Aminobutyric acid; D-Aspartate; Amino acid uptake; Oligodendrocyte; Tissue culture; Autoradiography; Immunocytochemistry (Reynolds, R.) **371,** 253

Quinolinic acid; Excitotoxin; Glial fibrillary acidic protein; Gliosis; Huntington's disease (Björklund, H.) **371,** 267

Angiotensinogen; Glial fibrillary acidic protein; Immunocytochemistry; Rat brain (Deschepper, C.F.) **374,** 195

Ganglioside; Glycolipid; Gliosis; Murine cerebellar mutant
(Levine, S.M.) **374,** 260

Substance P; Human; Blood vessel
(Michel, J.-P.) **377,** 383

Barrel field cortex; Cortical development; Glial fibrillary acidic protein immunocytochemistry; Glial fibrillary acidic protein; Radial glia; Ephemeral cortical pattern; Cortical pattern development; Radial glia associated topography
(Cooper, N.G.F.) **380,** 341

Primary culture; Neuron; Nuclear T_3 receptor; Ontogenesis (Luo, M.) **381,** 275

Protein phosphorylation; Protein kinase C; Calcium (Neary, J.T.) **385,** 420

Primary culture; Ammonia; Isoproterenol; Cyclic adenosine monophosphate; Hepatic encephalopathy (Liskowsky, D.R.) **386,** 386

Phorbol ester; Protein kinase C; Astrocyte culture; Cyclic adenosine monophosphate; Differentiation
(Mobley, P.L.) **398,** 366

Astrocyte culture
Astrocyte; Phorbol ester; Protein kinase C; Cyclic adenosine monophosphate; Differentiation
(Mobley, P.L.) **398,** 366

Astrocyte proliferation
Platelet-derived growth factor; Brain injury; Gliosis; Trapidil (Takamiya, Y.) **383,** 305

Astrocytoma
Growth factor; Autocrine regulation; Cell growth; Differentiation (Ito, J.-I.) **374,** 335

Astroglia
Co-cultivation; Glial fibrillary acidic protein; Neuron; Neuron-specific enolase; Primary brain culture
(Hansson, E.) **366,** 159

Transneuronal transport; Wheat germ agglutinin-horseradish peroxidase; Habenula; Interpeduncular nucleus; Rat (Takada, M.) **384,** 77

Astroglioma
Angiotensinogen; Cell culture; Neuroblastoma; Monoclonal antibody
(Clemens, D.L.) **364,** 205

Asymmetric rotation
Ganglioside; Nigrostriatum; Na^+,K^+-Adenosinetriphosphatase; GM1 ganglioside (Li, Y.S.) **377,** 292

Asymmetry
Luteinizing hormone-releasing hormone; Thyrotropin-releasing hormone; Hypothalamus; Human
(Borson-Chazot, F.) **382,** 433

Asymmetry of forelegs
Asymmetry of the brain; Local hematocrit; Aortic arch
(Mchedlishvili, G.) **386,** 64

Asymmetry of the brain
Asymmetry of forelegs; Local hematocrit; Aortic arch
(Mchedlishvili, G.) **386,** 64

Atomic absorption spectroscopy
Spinal cord injury; Potassium; Calcium; Weight drop contusion (Young, W.) **365,** 42

ATPase, (Ca^{2+})-
Synaptosome; Calcium pump
(Pekovic, S.) **379,** 251

ATPase, (Ca^{2+},Mg^{2+})-
Acetylcholine; Amino acid; α-Aminoisobutyric acid; Uptake; Glia maturation factor; Nodose ganglion; Rat (Ando, M.) **373,** 359

ATPase, (Na^+,K^+)-
Bicuculline seizure; Cerebral cortex; Homogenate; Vanadate
(Folbergrová, J.) **363,** 53

Temporal lobe epilepsy; Glial ATPase
(Grisar, T.) **364,** 1

Ganglioside; Mitochondrion; Hippocampus (Bianchi, R.) **364,** 400

Ganglioside; Nigrostriatum; Asymmetric rotation; GM1 ganglioside
(Li, Y.S.) **377,** 292

Blood–brain barrier; Cerebral endothelium; Alkaline phosphatase; Glial cell (Beck, D.W.) **381,** 131

Atrial natriuretic peptide
Rat brain nucleus anteroventral third ventricle; Radioimmunoassay; Fluid balance; Electrolyte balance
(Zamir, N.) **365,** 105

Electrolyte homeostasis; Cardiovascular system; Interpeduncular nucleus
(Standaert, D.G.) **382,** 163

Atropine
Angiotensin II; Blood pressure; Heart rate; Nucleus tractus solitarii; Saralasin
(Rettig, R.) **364,** 233

Hippocampus electroencephalogram; Rhythmic slow wave activity; Laminar profile; Current–source density; Urethane; Dipole (Buzsáki, G.) **365,** 125

Cholinergic vasodilation; Cerebral blood flow; Fastigial nucleus
(Iadecola, C.) **368,** 375

Rapid eye movement sleep duration; Pontogeniculo-occipital spike; Auditory stimulation
(Arankowsky-Sandoval, G.) **375,** 377

Locomotor activity; Rearing; Hypothalamic-preoptic area; Cholinergic system; Carbachol; Rat
(Brudzynski, S.M.) **376,** 38

Lateral hypothalamic area; Subfornical organ; Paraventricular nucleus; Connection; Angiotensin II; Microiontophoresis; Saralasin
(Tanaka, J.) **379,** 200

Lymphocyte; Muscarinic binding; Strain; Age (Shenkman, L.) **380,** 303

Atropine treatment
Corticotropin-releasing factor receptor; Acetylcholine; Muscarinic cholinergic receptor; Adenylate cyclase activity; Alzheimer's disease (De Souza, E.B.) **397,** 401

Attention
Mesencephalic reticular formation; Sleep; Spike train analysis; Fluctuation, 1/*f*
(Yamamoto, M.) **366,** 279

Audiogenic seizure
Epilepsy; Kindling; Hippocampal formation; Genetically epilepsy-prone rat (Savage, D.D.) **376,** 412

Chloride ion; Age; γ-Aminobutyric acid receptor; Benzodiazepine receptor; Glutamate receptor; Mouse
(Yu, O.) **399,** 374

Auditory
Lesion; Neuron; Midbrain; Gerbil; Deafferentation (Moore, D.R.) **373,** 268

Anatomy; Avian; Trigeminal; Nucleus basalis; Lateral lemniscus; Cochlear nucleus; Pigeon (Arends, J.J.A.)

398, 375

Auditory cortex
Claustrum (Neal, J.W.) **366,** 145

Alzheimer's disease (Esiri, M.M.) **366,** 385

Learning; Classical conditioning; Receptive field; Single unit (Diamond, D.M.) **372,** 357

Auditory response
Anterior ectosylvian sulcus; Single unit; Cat (Clarey, J.C.) **386,** 12

Auditory stimulation
Rapid eye movement sleep duration; Pontogeniculo-occipital spike; Atropine (Arankowsky-Sandoval, G.) **375,** 377

Auditory system
Albinism; Pigmentation; Mutation (Conlee, J.W.) **363,** 28

Auditory system
Inferior colliculus; Macula lagena (Conlee, J.W.) **367,** 96

Cochlea; Neurofilament; Primary afferent; RT-97; Sensory neuron (Berglund, A.M.) **383,** 327

Auricular branch of vagus nerve
Neuroanatomy; Sympathetic nervous system; Facial nerve; Trigeminal nerve; Greater superficial petrosal nerve (Matthews, B.) **382,** 55

Aurothioglucose
Obesity; Ventromedial hypothalamus; Dorsal motor nucleus of the vagus; Nucleus tractus solitarii; Hypoglossal nucleus (Powley, T.L.) **367,** 192

Autocrine regulation
Growth factor; Cell growth; Differentiation; Astrocytoma (Ito, J.-I.) **374,** 335

Autofluorography
Subfornical organ; Two-dimensional gel electrophoresis; Radioamino acid incorporation into protein; Salt loading; Water deprivation; Computerized scanning densitometry; Fluid homeostasis (Santer, D.M.) **372,** 107

Automated analysis
Topographical analysis; Evolution of spike-wave complex; Spike morphology (Lemieux, J.F.) **373,** 275

Automatic image analysis
Cerebellum; Cell migration; Cell adhesion molecule; Glycosaminoglycans; Ganglioside; Mouse (Lindner, J.) **377,** 298

Autonomic
Peripheral; Optic-nerve; Adrenergic; Vasa nervorum; Nervi nervorum (Dhital, K.) **367,** 39

Autonomic ganglion
Parasympathetic neuron; Noradrenaline; Catecholamine; Slow-hyperpolarizing synaptic potential; Neurotransmitter; Synaptic transmission (Akasu, T.) **365,** 365

Autonomic nerve
Serotonin; Cerebrovascular nerve; Superior cervical ganglion (Cowen, T.) **384,** 51

Autonomic nervous system
Heart; Tissue culture; Intracardiac neuron; Neuropeptide Y-containing neuron; Vasoactive intestinal polypeptide-containing neuron (Hassall, C.J.S.) **364,** 102

Emotion; Classical conditioning; Lateral hypothalamus; Ibotonic acid (Iwata, J.) **368,** 161

Serotonin; Spinal cord; Rat; Immunohistochemistry (Newton, B.W.) **376,** 155

Corticotropin-releasing factor; Noradrenaline; Site of action (Brown, M.) **399,** 10

Autonomic neuropathy
Retrograde axonal transport; Nerve growth factor; Diabetes; Rat (Schmidt, R.E.) **378,** 325

Autophagy
Mammalian retina; Disk-shedding; Light response; Circadian rhythm; Dopamine (Remé, C.) **369,** 356

Autoradiographic localization
Phencyclidine; Thienyl-phencyclidine; σ-Opioid; Multiple binding site; Biochemical regionalization; Cerebellum (Vignon, J.) **378,** 133

Autoradiographic tracing
Cochlear nuclear projection; Commissural connection; Rhombencephalic auditory nucleus; Torus semicircularis; Turtle (Künzle, H.) **379,** 307

Autoradiography
Cholecystokinin; Receptor; Area postrema; Nucleus tractus solitarii (Moran, T.H.) **362,** 175

Guinea pig; Immunocytochemistry; Dihydrotestosterone; Gonadotroe; Thyrotroe; Pituicyte (Herbert, D.C.) **362,** 318

Striatum; Kainicate; Brain transplant; Dopamine; Behavioral recovery (Deckel, A.W.) **363,** 383

Sleep; Rapid-eye-movement sleep; Metabolism; Deoxyglucose (Ramm, P.) **365,** 112

Medial terminal nucleus; Accessory optic system; Ventral midbrain tegmentum; Monkey (Weber, J.T.) **365,** 164

Brain homogenate; Brain section; Muscarinic receptor; *N*-Methyl scopolamine; Receptor binding (Dohanich, G.P.) **366,** 338

Muscarinic receptor; Carotid body; Neurotransmission; Acetylcholine (Dinger, B.G.) **367,** 328

Morphine; Analgesia; Regional cerebral metabolism; Deoxyglucose; Pain (Levy, R.M.) **368,** 170

Adenosine; Xanthine; Receptor; *N*-Ethylcarboxamidoadenosine; Cyclohexyladenosine (Lee, K.S.) **368,** 394

γ-Aminobutyric acid; D-Aspartate; Amino acid uptake; Oligodendrocyte; Astrocyte; Tissue culture; Immunocytochemistry (Reynolds, R.) **371,** 253

Dehydration; Opiate receptor; Trigeminal system; Solitary nucleus (Hwang, B.H.) **371,** 345

^{125}I-Lysergic acid diethylamide (^{125}I-LSD); Neostriatum; Frontal cortex; Serotonin receptor; Receptor binding (Altar, C.A.) **372,** 130

Calcitonin gene-related peptide; Binding; Human brain; Rat brain (Inagaki, S.) **374,** 287

Retractor bulbus; Blink reflex; Nictitating membrane response; Conditioning; Eye protection (Holstege, G.) **374,** 321

Receptor; Angiotensin II; Organum vasculosum of the lamina terminalis; Subfornical organ; Medulla; Hypothalamus (McKinley, M.J.) **375,** 373

Muscarinic receptor; Pirenzepine; Gut Sympathetic ganglion; Salivary gland (Buckley, N.J.) **375,** 83

Opiate receptor; μ-Receptor; δ-Receptor; Telencephalon; Diencephalon (McLean, S.) **378,** 49

Superior colliculus; Rat; Intralaminar thalamus; Projection neuron; Patch; Double labeling (Yamasaki, D.S.G.) **378,** 223

Taste; Gustatory cortex; Cytoarchitecture; Rat; Thalamocortica projection; Medial parvicellular component of the nucleus ventralis posteromedialis; Agranular insular cortex (Kosar, E.) **379,** 342

Neuropeptide Y; Receptor; Localization; Lower brainstem; Bindin (Nakajima, T.) **380,** 144

Acetylcholine; Brain; M1 muscarinic receptor subtype; M2 muscarinic receptor subtype; Neuroanatomy; Rat (Spencer, D.G.) **380,** 59

Opioid receptor; Seizure; Gerbil; Epilepsy (Lee, R.J.) **380,** 76

Acetate; Fluoroacetate; Glia; Metabolism (Muir, D.) **380,** 336

Adrenergic receptor; Cerebral blood vessel; Rat; Human (Nakai, K.) **381,** 148

Methylmercury; Axonal transport; Rat Scintillation spectrometry (Aschner, M.) **381,** 244

asoactive intestinal peptide; Cerebral lood vessel; Receptor (Poulin, P.) **31,** 382

eurohypophysis; Opioid receptor; appa; Dynorphin (Herkenham, M.) **32,** 365

ainate binding site; Hippocampus; luman development (Represa, A.) **34,** 170

lfaction; Cell renewal; hemoreceptor cell; Thymidine; astropod mollusc (Chase, R.) **34,** 232

iprenorphine; Basal ganglia Morris, B.J.) **384,** 362

achykinin receptor; Substance P; ledoisin; Neuropeptide; Brain ceptor (Danks, J.A.) **385,** 273

ihydromorphine; Opioid binding; libernation; Euthermia; lippocampus; Cortex; Ground squirrel Beckman, A.L.) **386,** 223

rainstem; Blood flow; Seizure; icuculline; Newborn monkey ujikawa, D.G.) **397,** 61

estosterone; Aromatization; Brain; esticular feminization mouse chleicher, G.) **397,** 290

asoactive intestinal peptide binding te; Brain section (Besson, J.) **398,** 329

denosine; Receptor; -Ethylcarboxamidoadenosine; triatum; *N*-Ethylmaleimide Reddington, M.) **399,** 232

-Opioid receptor; δ-Opioid receptor; -Opioid receptor; yr-D-Ala-Gly-MePhe-Gly-ol; -D-Penicillamine-5-D-penicillamine- nkephalin; Bremazocine Mansour, A.) **399,** 69

utoreceptor
opamine; Transmitter release; -Aminopyridine; Tetraethylammonium Tepper, J.M.) **367,** 230

oradrenaline neuron; Locus ceruleus; -Amphetamine; Subsensitivity; β_2-Adrenoceptor; Clonidine Ramirez, O.A.) **385,** 415

vain
ainate; Fear behavior (Phillips, R.E.) **77,** 216

vermectin
-Aminobutyric acid receptor; Insect euron; Cultured neuron (Lees, G.) **66,** 369

version
eriaqueductal gray; Medial ypothalamus; Escape; Morphine; hoice; Discrimination (Jenck, F.) **78,** 274

rain stimulation; Escape behavior; ocal neuronal circuitry; lesencephalon; Periaqueductal gray; Rat; Unit activity (Sandner, G.) **386,** 53

Aversive conditioning
Locus coeruleus; Noradrenergic neuron; Freely moving cat; Appetitive conditioning; Diazepam; Yohimbine; Anxiety (Rasmussen, K.) **371,** 335

Avian
Anatomy; Auditory; Trigeminal; Nucleus basalis; Lateral lemniscus; Cochlear nucleus; Pigeon (Arends, J.J.A.) **398,** 375

Awake rat
Dorsal column lesion; Stimulation of dorsal column nucleus; Nociception; Tail immersion test; Formalin test (Saadé, N.E.) **369,** 307

Axial muscle
Reticular formation; Pudendal nerve; Lordosis; Electroencephalogram; Electromyogram (Sullivan, J.M.) **368,** 197

Axolemma
Anti-axolemma antibody; Anti-axon antibody; Neural tissue culture (Bourdette, D.N.) **366,** 333

Axolemmal fragment
Schwann cell; Schwannoma hybrid; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Kreider, B.Q.) **397,** 238

Axon
Phenytoin; Lamprey; Spinal cord; Action potential; Frequency dependence; Potassium (Adler, E.M.) **362,** 271

Optic nerve; Gliogenesis; Mitotic inhibitor; Myelination; Development (Black, J.A.) **380,** 122

Action potential; Ethanol (Hochner, B.) **398,** 164

Axoplasm; Axoplasmic transport; Organelle transport; Mauthner neuron; Goldfish (Koenig, E.) **398,** 288

Axon collateral
Cerebellar efferent; Brachium conjunctivum; Fluorescent tracer; Rat (Bentivoglio, M.) **362,** 180

Spinal motoneuron; Dorsal root ganglion; Horseradish peroxidase; Electron microscope (Kayahara, T.) **376,** 299

Spinal cord; Dorsal horn; Dendrite; Receptive field; Plantar cushion (Egger, M.D.) **383,** 68

Axon collaterals of spinal neuron
Double-label fluorescence method; Spinoannular tract; Spinomesencephalic tract; Spinoreticular tract; Ascending spinal system (Pechura, C.M.) **374,** 357

Axon diameter
Japanese quail; Retinal ganglion cell; Cell distribution; Soma size; Classification; Dendritic pattern (Ikushima, M.) **376,** 320

Axon growth rate
Axon branching; Cell motility rate; Growth cone movement rate; Tissue culture, neuronal (Katz, M.J.) **366,** 211

Axon hillock
Axonal initial segment; Cortical pyramidal neuron; Ganglioside storage disease; Axonal spheroid; Meganeurite (Walkley, S.U.) **382,** 379

Axon specificity
Neurofilament; Phosphorylation; Peripheral nerve; Regeneration; Laminin (Bignami, A.) **375,** 73

Axon threshold
Circling; Brain stimulation; Current–distance relation; Refractory period; Summation (Yeomans, J.) **372,** 95

Axonal branching
Axon growth rate; Cell motility rate; Growth cone movement rate; Tissue culture, neuronal (Katz, M.J.) **366,** 211

Hemicerebellectomy; Cerebellar efferent; Axonal sprouting; Plasticity; Rat; Fluorescent tracing (Molinari, M.) **372,** 1

Axonal collateralization
Corticofugal projection; Corticocortical afferent; Corticostriatal afferent; Commissural pathway; Decussated pathway; Multiple retrograde labeling (Fisher, R.S.) **384,** 395

Axonal competition
Colchicine; Axonal transport; Lumicolchicine; Classical conditioning; Optic nerve regeneration; Optic tectum; Synaptogenesis; Goldfish (Schlumpf, B.E.) **386,** 305

Axonal cytoskeleton
Acrylamide neuropathy; Phosphorylation; Neurofilament (Howland, R.D.) **363,** 333

Axonal guidance
Neovascularization (Politis, M.J.) **364,** 369

Axonal initial segment
Axon hillock; Cortical pyramidal neuron; Ganglioside storage disease; Axonal spheroid; Meganeurite (Walkley, S.U.) **382,** 379

Axonal regeneration
Non-neuronal cell proliferation; Rat neocortex; Cytosine arabinoside; Tissue culture (Oorschot, D.E.) **368,** 49

Somatotopical organization; Adult; Neonatal; Facial motor nucleus; Retrograde axonal transport; Horseradish peroxidase (Aldskogius, H.) **375,** 126

Conditioning lesion; Nerve transection; Nerve freeze; Sciatic nerve; Rat (Bondoux-Jahan, M.) **382,** 39

Axonal severance
Reconnection; Polyethylene glycol; Crayfish (Bittner, G.D.) **367,** 351

Axonal spheroid
Axonal initial segment; Axon hillock; Cortical pyramidal neuron; Ganglioside storage disease; Meganeurite (Walkley, S.U.) **382,** 379

Axonal sprouting
Hemicerebellectomy; Cerebellar efferent; Axonal branching; Plasticity; Rat; Fluorescent tracing (Molinari, M.) **372,** 1

Axonal swelling
Ephaptic transmission; Glial cell; β,β'-Iminodipropionitrile; Motoneuron; Neurofilament; Paranodal demyelination; Synapse (Gold, B.G.) **362,** 205

Axonal tracing
Organotypic culture; Hippocampus; Rat; Neuronal connection; Horseradish peroxidase; Detergent; Neuroanatomical method (Keller, F.) **380,** 191

Axonal transport
Slow muscle fiber; Action potential; Tetrodotoxin; Colchicine; Vincristine (Siebler, M.) **362,** 299

β,β'-Iminodipropionitrile; Neurofilament protein; Tubulin; Optic nerve; Microtubule associated protein (Parhad, I.M.) **363,** 315

Goldfish optic nerve; Tetrodotoxin; Ribonucleic acid; Adenosine; Uridine; Guanosine; Transcellular transfer (Edwards, D.L.) **364,** 258

Calcium; Squid axon; Diffusion (Chang, D.C.) **367,** 319

Superior salivatory nucleus; Horseradish peroxidase; Submandibular gland; Cat (Tramonte, R.) **375,** 381

Polyarthritic rat; Acetylcholinesterase; Molecular form (Tavitian, B.) **375,** 391

Nerve repair; Nerve crush; Regeneration rate; Rabbit hypoglossal nerve (Danielsen, N.) **376,** 125

Capsaicin; Sensory neuron; Lectin; Substance P; Brain glycoprotein; Ultrastructural cytochemistry (Streit, W.J.) **377,** 1

Receptor; Opiate; Muscarinic; Diabetes; Streptozocin (Laduron, P.M.) **380,** 359

Protease activity; Calcium ion (Zalewska, T.) **381,** 58

Ornithine decarboxylase; Polyamine; Regeneration (Kanje, M.) **381,** 24

Tubulin; Detyrosylation; Microtubule (Burgoyne, R.D.) **381,** 113

Methylmercury; Rat; Scintillation spectrometry; Autoradiography (Aschner, M.) **381,** 244

Myelinated axon; Rapid freezing; Freeze substitution; Serial section; Node of Ranvier (Okamura, Y.) **383,** 146

Tubulin; Microtubule; Cytoskeleton (Johnston, K.M.) **385,** 38

Colchicine; Axonal competition; Lumicolchicine; Classical conditioning; Optic nerve regeneration; Optic tectum; Synaptogenesis; Goldfish (Schlumpf, B.E.) **386,** 305

Optic nerve; Demyelination; Semliki Forest Virus; Virus infection (Tansey, E.M.) **397,** 9

Trimethyltin; Protein synthesis; Glycoprotein synthesis; Visual system (Toews, A.D.) **398,** 298

Transsynaptic transport; Transneuronal transport; Wheat germ agglutinin; Concanavilin-A (Rhodes, C.H.) **399,** 42

Axonal trauma
Heat shock-like protein; Glial protein (Tytell, M.) **363,** 161

Axonopathy
Acrylamide; *bis*-Acrylamide; Glutathione-*S*-transferase; Glutathione; Dopamine receptor; Neurotoxicity; Neuropathy; Neurotoxin (Srivastava, S.P.) **371,** 319

Axoplasm
Axoplasmic transport; Organelle transport; Mauthner neuron; Axon; Goldfish (Koenig, E.) **398,** 288

Axoplasmic transport
In vivo; Microtubule; Calcium ion; Cadmium ion; Tubulin; SH content (Gan, S.-D.) **369,** 75

Tectal regulation; Goldfish visual system (Yoon, M.G.) **382,** 339

Substance P; Dorsal horn; Nociceptive stimulus; Electrical activity; Formaldehyde (Kantner, R.M.) **385,** 282

Axoplasm; Organelle transport; Mauthner neuron; Axon; Goldfish (Koenig, E.) **398,** 288

Axotomy
Immunohistochemistry; Vasoactive intestinal polypeptide; Spinal cord; Neuropeptide (Shehab, S.A.S.) **372,** 37

Sympathetic; Regeneration; Retrograde transport; Specificity; Fluorescent dye (Hendry, I.A.) **376,** 292

Axotomy regeneration
Substance P; Reinnervation; Peripheral nerve (Bisby, M.A.) **365,** 85

B

Baclofen
γ-Aminobutyric acid; Medullary respiratory neuron; Phrenic nerve activity (Lalley, P.M.) **376,** 392

Hippocampus; Epilepsy; Anticonvulsant; Brain slice; Focal paroxysm (Ogata, N.) **377,** 362

Clonidine; 6-Hydroxydopamine lesion; Dorsal noradrenergic bundle; Locus ceruleus; Antinociception; Tail-flick test (Sawynok, J.) **386,** 341

Baclofen binding
$GABA_A$ receptor; $GABA_B$ receptor; Imipramine binding; 5,7-Dihydroxytryptamine lesion (Mennini, T.) **371,** 372

Balance
Posture; Stroke; Reflex; Electromyogram (Di Fabio, R.P.) **363,** 257

Ballistic contraction
Voluntary force exertion; Ramp contraction; Isometric force; Motor unit; Threshold force; Force rate (Yoneda, T.) **372,** 89

Ballistic movement
Gait perturbation; Leg muscle electromyogram response; Motor control; Triphasic pattern (Dietz, V.) **362,** 355

Barbiturate
Rat; Septohippocampal neuron; Cholinergic neuron; Microiontophoresis; Cholinergic agonist; Amygdala; Medial forebrain bundle (Dutar, P.) **365,** 325

$GABA_A$ receptor; Prolactin; Benzodizapine (Anderson, R.A.) **371,** 287

Leech neuron; Divalent cation; Calcium potential (Johansen, J.) **376,** 255

Methylxanthine; Anesthesia; Monoaminergic neurotransmission; Arousal (Louie, G.L.) **383,** 377

Barbiturate anesthesia
Brain; Capillary morphometry; Capillary diameter; Capillary volume (Buchweitz, E.) **377,** 105

Barbiturate-enhancement
L-Pipecolic acid; γ-Aminobutyric acid binding; Neuromodulator (Feigenbaum, P.) **372,** 176

Baroreceptor
Neuron caudal ventrolateral medulla; Paraventricular nucleus; Vagus nerve; Clonidine; Electrophysiology; Rat (Kannan, H.) **376,** 342

Baroreceptor reflex
Bradycardia; Tachycardia; Inferior olivary nucleus; Vagus nerve; Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus (Kuo, J.S.) **372,** 227

Bradycardia; Differential pavlovian conditioning; Rabbit; Sinoaortic denervation (Jarrell, T.W.) **381,** 251

Baroreflex
Blood pressure; Nucleus tractus solitarii; Sinoaortic denervation; Stress; Plasma catecholamine; Plasma renin activity (Buchholz, R.A.) **365,** 360

Paraventricular nucleus; Cardiovascular region; Magnocellular region; Parvocellular region; Rat (Porter, J.P.) **375,** 20

Anterior hypothalamic area; Ventromedial nucleus of the hypothalamus; Parasympathetic nervous system; Heart rate (Pardini, B.J.) **384,** 274

Barrel field cortex
Cortical development; Glial fibrillary acidic protein immunocytochemistry; Glial fibrillary acidic protein; Radial glia; Astrocyte; Ephemeral cortical pattern; Cortical pattern development; Radial glia associated topography (Cooper, N.G.F.) **380,** 341

Barrel rotation
Vasopressin; Seizure; Brain; Central nervous system; Cerebrospinal fluid; Kindling; Behavior (Wurpel, J.N.D.) **365,** 21

Vasopressin; Central nervous system; Seizure; Visual/vestibular system; Antiepileptic (Wurpel, J.N.D.) **365,** 30

Basal forebrain
N-Methyl-D,L-aspartic acid; Excitotoxin; Lesion; Cholineacetyltransferase; Immunohistochemistry; Rat (Stewart, G.R.) **369,** 377

Divergent axon collateral; Neocortical afferent; Basal nucleus of Meynert (Adams, C.E.) **397,** 365

Basal forebrain cholinergic system
Nucleus basalis of Meynert; Delayed response task; Memory; Reward (Richardson, R.T.) **399,** 364

Basal forebrain neuronal activity
Sleep mechanism; Sleep–wake cycle; Non-rapid eye movement sleep control; Acetylcholine (Szymusiak, R.) **370,** 82

Basal ganglia
Neostriatum; Corticostriatal pathway; Neostriatal spiny neuron; Corticostriatal neuron (Wilson, C.J.) **367,** 201

Dynorphin; Substantia nigra; Opiate receptor (Lavin, A.) **369,** 298

Substance P; Dynorphin; Co-occurrence; Striatonigral; Striatopallidal; Bird; Reptile (Reiner, A.) **371,** 155

Huntington's disease; Immunocytochemistry; Opioid peptide; Postmortem human brain; Radioimmunoassay (Dawbarn, D.) **372,** 155

Neuropeptide Y; Striatum; Primate; Cat; Immunohistochemistry; Somatostatin (Smith, Y.) **372,** 241

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Tyrosine hydroxylase; Immunohistochemistry (Schneider, J.S.) **373,** 258

Acetylcholinesterase; Animal strain; Cholinergic system; Genetic study; Histochemistry; Microphotometry (Iacopino, C.) **374,** 402

Pallidal segment; Dendrite; Morphometry; Golgi method (Dvergsten, C.L.) **375,** 395

Somatostatin; Neuropeptide Y; Striatum; Cerebral cortex (Beal, M.F.) **377,** 240

Opioid peptide; Prodynorphin system; Proenkephalin system; Dynorphin A_{1-8}; Met-enkephalin-Arg^6-Gly^7-Leu^8; Human brain; Huntington's disease (Seizinger, B.R.) **378,** 405

Tizanidine; Yohimbine; Prazosin; Muscle tone; Genetically spastic rat (Turski, L.) **379,** 367

Haloperidol; Clozapine; Dynorphin A; Dynorphin B; Substance P (Nylander, I.) **380,** 34

Quinolinic acid; Dopamine; Huntington's disease (Mazzari, S.) **380,** 309

Diprenorphine; Autoradiography (Morris, B.J.) **384,** 362

Basal hypothalamus
Adenosylhomocysteine hydrolase; Cerebellum; Hippocampal formation; Adenosine deaminase; Superior colliculus; Immunocytochemistry (Patel, B.T.) **370,** 250

Basal lamina
Nerve regeneration; Meissner corpuscle; Lamellar cell; Schwann cell; Freezing (Ide, C.) **384,** 311

Basal nucleus
Retrograde cell degeneration; Choline acetyltransferase; Immunocytochemistry; Ganglioside (Cuello, A.C.) **376,** 373

Cortical graft; Cholinergic innervation; Cortical damage; Choline acetyl transferase; Immmunohistochemistry; Glutamic acid decarboxylase (Sofroniew, M.V.) **378,** 409

Cholinergic neuron; Neuronal hypertrophy; Immunohistochemistry; Kainic acid (Pearson, R.C.A.) **382,** 149

Basal nucleus of Meynert
Cholinergic cell group Ch4; Globus pallidus; *Phaseolus vulgaris* leucoagglutinin; Striatum (Grove, E.A.) **367,** 379

Divergent axonal collateral; Neocortical afferent; Globus pallidus (Boylan, M.K.) **375,** 176

Acetylcholine; Arecoline; Learning; Marmoset (Ridley, R.M.) **376,** 108

Basal forebrain; Divergent axon collateral; Neocortical afferent (Adams, C.E.) **397,** 365

Basic protein
Proteolipid; Myelin; Freeze-fracture; Intramembrane particle; Liposome (Garcia-Segura, L.M.) **380,** 261

Basolateral amygdala
Growth hormone; Electrical stimulation; Lesion; Periventricular hypothalamic nucleus; Stria terminalis (Koibuchi, N.) **382,** 104

Bay K 8644
Dihydropyridine; Nimodipine; Synaptosome; Calcium entry; Dopamine release (Woodward, J.J.) **370,** 397

Dopamine release; Tuberoinfundibular neuron; Calcium channel; Calcium agonist; Maitotoxin (Taglialatela, M.) **381,** 356

Bead
Amygdala; Spinal cord; Retrograde transport; Cat (Sandrew, B.B.) **373,** 235

Bed nucleus of the stria terminalis
Vasopressin; Oxytocin; Septal nucleus; Hippocampus; Amygdala; Locus coeruleus (Fliers, E.) **375,** 363

Vasopressin; Neurophysin; Glycopeptide; Immunocytochemistry; Locus coeruleus; Hypothalamus; Brattleboro rat (Van Leeuwen, F.W.) **379,** 171

Vasopressin; Oxytocin; Lateral septum; Paraventricular nucleus; Estrogen; Androgen; Testosterone (De Vries, G.J.) **399,** 296

Behaving cat
Serotonergic neuron; Dopaminergic neuron; Substantia nigra; Noradrenergic neuron; Locus coeruleus; Single unit activity; Sensory stimulus; Habituation (Rasmussen, K.) **369,** 336

Behavior
Neostriatum; Dopamine; Acetylcholine; γ-Aminobutyric acid; Rat (Vrijmoed-De Vries, M.C.) **364,** 77

Vasopressin; Barrel rotation; Seizure; Brain; Central nervous system; Cerebrospinal fluid; Kindling (Wurpel, J.N.D.) **365,** 21

Locus coeruleus; Noradrenergic neuron; Freely moving cat; Sensory stimulation (Rasmussen, K.) **371,** 324

Rat; Hippocampus; Lesion; Reversal learning; Receptor; Corticosteroid; Plasticity (De Ronde, F.S.W.) **374,** 219

Cerebellum; Cyclic guanosine monophosphate; Pentobarbital; Locomotor activity; Swimming performance (McCaslin, P.P.) **374,** 367

Hippocampus; Evoked potential; Cellular activity; Depth profile; Tooth pulp stimulation; Acoustic response (Brankačk, J.) **378,** 303

Serotonin; Dopamine; Stress; Depression; Open field; 5-Methoxy-*N,N*-dimethyltryptamine; Sex difference (Kennett, G.A.) **382,** 416

Noradrenaline; Complex environment; Isolated environment; 6-Hydroxydopamine; Desipramine; Motor activity; Neurochemistry; Rat (Mohammed, A.K.) **398,** 6

Hippocampus; Electroencephalography; Sharp wave; Unit activity; Cellular burst; Epileptic transient; Long-term potentiation (Buzsáki, G.) **398,** 242

Behavioral control
Retrofacial expiratory cell; Active expiration (Orem, J.) **374,** 409

Behavioral control of breathing
Brainstem respiratory neuron (Orem, J.) **366,** 238

Behavioral inhibition
Prefrontal cortex; Premotor cortex; Single unit activity; Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 15

Behavioral performance
Vasopressin; Oxytocin; Radioimmunoassay; Septum/striatum; Hippocampus (Ermisch, A.) **379,** 24

Behavioral plasticity
Rat hippocampus; Memory and learning; Goldfish brain protein; Immunohistofluorescence staining; Embryonic glycoprotein; Plasticity of the CNS; Pyramidal cell culture (Schmidt, R.) **386,** 245

Behavioral recovery
Fetal implant; Hippocampus; Maze performance; Rat (Kimble, D.P.) **363,** 358

Striatum; Kainicate; Brain transplant; Dopamine; Autoradiography (Deckel, A.W.) **363,** 383

Dopamine; Striatum; Electrophysiology; 6-Hydroxydopamine (Nisenbaum, E.S.) **398,** 221

Behavioral supersensitivity
Serotonergic-myoclonic syndrome; Myoclonus; Serotonin neurotoxin; Locomotor activity; 5,7-Dihydroxytryptamine; *p*-Chloroamphetamine; Fenfluramine (Pranzatelli, M.R.) **364,** 67

Behavioral testing
Brain injury; Functional deficit; Local cerebral glucose utilization; Metabolic mapping (Colle, L.M.) **397,** 27

Beige murine mutant
Receptor, Fc-; Monocyte; Myelin; Peripheral nerve; Silica; Wallerian degeneration (Beuche, W.) **378,** 97

Benzidine dihydrochloride
Double immunocytochemistry; 3,3′-Diaminobenzidine (Bolam, J.P.) **397,** 279

Benzodiazepine
Midazolam; γ-Aminobutyric acid; Somatostatin; Neuropeptide; Cell culture; Cerebral; Neuron; Hypothalamus (Stryker, T.D.) **362,** 339

Differentiation; Olfactory cell line; Dibutyryl cyclic monophosphate; 12-*O*-Tetradecanoylphorbol-13-acetate; Ro5-4864 (Goldstein, N.I.) **370,** 205

$GABA_A$ receptor; Prolactin; Barbiturate (Anderson, R.A.) **371,** 287

Circadian phase shift; γ-Aminobutyric acid; Diazepam (Ralph, M.R.) **372,** 405

S1 cortex; Receptive field; Ro 15-1788; Flurazepam; Diazepam; Midazolam (Oka, J.-I.) **376,** 194

Frontal cortex damage; Recovery of function; Sensorimotor; Critical period; Anticonvulsant; Extinction (Schallert, T.) **379,** 104

γ-Aminobutyric acid; Spinal cord; Dorsal root reflex; Primary afferent depolarization; Motoneuron (Duchen, M.R.) **379,** 182

Lorazepam; Rat; Mouse; Convulsion; Pentylenetetrazole; Tolerance; Withdrawal (Lister, R.G.) **379,** 364

Benzodiazepine antagonist; Ro 15-1788; Adenosine; Purine; Hippocampus (Stone, T.W.) **380,** 379

Octadecaneuropeptide; Diazepam binding inhibitor; Aggression; Analgesia; Defeat; γ-Aminobutyric acid; Social conflict; Ro 15-1788 (Kavaliers, M.) **383,** 343

Steroid; Anxiety; Adrenal; γ-Aminobutyric acid; Receptor (Crawley, J.N.) **398,** 382

Benzodiazepine antagonist
Benzodiazepine; Ro 15-1788; Adenosine; Purine; Hippocampus (Stone, T.W.) **380,** 379

Benzodiazepine receptor
Kindled seizure; Aging; Hippocampus (Fanelli, R.J.) **362,** 17

Diazepam; Norepinephrine; Release; α-Receptor (Kellogg, C.K.) **366,** 137

Chronic bupropion; Bupropion metabolite; Down-regulation (Smith, T.M.) **367,** 385

Anxiolytic drug; γ-Aminobutyric acid; Central serotonergic neuron; 5-Hydroxytryptophan accumulation (Nishikawa, T.) **371,** 123

Stress; γ-Aminobutyric acid; Chloride ionophore; *t*-Butylbicyclophosphorothionate; Anion (Havoundjian, H.) **375,** 401

Flunitrazepam; Acetylcholinesterase; Striosome; Striatum; Human (Faull, R.L.M.) **381,** 153

Adrenalectomy; Glucocorticoid; Adrenocorticotropic hormone; Corticotropin-releasing factor; Dexamethasone; Neurotransmitter receptor binding (De Souza, E.B.) **381,** 176

Kindling; Norharman; β-Carboline; Ro 15-1788 (Morin, A.M.) **397,** 259

Audiogenic seizure; Chloride ion; Age; γ-Aminobutyric acid receptor; Glutamate receptor; Mouse (Yu, O.) **399,** 374

Bereitschaftspotential
Readiness potential; Voluntary movement; Lower extremity; Precentral gyrus; Motor homunculus (Boschert, J.) **376,** 175

Bestatin
Electroacupuncture; Morphine; Enkephalin; Analgesia; Naloxone; Thiorphan; Nucleus accumbens (Jin, W.-Q.) **380,** 317

Neurotensin; Thermoregulation; Neuropeptide inactivation; Thiorphan; Captopril (Coquerel, A.) **398,** 386

Bethanechol
Electromyography; Muscimol; Muscular rigidity; Neostriatum; *N*-Methylscopolamine; Substantia nigra (Schwarz, M.) **373,** 365

Bicuculline
Seizure; γ-Aminobutyric acid; Acetylcholine; Excitatory amino acid; *n*-Methyl-D-aspartate; Glutamate; 2-Amino-7-phosphonohepatanoic acid (Piredda, S.) **377,** 205

Substance P; Tachykinin; Substantia nigra; Epilepsy; Seizure; Maximal electroshock; Anticonvulsant (Garant, D.S.) **382,** 372

γ-Aminobutyric acid; SR 95103; SR 95531; SR 42641; γ-Aminobutyric acid-A receptor (Heaulme, M.) **384,** 224

Brainstem; Blood flow; Seizure; Autoradiography; Newborn monkey (Fujikawa, D.G.) **397,** 61

Bicuculline seizure
ATPase, (Na^+,K^+)-; Cerebral cortex; Homogenate; Vanadate

Folbergrová, J.) **363,** 53

Bile canaliculus
Monoclonal antibody; Brain microvasculature; Endothelium; Blood–brain barrier; Kidney proximal tubule (Michalak, T.) **379,** 320

Binding
Kainate; Glutamate; Snail ganglia membrane (Pin, J.-P.) **366,** 290

Calcitonin gene-related peptide; Autoradiography; Human brain; Rat brain (Inagaki, S.) **374,** 287

Neuropeptide Y; Receptor; Localization; Lower brainstem; Autoradiography (Nakajima, T.) **380,** 144

Binding site
Kainic acid; Goldfish; Central nervous system; Distribution (Migani, P.) **376,** 186

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Parkinson's disease; Monkey; Monoamine oxidase; Monoamine oxidase inhibitor (Del Compo, M.) **378,** 320

Oxytocin; α-Melanocyte-stimulating hormone; Immunocytochemistry; Brattleboro rat; Accurel (Ravid, R.) **379,** 404

Vasopressin; Microvessel; Blood–brain barrier (Kretzschmar, R.) **380,** 325

Excitatory amino acid antagonist; D-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; N-Methyl-D-aspartate receptor; Anticonvulsant; Spinal cord (Davies, J.) **382,** 169

Somatostatin; Human brain; High affinity; Tritium (Whitford, C.A.) **398,** 141

Binding site regionalization
Tetrabenazine binding; Monoamine transporter; Serotonin; Dopamine; Noradrenaline; Mouse (Scherman, D.) **370,** 176

Binding specificity
Prostaglandin D_2; Prostaglandin D_2 analogue; Synaptic membrane fraction; Rat brain (Tokumoto, H.) **362,** 114

Biochemical marker
Synaptosome isolation; Percoll; Electron microscopy; Viability (Dunkley, P.R.) **372,** 115

Biochemical regionalization
Phencyclidine; Thienyl-phencyclidine; σ-Opioid; Multiple binding site; Autoradiographic localization; Cerebellum (Vignon, J.) **378,** 133

Bioenergetics
Oxygen delivery to tissue; Mitochondrial function; Dinitrophenol; Phosphorus nuclear magnetic resonance; Isolated perfused head (Kariman, K.) **366,** 300

Biogenic amine
Raphe nucleus; Locus coeruleus; Genetic hypertension; Serotonin formation (Koulu, M.) **371,** 177

Biphasic effect
Morphine; Tuberoinfundibular neuron; Dopamine turnover; Median eminence; Prolactin (Callahan, P.) **381,** 106

Bipiperidyl mustard
Hypothalamus; Insulin; Hyperphagia; Obesity; Monosodium glutamate; Lesion; Feeding (Scallet, A.C.) **374,** 380

Bipolar cell
Neurotransmitter; Retina; γ-Aminobutyric acid; Cone; Membrane conductance; Receptive field (Wu, S.M.) **365,** 70

Bird
Substance P; Dynorphin; Co-occurrence; Striatonigral; Striatopallidal; Basal ganglion; Reptile (Reiner, A.) **371,** 155

Tectofugal visual system; Monocular deprivation; Cell size; Ectostriatum; Plasticity (Herrmann, K.) **379,** 143

Biting behavior
Dopamine; Self-mutilation; Ventral tegmental area lesion; Lesch–Nyhan syndrome (Goldstein, M.) **367,** 114

Biting force
Tremor; Human jaw reflex; Spectral analysis (McFarland, D.H.) **366,** 272

Bladder voiding
Rat; Micturition reflex; Somatovesical reflex; Vesicovesical reflex; Urethane (Maggi, C.A.) **380,** 83

Blink reflex
Trigeminal nerve; Masticatory muscle; Electromyography; Silent period (Cruccu, G.) **371,** 298

Facial nucleus; Orbicularis oculi muscle; Emotional facial innervation; Voluntary facial innervation; Medullary lateral tegmental field; Pretectum; Red nucleus (Holstege, G.) **374,** 306

Retractor bulbus; Autoradiography; Nictitating membrane response; Conditioning; Eye protection (Holstege, G.) **374,** 321

Facial reflex; Brainstem; Trigeminal nucleus; Trigeminal nerve; Facial nucleus; Facial nerve; Cat (Tamai, Y.) **380,** 19

Blood flow
Brainstem; Seizure; Bicuculline; Autoradiography; Newborn monkey (Fujikawa, D.G.) **397,** 61

Blood pressure
γ-Aminobutyric acid (GABA); Decerebration; Spinal cord transection; Cardiac vagus; Heart rate; γ-Aminobutyric acid antagonist (Wible, J.H.) **363,** 279

Angiotensin II; Atropine; Heart rate; Nucleus tractus solitarii; Saralasin (Rettig, R.) **364,** 233

Baroreflex; Nucleus tractus solitarii; Sinoaortic denervation; Stress; Plasma catecholamine; Plasma renin activity (Buchholz, R.A.) **365,** 360

Escherichia coli endotoxin; Hypotension; Renal nerve discharge; Medullary pressor area; Heart rate; Sympathetic nerve activity (Koyama, S.) **366,** 217

Vasopressin; Parabrachial nucleus; Locus coeruleus; Pons; Brainstem (Sved, A.F.) **369,** 143

Vasopressin; Bradykinin; Antidiuretic hormone; Vasopressin blocker (Brooks, D.P.) **371,** 42

Methoxyhydroxyphenylethyleneglycol sulfate; Dihydroxyphenalamine accumulation; Catecholamine; Hypotension (Conlay, L.A.) **375,** 210

A5 Noradrenergic nucleus; Pons; Electrical stimulation; Rabbit (Woodruff, M.L.) **379,** 10

Microinjection; Vasopressinergic neuron; Vasopressin inhibitor (Benetos, A.) **381,** 322

Brain angiotensin II receptor; Mineralocorticoid hormone; Deoxycorticosterone acetate; Aldosterone; Drinking; Neuronal cell culture (Wilson, K.M.) **382,** 87

Heart rate; Respiration; Amygdala; Central nucleus; Cryoprobe; Conditioning (Zhang, J.-X.) **386,** 136

Blood pressure control
Angiotensin II; Median preoptic area; Neuronal activation (Gambino, M.C.) **375,** 230

Exercise; Opiate receptor; Spinal cord; Muscle afferent (Pomeroy, G.) **381,** 385

Blood pressure regulation
A_5 cell group; Nucleus tractus solitarii; Intermediolateral cell column; Noradrenaline (Loewy, A.D.) **386,** 313

Blood vessel
Peripheral nerve; Capillary; Perineurium; Nerve ischemia; Adrenergic; Neuropathy; Blood–nerve barrier (Rechthand, E.) **374,** 185

Substance P; Human; Astrocyte (Michel, J.-P.) **377,** 383

Dura; Trigeminal nucleus; Periaqueductal gray region; Pain; Electrophysiology (Strassman, A.) **379,** 242

Blood volume
Noradrenergic neuron; Locus ceruleus; Serotonergic neuron; Dorsal raphe; Cardiac cycle (Morilak, D.A.) **399,** 262

Blood–brain barrier
Endothelium; Fenestration; Capillaries; Cationic ferritin (Schmidley, J.W.) **363,** 265

Sympathectomy; Guanethidine; Noradrenaline; Cerebrospinal fluid; Adrenaline; Catecholamine; Adrenal medullectomy (Peskind, E.R.) **367,** 258

Tryptophan; Hyperammonemia; Glutamine; γ-Glutamyl-transpeptidase (Gorgievski-Hrisoho, M.) **367,** 395

Aluminum chloride; Aluminum hydroxide; Aluminum lactate; Sucrose; Cerebrovascular permeability; Transient change (Kim, Y.S.) **377,** 286

Monoclonal antibody; Brain microvasculature; Endothelium; Kidney proximal tubule; Bile canaliculus (Michalak, T.) **379,** 320

Vasopressin; Binding site; Microvessel (Kretzschmar, R.) **380,** 325

Cerebral endothelium; ATPase, (Na^+,K^+)-; Alkaline phosphatase; Glial cell (Beck, D.W.) **381,** 131

Calcium; Transport; Capillary; Cerebrospinal fluid; Brain; Permeability (Tai, C.-Y.) **385,** 227

Prostaglandin D_2; Radioimmunoassay; Intravenous administration; Mouse brain (Suzuki, F.) **385,** 321

Transplantation; Skeletal muscle (Wakai, S.) **386,** 209

Thiamin; Perfusion; Transport; 2,4-Dinitrophenol (Greenwood, J.) **399,** 148

Blood–brain barrier in hypoxia
Electrical resistance of microvessels; Modulation of vascular permeability; Blood–brain barrier opening; Inhibition of endothelial metabolism; Glycolysis (Olesen, S.-P.) **368,** 24

Blood–brain barrier opening
Electrical resistance of microvessels; Modulation of vascular permeability; Blood–brain barrier in hypoxia; Inhibition of endothelial metabolism; Glycolysis (Olesen, S.-P.) **368,** 24

Blood–nerve barrier
Peripheral nerve; Blood vessel; Capillary; Perineurium; Nerve ischemia; Adrenergic; Neuropathy (Rechthand, E.) **374,** 185

Endoneurial capillary; Sciatic nerve; Sucrose; Permeability; Paracellular pathway; Frog; Perineurium (Weerasuriya, A.) **375,** 150

Bodian stain
Fluorescent dye; Counterstaining method; Horseradish peroxidase; Neuroanatomical tracing (Sripanidkulchai, K.) **397,** 117

Body fluid balance
Vasopressin; Peptide biosynthesis; Forebrain; Circumventricular organ (Gruber, K.A.) **378,** 115

Body temperature
Prostaglandin E_2; Cardiovascular; Sympathetic metabolism (Hoffman, W.E.) **367,** 73

Nicotine; Dopamine metabolism; Mouse striatum (Haikala, H.) **375,** 313

Opioid peptide; Stress; Restraint; Analgesia; Stress-induced change (Appelbaum, B.D.) **377,** 330

Spontaneously hypertensive rat; Clonidine infusion; Post-clonidine infusion (Lewis, S.J.) **385,** 383

Body weight
Vagus; Subdiaphragmatic vagotomy; Obesity; Hibernation; Circannual rhythm; Ground squirrel (Powley, T.L.) **364,** 159

Kainate; Striatum; Feeding and drinking; Vasopressin (Sanberg, P.R.) **367,** 314

Cycle; Food intake; Hibernator; Hypothalamus; Recovery; Lesion (Mrosovsky, N.) **399,** 282

Bombesin
Noradrenaline; Serotonin; Deermouse; *Peromyscus*; Thermoregulation; Hypothalamus (Lin, L.-H.) **364,** 212

Growth hormone; Insulin hypoglycemia (Scarpignato, C.) **371,** 187

Subfornical organ; Drinking behavior; Tachykinin; Angiotensin; Hypovolemic thirst; Hyperosmotic thirst; Pigeon (Massi, M.) **381,** 289

Bovine cerebellar vermis
Cerebellar glomerulus; Mossy fiber rosette; Acetylcholine; Choline uptake; Hemicholinium-3 (Terrian, D.M.) **366,** 401

Brachium conjunctivum
Cerebellar efferent; Axon collateral; Fluorescent tracer; Rat (Bentivoglio, M.) **362,** 180

Brachyuran
Identified neuron; Common inhibitor; Dye marking; Electrophysiological mapping; *Carcinus maenas* (Moffett, S.B.) **366,** 388

Bradycardia
Cardioinhibitory area; Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Ambiguus nucleus; Vagus nerve (Kuo, J.S.) **372,** 217

Baroreceptor reflex; Tachycardia; Inferior olivary nucleus; Vagus nerve; Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus (Kuo, J.S.) **372,** 227

Baroreceptor reflex; Differential pavlovian conditioning; Rabbit; Sinoaortic denervation (Jarrell, T.W.) **381,** 251

Bradykinin
Vasopressin; Blood pressure; Antidiuretic hormone; Vasopressin blocker (Brooks, D.P.) **371,** 42

Calcium indicator quin 2; Calcium mobilization; Calcium blocker; Inositol-trisphosphate; Microinjection; NG108-15 cell (Osugi, T.) **379,** 84

Rat; Intestinal receptor; Sympathoexcitatory reflex; Capsaicin; Substance P (Stein, R.D.) **397,** 145

Brain
Vasopressin; Barrel rotation; Seizure; Central nervous system; Cerebrospinal fluid; Kindling; Behavior (Wurpel, J.N.D.) **365,** 21

Hypertension; Dopamine; Spontaneously hypertensive rat; Uptake-inhibition; Substantia nigra; Ventral tegmental area; 6-Hydroxydopamine; Electrolytic lesio (Van den Buuse, M.) **368,** 69

Regional cerebral metabolic rate for glucose; Deoxyglucose; Rat; Correlation matrix; Functional system (Soncrant, T.T.) **369,** 1

Neuronal cell culture; Angiotensin II; Receptor; Sodium; Cation; Spontaneously hypertensive rat (Feldstein, J.B.) **370,** 265

Squid; Chromatophore; Motoneuron; Horseradish peroxidase labeling (Dubas, F.) **374,** 21

Capillary morphometry; Barbiturate anesthesia; Capillary diameter; Capillary volume (Buchweitz, E.) **377,** 105

Ethanol dependence; β-Endorphin; Withdrawal; Pituitary; α-Melanotropin Adrenocorticotropin; Corticosterone (Wilkinson, C.W.) **378,** 107

Cross-circulation; Thyrotropin-releasin hormone; Electroencephalogram; Vag efferent activity (Tonoue, T.) **378,** 394

Acetylcholine; Autoradiography; M1 muscarinic receptor subtype; M2 muscarinic receptor subtype; Neuroanatomy; Rat (Spencer, D.G.) **380,** 59

Corticotropin releasing factor; Peptide receptor; Adenylate cyclase (Chen, F.M.) **381,** 49

Immunocytochemistry; Gonadotropin-releasing hormone; Ew Estradiol; Progesterone (Glass, J.D.) **381,** 336

Membranous structure; Microtubule; Tubulin; Cytoskeleton (López, L.A.) **382,** 46

Blood–brain barrier; Calcium; Transport; Capillary; Cerebrospinal fluid; Permeability (Tai, C.-Y.) **385,** 227

Testosterone; Aromatization; Testicul

eminization mouse; Autoradiography
Schleicher, G.) **397,** 290

ootshock; Histamine;
ele-methylhistamine; Naloxone;
Histamine turnover (Yoshitomi, I.)
98, 57

Vasoactive intestinal polypeptide;
Vistar–Kyoto rat; Spontaneously
ypertensive rat; Radioimmunoassay
Lewis, S.J.) **399,** 173

leuropeptide K; Neurokinin A;
leurokinin B; Substance P-tachykinin;
Distribution; Spinal cord (Arai, H.)
99, 240

Brain angiotensin II receptor
lineralocorticoid hormone;
Deoxycorticosterone acetate;
Aldosterone; Drinking; Blood
ressure; Neuronal cell culture
Wilson, K.M.) **382,** 87

Brain biogenic amine
tress; β-Endorphin; Neuroendocrine
nction; Foot-shock analgesia
Rosecrans, J.A.) **382,** 71

Brain catecholamine
Genetic hypertension;
-Dihydroxyphenylalanine
ccumulation; 4-Dihydroxyphenylacetic
cid; Dopamine; Norepinephrine
Koulu, M.) **369,** 361

Brain circulation
Gerbil; Ischemia; Redox state
apping; Nicotinamide-adenine
inucleotide; Flavoprotein; Frozen
rain (Mayevsky, A.) **367,** 63

Brain concentration
drenocorticotropic hormone;
mmunoreactive β-endorphin;
Molecular form; Immunoreaction;
Developmental aging;
ro-opiomelanocortin; Regulation;
hromatography (Kapcala, L.P.)
64, 350

Brain cooling
Comfort; Human; Hyperthermia
Brinnel, H.) **363,** 170

Brain cortex
otassium; Glutamate; Veratridine;
pamin; Creatine (Lackington, I.)
78, 390

Glutamate; Synaptic vesicle
Riveros, N.) **386,** 405

Brain damage
ilocarpine; γ-Vinyl-γ-aminobutyric
cid; Isoniazid; Substantia nigra;
triatum; Seizure; Temporal lobe
pilepsy; Rat (Turski, L.) **370,** 294

Diethyldithiocarbamate; Cadmium;
ynapsin I; Glial fibrillary acidic
rotein; Neurotoxicity; Metal
O'Callaghan, J.P.) **370,** 354

Pilocarpine; Scopolamine; Diazepam;
eizure; L-Glutamic acid
ecarboxylase; Epilepsy (Turski, L.)
98, 37

Brain development
Hypoxia; Ornithine decarboxylase;
Norepinephrine uptake; Protein
synthesis (Slotkin, T.A.) **374,** 63

Brain dialysis
Hippocampus; Amino acid;
Neurotransmitter; Extracellular fluid
(Lerma, J.) **384,** 145

D-2-Amino-5-phosphonovaleric acid;
Kynurenate; Olfactory bulb; In vivo
(Jacobson, I.) **386,** 389

Brain differentiation
Aromatase; Hypothalamus; Preoptic
area; Testosterone; Metabolism of
testosterone; Reproductive behavior;
Sexual differentiation
(Schumacher, M.) **377,** 63

Brain dopamine
Neurotensin; Stress ulcer
(Hernandez, D.E.) **381,** 159

Brain glucose metabolism
Cat; Walking; Spinal cord
(Schwartzman, R.J.) **398,** 113

Brain glycoprotein
Capsaicin; Axonal transport; Sensory
neuron; Lectin; Substance P;
Ultrastructural cytochemistry
(Streit, W.J.) **377,** 1

Brain graft
Parkinson's disease; Rat; Human;
Cultured neuron (Kamo, H.) **397,** 372

Brain homogenate
Autoradiography; Brain section;
Muscarinic receptor; *N*-Methyl
scopolamine; Receptor binding
(Dohanich, G.P.) **366,** 338

Brain injury
Brain ischemia; Survival; Anti-ischemic
factor (Takahata, Y.) **381,** 368

Platelet-derived growth factor;
Astrocyte proliferation; Gliosis;
Trapidil (Takamiya, Y.) **383,** 305

Functional deficit; Local cerebral
glucose utilization; Behavioral testing;
Metabolic mapping (Colle, L.M.)
397, 27

Brain ischemia
Brain injury; Survival; Anti-ischemic
factor (Takahata, Y.) **381,** 368

Brain laterality
Hemispheric difference; Unilateral
neocortical lesion; Early experience;
Muricide; Rat; Split brain; Early social
experience (Denenberg, V.H.) **397,** 327

Brain metabolism
Fever; Temperature regulation;
Endogenous pyrogen; Deoxyglucose
technique (Morimoto, A.) **381,** 100

Brain microvasculature
Monoclonal antibody; Endothelium;
Blood–brain barrier; Kidney proximal
tubule; Bile canaliculus (Michalak, T.)
379, 320

Brain mitochondrion
Calcium uptake; Calcium distribution;
Synaptosome; Ageing; Membrane lipid
fluidity (Vitorica, J.) **378,** 36

Brain nicotinic receptor
Choline; Bungarotoxin; Rat
(Morley, B.J.) **378,** 315

Brain noradrenergic neuron
Locus coeruleus; Brain tissue culture;
Tyrosine hydroxylase; Depolarizing
agent; Potassium chloride; Veratridine;
Tyrosine hydroxylase regulation
(Dreyfus, C.F.) **379,** 216

Brain nucleus
Quantitative enzyme autoradiography;
Angiotensin-converting enzyme
inhibitor; Kininase II;
Microdensitometry of brain enzyme;
Brain peptide (Correa, F.M.A.)
375, 259

Brain peptide
Quantitative enzyme autoradiography;
Angiotensin-converting enzyme
inhibitor; Kininase II; Brain nucleus;
Microdensitometry of brain enzyme
(Correa, F.M.A.) **375,** 259

Brain protein
Sexual differentiation; Tubulin;
Development; Polyacrylamide gel
electrophoresis (Stanley, H.F.) **370,** 215

Messenger ribonucleic acid; Sexual
differentiation; Tubulin;
Polyacrylamide gel electrophoresis
(Stanley, H.F.) **370,** 223

Estradiol; Arcuate nucleus; Median
eminence; Two-dimensional gel
electrophoresis (Rodriguez-Sierra, J.F.)
399, 379

Brain receptor
Autoradiography; Tachykinin receptor;
Substance P; Eledoisin; Neuropeptide
(Danks, J.A.) **385,** 273

Brain reorganization
Neuronal degeneration; Functional
recovery; Thalamus morphology;
Hemispherectomy (Villablanca, J.R.)
368, 211

Brain section
Autoradiography; Brain homogenate;
Muscarinic receptor; *N*-Methyl
scopolamine; Receptor binding
(Dohanich, G.P.) **366,** 338

Autoradiography; Vasoactive intestinal
peptide binding site (Besson, J.)
398, 329

Brain slice
N-Methyl-D-aspartate; Cortical neuron;
Membrane conductance; Voltage clamp
(Flatman, J.A.) **363,** 62

Glutamate; Aspartate; Olfactory
cortex; Prepyriform cortex; Amino acid
receptor; Desensitization
(Braitman, D.J.) **364,** 199

Neurotensin; Arcuate nucleus; Synaptic inhibition; Single unit (Herbison, A.E.) **364,** 391

Adenosine; Locus ceruleus; Intracellular recording; Theophylline (Shefner, S.A.) **366,** 364

Nucleus accumbens; In vitro recording; γ-Aminobutyric acidergic inhibition (Chang, H.T.) **366,** 392

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium; Synaptic transmission; Toxicity (Wilson, J.A.) **368,** 357

Circadian rhythm; Hypothalamus-neuronal oscillator; Phase shift; Single unit; Suprachiasmatic nucleus (Gillette, M.U.) **375,** 176

Calcium; Potassium; Hippocampus; Input/output curve (Balestrino, M.) **377,** 229

Baclofen; Hippocampus; Epilepsy; Anticonvulsant; Focal paroxysm (Ogata, N.) **377,** 362

Lateral geniculate nucleus; X-cell; Y-cell; Membrane property; Horseradish peroxidase labeling (Crunelli, V.) **380,** 371

Glucocorticoid; Corticosterone; Hippocampus; Population spike; γ-Aminobutyric acid; Opioid peptide (Vidal, C.) **383,** 54

α-Adrenergic receptor; Cyclic adenosine monophosphate; Forskolin (Duman, R.S.) **384,** 391

Supraoptic nucleus; Noradrenaline; Catecholamine; Hypothalamus; Neurosecretion (Ogata, N.) **385,** 122

Brain stimulation
Axon threshold; Circling; Current–distance relation; Refractory period; Summation (Yeomans, J.) **372,** 95

Aversion; Escape behavior; Local neuronal circuitry; Mesencephalon; Periaqueductal gray; Rat; Unit activity (Sandner, G.) **386,** 53

Brain stimulation reward
Refractory period; Medial forebrain bundle; Self-stimulation; Single unit recording; Lateral hypothalamus; Ventral tegmental area; Forebrain nucleus (Rompré, P.-P.) **364,** 338

Brain thyrotropin-releasing hormone receptors
[^{3}H-3-MeHis^2]TRH; Interactions; μ-Opiate ligand; δ-Opiate ligand; κ-Opiate ligand; σ-Opiate ligand (Bhargava, H.N.) **368,** 262

Brain tissue culture
Locus coeruleus; Tyrosine hydroxylase; Depolarizing agent; Potassium chloride; Veratridine; Tyrosine hydroxylase regulation; Brain noradrenergic neuron (Dreyfus, C.F.) **379,** 216

Brain transplant
Striatum; Kainicate; Dopamine; Autoradiography; Behavioral recovery (Deckel, A.W.) **363,** 383

Brain ventricle
Spontaneously hypertensive rat; Hypertension; Hydrocephalus; Wistar–Kyoto rat (Ritter, S.) **370,** 327

Brainstem
Vasopressin; Parabrachial nucleus; Locus coeruleus; Blood pressure; Pons (Sved, A.F.) **369,** 143

Norepinephrine; A5 nucleus; Pain; Analgesia; Lesion; Spinal cord (Sagen, J.) **370,** 93

Glycine; Glutaraldehyde; Specificity; Affinity; Immunocytochemistry; Spinal cord (Campistron, G.) **376,** 400

Descending inhibition; Stimulation-produced analgesia; Spinal cord; Noradrenaline; Glycine; Pain (García-Arrarás, J.E.) **379,** 188

Blink reflex; Facial reflex; Trigeminal nucleus; Trigeminal nerve; Facial nucleus; Facial nerve; Cat (Tamai, Y.) **380,** 19

Neural transplant; Cell suspension; Locus coeruleus; Lumbar spinal cord; Catecholamine reinnervation; 6-Hydroxydopamine; Hindlimb flexion reflex (Buchanan, J.T.) **381,** 225

Thermoregulation; Pontine lesion (Amini-Sereshki, L.) **384,** 23

Rapid eye movement; Sleep; Carbachol; Reticular formation; Rat (Gnadt, J.W.) **384,** 29

Rapid eye movement sleep; Acetylcholine; Neuronal activity; Reticular formation (Shiromani, P.J.) **386,** 20

Blood flow; Seizure; Bicuculline; Autoradiography; Newborn monkey (Fujikawa, D.G.) **397,** 61

Immunohistochemistry; Vitamin D; Calcium-binding protein; Human brain; Spinal cord; Cerebellum (Fournet, N.) **399,** 310

Cell culture; Adrenergic receptor; Hypertension; Neuron; Neurotransmitter; Peptide (Miura, M.) **399,** 352

Brainstem influence
Dentate gyrus; Neuronal transmission (Dahl, D.) **377,** 391

Brainstem microinjection
Calcitonin; Dorsal horn neuron; Descending inhibition; Nociception (Morton, C.R.) **372,** 149

Brainstem nucleus
Glutamate; Aspartate; Cerebral cortex; Hypothalamic nucleus; Pain-stress; Amphetamine (Palkovits, M.) **373,** 252

Brainstem respiratory neuron
Behavioral control of breathing (Orem, J.) **366,** 238

Branching axon
Innervation; Tooth pulp; Development; Trigeminal nerve (Brenan, A.) **382,** 25(

Brattleboro rat
Vasopressin; Neurophysin; Glycopeptide; Immunocytochemistry; Bed nucleus of the stria terminalis; Locus coeruleus; Hypothalamus (Van Leeuwen, F.W.) **379,** 171

Oxytocin; α-Melanocyte-stimulating hormone; Immunocytochemistry; Binding site; Accurel (Ravid, R.) **379,** 404

Brattleboro strain
Kindling; Vasopressin; Septum; Hippocampus (Gillis, B.J.) **363,** 386

Bremazocine
μ-Opioid receptor; δ-Opioid receptor; κ-Opioid receptor; Autoradiography; Tyr-D-Ala-Gly-MePhe-Gly-ol; 2-D-Penicillamine-5-D-penicillamine-enkephalin (Mansour, A.) **399,** 69

Brindled mouse
Copper deficiency; Menkes' disease; Immunocytochemistry; Immunogold; Actin; Cytoskeletal; Dendrite; Cortex Cerebellum; Ultrastructure (Peterson, C.) **382,** 205

Bromoacetylcholine
Neuronal acetylcholine receptor; Ciliary ganglion neuron; Nicotinic (Stollberg, J.) **378,** 179

Bromocriptine
Decortication; Corticostriatal pathway; Nigrostriatal pathway; Striatum; Acetylcholine; Apomorphine; Choline; Neuroleptic; Rat (Consolo, S.) **363,** 128

GH_3 pituitary cell; Prolactin; Deoxyribonucleic acid synthesis (Melmed, S.) **369,** 83

L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Monkey; L-3,4-Dihydroxyphenylalanine; Supersensitivity (Bédard, P.J.) **379,** 294

Dopamine receptor agonist; D_1 dopamine receptor; D_2 dopamine receptor; SKF 38393A; LY 171555; Rotational behavior (Robertson, G.S.) **384,** 387

Place conditioning; Cocaine; Pimozide; Intracerebroventricular microinjection; Procaine; Dopamine; Reward (Morency, M.A.) **399,** 33

***p*-Bromobenzoyl-piperazine-2,3-dicarboxylic acid**
Excitatory amino acid; Lateral septum; Kynurenic acid; Intracellular recording; Synaptic transmission; Fimbria (Stevens, D.R.) **382,** 437

p-Bromophenylacetylurea
Motor neuron; Rapid axonal transport; Experimental neuropathy; Peripheral neurotoxicology (Nagata, H.) **385,** 136

Brown adipose tissue
Ventromedial hypothalamus; Obesity; Noradrenaline; Chronic infusion; Fatty acid synthesis (Shimazu, T.) **369,** 215

Brunner's gland cell
Rat duodenum; Endocrine cell; Receptosome; Lysosome; Mucopeptide synthesis; Adrenocorticotropin; Electron microscopy (Wolter, H.J.) **367,** 141

Bulbospinal control
Pain; Morphine analgesia; Dorsal horn convergent neuron; Dorsolateral funiculus (Chitour, D.) **377,** 397

Bulbospinal pathway
α_2-Adrenoceptor; Raphe magnus; Spinal reflex; Analgesia; Serotonin (Jensen, T.S.) **363,** 114

Bulbospinal serotonin neuron
In vivo brain dialysis; Ventrolateral medulla; Sympathetic activity (Pilowsky, P.M.) **366,** 354

Bulimia nervosa
Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Carbohydrate appetite; Obesity; Stress-induced eeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Bullfrog
Primary afferent neuron; γ-Aminobutyric acid-A receptor sensitivity; Prednisolone; Hydrocortisone; Glucocorticoid (Ariyoshi, M.) **367,** 332

Vestibular afferent; Innervation pattern; Otolith organ; Lucifer yellow (Baird, R.A.) **369,** 48

Terminal nerve; Luteinizing hormone-releasing hormone; Acetylcholinesterase; Tiger salamander; Hypophysectomy (Wirsig, C.R.) **385,** 10

Bullfrog brain
Redox state; Cytochrome; Electrical activity; Scanning spectrophotometry; Vasoactive intestinal polypeptide (Kanno, T.) **369,** 275

***Bungarus multicinctus* venom**
Toxin F; Bungarotoxin 3.1; α-Bungarotoxin; Neuronal nicotinic receptor; Amino acid sequence; Nicotinic antagonist (Loring, R.H.) **385,** 30

Bungarotoxin
Choline; Brain nicotinic receptor; Rat (Morley, B.J.) **378,** 315

α-Bungarotoxin
Acetylcholine receptor; Nicotinic receptor; Cholinergic receptor; Optic tectum; Retinotectal projection (Henley, J.M.) **364,** 405

Chromaffin cell culture; Endogenous ligand; Nicotinic receptor; Adrenal medulla (Quik, M.) **372,** 11

Acetylcholine receptor; Central nervous system; Wheat germ agglutinin; Central nicotinic receptor; Glycoprotein (Sugiyama, H.) **373,** 22

Acetylcholine; Nicotinic receptor; Endogenous factor; Muscle cell culture (Quik, M.) **374,** 395

Toxin F; Bungarotoxin 3.1; Neuronal nicotinic receptor; *Bungarus multicinctus* venom; Amino acid sequence; Nicotinic antagonist (Loring, R.H.) **385,** 30

Bungarotoxin 3.1
Toxin F; α-Bungarotoxin; Neuronal nicotinic receptor; *Bungarus multicinctus* venom; Amino acid sequence; Nicotinic antagonist (Loring, R.H.) **385,** 30

Bungarotoxin binding site
Lower vertebrate central nervous system; Protein blotting (Hawrot, E.) **373,** 227

Bupropion
Dopamine; Striatum; Aging; Senescence; Nomifensine; Motor performance (Marshall, J.F.) **379,** 112

Bupropion metabolite
Benzodiazepine receptor; Chronic bupropion; Down-regulation (Smith, T.M.) **367,** 385

Burst discharge
Epilepsy; Penicillin; Hippocampal slice; Synchrony; Synaptic potential (Schneiderman, J.H.) **398,** 231

Bursting
Rat; Hippocampus; CA3; Physiology; Septotemporal; Potassium; Epilepsy (Bragdon, A.C.) **378,** 169

Bursting activity
Phosphorylation; Pentylenetetrazole; Calcium ionophore; Calmodulin; Snail neuron; Seizure; Protein (Onozuka, M.) **362,** 23

Butaclamol
Haloperidol; Cell culture; Electrophysiology; Spontaneously generated action potential (Heyer, E.J.) **382,** 404

***t*-Butylbicyclophosphorothionate**
Stress; Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ionophore; Anion (Havoundjian, H.) **375,** 401

γ-Butyrolacton-γ-carbonyl-1-histidyl-1-prolinamide citrate
Gastrin-releasing peptide; Neurotensin; Dopamine; Norepinephrine; Rat hypothalamus (Kabayama, Y.) **372,** 394

Butyrylcholinesterase
Parkinsonism; Dementia; Acetylcholinesterase; Cerebrospinal fluid; Human brain (Ruberg, M.) **362,** 83

C

C-afferent
Substance P; Somatostatin; Spinal cord; Intrathecal; Polymodal nociceptor; Thermosensitive C-afferent (Wiesenfeld-Hallin, Z.) **372,** 172

C-current
Kainate; Voltage-clamp; Hippocampal slice; Q-current; M-current (Gho, M.) **385,** 411

C-fiber
Neurogenic inflammation; Antidromic plasma extravasation; Nociceptor; Sensitization (Reeh, P.W.) **384,** 42

C-fiber primary afferent
Lissauer's tract; Aδ primary afferent; Pain; Spinal cord (Traub, R.J.) **399,** 185

C-terminal flanking peptide
Preprocholecystokinin; Radioimmunoassay; Rat brain (Varro, A.) **376,** 213

C1 adrenergic neuron
Arterial pressure; A1 noradrenergic neuron; Tyramine; Kainic acid; Renal nerve activity; Rostral ventrolateral medulla; 6-Hydroxydopamine; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

CA1 population spike
Adaptation; Anoxia; Hypoxia; Hippocampal slice (Schurr, A.) **374,** 244

CA1 pyramidal cell excitability
Haloperidol; Lateral septum; High-affinity choline uptake; Hippocampus; Extinction behavior; Mouse (Durkin, T.) **376,** 420

CA1 region
Acute lithium; Neurophysiology; Field potential; Hippocampal slice (Rinaldi, P.C.) **375,** 302

CA3
Rat; Hippocampus; Physiology; Septotemporal; Potassium; Bursting; Epilepsy (Bragdon, A.C.) **378,** 169

CA3 neuron
Hippocampus; Slice preparation; Hypoxia; Incubation (Davis, A.K.) **370,** 44

CA3 pyramidal neuron
Dentate granule cell; Field-effect

depolarization; Transmembrane recording (Snow, R.W.) **367,** 292

Cadmium
Diethyldithiocarbamate; Synapsin I; Glial fibrillary acidic protein; Neurotoxicity; Metal; Brain damage (O'Callaghan, J.P.) **370,** 354

Cadmium ion
Axoplasmic transport; In vivo; Microtubule; Calcium ion; Tubulin; SH content (Gan, S.-D.) **369,** 75

Caesium
Calcium action potential; Calcium current; Neocortex; Voltage clamp (Franz, P.) **366,** 262

Caffeine
Glutamate release; Dentate gyrus; Calcium ion sensitivity; Ruthenium red (Lynch, M.A.) **369,** 405

Calcineurin
Peroxidase–anti-peroxidase method; Human brain tumor; Rat brain; Neuronal marker; Immunohistochemistry (Goto, S.) **371,** 237

Immunohistochemistry; Enzyme immunoassay; Cerebral hemitransection; Striatonigral pathway; Pallidal pathway (Goto, S.) **397,** 161

Calcitonin
Calcitonin gene-related peptide; Calcium-dependent potential; Parasympathetic ganglion (Nohmi, M.) **367,** 346

Brainstem microinjection; Dorsal horn neuron; Descending inhibition; Nociception (Morton, C.R.) **372,** 149

Calcitonin gene-related peptide
Capsaicin; Epiglottis; Pharynx; Retrograde tracing; Tongue (Terenghi, G.) **365,** 1

Calcitonin; Calcium-dependent potential; Parasympathetic ganglion (Nohmi, M.) **367,** 346

Substance P; Coexistence; Cerebral artery; Immunohistochemistry; Guinea pig (Wanaka, A.) **369,** 185

Diamidino yellow; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Substance P; Capsaicin; Cerebral artery; Iris; Neonatal rat; Immunohistochemistry (Matsuyama, T.) **373,** 205

Binding; Autoradiography; Human brain; Rat brain (Inagaki, S.) **374,** 287

Vasoactive intestinal peptide; Sympathetic neuron; Immunocytochemistry; Sweat gland; Neuropeptide; Coexistence of neurotransmitters (Landis, S.C.) **377,** 177

Double staining; Electron microscopic study; Substance P; Solitary nucleus (Morishima, Y.) **379,** 157

Trigeminal ganglion; Cell culture; Veratridine; Local anesthetic; Sodium channel (Peterfreund, R.A.) **380,** 159

Calcium
Endogenous dopamine release; Endogenous noradrenaline release; Dopamine; Noradrenaline; Striatum; Hypothalamus; Nomifensine; Rat (Okuma, Y.) **363,** 47

Tryptamine; Neurotransmitter release; Glutamate; γ-Aminobutyric acid (Friedman, R.N.) **364,** 172

Atomic absorption spectroscopy; Spinal cord injury; Potassium; Weight drop contusion (Young, W.) **365,** 42

Ethanol; β-Endorphin; Corticotropin; Corticotropin-releasing factor; Vasopressin; Corticosterone; Pituitary (Keith, L.D.) **367,** 222

Axonal transport; Squid axon; Diffusion (Chang, D.C.) **367,** 319

D-Aspartate; γ-Aminobutyric acid; Difluoromethylornithine; Ornithine decarboxylase; Synaptosomal fraction (Bondy, S.C.) **371,** 96

Antidepressant; α_2-Adrenoceptor; Noradrenaline; Synaptosome; Release (Campbell, I.C.) **372,** 253

Morphine; Cerebral artery; Peripheral artery; Vasomotor response (Recio, L.) **376,** 262

Aging; Dentate fascia; Dendritic spine; Spine apparatus (Fifková, E.) **376,** 357

Taste response; Sodium; Receptor site; Water fiber; Glossopharyngeal nerve; Frog (Kitada, Y.) **377,** 211

Potassium; Hippocampus; Brain slice; Input/output curve (Balestrino, M.) **377,** 229

Hippocampus; Long-term potentiation; Mitochondrion (Stanton, P.K.) **382,** 185

Amphetamine; Calmodulin; Dopamine; Sensitization; Striatum; Radioimmunoassay (Roberts-Lewis, J.M.) **384,** 383

N-Methyl-D-aspartate; Hypoxia; Hippocampal slice; Excitatory amino acid (Ashton, D.) **385,** 185

Hypoxia; Cerebral hypoxia; Cerebrovascular disorder; Chlorpromazine; Spreading depression (Balestrino, M.) **385,** 219

Blood–brain barrier; Transport; Capillary; Cerebrospinal fluid; Brain; Permeability (Tai, C.-Y.) **385,** 227

Astrocyte; Protein phosphorylation; Protein kinase C (Neary, J.T.) **385,** 420

Current; Non-bursting neuron; Potassium; Tetraethylammonium; *Aplysia* (Jones, L.S.) **385,** 46

Secretion; Neurosecretion; Facilitation; Cooperativity; Arginine vasopressin; Neurohypophysis; Mouse (Wolfe, S.A.) **399,** 190

Calcium action potential
Calcium current; Neocortex; Voltage clamp; Caesium (Franz, P.) **366,** 262

Calcium agonist
Dopamine release; Tuberoinfundibular neuron; Calcium channel; Maitotoxin; BAY-K-8644 (Taglialatela, M.) **381,** 356

Calcium blocker
Bradykinin; Calcium indicator quin 2; Calcium mobilization; Inositol-trisphosphate; Microinjection; NG108-15 cell (Osugi, T.) **379,** 84

Calcium channel
Ethanol; Endogenous dopamine; Striatal synaptosome; Dopamine release (Leslie, S.W.) **368,** 174

Dopamine release; Tuberoinfundibular neuron; Calcium agonist; Maitotoxin; BAY-K-8644 (Taglialatela, M.) **381,** 356

Calcium channel antagonist
Nitrendipine; Dihydropyridine; Parkinson's disease; Human brain (Nishino, N.) **377,** 186

Calcium channel blocker
Long-term potentiation; Hippocampal slice (Taube, J.S.) **379,** 275

Seizure; Nimodipine; Dihydropyridine; Phenytoin (Meyer, F.B.) **384,** 180

Calcium current
Sympathetic preganglionic neuron; Afterpotential; Noradrenaline; Repetitive firing (Yoshimura, M.) **362,** 370

Calcium action potential; Neocortex; Voltage clamp; Caesium (Franz, P.) **366,** 262

Voltage clamp; *n*-Alkanol (Oyama, Y.) **376,** 280

Calcium dependence
Electrical stimulation; Neurointermediate lobe; Melanocyte-stimulating hormone; Tetrodotoxin; Mouse (Taraskevich, P.S.) **379,** 390

Calcium distribution
Calcium uptake; Brain mitochondrion; Synaptosome; Ageing; Membrane lipid fluidity (Vitorica, J.) **378,** 36

Calcium entry
Dihydropyridine; Bay K 8644; Nimodipine; Synaptosome; Dopamine release (Woodward, J.J.) **370,** 397

Calcium flux
Adenosine; Hippocampus; Presynaptic flux; Postsynaptic flux; Receptor, A_1 (Schubert, P.) **376,** 382

Calcium homeostasis
Cerebral ischemia; Hippocampus; Delayed neuronal death (Sakamoto, N.) **364,** 372

Calcium independent release
Monensin; Noradrenaline; Pheochromocytoma cell; Quin 2 (Takahashi, M.) **382,** 332

Calcium indicator quin 2
Bradykinin; Calcium mobilization; Calcium blocker; Inositol-trisphosphate; Microinjection; NG108-15 cell (Osugi, T.) **379,** 84

Calcium ion
Aging; 3,4-Dihydroxyphenylalanine; Tuberoinfundibular dopaminergic neuron (Arita, J.) **369,** 391

Axoplasmic transport; In vivo; Microtubule; Cadmium ion; Tubulin; pH content (Gan, S.-D.) **369,** 75

Analgesia; Activity; Magnetic field; Morphine; Morphine-induced analgesia; Opiate antagonist (Kavaliers, M.) **379,** 30

Protease activity; Axonal transport (Zalewska, T.) **381,** 58

Calcium ion sensitivity
Glutamate release; Dentate gyrus; Ruthenium red; Caffeine (Lynch, M.A.) **369,** 405

Calcium ionophore
Phosphorylation; Bursting activity; Pentylenetetrazole; Calmodulin; Snail neuron; Seizure; Protein (Onozuka, M.) **362,** 23

Calcium microelectrode
Intracellular free calcium ion; Hippocampus; Pyramidal cell (Krnjevic, K.) **374,** 1

Calcium mobilization
Bradykinin; Calcium indicator quin 2; Calcium blocker; Inositol-trisphosphate; Microinjection; NG108-15 cell (Osugi, T.) **379,** 84

Calcium potential
Barbiturate; Leech neuron; Divalent cation (Johansen, J.) **376,** 255

Calcium power function
Neuron R15; Input 1 excitatory postsynaptic potential; Steady-state facilitation; Stimulation frequency (Carlson, C.G.) **376,** 204

Calcium pump
Synaptosome; ATPase, (Ca^{2+})-(Pekovic, S.) **379,** 251

Calcium uptake
Ethanol; Norepinephrine release; Endogenous norepinephrine; Synaptosome (Daniell, L.C.) **377,** 18

Calcium distribution; Brain mitochondrion; Synaptosome; Ageing; Membrane lipid fluidity (Vitorica, J.) **378,** 36

Calcium-activated potassium conductance
Dopamine; Afterhyperpolarization; Hippocampus; Pyramidal cell; Receptor, β-adrenergic- (Malenka, R.C.) **379,** 210

Calcium-binding protein
Immunohistochemistry; Vitamin D; Human brain; Spinal cord; Cerebellum; Brainstem (Fournet, N.) **399,** 310

Calcium-dependent potential
Calcitonin; Calcitonin gene-related peptide; Parasympathetic ganglion (Nohmi, M.) **367,** 346

Calcium-independent taurine release
Spontaneous taurine release; Crude P_2 synaptosomal pellet; High potassium-evoked taurine release; Veratridine-evoked taurine release (Hanretta, A.T.) **378,** 205

Calmodulin
Phosphorylation; Bursting activity; Pentylenetetrazole; Calcium ionophore; Snail neuron; Seizure; Protein (Onozuka, M.) **362,** 23

Calmodulin kinase II; Kindling; Epilepsy; Phosphorylation (Goldenring, J.R.) **377,** 47

Postmortem human brain; Phosphorylation; Phorbol ester; Phosphatidylserine (Saitoh, T.) **379,** 196

Amphetamine; Calcium; Dopamine; Sensitization; Striatum; Radioimmunoassay (Roberts-Lewis, J.M.) **384,** 383

Calmodulin kinase II
Calmodulin; Kindling; Epilepsy; Phosphorylation (Goldenring, J.R.) **377,** 47

Calmodulin-dependent phosphorylation
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Spiperone binding site; Apomorphine-stimulated climbing behavior; Dopamine receptor supersensitivity; Striatum (Lau, Y.-S.) **369,** 311

Capillary
Endothelium; Fenestration; Cationic ferritin; Blood–brain barrier (Schmidley, J.W.) **363,** 265

Peripheral nerve; Blood vessel; Perineurium; Nerve ischemia; Adrenergic; Neuropathy; Blood–nerve barrier (Rechthand, E.) **374,** 185

Vesicle; Rapid freeze; Pial vessel; Meninges; Frog; Endothelium (Latker, C.H.) **375,** 186

Blood–brain barrier; Calcium; Transport; Cerebrospinal fluid; Brain; Permeability (Tai, C.-Y.) **385,** 227

Capillary diameter
Brain; Capillary morphometry; Barbiturate anesthesia; Capillary volume (Buchweitz, E.) **377,** 105

Capillary morphometry
Brain; Barbiturate anesthesia; Capillary diameter; Capillary volume (Buchweitz, E.) **377,** 105

Capillary volume
Brain; Capillary morphometry; Barbiturate anesthesia; Capillary diameter (Buchweitz, E.) **377,** 105

Capsaicin
Calcitonin gene-related peptide; Epiglottis; Pharynx; Retrograde tracing; Tongue (Terenghi, G.) **365,** 1

Pain; Tonic; Rat; Analgesic test; Morphine (Otsuki, T.) **365,** 235

Calcitonin gene-related peptide; Substance P; Cerebral artery; Iris; Neonatal rat; Immunohistochemistry (Matsuyama, T.) **373,** 205

Axonal transport; Sensory neuron; Lectin; Substance P; Brain glycoprotein; Ultrastructural cytochemistry (Streit, W.J.) **377,** 1

Morphine; Opioid; Spinal cord; Substance P; Withdrawal (Bell, J.A.) **382,** 299

Analgesic; Mouse; Pain; Scratch; Spinal cord; Substance P; Substance P antagonist (Piercey, M.F.) **385,** 74

Primary sensory neuron; Peripheral nerve transection (Arvidsson, J.) **397,** 130

Rat; Intestinal receptor; Bradykinin; Sympathoexcitatory reflex; Substance P (Stein, R.D.) **397,** 145

Captopril
Neurotensin; Thermoregulation; Neuropeptide inactivation; Thiorphan; Bestatin (Coquerel, A.) **398,** 386

Carbachol
Locomotor activity; Rearing; Hypothalamic-preoptic area; Cholinergic system; Atropine; Rat (Brudzynski, S.M.) **376,** 38

Locomotor activity; Amphetamine-induced activity; Hypothalamic/preoptic area; Cholinergic system; Mesencephalic locomotor region; Extracellular unit recording; Rat (Brudzynski, S.M.) **376,** 47

Rapid eye movement; Sleep; Brainstem; Reticular formation; Rat (Gnadt, J.W.) **384,** 29

Somatostatin; Cerebral cortex; Neurotransmitter; Slice; Release (Boakes, R.J.) **397,** 197

Carbetapentane
Epilepsy; Non-opioid antitussive; Dextromethorphan; Diphenylhydantoin; Anticonvulsant (Tortella, F.C.) **383,** 314

Carbohydrate appetite
Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Obesity; Stress-induced feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Carbon dioxide
Phrenic motoneuron; Intercostal motoneuron; Cat (Jodkowski, J.S.) **386,** 296

Carbon fiber microelectrode
Striatum; Dopamine; Electrical stimulation; Voltammetry (Stamford, J.A.) **381,** 351

β-Carboline
Ethyl 5-benzyloxy-4-methoxymethyl β-carboline-3-carboxylate (ZK 91296); Anxiety; Exploration; Motor activity; Rat (Pellow, S.) **363,** 174

Inferior olive; Cerebellum; Ethanol; Ethanol metabolite; Harmaline (Rogers, J.) **385,** 253

Kindling; Norharman; Benzodiazepine receptor; Ro 15-1788 (Morin, A.M.) **397,** 259

3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid
Excitatory amino acid antagonist; *N*-Methyl-D-aspartate receptor; Binding site; Anticonvulsant; Spinal cord (Davies, J.) **382,** 169

N-Methyl-D-aspartate; Glutamate; Receptor; Hippocampus; Long-term potentiation (Harris, E.W.) **382,** 174

Carcinus maenas
Identified neuron; Common inhibitor; Dye marking; Electrophysiological mapping; Brachyuran (Moffett, S.B.) **366,** 388

Cardiac cycle
Noradrenergic neuron; Locus ceruleus; Serotonergic neuron; Dorsal raphe; Blood volume (Morilak, D.A.) **399,** 262

Cardiac output
Locus ceruleus; Cerebral blood flow; Propranolol; Hypercapnia (Ramana Reddy, S.V.) **365,** 278

Cardiac vagus
γ-Aminobutyric acid (GABA); Decerebration; Spinal cord transection; Heart rate; Blood pressure; γ-Aminobutyric acid antagonist (Wible, J.H.) **363,** 279

Cardioinhibitory area
Bradycardia; Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Ambiguus nucleus; Vagus nerve (Kuo, J.S.) **372,** 217

Cardiovascular
Prostaglandin E_2; Sympathetic metabolism; Body temperature (Hoffman, W.E.) **367,** 73

Cardiovascular reflex pathway
Ventrolateral medulla; Nucleus tractus solitarii; Aortic depressor nerve; Carotid sinus nerve; Central regulation of circulation (Ciriello, J.) **367,** 273

Cardiovascular region
Paraventricular nucleus; Magnocellular region; Parvocellular region; Baroreflex; Rat (Porter, J.P.) **375,** 20

Cardiovascular regulation
Angiotensin II; Vasopressin; Circumventricular organ; Hypothalamus; Drinking (Gutman, M.B.) **382,** 119

Cardiovascular system
Peptide; Spinal cord; Kidney (Riphagen, C.L.) **374,** 371

Atrial natriuretic peptide; Electrolyte homeostasis; Interpeduncular nucleus (Standaert, D.G.) **382,** 163

Carotid body
Dopamine; Noradrenaline; Guanethidine; Sympathectomy; High-pressure liquid chromatography (Pequignot, J.M.) **367,** 238

Muscarinic receptor; Neurotransmission; Autoradiography; Acetylcholine (Dinger, B.G.) **367,** 328

Glomus cell; Intracellular chloride activity (Oyama, Y.) **368,** 167

Arterial chemoreceptor; 2-Deoxy-D-glucose; Adenosine triphosphate content; Dopamine release; Chemoafferent activity; Metabolic hypothesis (Obeso, A.) **371,** 25

Neuropeptide tyrosine nerve; Rat (Kondo, H.) **372,** 353

Chemoreceptor; Hypoxia; Catecholamine; Dopamine release; Carotid sinus nerve activity (Rigual, R.) **374,** 101

Glomus cell; Intracellular potassium activity; Ion-selective electrode (Oyama, Y.) **381,** 405

Carotid chemoreceptor
Vasoconstrictor neuron; Ventrolateral medulla; Nucleus paragigantocellularis lateralis; Hypothalamic defence area (Dean, C.) **377,** 279

Carotid sinus nerve
Ventrolateral medulla; Nucleus tractus solitarii; Aortic depressor nerve; Cardiovascular reflex pathway; Central regulation of circulation (Ciriello, J.) **367,** 273

Carotid sinus nerve activity
Carotid body; Chemoreceptor; Hypoxia; Catecholamine; Dopamine release (Rigual, R.) **374,** 101

Carp retina
Dopaminergic cell; Lucifer yellow; Intracellular injection (Teranishi, T.) **370,** 196

Carrageenin
Rat; Ventrobasal thalamus; Hyperalgesic inflammation (Guilbaud, G.) **385,** 86

Carrier
Anti-glutamate antibody; Colloidal gold particle; Immunohistochemistry (Shiosaka, S.) **382,** 399

Castration
Aggressive behavior; Testosterone uptake; Regional brain distribution; Mouse (Davanzo, J.P.) **369,** 224

Cat
Enkephalin; Serotonin; Coexistence; Raphe nucleus (Léger, L.) **362,** 63

Regeneration; Peripheral nervous system graft (Sceats, D.J.) **362,** 149

Raphe obscurus; Phrenic nerve activity; Central nervous system; Control of respiration (Holtman, J.R.) **362,** 214

Ventral lateral geniculate nucleus; Pretectum; Superior colliculus; Antidromic activation; Receptive field property; Single unit (Hada, J.) **363,** 165

Spinal cord; Horseradish peroxidase; Intracellular staining; Electron microscopy; Spinocervical tract; Postsynaptic dorsal column system (Maxwell, D.J.) **363,** 199

Striate cortex; Layer 6; Wheatgerm agglutinin–horseradish peroxidase (McCourt, M.E.) **364,** 181

Cholecalcin; Vestibular sensory hair cell; Vestibular ganglion (Sans, A.) **364,** 190

Spinocerebellar tract; Projection field; Anterior lobe; Horseradish peroxidase (Yaginuma, H.) **365,** 345

Inspiratory neuron; Nucleus tractus solitarii; Control of respiration; Antidromic latency technique; Lung inflation; Vagal pulmonary afferents; Medulla (Davies, R.O.) **366,** 22

Motor unit activity; Ia afferent; Spindle group II afferent; Spectral analysis; Coherence; Modulation (Christakos, C.N.) **367,** 52

Critical period; Monocular deprivation; Plasticity; Visual cortex; Dark-rearing (Ramachandran, V.S.) **367,** 309

Posteromedial ventral nucleus; Thalamus; Cerebral cortex; Infralimbic cortex; Wheat germ agglutinin–horseradish peroxidase (Yasui, Y.) **368,** 384

Tooth-pulp driven neuron; Low-threshold tooth pulpal afferent;

Low threshold masseteric nerve
Efferent; Area 3a; Coronal gyrus
(Iwata, K.) **368,** 399

Periaqueductal gray; Nucleus raphe
dorsalis; Viscerointercostal reflex;
Galvanic skin reflex; Dorsolateral
funiculus; Naloxone (Sonoda, H.)
369, 91

Somatostatin; Radioimmunoassay;
Immunocytochemistry; Gel filtration
Chromatography; Spinal cord; Sensory
neuron (Tessler, A.) **370,** 232

Floccular inhibition; Group y nucleus;
Oculomotor nucleus (Yamamoto, F.)
371, 350

Neuropeptide Y; Striatum; Basal
ganglion; Primate;
Immunohistochemistry; Somatostatin
(Smith, Y.) **372,** 241

Amygdala; Spinal cord; Retrograde
transport; Bead (Sandrew, B.B.)
373, 235

Acoustic middle ear reflex; Cochlear
nucleus; Trigeminal motor nucleus;
Tensor tympani muscle; Horseradish
peroxidase; Wheat germ
agglutinin–horseradish peroxidase
(Itoh, K.) **375,** 214

Superior salivatory nucleus; Axonal
transport; Horseradish peroxidase;
Submandibular gland (Tramonte, R.)
375, 381

Renshaw cell; Recurrent inhibitory
postsynaptic potential; Phrenic
motoneuron; Respiration; Central
command (Hilaire, G.) **376,** 133

Vasoconstrictor neuron; Vasodilator
neuron; Defence area; Cholinergic
vasodilatation (Dean, C.) **377,** 271

Met-enkephalin;
Immunocytochemistry; Thalamus; Cell
body; Colchicine (Covenas, R.)
377, 355

Locus coeruleus; Noradrenergic
neuron; Sympathetic system; Chronic
unit recording (Reiner, P.B.) **378,** 86

Spinal cord; Cervical motoneuron;
Electrical property; Distal forelimb
(Botterman, B.R.) **379,** 192

Motor cortex; Corticospinal tract;
Phrenic nucleus; Anterograde tracing
(Rikard-Bell, G.C.) **379,** 75

Trigeminal nucleus; Vibrissa;
Cytochrome oxidase; Horseradish
peroxidase (Nomura, S.) **380,** 167

Blink reflex; Facial reflex; Brainstem;
Trigeminal nucleus; Trigeminal nerve;
Facial nucleus; Facial nerve
(Tamai, Y.) **380,** 19

X-cell; Y-cell; Retinogeniculate system;
Conduction velocity; Optic chiasm
Latency; Perisynaptic delay; Synchrony
(Schroeder, C.E.) **381,** 143

Corticotropin releasing factor;
Vasoactive intestinal peptide;
Sympathetic preganglionic neuron
(Krukoff, T.L.) **382,** 153

Amygdala kindling; Plasma zinc level;
Dietary zinc content (Sterman, M.B.)
383, 382

Synapsin I; Vestibular receptor;
Immunocytochemistry (Favre, D.)
384, 379

Kindling; Low-frequency stimulation;
Amygdala; Experimental epilepsy
(Minabe, Y.) **385,** 201

Striate cortex; Laminar organization;
Visual latency (Best, J.) **385,** 356

Anterior ectosylvian sulcus; Single unit;
Auditory response (Clarey, J.C.)
386, 12

Vision; Striate cortex; Relative motion
sensitivity (Hammond, P.) **386,** 93

Carbon dioxide; Phrenic motoneuron;
Intercostal motoneuron
(Jodkowski, J.S.) **386,** 296

Pretectal complex; Pulvinar nucleus;
Wheatgerm agglutinin–horseradish
peroxidase (Weber, J.T.) **397,** 389

Walking; Brain glucose metabolism;
Spinal cord (Schwartzman, R.J.)
398, 113

Neurotensin; Enkephalin; Striatum;
Caudate nucleus; Putamen;
Immunohistochemistry; Coexistence
(Sugimoto, T.) **398,** 195

Trigeminal nucleus; Mesencephalon;
Anterograde transport; Retrograde
transport; Lectin conjugate
(Wiberg, M.) **399,** 51

Cat cortex
Single cell; γ-Aminobutyric acid;
Inhibition; Contrast adaptation
(DeBruyn, E.J.) **383,** 339

Cat spinal cord
Electrochemical detection; Serotonergic
system; Morphine; Nucleus raphe
magnus (Suzuki, Y.) **398,** 413

Catalepsy
μ Opiate receptor; δ Opiate receptor;
Nociceptive threshold; Intracerebral
injection; Seizure activity; Thalamus
(Walker, G.E.) **383,** 1

Time-dependent sensitization;
Haloperidol; Fluphenazine;
Neuroleptic; Stress (Antelman, S.M.)
385, 58

Thalamus; Exploratory activity;
Excitatory amino acid; Excitatory
amino acid antagonist
(Klockgether, T.) **399,** 1

Catatonia
Rigidity; Alfentanil;
Methylnaloxonium; Nucleus raphe
pontis; Caudate nucleus;
Electromyography (Blasco, T.A.)
386, 280

Methylnaloxonium; Alfentanil; Rat;
Opiate; Caudate nucleus; Nucleus
raphe pontis (Amalric, M.) **386,** 287

Catechol turnover
Morphine; Luteinizing hormone surge;
Estrogen (Akabori, A.) **362,** 221

Catechol-*O*-methyl metabolite
Dopamine; Noradrenaline;
Neuroblastoma cell line;
Catecholamine; Uptake
(Richards, M.L.) **384,** 132

Catecholamine
Methylamphetamine; Serotonin;
Neurotoxicity; Somatosensory cortex;
Rat (Commins, D.L.) **365,** 15

Parasympathetic neuron;
Noradrenaline; Autonomic ganglion;
Slow-hyperpolarizing synaptic
potential; Neurotransmitter; Synaptic
transmission (Akasu, T.) **365,** 365

Tyrosine hydroxylase;
Immunocytochemistry; Rhesus
monkey; Hypothalamus; Dopamine
neuron; Synaptic analysis; Immunogold
staining (Thind, K.K.) **366,** 37

GM_1 ganglioside; Serotonin;
5-Hydroxyindoleacetic acid; Spinal
cord; Transverse hemisection; Rat
(Hadjiconstantinou, M.) **366,** 343

Sympathectomy; Guanethidine;
Noradrenaline; Cerebrospinal fluid;
Blood–brain barrier; Adrenaline;
Adrenal medullectomy (Peskind, E.R.)
367, 258

6-Hydroxydopamine; Plasticity;
Synaptogenesis; Paraventricular nucleus
(Hwang, B.H.) **369,** 267

Dorsomedial medulla oblongata;
Cholecystokinin; Coexistence; Synapse;
Solitary tract (Kubota, Y.) **370,** 343

Seizure; Epilepsy; Convulsion;
Kindling; Substantia nigra; Amygdala;
Rat (Albala, B.J.) **370,** 388

Carotid body; Chemoreceptor;
Hypoxia; Dopamine release; Carotid
sinus nerve activity (Rigual, R.)
374, 101

Norepinephrine; Angiotensin-induced
thirst; Anteroventral third ventricle;
Angiotensin II; 6-Hydroxydopamine
(McRae-Degueurce, A.) **374,** 162

Methoxyhydroxyphenylethyleneglycol
sulfate; Dihydroxyphenalamine
accumulation; Blood pressure;
Hypotension (Conlay, L.A.) **375,** 210

Spinal cord; Cell culture; Faglu
fluorescence; Immunohistochemistry
(Mariani, A.P.) **376,** 335

Insulin; Adrenocorticothyrotropic
hormone; Quantal size; Frog;
Neuromuscular junction (Van der
Kloot, W.) **376,** 378

L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Cerebrospinal fluid; Adrenal gland (Di Paolo, T.) **379,** 286

Preganglionic sympathetic neuron; Synapse; Horseradish peroxidase; 5-Hydroxydopamine; Rat (Chiba, T.) **380,** 405

Dopamine; Noradrenaline; Neuroblastoma cell line; Uptake; Catechol-*O*-methyl metabolite (Richards, M.L.) **384,** 132

Supraoptic nucleus; Noradrenaline; Hypothalamus; Brain slice; Neurosecretion (Ogata, N.) **385,** 122

Sensory neuron; Tyrosine hydroxylase; Transmitter regulation; Transmitter phenotype; Nerve growth factor (Katz, D.M.) **385,** 68

Luteinizing hormone-releasing hormone; Sexual maturation; Immunocytochemistry; Postnatal development; Rat (Wray, S.) **399,** 327

Catecholamine histofluorescence
Vasopressin; Noradrenaline; Supraoptic nucleus; Spontaneously hypertensive rat; Immunocytochemistry (Sladek, J.R.) **365,** 293

Catecholamine reinnervation
Neural transplant; Cell suspension; Brainstem; Locus coeruleus; Lumbar spinal cord; 6-Hydroxydopamine; Hindlimb flexion reflex (Buchanan, J.T.) **381,** 225

Catecholamine secretion
Corticotropin-releasing factor; Sympathetic nervous system; Adrenal medulla; Adrenal gland; Adrenaline; Anesthetized rat (Kurosawa, M.) **367,** 250

Catecholamine uptake
Insulin; Neuronal culture; Noradrenaline; Maprotiline; Insulin receptor (Boyd, F.T.) **398,** 1

Cation
Neuronal cell culture; Brain; Angiotensin II; Receptor; Sodium; Spontaneously hypertensive rat (Feldstein, J.B.) **370,** 265

Cationic ferritin
Endothelium; Fenestration; Capillaries; Blood–brain barrier (Schmidley, J.W.) **363,** 265

Caudate
Dopamine; Reinforcement; In vivo electrochemistry (Brozoski, T.J.) **364,** 275

Caudate nucleus
Leu-enkephalin; Glutamatic acid decarboxylase; Immunocytochemistry (Aronin, N.) **365,** 151

Thalamic nucleus; Wheat germ agglutinin-horseradish peroxidase (Hu, H.) **368,** 201

Somatostatin; Cholecystokinin octapeptide; Acetylcholine; Dopamine receptor; Release (Arneric, S.P.) **374,** 153

Receptor autoradiography; Dopamine; *N*-*n*-Propylnorapomorphine; Human brain (Camus, A.) **375,** 135

Dopamine release; Electrical stimulation; In vivo voltammetry; Dopamine uptake (Kuhr, W.G.) **381,** 168

Spiroperidol; Mazindol; Putamen; Dopamine denervation; Primate (Joyce, J.N.) **382,** 360

Rigidity; Catatonia; Alfentanil; Methylnaloxonium; Nucleus raphe pontis; Electromyography (Blasco, T.A.) **386,** 280

Catatonia; Methylnaloxonium; Alfentanil; Rat; Opiate; Nucleus raphe pontis (Amalric, M.) **386,** 287

Neurotensin; Enkephalin; Striatum; Putamen; Immunohistochemistry; Coexistence; Cat (Sugimoto, T.) **398,** 195

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Dopamine; Serotonin; Noradrenaline (Sirinathsinghji, D.J.S.) **399,** 339

Caudate-putamen
Histamine; Immunohistochemistry; Fluorescent retrograde labeling; Premammillary region (Steinbusch, H.W.M.) **368,** 389

Sexual behavior; Apomorphine; Dopamine; Medial preoptic area; Nucleus accumbens; Lateral septum (Hull, E.M.) **370,** 73

Senescence; Quantitative autoradiography; Spiroperidol; Striatum; Aging; Receptor, D_2- (Joyce, J.N.) **378,** 158

Caudo dorsal cell
Cyclic adenosine 3′,5′-monophosphate; Neuronal electrical and secretory activity; Exocytosis; *Lymnaea stagnalis* (Buma, P.) **380,** 26

Celiac ganglion
Vasoactive intestinal polypeptide; Stomach; Myenteric ganglion; Projection; Retrograde tracer; Immunocytochemistry (Lee, Y.) **382,** 392

Cell
Rabbit; Serotonin; Retinal culture (Osborne, N.N.) **362,** 287

α cell
Vision; Y cell; Head orientation; Retina; Superior colliculus; Lateral geniculate nucleus; Antibody (Spear, P.D.) **368,** 154

Cell adhesion molecule
Cerebellum; Cell migration; Automatic image analysis; Glycosaminoglycans; Ganglioside; Mouse (Lindner, J.) **377,** 298

Cell birth
Radial glia; In vitro; Optic tectum; Thymidine autoradiography; Goldfish (Henken, D.B.) **364,** 186

Cell body
Met-enkephalin; Immunocytochemistry; Thalamus; Cat; Colchicine (Covenas, R.) **377,** 355

Cell culture
Benzodiazepine; Midazolam; γ-Aminobutyric acid; Somatostatin; Neuropeptide; Cerebral; Neuron; Hypothalamus (Stryker, T.D.) **362,** 339

Astrocyte; Muscarinic receptor; Inositol phospholipid; Cyclic adenosine monophosphate; Agonist; Antagonist (Murphy, S.) **364,** 177

Angiotensinogen; Neuroblastoma; Astroglioma; Monoclonal antibody (Clemens, D.L.) **364,** 205

Cell line; Cerebellum sodium channel; Tetrodotoxin receptor; Cell differentiation; Cell transformation (Caviedes, R.) **365,** 259

Catecholamine; Spinal cord; Faglu fluorescence; Immunohistochemistry (Mariani, A.P.) **376,** 335

Choline; Cholinotoxin; Ethylcholine aziridinium; Neuron; Neurotoxin; Glial cell; Neuroglia (Davies, D.L.) **378,** 251

Calcitonin gene-related peptide; Trigeminal ganglion; Veratridine; Local anesthetic; Sodium channel (Peterfreund, R.A.) **380,** 159

Glutamate; Ketamine; Cyanide; Hypoxia; Cell death (Weiss, J.) **380,** 186

Schwann cell; Myelin synthesizing enzyme; Electrophoresis, two-dimensional; Schwann cell protein; Inherited neuropathy; Trembler mouse (White, F.V.) **381,** 85

Haloperidol; Butaclamol; Electrophysiology; Spontaneously generated action potential (Heyer, E.J.) **382,** 404

Adrenergic receptor; Hypertension; Brainstem; Neuron; Neurotransmitter; Peptide (Miura, M.) **399,** 352

Superior cervical ganglion; Neurite; Potassium; Depolarization; Retraction; Degeneration (Campenot, R.B.) **399,** 357

Cell death
Glutamate; Ketamine; Cyanide; Cell culture; Hypoxia (Weiss, J.) **380,** 186

Cell differentiation
Cell culture; Cell line; Cerebellum sodium channel; Tetrodotoxin receptor; Cell transformation (Caviedes, R.) **365,** 259

Cell distribution
Japanese quail; Retinal ganglion cell; Soma size; Axon diameter; Classification; Dendritic pattern (Ikushima, M.) **376,** 320

Cell growth
Growth factor; Autocrine regulation; Differentiation; Astrocytoma (Ito, J.-I.) **374,** 335

Cell line
Cell culture; Cerebellum sodium channel; Tetrodotoxin receptor; Cell differentiation; Cell transformation (Caviedes, R.) **365,** 259

Cell loss
Transganglionic degeneration; Peripheral nerve injury; Primary sensory neuron (Arvidsson, J.) **373,** 15

Cell migration
Cerebellum; Automatic image analysis; Cell adhesion molecule; Glycosaminoglycans; Ganglioside; Mouse (Lindner, J.) **377,** 298

Cerebellar development; Horseradish peroxidase axonal tracing; In vitro slab; Dendritic differentiation (Bourrat, F.) **378,** 69

Cell motility rate
Axon branching; Axon growth rate; Growth cone movement rate; Tissue culture, neuronal (Katz, M.J.) **366,** 211

Cell renewal
Olfaction; Chemoreceptor cell; Thymidine; Autoradiography; Gastropod mollusc (Chase, R.) **384,** 232

Cell size
Tectofugal visual system; Monocular deprivation; Ectostriatum; Plasticity; Bird (Herrmann, K.) **379,** 143

Cell suspension
Neural transplant; Brainstem; Locus coeruleus; Lumbar spinal cord; Catecholamine reinnervation; 6-Hydroxydopamine; Hindlimb flexion reflex (Buchanan, J.T.) **381,** 225

Transplantation; Cross-species; Horseradish peroxidase; Septal nucleus; Hippocampus; Differentiation; Migration (Wells, J.) **383,** 333

Cell transformation
Cell culture; Cell line; Cerebellum sodium channel; Tetrodotoxin receptor; Cell differentiation (Caviedes, R.) **365,** 259

Cell type
Inferior colliculus; Horseradish peroxidase; Commissure (González Hernández, T.H.) **368,** 268

Cellular activity
Hippocampus; Evoked potential; Depth profile; Tooth pulp stimulation; Acoustic response; Behavior (Brankačk, J.) **378,** 303

Cellular burst
Hippocampus; Electroencephalography; Sharp wave; Unit activity; Behavior; Epileptic transient; Long-term potentiation (Buzsáki, G.) **398,** 242

Cellular electrophysiology
Epilepsy; Magnetoencephalography; Penicillin; Interictal spike; Neocortex (Barth, D.S.) **368,** 36

Cellular mechanism
Theta rhythm; Hippocampal CA1; Spectral analysis; Inhibitory postsynaptic potential (Leung, L.-W.S.) **367,** 323

Central amygdala
Corticosterone release; Push–pull cannula; Medial hypothalamus; Rat (Dietl, H.) **369,** 373

Central cardiovascular control
Genetic hypertension; 5-Hydroxyindoleacetic acid; Pargyline; 5-Hydroxytryptophan; Serotonin (Koulu, M.) **379,** 257

Central cholinergic neuron
Nerve growth factor; Septohippocampal pathway; Fornix–fimbria lesion; Cholinergic degeneration; Hippocampus; Septum (Gasser, U.E.) **376,** 351

Central command
Renshaw cell; Recurrent inhibitory postsynaptic potential; Phrenic motoneuron; Respiration; Cat (Hilaire, G.) **376,** 133

Central connection
Octopus; Pallial nerve; Horseradish peroxidase nerve staining; Cobalt nerve staining (Saidel, W.M.) **374,** 30

Central gray matter
Enkephalin; Ventromedial hypothalamic nucleus; Midbrain; Rat; Immunocytochemistry; Projection (Yamano, M.) **398,** 337

Central nervous system
Raphe obscurus; Phrenic nerve activity; Control of respiration; Cat (Holtman, J.R.) **362,** 214

Vasopressin; Barrel rotation; Seizure; Brain; Cerebrospinal fluid; Kindling; Behavior (Wurpel, J.N.D.) **365,** 21

Vasopressin; Barrel rotation; Seizure; Visual/vestibular system; Antiepileptic (Wurpel, J.N.D.) **365,** 30

Synaptic vesicle kinase; Lupus erythematosus; Phosphorylation inhibition (Moskowitz, N.) **370,** 38

Acetylcholine receptor; α-Bungarotoxin; Wheat germ agglutinin; Central nicotinic receptor; Glycoprotein (Sugiyama, H.) **373,** 22

Pain; Hyperalgesia; Analgesia; Prostaglandin; Non-steroidal anti-inflammatory agent (Taiwo, Y.O.) **373,** 81

Kainic acid; Binding site; Goldfish; Distribution (Migani, P.) **376,** 186

Immunoreactivity of a pituitary protein '7B2'; Subcellular organization; Molecular form (Marcinkiewicz, M.) **380,** 349

Serotonin; Monoamine oxidase; Pargyline; Squid (Youdim, M.B.H.) **381,** 300

Progesterone receptor; Immunohistochemistry; Monoclonal antibody; Guinea pig (Warembourg, M.) **384,** 121

α-Adrenoceptor; β-Adrenoceptor; Cyclic adenosine monophosphate; Olfactory bulb; α-Potentiation effect (Stone, E.A.) **384,** 401

Phencyclidine; TCP; Quantitative autoradiography; Receptor binding site; Lesion; Psychotomimetic (Gundlach, A.L.) **386,** 266

Central nervous system adaptation
Entorhinal cortex; Kindling; Chronic desmethylimipramine (Applegate, C.D.) **398,** 121

Central nervous system injury
Ciliary ganglion; Neuronal survival; Neurotrophic factor; Rhizotomy; Sciatic nerve; Sciatic transection; Spinal cord (Millaruelo, A.I.) **374,** 12

Central nervous system protein
Locus ceruleus lesion; Neonatal 6-hydroxydopamine; Two-dimensional gel electrophoresis; Noradrenaline; Scanning densitometry (Heydorn, W.E.) **367,** 31

Serotonin; 5,7-Dihydroxytryptamine; Two-dimensional gel electrophoresis; Computerized scanning densitometry (Heydorn, W.E.) **368,** 193

Central nervous system regeneration
Retina; Peripheral nervous system nerve transplant; Hamster (So, K.-F.) **377,** 168

Central nervous system reorganization
Neural plasticity; Sprouting; Neonatal brain lesion; Hemispherectomy; Dorsal column nuclei; Spinal cord (Gómez-Pinilla, F.) **385,** 343

Central nervous system transplant
Paraplegia; Vasoactive intestinal polypeptide neuron; Regeneration; Immunohistochemistry (Connor, J.R.) **367,** 214

Paraplegia; Spinal cord; Somatostatin; Regeneration; Immunohistochemistry (Bernstein, J.J.) **374,** 147

Central nervous system transplantation
Myelin; Myelin basic protein; Shiverer; Neurofilament protein; Glial fibrillary acidic protein (Friedman, E.) **378,** 142

Central nicotinic receptor
Acetylcholine receptor; Central nervous system; α-Bungarotoxin; Wheat germ agglutinin; Glycoprotein (Sugiyama, H.) **373,** 22

Central nucleus
Blood pressure; Heart rate; Respiration; Amygdala; Cryoprobe; Conditioning (Zhang, J.-X.) **386,** 136

Central osmoreceptor
Preoptic area; Lateral hypothalamus; Drinking; Pigeon; Angiotensin II (Thornton, S.N.) **377,** 96

Central plasticity
Nerve repair; Peripheral injury; Regeneration; Sensory recovery; Somatosensory cortex; Touch (Wall, J.T.) **372,** 400

Central regulation of circulation
Ventrolateral medulla; Nucleus tractus solitarii; Aortic depressor nerve; Carotid sinus nerve; Cardiovascular reflex pathway (Ciriello, J.) **367,** 273

Central scotoma
Optokinetic nystagmus; Eye movement; Scotopic vision; Fovea; Peripheral retina (Van Die, G.C.) **383,** 185

Central serotonergic neuron
Anxiolytic drug; Benzodiazepine receptor; γ-Aminobutyric acid; 5-Hydroxytryptophan accumulation (Nishikawa, T.) **371,** 123

Central sympathetic outflow
β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin; Morphine; Plasma catecholamine; Paraventricular nucleus; Nucleus of the solitary tract; Heart rate; Mean arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Centrifugal visual system
Tectum; Projection neuron; Retina; Horseradish peroxidase; Golgi-like staining; Teleost (Uchiyama, H.) **369,** 260

Centromedian-parafascicular complex
Regional cerebral blood flow; Electrical stimulation (Mraovitch, S.) **380,** 42

Cerebellar cortex
Cerebellum; Purkinje cell; Climbing fiber; Corticonuclear system; Analytical technique (Lou, J.S.) **365,** 340

Spinocerebellar tract; Spinal border cell; Spinal cord (Yaginuma, H.) **384,** 175

Cerebellar dentate lesion
Movement-related cortical potential; Cerebellar motor control (Shibasaki, H.) **368,** 361

Cerebellar development
Horseradish peroxidase axonal tracing; In vitro slab; Cell migration; Dendritic differentiation (Bourrat, F.) **378,** 69

Cerebellar efferent
Axon collateral; Brachium conjunctivum; Fluorescent tracer; Rat (Bentivoglio, M.) **362,** 180

Hemicerebellectomy; Axonal sprouting; Axonal branching; Plasticity; Rat; Fluorescent tracing (Molinari, M.) **372,** 1

Cerebellar fastigial nucleus
Kainate microinjection; Vasodepressor response (Chida, K.) **370,** 378

Cerebellar glomerulus
Mossy fiber rosette; Bovine cerebellar vermis; Acetylcholine; Choline uptake; Hemicholinium-3 (Terrian, D.M.) **366,** 401

Cerebellar motor control
Movement-related cortical potential; Cerebellar dentate lesion (Shibasaki, H.) **368,** 361

Cerebellar nucleus
Glutamate; Glutaminase; Aspartate aminotransferase; Immunohistochemistry (Monaghan, P.L.) **363,** 364

Cerebello-olivary fiber
Olivocerebellar fiber; Interposed nucleus; Wheat germ agglutinin-horseradish peroxidase; Implantation technique (Dietrichs, E.) **373,** 373

Cerebellum
Mutant mouse lurcher; Spontaneous alternation; Habituation (Lalonde, R.) **362,** 161

Monoclonal antibody; Purkinje cell; Development; Focal axonal swelling (Gravel, C.) **363,** 325

Glutaminase; Aspartate aminotransferase; Amino acid neurotransmitter; Immunocytochemistry (Wenthold, R.J.) **363,** 371

Hypothalamic efferent; Fluorescent latex microsphere; Retrograde fluorescent tracer; Amygdala; Spinal cord (Dietrichs, E.) **364,** 241

Cerebellar cortex; Purkinje cell; Climbing fiber; Corticonuclear system; Analytical technique (Lou, J.S.) **365,** 340

Noradrenaline; Dystonic (McKeon, T.W.) **366,** 89

Dorsal spinocerebellar tract; Ventral spinocerebellar tract; Spinal cord; Cutaneous input (Kim, J.H.) **369,** 125

Chemoarchitecture; Acetylcholinesterase; Cytochrome oxidase (Hess, D.T.) **369,** 383

Adenosylhomocysteine hydrolase; Hippocampal formation; Adenosine deaminase; Basal hypothalamus; Superior colliculus; Immunocytochemistry (Patel, B.T.) **370,** 250

Substance P receptor; Neuropeptide; Genetic hypertension; Tachykinin (Shigematsu, K.) **370,** 383

Frequency sensitivity; Tuning; Tonotopic organization (Huang, C.-M.) **371,** 101

Climbing fiber; Somatotopic organization; Receptive field (Logan, K.) **372,** 290

Harmaline; 3-Acetylpyridine; Freeze-fracture; Filipin; Cholesterol; Purkinje cell; Climbing fiber; Plasma membrane; Synapse (Garcia-Segura, L.M.) **372,** 390

Inferior olive; Olivocerebellar fiber; Lobule IV; Lobule V; Squirrel monkey; Horseradish peroxidase (Whitworth, R.H.) **372,** 55

Cyclic guanosine monophosphate; Pentobarbital; Locomotor activity; Swimming performance; Behavior (McCaslin, P.P.) **374,** 367

Synaptic vesicle; Monoclonal antibody; Immunohistochemistry; Immunoelectron microscopy; Immunoblot analysis (Obata, K.) **375,** 37

Cell migration; Automatic image analysis; Cell adhesion molecule; Glycosaminoglycans; Ganglioside; Mouse (Lindner, J.) **377,** 298

Phencyclidine; Thienyl-phencyclidine; σ-Opioid; Multiple binding site; Autoradiographic localization; Biochemical regionalization (Vignon, J.) **378,** 133

Aspartate; Glutamate; Climbing fiber; Parallel fiber; Neurotransmitter release; Mass fragmentography (Sekiguchi, M.) **378,** 174

Superior colliculus; Inferior olive; Crus II; Rat (Akaike, T.) **378,** 186

Aging; Purkinje cell; Dendrite; Plasticity; Learning (Greenough, W.T.) **380,** 136

Copper deficiency; Menkes' disease; Immunocytochemistry; Immunogold; Actin; Cytoskeletal; Dendrite; Cortex; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Potassium channel, calcium-dependent; Apamin; Quantitative autoradiography; Rat brain; Septal area; Hippocampus; Limbic system (Mourre, C.) **382,** 239

Inferior olive; Ethanol; Ethanol metabolite; β-Carboline; Harmaline (Rogers, J.) **385,** 253

Microstimulation; Hemicerebellectomy; Plasticity; Motor cortex; Neonatal; Forelimb response (O'Donoghue, D.L.) **385,** 311

Noradrenaline; Modulation; Aging;

Climbing fiber; Electrophysiology (Bickford, P.C.) **385,** 405

Hippocampus; Striatum; Pineal gland; Spiperone; Dopamine receptor (Bruinink, A.) **386,** 78

Thalamus; Cortex; Pallidum; Intracellular recording; Identified neuron; Horseradish peroxidase (Gazzara, R.A.) **397,** 225

Purkinje cell; Climbing fiber enhancement; Mossy fiber; Noradrenaline; 6-Hydroxydopamine; Somatosensory stimulus (McElligott, J.G.) **397,** 245

Weaver mutant mouse; Spatial orientation (Lalonde, R.) **398,** 175

Weaver mutant mouse; Spatial working memory (Lalonde, R.) **398,** 178

γ-Aminobutyric acid; Melatonin; Pineal gland; Hypothalamus; Cerebral cortex (Rosenstein, R.E.) **398,** 403

Cyclic guanosine monophosphate; Swimming performance; Acidic amino acid; 2-Amino-7-phosphonoheptanoic acid; Locomotor activity; N-Methyl-D-aspartate (McCaslin, P.P.) **398,** 71

Mutant mouse; γ-Aminobutyric acid; Purkinje cell; Deep cerebellar nucleus; Immunocytochemistry (Wassef, M.) **399,** 125

Fastigial nucleus; Vagus nerve; Control of respiration; Control of circulation; Apneusis (Williams, J.L.) **399,** 224

Immunohistochemistry; Vitamin D; Calcium-binding protein; Human brain; Spinal cord; Brainstem (Fournet, N.) **399,** 310

Cerebellum sodium channel
Cell culture; Cell line; Tetrodotoxin receptor; Cell differentiation; Cell transformation (Caviedes, R.) **365,** 259

Cerebral
Benzodiazepine; Midazolam; γ-Aminobutyric acid; Somatostatin; Neuropeptide; Cell culture; Neuron; Hypothalamus (Stryker, T.D.) **362,** 339

Cerebral artery
Calcitonin gene-related peptide; Substance P; Coexistence; Immunohistochemistry; Guinea pig (Wanaka, A.) **369,** 185

Calcitonin gene-related peptide; Substance P; Capsaicin; Iris; Neonatal rat; Immunohistochemistry (Matsuyama, T.) **373,** 205

Morphine; Peripheral artery; Vasomotor response; Calcium (Recio, L.) **376,** 262

Sympathetic nerve; Superior cervical ganglion; Spontaneously hypertensive rat; Hypertension (Sadoshima, S.) **379,** 205

Cerebral blood flow
Locus ceruleus; Cardiac output; Propranolol; Hypercapnia (Ramana Reddy, S.V.) **365,** 278

Cholinergic vasodilation; Fastigial nucleus; Atropine (Iadecola, C.) **368,** 375

Neural lobe; Microsphere; Arginine vasopressin (Ziedonis, D.M.) **373,** 27

Cerebral blood volume; Cerebral blood flow autoregulation; Opioid peptide; β-Endorphin; Naloxone (Sándor, P.) **386,** 122

Chronic naltrexone; Opiate; Regional cerebral oxygen consumption (Buchweitz, E.) **397,** 308

Cerebral blood flow autoregulation
Cerebral blood flow; Cerebral blood volume; Opioid peptide; β-Endorphin; Naloxone (Sándor, P.) **386,** 122

Cerebral blood vessel
Substance P; Ultrastructure; Immunohistochemistry; Sensory nerve fiber (Liu-Chen, L.-Y.) **369,** 12

Adrenergic receptor; Autoradiography; Rat; Human (Nakai, K.) **381,** 148

Vasoactive intestinal peptide; Receptor; Autoradiography (Poulin, P.) **381,** 382

Cerebral blood volume
Cerebral blood flow; Cerebral blood flow autoregulation; Opioid peptide; β-Endorphin; Naloxone (Sándor, P.) **386,** 122

Cerebral cortex
Bicuculline seizure; ATPase, (Na^+,K^+)-; Homogenate; Vanadate (Folbergrová, J.) **363,** 53

Histidine decarboxylase; Histaminergic axon; Immunocytochemistry; Ultrastructure; Neostriatum (Takagi, H.) **364,** 114

Vasoactive intestinal polypeptide; Somatostatin; Substance P; Primate; Ontogeny (Hayashi, M.) **364,** 360

Aspartate; Glutaraldehyde; Specificity; Affinity; Immunocytochemistry (Campistron, G.) **365,** 179

Neostriatum; Striatal heterogeneity; Corticostriatal projection; Opiate receptor (Donoghue, J.P.) **365,** 397

Posteromedial ventral nucleus; Thalamus; Infralimbic cortex; Cat; Wheat germ agglutinin–horseradish peroxidase (Yasui, Y.) **368,** 384

Adrenergic receptor; Subcellular fractionation; Locus coeruleus; Parkinson's disease (Cash, R.) **370,** 127

Glutamate; Aspartate; Hypothalamic nucleus; Brainstem nucleus; Pain-stress; Amphetamine (Palkovits, M.) **373,** 252

Pain; Analgesia; Medial thalamus; Periaqueductal gray; Intracellular recording (Andersen, E.) **375,** 30

Somatostatin; Neuropeptide Y; Striatum; Basal ganglion (Beal, M.F.) **377,** 240

Aging; Adrenoreceptor, α_2-; Guanosine triphosphate binding protein; Adenylate cyclase; *Pertussis* toxin; Cholera toxin (Nomura, Y.) **379,** 118

Monkey; Epilepsy; Glutamic acid decarboxylase; γ-Aminobutyric acid; Immunocytochemistry; Morphology; Electroencephalography (Houser, C.R.) **383,** 129

β-Adrenoceptor; Hypothalamus; Rhinencephalon; Estrous cycle; Ovariectomy (Bedran De Castro, J.C.) **384,** 11

ELISA; Immunohistochemistry; In vitro; Neurofilament monoclonal antibody; Oxygen tension; Regeneration; Tissue culture (Kaplan, F.S.) **384,** 199

Neurotensin; Immunocytochemistry; Human; Infant; Striatum; Septum; Amygdala (Michel, J.-P.) **397,** 93

Somatostatin; Neurotransmitter; Carbachol; Slice; Release (Boakes, R.J.) **397,** 197

γ-Aminobutyric acid; Melatonin; Pineal gland; Cerebellum; Hypothalamus (Rosenstein, R.E.) **398,** 403

Cerebral dopaminergic transmission
Stria medullaris; Habenular nucleus; Fasciculus retroflexus; Raphe nucleus; Acetylcholine; Opioid peptide; Substance P (Nishikawa, T.) **373,** 324

Cerebral endothelium
Blood–brain barrier; ATPase, (Na^+,K^+)-; Alkaline phosphatase; Glial cell (Beck, D.W.) **381,** 131

Cerebral ganglion
Aplysia; Neurotransmitter; Receptor (Gaillard, W.D.) **373,** 303

Cerebral glucose consumption
Spreading depression (Lauritzen, M.) **370,** 405

Cerebral hemitransection
Calcineurin; Immunohistochemistry; Enzyme immunoassay; Striatonigral pathway; Pallidal pathway (Goto, S.) **397,** 161

Cerebral hypoxia
Hypoxia; Cerebrovascular disorder; Chlorpromazine; Spreading depression; Calcium (Balestrino, M.) **385,** 219

Cerebral infarction
Middle cerebral artery; Plasma catecholamine; Insula; Stroke (Smith, K.E.) **375,** 182

Cerebral ischemia
Calcium homeostasis; Hippocampus;

Delayed neuronal death (Sakamoto, N.) **364,** 372

Hippocampus; Pyramidal cell (CA-1) protection; Colchicine degranulation; Morphology; Glutamate (Johansen, F.F.) **377,** 344

Dendrite; Gerbil; Immunoelectron microscopy; Microtubule; Transmission electron microscopy (Yamamoto, K.) **384,** 1

Cerebral ischemic response
Ventrolateral medulla; Sympathetic premotorneuron (Guyenet, P.G.) **364,** 301

Cerebral neocortical culture
Extracellular electrophysiology; Functional development; Subcortical influence; Columnar organization (Leiman, A.L.) **365,** 205

Cerebromicrovascular culture
Catechol-O-methyltransferase; High performance liquid chromatography; Immunocytochemistry; Endothelium; Smooth muscle cell (Spatz, M.) **381,** 363

Cerebrospinal fluid
Parkinsonism; Dementia; Acetylcholinesterase; Butyrylcholinesterase; Human brain (Ruberg, M.) **362,** 83

Epilepsy; γ-Aminobutyric acid; Photosensitivity; *Papio papio*; Taurine; Amino acid; Monoamine (Lloyd, K.G.) **363,** 390

Vasopressin; Barrel rotation; Seizure; Brain; Central nervous system; Kindling; Behavior (Wurpel, J.N.D.) **365,** 21

Sympathectomy; Guanethidine; Noradrenaline; Blood–brain barrier; Adrenaline; Catecholamine; Adrenal medullectomy (Peskind, E.R.) **367,** 258

β-Endorphin; Dynorphin; Enkephalin; Proenkephalin (Nyberg, F.) **371,** 278

Third ventricle choroid plexus; Sodium; Potassium ion; Acidosis; Ion homeostasis; Tela choroidea (Harbut, R.E.) **374,** 137

L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Catecholamine; Adrenal gland (Di Paolo, T.) **379,** 286

Human arachnoid villus; Superior sagittal sinus; Lateral lacuna; Extracellular cistern; Electron microscopy (Yamashima, T.) **384,** 68

Vasoactive intestinal polypeptide; Rapid eye movement sleep; Sleep deprivation (Prospéro-Garcia, O.) **385,** 169

Blood–brain barrier; Calcium; Transport; Capillary; Brain; Permeability (Tai, C.-Y.) **385,** 227

5-Hydroxytryptamine; Dopamine; Turnover; Tryptophan; Social behavior (Sahakian, B.J.) **399,** 162

Cerebrovascular disorder
Hypoxia; Cerebral hypoxia; Chlorpromazine; Spreading depression; Calcium (Balestrino, M.) **385,** 219

Cerebrovascular nerve
Serotonin; Autonomic nerve; Superior cervical ganglion (Cowen, T.) **384,** 51

Cerebrovascular permeability
Aluminum chloride; Aluminum hydroxide; Aluminum lactate; Blood–brain barrier; Sucrose; Transient change (Kim, Y.S.) **377,** 286

Cerebrum
Aplysia; Synapse; Ganglion; Neurotransmitter (Gaillard, W.D.) **373,** 311

Endothelium; Microvessel; Epidermal growth factor; Platelet-derived growth factor (Robinson, R.A.) **384,** 114

Cervical and lumbar interneurons
Tonic neck reflex; Directional sensitivity; Neck afferent input (Suzuki, I.) **367,** 356

Cervical lateral funiculus
Fictive locomotion; Locomotor movement; Forelimb; Decerebrate cat (Yamaguchi, T.) **379,** 125

Cervical motoneuron
Spinal cord; Electrical property; Distal forelimb; Cat (Botterman, B.R.) **379,** 192

Cervico-ocular reflex
Vestibulo-ocular reflex; Eye movement; Absent vestibular function; Compensatory mechanism (Bronstein, A.M.) **373,** 399

Characterization
Cholecystokinin binding site; [*Propionyl*-^{3}H]Propionylated cholecystokinin octapeptide; In vitro autoradiography; Distribution; Species difference (Sekiguchi, R.) **399,** 271

Charge isozyme
Aromatic-L-amino-acid decarboxylase; Isoelectric point; Adrenal and brain; Chromatofocusing; Species difference (Park, D.H.) **370,** 375

Chemical brain stimulation
Vocalization; Motor control; Glutamate; Squirrel monkey (Jürgens, U.) **373,** 349

Chemoafferent activity
Carotid body; Arterial chemoreceptor; 2-Deoxy-D-glucose; Adenosine triphosphate content; Dopamine release; Metabolic hypothesis (Obeso, A.) **371,** 25

Chemoarchitecture
Cerebellum; Acetylcholinesterase; Cytochrome oxidase (Hess, D.T.) **369,** 383

Chemoreception
Trigeminal receptor; Olfactory receptor; Smell; Alcohol; Odor (Silver, W.L.) **376,** 221

Chemoreceptor
Carotid body; Hypoxia; Catecholamine; Dopamine release; Carotid sinus nerve activity (Rigual, R.) **374,** 101

Chemoreceptor cell
Olfaction; Cell renewal; Thymidine; Autoradiography; Gastropod mollusc (Chase, R.) **384,** 232

Chick brain
Protein kinase; Phosphorylation; Heat-stable modulator (Sparkman, D.R.) **385,** 51

Chick ciliary ganglion
Cholinergic; Gliosis; Methotrexate; Neurotropic factor (Heacock, A.M.) **363,** 299

Chick neural cell culture
Hormonal effect; Myelin lipid biosynthesis (Kanamoto, Y.) **371,** 201

Chick spinal cord neuron
Excitatory amino acid; Tissue culture; Patch clamp (Vyklický, L.) **363,** 148

Chlordecone
Difluoromethylornithine; Ornithine decarboxylase; *p,p'*-DDT; Tremor; Neuronal adaptation (Tilson, H.A.) **379,** 147

Chloride ion
Audiogenic seizure; Age; γ-Aminobutyric acid receptor; Benzodiazepine receptor; Glutamate receptor; Mouse (Yu, O.) **399,** 374

Chloride ionophore
Stress; Benzodiazepine receptor; γ-Aminobutyric acid; *t*-Butylbicyclophosphorothionate; Anion (Havoundjian, H.) **375,** 401

Chloride permeability
Nerve membrane; γ-Aminobutyric acid; Pentobarbitone (Hydén, H.) **379,** 167

Chlorpromazine
Hypoxia; Cerebral hypoxia; Cerebrovascular disorder; Spreading depression; Calcium (Balestrino, M.) **385,** 219

***p*-Chloroamphetamine**
N-2-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; 5-Methoxy-*N,N*-dimethyltryptamine; Quipazine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Tail flick; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Serotonergic-myoclonic syndrome; Myoclonus; Serotonin neurotoxin; Behavioral supersensitivity; Locomotor activity; 5,7-Dihydroxytryptamine; Fenfluramine (Pranzatelli, M.R.) **364,** 67

N-2-Chloroethyl-N-ethyl-2-bromobenzylamine hydrochloride
5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Tail flick; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

6-Hydroxydopamine; Hypothalamic noradrenaline; Dopamine; Dihydroxyphenylacetic acid; 5-Hydroxytryptamine (Lookingland, K.J.) **365,** 228

Noradrenaline; Serotonin; Sexual behavior; 5-Methoxy-*N*,*N*-dimethyltryptamine; Lisuride; Ejaculation (Fernandez-Guasti, A.) **377,** 112

p-Chlorophenylalanine
Substance P; 5-Hydroxytryptamine; Spinal dorsal horn neuron; Iontophoresis (Jeftinija, S.) **368,** 107

Serotonin; 5-Hydroxytryptamine; Electrocorticogram; Rhythmical slow activity; Low voltage fast activity; Dementia (Vanderwolf, C.H.) **374,** 342

Choice
Periaqueductal gray; Medial hypothalamus; Aversion; Escape; Morphine; Discrimination (Jenck, F.) **378,** 274

Cholecalcin
Vestibular sensory hair cell; Vestibular ganglion; Cat (Sans, A.) **364,** 190

Cholecystokinin
Receptor; Area postrema; Nucleus tractus solitarii; Autoradiography (Moran, T.H.) **362,** 175

Nociceptive neuron; Edinger–Westphal nucleus; Rat (Innis, R.B.) **363,** 230

Amygdala; Kindling; Dynorphin; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Hippocampus; Substantia nigra; Epilepsy; Limbic system (Iadarola, M.J.) **365,** 185

Dopamine; Striatum (Hutchison, J.B.) **370,** 310

Dorsomedial medulla oblongata; Catecholamine; Coexistence; Synapse; Solitary tract (Kubota, Y.) **370,** 343

Neuropeptide; Respiratory rate; Chronic intracerebroventricular infusion; Rapid eye movement sleep (Demesquita, S.) **378,** 127

Dopamine; Glutamate; Serotonin; Nucleus accumbens; Modulator (Wang, R.Y.) **380,** 363

Substance P; Co-existence; Guinea pig; Eye; Trigeminal ganglion; Immunohistochemistry (Kuwayama, Y.) **381,** 266

Rat; Septal preoptic area; Unit activity; Gastrin; Secretin; Vasoactive intestinal peptide (Akema, T.) **385,** 366

Nucleus accumbens; Dopamine release; Depolarization block; Peptide-monoamine coexistence; In vivo electrochemistry (Lane, R.F.) **397,** 200

D_2 dopamine receptor; D_1 dopamine receptor; (−)-Sulpiride; SCH 23390; LY-171555; LY-181990; LY-141865 (Martin, J.R.) **397,** 253

Receptor; Radioreceptor assay; High-pressure liquid chromatography; Cholecystokinin-4; Amygdala; Hypothalamus; Cortex (Beresford, I.J.M.) **398,** 313

Cholecystokinin binding
Paraventricular nucleus; Supraoptic nucleus; Ovariectomy (Akesson, T.R.) **385,** 165

Cholecystokinin binding site
[*Propionyl*-^{3}H]Propionylated cholecystokinin octapeptide; In vitro autoradiography; Distribution; Characterization; Species difference (Sekiguchi, R.) **399,** 271

Cholecystokinin octapeptide
Somatostatin; Acetylcholine; Dopamine receptor; Caudate nucleus; Release (Arneric, S.P.) **374,** 153

Cholecystokinin radioimmunoassay
Morphine; Hypothalamus; Tolerance; In vivo (Faris, P.L.) **367,** 405

Cholecystokinin release
Hypothalamus; Satiety; Feeding; Push–pull perfusion (Schick, R.R.) **370,** 349

Cholecystokinin-4
Cholecystokinin; Receptor; Radioreceptor assay; High-pressure liquid chromatography; Amygdala; Hypothalamus; Cortex (Beresford, I.J.M.) **398,** 313

Cholera toxin
Aging; Cerebral cortex; Adrenoreceptor, α_2-; Guanosine triphosphate binding protein; Adenylate cyclase; *Pertussis* toxin (Nomura, Y.) **379,** 118

Cholesterol
Harmaline; 3-Acetylpyridine; Freeze-fracture; Filipin; Purkinje cell; Climbing fiber; Plasma membrane; Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Choline
Decortication; Corticostriatal pathway; Nigrostriatal pathway; Striatum; Acetylcholine; Apomorphine; Bromocriptine; Neuroleptic; Rat (Consolo, S.) **363,** 128

Cholinotoxin; Ethylcholine aziridinium; Neuron; Cell culture; Neurotoxin; Glial cell; Neuroglia (Davies, D.L.) **378,** 251

Bungarotoxin; Brain nicotinic receptor; Rat (Morley, B.J.) **378,** 315

Acetylcholine; Hippocampus; Veratridine; Subcellular fraction; Choline *O*-acetyltransferase; Acetylcholinesterase; Septal lesion (Carroll, P.T.) **382,** 83

Endplate; Acetylcholine ionophoresis; Curare; Desensitization (Sterz, R.) **385,** 99

Choline acetyltransferase
Spinal cord; Immunocytochemistry; Cholinergic neuron (Borges, L.F.) **362,** 140

Cholinergic projection; Nucleus basalis; Tetramethylbenzidine; Horseradish peroxidase (Mesulam, M.-M.) **367,** 301

Globus pallidus; Nucleus basalis magnocellularis; Learning (Thompson, R.) **367,** 402

Cholinergic synapse; Immunocytochemistry; Transplantation; Hippocampus; Electron microscopy (Clarke, D.J.) **369,** 151

N-Methyl-D,L-aspartic acid; Excitotoxin; Lesion; Basal forebrain; Immunohistochemistry; Rat (Stewart, G.R.) **369,** 377

Immunohistochemistry; Cholinergic; Horseradish peroxidase; Superior colliculus; Mouse (Mufson, E.J.) **370,** 144

Enucleation; Goldfish; Immunocytochemistry; Interneuron; Optic tectum; Type XIV cell (Tumosa, N.) **370,** 365

Acetylcholine; Alzheimer's disease; Nicotinic cholinergic receptor (Whitehouse, P.J.) **371,** 146

Somatostatin; Ibotenic acid; Nucleus basalis; Rat cerebral cortex (Epelbaum, J.) **371,** 376

Cholinergic; Retinotectal; Goldfish; Optic tectum (Ross, C.D.) **373,** 49

Parasympathetic neuron; Survival; Development; Lung (Wallace, T.L.) **375,** 92

Retrograde cell degeneration; Basal nucleus; Immunocytochemistry; Ganglioside (Cuello, A.C.) **376,** 373

Cortical graft; Basal nucleus; Cholinergic innervation; Cortical damage; Immmunohistochemistry; Glutamic acid decarboxylase (Sofroniew, M.V.) **378,** 409

Immunohistochemistry; Acetylcholinesterase; Cholinergic neuron; Mauthner cell (Rhodes, K.J.) **381,** 215

Neuronal hypertrophy; Retrograde degeneration; Immunohistochemistry; Oculomotor nerve; Motor neuron (Pearson, R.C.A.) **382,** 189

Hypogastric ganglion; Tyrosine hydroxylase; Testosterone;

Development (Melvin, J.E.) **383,** 38

Acetylcholine; Choline; Hippocampus; Veratridine; Subcellular fraction; Acetylcholinesterase; Septal lesion (Carroll, P.T.) **383,** 83

Nerve growth factor; Nucleus basalis; Ibotenic acid lesion; Acetylcholinesterase; Cortex; Rat (Haroutunian, V.) **386,** 397

2-Deoxy-D-[^{14}C]glucose technique; Local cerebral glucose utilization; Interpeduncular nucleus; Median raphe; Dorsal raphe; Stria medullaris; Habenular nucleus (Motohashi, N.) **397,** 265

Septal nucleus; Ganglioside; Immunohistochemistry; Retrograde degeneration (Sofroniew, M.V.) **398,** 393

Retina; Immunocytochemistry; Amacrine cell; Tree shrew (Conley, M.) **399,** 332

Choline acetyltransferase activity
Rat line; Diurnal cycle; Ligand receptor binding; Line-dependent cycle (Jenni-Eiermann, S.) **370,** 54

Choline acetyltransferase immunohistochemistry
Cholinergic structure; Human brainstem; Acetylcholinesterase staining (Mizukawa, K.) **379,** 39

Choline uptake
Hemicholinium-3; Acetylcholine; Physostigmine (Swann, A.C.) **363,** 401

Cerebellar glomerulus; Mossy fiber rosette; Bovine cerebellar vermis; Acetylcholine; Hemicholinium-3 (Terrian, D.M.) **366,** 401

Hemicholinium-3 binding; Drug effect; Cholinergic nerve activity; Cortex; Striatum (Lowenstein, P.R.) **381,** 191

Cholinergic
Gliosis; Chick ciliary ganglion; Methotrexate; Neurotropic factor (Heacock, A.M.) **363,** 299

Choline acetyltransferase; Immunohistochemistry; Horseradish peroxidase; Superior colliculus; Mouse (Mufson, E.J.) **370,** 144

Rat; Feminine sexual receptivity; Progesterone; RU 38486; Estrogen (Richmond, G.) **373,** 159

Retinotectal; Choline acetyltransferase; Goldfish; Optic tectum (Ross, C.D.) **373,** 49

Lateral reticular nucleus; Antinociception; Descending inhibition; Tail flick reflex; Hot plate test; Opioid; α-Adrenergic (Ossipov, M.H.) **384,** 282

Cholinergic agonist
Rat; Nucleus basalis; Globus pallidus; Substantia innominata; Cholinergic neuron; Antidromic stimulation; Microiontophoresis; Acetylcholine (Lamour, Y.) **362,** 122

Rat; Septohippocampal neuron; Cholinergic neuron; Microiontophoresis; Amygdala; Medial forebrain bundle; Barbiturate (Dutar, P.) **365,** 325

Cholinergic antagonist
Molluscan neuron; Acetylcholine; Cholinoreceptor; Voltage-clamp; Ion channel (Furukawa, Y.) **374,** 227

Cholinergic cell group Ch4
Basal nucleus of Meynert; Globus pallidus; *Phaseolus vulgaris* leucoagglutinin; Striatum (Grove, E.A.) **367,** 379

Cholinergic degeneration
Nerve growth factor; Central cholinergic neuron; Septohippocampal pathway; Fornix–fimbria lesion; Hippocampus; Septum (Gasser, U.E.) **376,** 351

Cholinergic dysfunction
N-Amino-*N,N*-dimethylaminoethanol; False precursor; Cholinergic false transmitter; Passive avoidance behavior; Animal model (Newton, M.W.) **373,** 197

Cholinergic false transmitter
N-Amino-*N,N*-dimethylaminoethanol; False precursor; Passive avoidance behavior; Animal model; Cholinergic dysfunction (Newton, M.W.) **373,** 197

Cholinergic innervation
Cortical graft; Basal nucleus; Cortical damage; Choline acetyl transferase; Immmunohistochemistry; Glutamic acid decarboxylase (Sofroniew, M.V.) **378,** 409

Transplantation; Hippocampus (Gibbs, R.B.) **383,** 362

Cholinergic muscarinic receptor
Lidocaine; Physostigmine; Rostral ventrolateral medulla; Scopolamine; Tetrodotoxin (Punnen, S.) **382,** 178

Cholinergic nerve activity
Choline uptake; Hemicholinium-3 binding; Drug effect; Cortex; Striatum (Lowenstein, P.R.) **381,** 191

Cholinergic neuron
Rat; Nucleus basalis; Globus pallidus; Substantia innominata; Antidromic stimulation; Microiontophoresis; Acetylcholine; Cholinergic agonist (Lamour, Y.) **362,** 122

Spinal cord; Choline acetyltransferase; Immunocytochemistry (Borges, L.F.) **362,** 140

Rat; Septohippocampal neuron; Microiontophoresis; Cholinergic agonist; Amygdala; Medial forebrain bundle; Barbiturate (Dutar, P.) **365,** 325

Nerve growth factor; Neuronotropic factor; Sciatic nerve; Neuronal survival; Ciliary ganglion (Manthorpe, M.) **367,** 282

Septohippocampal pathway; Partial fimbrial lesion; Hippocampus; Recovery of cholinergic enzyme; Compensatory collateral sprouting; Homotypic reinnervation; Adult rat (Gasser, U.E.) **367,** 368

Immunohistochemistry; AF64A; Degeneration; Morphometry; In vitro study (Tonnaer, J.A.D.J.) **370,** 200

Antinociception; Pain; Noradrenergic neuron; Nucleus raphe magnus; Spinal cord (Brodie, M.S.) **371,** 70

Septum; Triiodothyronine; Thyroid hormone; Nerve growth factor; Alzheimer's disease (Hefti, F.) **375,** 413

Immunohistochemistry; Choline acetyltransferase; Acetylcholinesterase; Mauthner cell (Rhodes, K.J.) **381,** 215

Basal nucleus; Neuronal hypertrophy; Immunohistochemistry; Kainic acid (Pearson, R.C.A.) **382,** 149

Cholinergic projection
Nucleus basalis; Tetramethylbenzidine; Horseradish peroxidase; Choline acetyltransferase (Mesulam, M.-M.) **367,** 301

Cholinergic receptor
α-Bungarotoxin; Acetylcholine receptor; Nicotinic receptor; Optic tectum; Retinotectal projection (Henley, J.M.) **364,** 405

Cholinergic structure
Human brainstem; Choline acetyltransferase immunohistochemistry; Acetylcholinesterase staining (Mizukawa, K.) **379,** 39

Cholinergic synapse
Choline acetyltransferase; Immunocytochemistry; Transplantation; Hippocampus; Electron microscopy (Clarke, D.J.) **369,** 151

Cholinergic system
Acetylcholinesterase; Animal strain; Basal ganglion; Genetic study; Histochemistry; Microphotometry (Iacopino, C.) **374,** 402

GM_1 ganglioside; Partially denervated hippocampus; Serotoninergic system; Recovery (Gradkowska, M.) **375,** 417

Locomotor activity; Rearing; Hypothalamic-preoptic area; Carbachol; Atropine; Rat (Brudzynski, S.M.) **376,** 38

Locomotor activity;

Amphetamine-induced activity; Hypothalamic/preoptic area; Carbachol; Mesencephalic locomotor region; Extracellular unit recording; Rat (Brudzynski, S.M.) **376,** 47

Cholinergic vasodilatation
Vasoconstrictor neuron; Vasodilator neuron; Defence area; Cat (Dean, C.) **377,** 271

Cholinergic vasodilation
Cerebral blood flow; Fastigial nucleus; Atropine (Iadecola, C.) **368,** 375

Cholinesterase
Anterior nucleus; Intralaminar nucleus; Midline nucleus; Thalamus (Robertson, R.T.) **368,** 116

Cholinoceptive neuron
Distribution; Hippocampal formation (Rowntree, C.I.) **362,** 98

Cholinoreceptor
Molluscan neuron; Acetylcholine; Cholinergic antagonist; Voltage-clamp; Ion channel (Furukawa, Y.) **374,** 227

Cholinotoxin
Choline; Ethylcholine aziridinium; Neuron; Cell culture; Neurotoxin; Glial cell; Neuroglia (Davies, D.L.) **378,** 251

Interpeduncular nucleus; Ultrastructure; Neurochemistry (Villani, L.) **379,** 223

Chorda tympani
5′-Nucleotide; Taste response; Amino acid synergism (Yoshii, K.) **367,** 45

Chordotonal organ
Sensory feedback; Motor program; Myochordotonal organ; Crustacean (Notvest, R.R.) **380,** 235

Choroid plexus
Lateral ventricle; Circumventricular organ; Vascular corrosion cast; Vascularization (Weiger, T.) **378,** 285

Serotonin; Mesulergine; Serotonin-1C-site; Adenylate cyclase activity; Guanylnucleotide regulation (Palacios, J.M.) **380,** 151

Serotonin binding site; Serotonin-1c receptor; Ontogenesis (Zilles, K.) **380,** 201

Vasoactive intestinal peptide; Porcine intestinal peptide; Cyclic adenosine 3′,5′-monophosphate; Receptor (Crook, R.B.) **384,** 138

Serotonin-1C receptor; Tumor; SV40 large T antigen; Lysergic acid dimethylamide; Transgenic mouse (Yagaloff, K.A.) **385,** 389

Chromaffin cell
Metorphamide; Opioid peptide; Adrenal medulla; Coexistence; Secretion (Marley, P.D.) **363,** 10

Neural transplant; Adrenal medulla; Analgesia; Nociception; Opioid peptide (Sagen, J.) **384,** 189

Chromaffin cell culture
α-Bungarotoxin; Endogenous ligand; Nicotinic receptor; Adrenal medulla (Quik, M.) **372,** 11

Chromatin
Nucleoplasm; Ribonucleoprotein; Interchromatin granule; Facial neuron; Development (Jones, K.J.) **377,** 119

Chromatofocusing
Aromatic-L-amino-acid decarboxylase; Charge isozyme; Isoelectric point; Adrenal and brain; Species difference (Park, D.H.) **370,** 375

Chromatography
Adrenocorticotropic hormone; Immunoreactive β-endorphin; Brain concentration; Molecular form; Immunoreaction; Developmental aging; Pro-opiomelanocortin; Regulation (Kapcala, L.P.) **364,** 350

Chromatophore
Squid; Brain; Motoneuron; Horseradish peroxidase labeling (Dubas, F.) **374,** 21

Chromogranin
Acetylcholinesterase; Peptidase; Hydrolysis; Enkephalin generation (Ismael, Z.) **376,** 230

Chronic bupropion
Benzodiazepine receptor; Bupropion metabolite; Down-regulation (Smith, T.M.) **367,** 385

Chronic depolarization
PC12 cell; Voltage-dependent calcium channel (Delorme, E.M.) **397,** 189

Chronic desmethylimipramine
Entorhinal cortex; Kindling; Central nervous system adaptation (Applegate, C.D.) **398,** 121

Chronic ethanol
Cyclic adenosine monophosphate-dependent protein kinase; Striatum (Rius, R.A.) **365,** 355

Chronic infusion
Ventromedial hypothalamus; Obesity; Brown adipose tissue; Noradrenaline; Fatty acid synthesis (Shimazu, T.) **369,** 215

Chronic intracerebroventricular infusion
Neuropeptide; Cholecystokinin; Respiratory rate; Rapid eye movement sleep (Demesquita, S.) **378,** 127

Chronic naltrexone
Cerebral blood flow; Opiate; Regional cerebral oxygen consumption (Buchweitz, E.) **397,** 308

Chronic spinal rat
4-Aminopyridine; Rhythmic activity; Fictive locomotion; Decerebrate cat; Spinal cat; Spinal cord; Cross-correlation (Dubuc, R.) **369,** 243

Chronic stress
Opioid tolerance; Analgesia; Locomotor activity; Mice (Puglisi-Allegra, S.) **380,** 357

Chronic unit recording
Locus coeruleus; Noradrenergic neuron; Sympathetic system; Cat (Reiner, P.B.) **378,** 86

Ciliary ganglion
Nerve growth factor; Neuronotropic factor; Sciatic nerve; Cholinergic neuron; Neuronal survival (Manthorpe, M.) **367,** 282

Central nervous system injury; Neuronal survival; Neurotrophic factor; Rhizotomy; Sciatic nerve; Sciatic transection; Spinal cord (Millaruelo, A.I.) **374,** 12

Ciliary ganglion neuron
Neuronal acetylcholine receptor; Nicotinic; Bromoacetylcholine (Stollberg, J.) **378,** 179

Ciliary neuronotropic factor
Sodium–potassium pump; Nerve growth factor; Phorbol ester; Ganglionic neuron (Skaper, S.D.) **386,** 130

Cimetidine
Analgesia; Histamine; Naloxone; H_2-receptor (Gogas, K.R.) **370,** 370

Cingulate cortex
Substance P; Noradrenaline interaction; Adrenergic agonist; Adrenergic antagonist; Iontophoresis (Jones, R.S.G.) **367,** 151

Substantia nigra pars compacta; Parkinson's disease; Schizophrenia; Dopamine; Retrograde double-labeling (Takada, M.) **380,** 331

Anterior thalamic nucleus; Subicular cortex; Learning; Memory (Gabriel, M.) **384,** 195

Circadian oscillator
Suprachiasmatic nucleus; Vasopressin; Organ culture (Earnest, D.J.) **382,** 129

Circadian period length
Locomotor activity (Pickard, G.E.) **376,** 149

Circadian phase shift
γ-Aminobutyric acid; Benzodiazepine; Diazepam (Ralph, M.R.) **372,** 405

Circadian rhythm
Rat; Pineal; *N*-Acetyltransferase; Photoperiod (Illnerová, H.) **362,** 403

5,7-Dihydroxytryptamine; Suprachiasmatic nucleus; Corticosterone (Bánky, Z.) **369,** 119

Entrainment; Suprachiasmatic nucleus; Pineal gland (Duncan, M.J.) **369,** 326

Mammalian retina; Disk-shedding; Autophagy; Light response; Dopamine (Remé, C.) **369,** 356

Single unit activity; Long term recording; Feeding; Lateral hypothalamic area; Freely behaving rat (Ono, T.) **373,** 92

Brain slice; Hypothalamus-neuronal oscillator; Phase shift; Single unit; Suprachiasmatic nucleus (Gillette, M.U.) **375,** 176

In vitro glucose uptake; Suprachiasmatic nucleus (Newman, G.C.) **381,** 345

Suprachiasmatic nucleus; Photic stimulation; Neurophysiology; Luminance coding (Meijer, J.H.) **382,** 109

Activity; Midbrain; Raphe nucleus; Serotonin; Rat (Levine, J.D.) **384,** 240

Noradrenaline; Pineal; Serotonin; Superior cervical ganglion; Sympathetic (Cassone, V.M.) **384,** 334

Cosine fitting; Noradrenaline; Serotonin; Locus ceruleus; Dorsal raphe nucleus; Rat (Agren, H.) **397,** 353

Circannual rhythm
Vagus; Subdiaphragmatic vagotomy; Obesity; Body weight; Hibernation; Ground squirrel (Powley, T.L.) **364,** 159

Circling
Classical conditioning; 6-Hydroxydopamine; Amphetamine; Apomorphine (Carey, R.J.) **365,** 379

Axon threshold; Brain stimulation; Current–distance relation; Refractory period; Summation (Yeomans, J.) **372,** 95

Electrical stimulation; Collision method; Lateral head movement; Rostromedial tegmentum; Superior colliculus; Medial pons (Tehovnik, E.J.) **385,** 329

Circling behavior
Colchicine; 6-Hydroxydopamine; Electrolytic lesion; Apomorphine; Methamphetamine (Kamata, K.) **367,** 1

Locus ceruleus; Dorsolateral pontine tegmentum; Nigrostriatal system; Dopamine receptor; Noradrenaline (Matsuoka, S.) **398,** 253

Circumventricular organ
Vasopressin; Peptide biosynthesis; Body fluid balance; Forebrain (Gruber, K.A.) **378,** 115

Choroid plexus; Lateral ventricle; Vascular corrosion cast; Vascularization (Weiger, T.) **378,** 285

Angiotensin II; Vasopressin; Hypothalamus; Cardiovascular regulation; Drinking (Gutman, M.B.) **382,** 119

***Cis*-4-Hydroxy-nipecotic acid**
Hippocampus; Hippocampal slice; γ-Aminobutyric acid; Epilepsy; γ-Aminobutyric acid uptake; γ-Aminobutyric acid receptor agonist; 4,5,6,7-Tetrahydroisoxazolo-[4,5-c]pyridine-3-ol (Korn, S.J.) **368,** 247

***cis*-2,3-Piperidine dicarboxylate**
Kynurenate; γ-D-Glutamylglycine; 2-Amino-5-phosphonovalerate; Fast excitatory postsynaptic potential; Concentration–effect curve (Langdon, R.B.) **398,** 169

Classical conditioning
Cortex; Hippocampal formation; Reticular stimulation; Thalamus; 2-Deoxyglucose; Learning (Gonzalez-Lima, F.) **363,** 239

Circling; 6-Hydroxydopamine; Amphetamine; Apomorphine (Carey, R.J.) **365,** 379

Emotion; Autonomic nervous system; Lateral hypothalamus; Ibotonic acid (Iwata, J.) **368,** 161

Medial geniculate body; Emotional learning; Ibotenic acid (LeDoux, J.E.) **371,** 395

Learning; Auditory cortex; Receptive field; Single unit (Diamond, D.M.) **372,** 357

Medial geniculate body; Amygdala; Emotion (Iwata, J.) **383,** 195

Colchicine; Axonal transport; Axonal competition; Lumicolchicine; Optic nerve regeneration; Optic tectum; Synaptogenesis; Goldfish (Schlumpf, B.E.) **386,** 305

Classification
Japanese quail; Retinal ganglion cell; Cell distribution; Soma size; Axon diameter; Dendritic pattern (Ikushima, M.) **376,** 320

Claustrum
Hippocampus; Entorhinal; Long-term potentiation (Wilhite, B.L.) **365,** 54

Auditory cortex (Neal, J.W.) **366,** 145

Visual thalamus; Tree shrew; Reciprocal connection; Neurotracer (Carey, R.G.) **386,** 155

Climbing fiber
Conditioned response; Motor learning; Nictitating membrane (Türker, K.S.) **363,** 376

Cerebellum; Cerebellar cortex; Purkinje cell; Corticonuclear system; Analytical technique (Lou, J.S.) **365,** 340

Cerebellum; Somatotopic organization; Receptive field (Logan, K.) **372,** 290

Harmaline; 3-Acetylpyridine; Freeze-fracture; Filipin; Cholesterol; Purkinje cell; Plasma membrane; Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Aspartate; Glutamate; Cerebellum; Parallel fiber; Neurotransmitter release; Mass fragmentography (Sekiguchi, M.) **378,** 174

Rat cerebellum; Electron microscopy; Immunohistochemistry; Western blotting; Gel electrophoresis; Purkinje cell; Synaptic connection (Pasteels, J.L.) **384,** 294

Noradrenaline; Modulation; Aging; Electrophysiology; Cerebellum (Bickford, P.C.) **385,** 405

Climbing fiber enhancement
Cerebellum; Purkinje cell; Mossy fiber; Noradrenaline; 6-Hydroxydopamine; Somatosensory stimulus (McElligott, J.G.) **397,** 245

Clonidine
Freely moving rat; Locus ceruleus; Immobilization stress; Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Noradrenaline (Quintin, L.) **362,** 366

Ventrolateral medulla; Medullo-spinal sympathoexcitatory neuron; Single-unit recording; Rat (Sun, M.-K.) **368,** 1

Freely moving rat; Locus coeruleus; Adrenoceptor; Yohimbine; Piperoxane; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Neuron caudal ventrolateral medulla; Paraventricular nucleus; Baroreceptor; Vagus nerve; Electrophysiology; Rat (Kannan, H.) **376,** 342

Noradrenaline neuron; Locus ceruleus; D-Amphetamine; Subsensitivity; α_2-Adrenoceptor; Autoreceptor (Ramirez, O.A.) **385,** 415

Baclofen; 6-Hydroxydopamine lesion; Dorsal noradrenergic bundle; Locus ceruleus; Antinociception; Tail-flick test (Sawynok, J.) **386,** 341

Clonidine infusion
Spontaneously hypertensive rat; Body temperature; Post-clonidine infusion (Lewis, S.J.) **385,** 383

Clozapine
Noradrenaline neuron; Locus ceruleus; Antipsychotic drug; Haloperidol; Amphetamine; Rat (Ramirez, O.A.) **362,** 165

Haloperidol; Dynorphin A; Dynorphin B; Substance P; Basal ganglion (Nylander, I.) **380,** 34

Co-contraction
Reciprocal inhibition; Maximum voluntary contraction; Electromyogram (Tyler, A.E.) **370,** 171

Co-cultivation
Astroglia; Glial fibrillary acidic protein; Neuron; Neuron-specific enolase; Primary brain culture (Hansson, E.) **366,** 159

Co-occurrence
Substance P; Dynorphin; Striatonigral; Striatopallidal; Basal ganglion; Bird; Reptile (Reiner, A.) **371,** 155

5,7-Dihydroxytryptamine; Serotonin; γ-Aminobutyric acid; Retina (Osborne, N.N.) **382,** 158

Cobalt
Parametric; Selective lesion; Fiber-of-passage; Reversible inactivation; Lateral geniculate nucleus (Lee, C.) **364,** 396

Cobalt block
Neurotensin; Retina; Synaptic transmission; Mudpuppy (Zalutsky, R.A.) **371,** 360

Cobalt nerve staining
Octopus; Pallial nerve; Central connection; Horseradish peroxidase nerve staining (Saidel, W.M.) **374,** 30

Cobalt-enhanced immunohistochemistry
Corticotropin releasing factor; Amygdaloid complex; Efferent projection (Sakanaka, M.) **382,** 213

Cobaltic lysine
Retinopetal projection; Ganglion cell; Nervus terminalis; Anabantoid fish; Dwarf gourami (Oka, Y.) **367,** 341

Cocaine
Δ^9-Tetrahydrocannabinol; Dopamine; Homovanillic acid; Prefrontal cortex; Olfactory tubercle (Bowers, M.B.) **366,** 405

Place conditioning; Pimozide; Intracerebroventricular microinjection; Procaine; Bromocriptine; Dopamine; Reward (Morency, M.A.) **399,** 33

Cochlea
γ-Aminobutyric acid; Immunocytochemistry; Efferent neuron; Olivocochlear; Video enhanced microscopy (Fex, J.) **366,** 106

Auditory system; Neurofilament; Primary afferent; RT-97; Sensory neuron (Berglund, A.M.) **383,** 327

Cochlear efferent
γ-Aminobutyric acid; Olivocochlear bundle; Primate (Thompson, G.C.) **372,** 72

Cochlear nuclear projection
Commissural connection; Rhombencephalic auditory nucleus; Torus semicircularis; Autoradiographic tracing; Turtle (Künzle, H.) **379,** 307

Cochlear nucleus
Dorsal medullary nucleus; Frog; Innervation pattern; Horseradish peroxidase study (Feng, A.S.) **367,** 183

Startle; Dopamine; Apomorphine; D-Amphetamine; Strychnine (Davis, M.) **371,** 58

Acoustic middle ear reflex; Trigeminal motor nucleus; Tensor tympani muscle; Cat; Horseradish peroxidase; Wheat germ agglutinin–horseradish peroxidase (Itoh, K.) **375,** 214

γ-Aminobutyric acid (GABA); Antibody production; Immunocytochemistry (Wenthold, R.J.) **380,** 7

Anatomy; Avian; Auditory; Trigeminal; Nucleus basalis; Lateral lemniscus; Pigeon (Arends, J.J.A.) **398,** 375

Cochlear nucleus neurotransmitter
Glycine; Glycine receptor; Immunocytochemistry (Altschuler, R.A.) **369,** 316

Coexistence
Enkephalin; Serotonin; Raphe nucleus; Cat (Léger, L.) **362,** 63

Metorphamide; Opioid peptide; Adrenal medulla; Chromaffin cell; Secretion (Marley, P.D.) **363,** 10

Calcitonin gene-related peptide; Substance P; Cerebral artery; Immunohistochemistry; Guinea pig (Wanaka, A.) **369,** 185

Electron microscopy; Double-immunogold labeling; Corticoliberin; Met-Enk-8; Median eminence; Rat (Hisano, S.) **370,** 321

Dorsomedial medulla oblongata; Catecholamine; Cholecystokinin; Synapse; Solitary tract (Kubota, Y.) **370,** 343

Enkephalin; Serotonin; Superior cervical ganglion; Immunocytochemistry; Guinea pig (Kanagawa, Y.) **379,** 377

Enkephalin; Dynorphin; Dorsal gray commissure; Lumbosacral spinal cord (Sasek, C.A.) **381,** 8

Cholecystokinin; Substance P; Guinea pig; Eye; Trigeminal ganglion; Immunohistochemistry (Kuwayama, Y.) **381,** 266

Neurotensin; Enkephalin; Striatum; Caudate nucleus; Putamen; Immunohistochemistry; Cat (Sugimoto, T.) **398,** 195

Coexistence of neurotransmitters
Calcitonin gene-related peptide; Vasoactive intestinal peptide; Sympathetic neuron; Immunocytochemistry; Sweat gland; Neuropeptide (Landis, S.C.) **377,** 177

Cognitive behavior
Hippocampus; Colchicine; Locomotor activity; Dentate gyrus; Granule cell; Radial-arm maze; Learning and memory (Walsh, T.J.) **398,** 23

Coherence
Motor unit activity; Ia afferent; Spindle group II afferent; Spectral analysis; Modulation; Cat (Christakos, C.N.) **367,** 52

Colchicine
Slow muscle fiber; Action potential; Tetrodotoxin; Vincristine; Axonal transport (Siebler, M.) **362,** 299

Sprouting; Neuromuscular junction; Pigeon (Fahlman, C.S.) **363,** 156

Hippocampal formation; Theta rhythm; Theta generator (Monmaur, P.) **365,** 269

Circling behavior; 6-Hydroxydopamine; Electrolytic lesion; Apomorphine; Methamphetamine (Kamata, K.) **367,** 1

Met-enkephalin; Immunocytochemistry; Thalamus; Cat; Cell body (Covenas, R.) **377,** 355

Kindling; Dentate gyrus; Hippocampal formation (Sutula, T.) **385,** 291

Axonal transport; Axonal competition; Lumicolchicine; Classical conditioning; Optic nerve regeneration; Optic tectum; Synaptogenesis; Goldfish (Schlumpf, B.E.) **386,** 305

Hippocampus; Locomotor activity; Dentate gyrus; Cognitive behavior; Granule cell; Radial-arm maze; Learning and memory (Walsh, T.J.) **398,** 23

Colchicine degranulation
Cerebral ischemia; Hippocampus; Pyramidal cell (CA-1) protection; Morphology; Glutamate (Johansen, F.F.) **377,** 344

Cold adaptation
Neurotensin; Hypothermia (Merritt, W.D.) **369,** 136

Cold afferent
Trigeminal subnucleus caudalis; Medial ventroposterior nucleus; Preoptic/anterior hypothalamic area; Dual pathway; Cold sensation; Temperature regulation (Kawahara, K.) **378,** 61

Cold sensation
Cold afferent; Trigeminal subnucleus caudalis; Medial ventroposterior nucleus; Preoptic/anterior hypothalamic area; Dual pathway; Temperature regulation (Kawahara, K.) **378,** 61

Cold water swim
Stress analgesia; Naltrexone; Opioid; Non-opioid (Terman, G.W.) **372,** 167

Collateral inhibition
Locus coeruleus; Norepinephrine; Antidromic impulse; Unit recording; Self-inhibition; Dorsal noradrenergic bundle (Ennis, M.) **374,** 299

Collateral reinnervation
Trigeminal nerve; Rhizotomy; Jaw opening reflex; Inferior alveolar nerve; Tooth (Robinson, P.P.) **366,** 397

Collateral sprouting
Sensory axon; Glabrous skin; Sciatic nerve lesion; Wheat germ agglutinin–horseradish peroxidase conjugate; Anterograde transport; Microinjection (Kinnman, E.) **377,** 73

Collision method
Electrical stimulation; Circling; Lateral

head movement; Rostromedial tegmentum; Superior colliculus; Medial pons (Tehovnik, E.J.) **385,** 329

Colloidal gold
Double label immunocytochemistry; Peroxidase–antiperoxidase; Tyrosine hydroxylase; Glutamic acid decarboxylase; Synaptic interaction; Rhesus hypothalamus (Thind, K.K.) **383,** 215

Colloidal gold particle
Anti-glutamate antibody; Carrier; Immunohistochemistry (Shiosaka, S.) **382,** 399

Colocalization
Substance P; Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Neurotoxin (Towle, A.C.) **363,** 38

Neuropeptide; Neurotensin; Substance P; Retina (Li, H.-B.) **366,** 307

Immunohistochemistry; Growth hormone-releasing factor; Tyrosine hydroxylase; Neuron; Hypothalamus; Rat (Daikoku, S.) **399,** 250

Color vision
Insect; Optic lobe; Medulla; Interneuron; Color-opponency (Ichikawa, T.) **397,** 381

Color-opponency
Insect; Color vision; Optic lobe; Medulla; Interneuron (Ichikawa, T.) **397,** 381

Color-opponent neuron
Retina; Selective degeneration; Neurofilamentous axonopathy; Horseradish peroxidase transport; Cytochrome oxidase; Monkey (Eskin, T.A.) **378,** 379

Columnar organization
Cerebral neocortical culture; Extracellular electrophysiology; Functional development; Subcortical influence (Leiman, A.L.) **365,** 205

Combined immunocytochemistry and radioautography
γ-Aminobutyric acid; Serotonin; Supraependymal fiber; Rat; Epithalamus (Harandi, M.) **370,** 241

Combined immunoperoxidase and transport labeling
Neostriatum; Striatonigral axon; γ-Aminobutyric acid; Glutamic acid decarboxylase; Medium spiny cell; Neuronal morphology; Neuronal ultrastructure (Fisher, R.S.) **398,** 148

Comfort
Brain cooling; Human; Hyperthermia (Brinnel, H.) **363,** 170

Commissural connection
Cochlear nuclear projection; Rhombencephalic auditory nucleus; Torus semicircularis; Autoradiographic tracing; Turtle (Künzle, H.) **379,** 307

Commissural pathway
Corticofugal projection; Corticocortical afferent; Corticostriatal afferent; Axonal collateralization; Decussated pathway; Multiple retrograde labeling (Fisher, R.S.) **384,** 395

Commissure
Inferior colliculus; Cell type; Horseradish peroxidase (González Hernández, T.H.) **368,** 268

Common inhibitor
Identified neuron; Dye marking; Electrophysiological mapping; Brachyuran; *Carcinus maenas* (Moffett, S.B.) **366,** 388

Compensatory collateral sprouting
Cholinergic neuron; Septohippocampal pathway; Partial fimbrial lesion; Hippocampus; Recovery of cholinergic enzyme; Homotypic reinnervation; Adult rat (Gasser, U.E.) **367,** 368

Compensatory mechanism
Cervico-ocular reflex; Vestibulo-ocular reflex; Eye movement; Absent vestibular function (Bronstein, A.M.) **373,** 399

Compensatory overload
Hypertrophy; Neuromuscular adaptation; Recruitment; Locomotion (Gardiner, P.) **380,** 114

Complement
Myelin; Macrophage; Plasminogen activator; Phospholipase (Cammer, W.) **364,** 91

Complex environment
Noradrenaline; Isolated environment; 6-Hydroxydopamine; Desipramine; Motor activity; Neurochemistry; Rat; Behavior (Mohammed, A.K.) **398,** 6

Compound action potential
Diisopropyl fluorophosphate; D-Tubocurarine; Muscle block (Bradley, R.J.) **377,** 194

Muscle contraction; Organophosphate; Neomycin (Bradley, R.J.) **381,** 397

Computer
Image processing; Quantitation; Retinal explant (Ford-Holevinski, T.S.) **368,** 339

Computerized scanning densitometry
Serotonin; 5,7-Dihydroxytryptamine; Central nervous system protein; Two-dimensional gel electrophoresis (Heydorn, W.E.) **368,** 193

Computerized scanning densitometry
Subfornical organ; Two-dimensional gel electrophoresis; Radioamino acid incorporation into protein; Salt loading; Water deprivation; Autofluorography; Fluid homeostasis (Santer, D.M.) **372,** 107

Concanavilin-A
Axonal transport; Transsynaptic transport; Transneuronal transport; Wheat germ agglutinin (Rhodes, C.H.) **399,** 42

Concentration–effect curve
Kynurenate; *Cis*-2,3-Piperidine dicarboxylate; γ-D-Glutamylglycine; 2-Amino-5-phosphonovalerate; Fast excitatory postsynaptic potential (Langdon, R.B.) **398,** 169

Concurrent stimulation
Golgi tendon organ; Motor unit (Stauffer, E.K.) **375,** 157

Conditioned medium
Entorhinal lesion; Nerve growth factor; Hippocampal slices (Crutcher, K.A.) **399,** 383

Conditioned response
Motor learning; Climbing fiber; Nictitating membrane (Türker, K.S.) **363,** 376

Conditioned suppression of motility
Dopamine; Opioid; Stress; Mouse (Nabeshima, T.) **398,** 354

Conditioning
Blood pressure; Heart rate; Respiration; Amygdala; Central nucleus; Cryoprobe (Zhang, J.-X.) **386,** 136

Retractor bulbus; Autoradiography; Blink reflex; Nictitating membrane response; Eye protection (Holstege, G.) **374,** 321

Conditioning lesion
Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat (Bondoux-Jahan, M.) **382,** 39

Conditioning ventral tegmental area stimulation
Intracellular recording; Nucleus accumbens; Dopamine modulation (Yim, C.Y.) **369,** 347

Conduction block
Experimental allergic encephalomyelitis; Ventral root exit zone; Demyelination; Lewis rat; Hindlimb weakness (Pender, M.P.) **367,** 398

Phospholipase A_2; Myelin damage; Sciatic nerve; Lysophospholipid; Fatty acid (Kasckow, J.W.) **373,** 384

Conduction failure
Dark rearing; Visual cortex; Geniculate afferent; Dark-reared cat; Ocular dominance (Swindale, N.V.) **362,** 281

Conduction velocity
Cat; X-cell; Y-cell; Retinogeniculate system; Optic chiasm latency; Perisynaptic delay; Synchrony (Schroeder, C.E.) **381,** 143

Cone
Neurotransmitter; Retina; γ-Aminobutyric acid; Bipolar cell; Membrane conductance; Receptive field (Wu, S.M.) **365,** 70

Conflict behavior
Amygdala; Mammillary body; Rat (Shibata, K.) **372,** 159

Congophilia
Amyloid deposit; Creutzfeldt–Jakob disease; Gerstmann–Sträussler syndrome; Senile dementia; Alzheimer's disease; Infectivity of subacute spongiform encephalopathy (Tashima, T.) **399,** 80

Connection
Lateral hypothalamic area; Subfornical organ; Paraventricular nucleus; Angiotensin II; Microiontophoresis; Saralasin; Atropine (Tanaka, J.) **379,** 200

Connectivity and Golgi neuronal marker
Neostriatum; Medium spiny striatonigral neuron; Large aspiny striatonigral neuron; Morphological diversity (Fisher, R.S.) **397,** 173

Connor–Stevens
A-current; Equation; Ion current; Hodgkin–Huxley (De Schutter, E.) **382,** 134

Conscious monkey
Somatosensory cortex; Precision grip; Force coding; Single neuron; Motor cortex; Microstimulation (Wannier, T.M.J.) **382,** 427

Contractile property
Electrical stimulation; Reinnervation; Denervated muscle; Endplate morphometry; Isometric twitch tension (Eberstein, A.) **384,** 304

Contrast adaptation
Cat cortex; Single cell; γ-Aminobutyric acid; Inhibition (DeBruyn, E.J.) **383,** 339

Control of circulation
Cerebellum; Fastigial nucleus; Vagus nerve; Control of respiration; Apneusis (Williams, J.L.) **399,** 224

Control of respiration
Raphe obscurus; Phrenic nerve activity; Central nervous system; Cat (Holtman, J.R.) **362,** 214

Inspiratory neuron; Nucleus tractus solitarii; Antidromic latency technique; Lung inflation; Vagal pulmonary afferents; Medulla; Cat (Davies, R.O.) **366,** 22

Cerebellum; Fastigial nucleus; Vagus nerve; Control of circulation; Apneusis (Williams, J.L.) **399,** 224

Convergence
Nucleus tractus solitarii; Gustatory response; Rat; Anterior tongue; Nasoincisor duct; Sucrose; Sodium chloride (Travers, S.P.) **365,** 305

Convulsion
Arg-vasopressin; Neuropeptide; Vasopressor antagonist (Burnard, D.M.) **362,** 40

Seizure; Epilepsy; Kindling; Substantia nigra; Catecholamine; Amygdala; Rat (Albala, B.J.) **370,** 388

Benzodiazepine; Lorazepam; Rat; Mouse; Pentylenetetrazole; Tolerance; Withdrawal (Lister, R.G.) **379,** 364

Cooperativity
Long-term potentiation; Dentate gyrus; Entorhinal cortex; Septum; Learning and memory (Robinson, G.B.) **379,** 56

Secretion; Neurosecretion; Facilitation; Calcium; Arginine vasopressin; Neurohypophysis; Mouse (Wolfe, S.A.) **399,** 190

Copper
Prostaglandin E_2; Luteinizing hormone-releasing hormone release; Median eminence; Metal (Barnea, A.) **384,** 101

Copper deficiency
Menkes' disease; Immunocytochemistry; Immunogold; Actin; Cytoskeletal; Dendrite; Cortex; Cerebellum; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Cordotomy
Spinoreticular tract; Ventral lateral funiculus; Pain; Horseradish peroxidase (Nahin, R.L.) **384,** 367

Cornea
Nociceptor; Peptide; Tympanic membrane (Colin, S.) **398,** 199

Corneo-retinal potential
Amygdala central nucleus; Differential Pavlovian conditioning; Heart rate; Horseradish peroxidase; Medial geniculate; Rabbit (Jarrell, T.W.) **374,** 126

Coronal gyrus
Tooth-pulp driven neuron; Low-threshold tooth pulpal afferent; Low threshold masseteric nerve afferent; Area 3a; Cat (Iwata, K.) **368,** 399

Corpus callosum
Occipital lobe; Rhesus monkey (Rockland, K.S.) **365,** 174

Corpus striatum
Thyroid deficiency; Visual cortex; Propylthiouracil; Synaptic biochemistry; Spiroperidol (Kalaria, R.N.) **364,** 268

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; *N*-Methylphenylpyridine; Dopamine; 3,4 dihydroxyphenylacetic acid; Parkinsonism (Chang, G.D.) **368,** 134

Correlation matrix
Regional cerebral metabolic rate for glucose; Deoxyglucose; Rat; Functional system; Brain (Soncrant, T.T.) **369,** 1

Cortex
Classical conditioning; Hippocampal formation; Reticular stimulation; Thalamus; 2-Deoxyglucose; Learning (Gonzalez-Lima, F.) **363,** 239

Somatostatin; Alzheimer's disease; Somatostatin-28_{1-12} (Beal, M.F.) **368,** 380

Adrenoceptor; α_2-Adrenergic; Spinal cord (Howe, J.R.) **368,** 87

Aminopeptidase; Neurochemical asymmetry (Alba, F.) **368,** 158

Muscarinic receptor; Acetylcholine release; Aged rat; Oxotremorine; Striatum; Hippocampus (Consolo, S.) **374,** 212

Neural transplant; Acetylcholine; Acetylcholinesterase; Hippocampus; Septum; Nucleus basalis magnocellularis; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Area 5; Area 7; Corticocortical connection (Neal, J.W.) **381,** 164

Choline uptake; Hemicholinium-3 binding; Drug effect; Cholinergic nerve activity; Striatum (Lowenstein, P.R.) **381,** 191

Serotonin binding; Estrous cycle (Uphouse, L.) **381,** 376

Copper deficiency; Menkes' disease; Immunocytochemistry; Immunogold; Actin; Cytoskeletal; Dendrite; Cerebellum; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Dihydromorphine; Opioid binding; Hibernation; Euthermia; Hippocampus; Autoradiography; Ground squirrel (Beckman, A.L.) **386,** 223

Intracellular response; Protein kinase; Cyclic guanosine monophosphate (Woody, C.D.) **386,** 379

Nerve growth factor; Nucleus basalis; Ibotenic acid lesion; Choline acetyltransferase; Acetylcholinesterase; Rat (Haroutunian, V.) **386,** 397

Thalamus; Pallidum; Cerebellum; Intracellular recording; Identified neuron; Horseradish peroxidase (Gazzara, R.A.) **397,** 225

Parkinson's disease; Alzheimer's disease; Dementia; Somatostatin; Human (Beal, M.F.) **397,** 386

Cholecystokinin; Receptor; Radioreceptor assay; High-pressure liquid chromatography; Cholecystokinin-4; Amygdala; Hypothalamus (Beresford, I.J.M.) **398,** 313

Cortical damage
Cortical graft; Basal nucleus; Cholinergic innervation; Choline acetyl transferase; Immmunohistochemistry; Glutamic acid decarboxylase (Sofroniew, M.V.) **378,** 409

Cortical development
Barrel field cortex; Glial fibrillary acidic protein immunocytochemistry; Glial fibrillary acidic protein; Radial glia; Astrocyte; Ephemeral cortical pattern; Cortical pattern development; Radial glia associated topography (Cooper, N.G.F.) **380,** 341

Cortical graft
Basal nucleus; Cholinergic innervation; Cortical damage; Choline acetyl transferase; Immmunohistochemistry; Glutamic acid decarboxylase (Sofroniew, M.V.) **378,** 409

Cortical inactivation
Recovery of function; Aging; Hemiplegia; Rat model; γ-Aminobutyric acid (Brailowsky, S.) **362,** 322

Cortical laterality
Human evoked potential; Saccade; Fast phase optokinetic nystagmus; Movement directionality (Ignocheck, A.) **384,** 94

Cortical lesion
Microvascular network; Regeneration; Quantification method; Rat (De Paermentier, F.) **398,** 419

Cortical neuron
N-Methyl-D-aspartate; Membrane conductance; Brain slice; Voltage clamp (Flatman, J.A.) **363,** 62

Cortical pattern development
Barrel field cortex; Cortical development; Glial fibrillary acidic protein immunocytochemistry; Glial fibrillary acidic protein; Radial glia; Astrocyte; Ephemeral cortical pattern; Radial glia associated topography (Cooper, N.G.F.) **380,** 341

Cortical pyramidal neuron
Axonal initial segment; Axon hillock; Ganglioside storage disease; Axonal spheroid; Meganeurite (Walkley, S.U.) **382,** 379

Cortical stimulation-induced response
Rat thalamo-cortical neuron; Intracellular recording; Intracellular labeling; Membrane property (Kita, H.) **371,** 80

Corticocortical afferent
Corticofugal projection; Corticostriatal afferent; Axonal collateralization; Commissural pathway; Decussated pathway; Multiple retrograde labeling (Fisher, R.S.) **384,** 395

Corticocortical connection
Cortex; Area 5; Area 7 (Neal, J.W.) **381,** 164

Corticofugal projection
Corticocortical afferent; Corticostriatal afferent; Axonal collateralization; Commissural pathway; Decussated pathway; Multiple retrograde labeling (Fisher, R.S.) **384,** 395

Corticoliberin
Electron microscopy; Double-immunogold labeling; Met-Enk-8; Coexistence; Median eminence; Rat (Hisano, S.) **370,** 321

Corticonuclear system
Cerebellum; Cerebellar cortex; Purkinje cell; Climbing fiber; Analytical technique (Lou, J.S.) **365,** 340

Corticospinal tract
Motor cortex; Phrenic nucleus; Anterograde tracing; Cat (Rikard-Bell, G.C.) **379,** 75

Corticosteroid
Rat; Hippocampus; Lesion; Behavior; Reversal learning; Receptor; Plasticity (De Ronde, F.S.W.) **374,** 219

Receptor autoradiography; Hemicholinium-3; High-affinity binding; Dexamethasone (Van Marle, J.) **398,** 191

Corticosterone
Stress; 5-Hydroxyindoleacetic acid; 5-Hydroxytryptophan; Noradrenaline; Dopamine; Adrenaline; Dihydroxyphenylalanine (De Souza, E.B.) **367,** 77

Ethanol; β-Endorphin; Corticotropin; Corticotropin-releasing factor; Vasopressin; Calcium; Pituitary (Keith, L.D.) **367,** 222

Noradrenaline; Gastric ulceration; Immobilization; Restraint; Stress (Bakke, H.K.) **368,** 256

5,7-Dihydroxytryptamine; Suprachiasmatic nucleus; Circadian rhythm (Bánky, Z.) **369,** 119

Ethanol dependence; β-Endorphin; Brain; Withdrawal; Pituitary; α-Melanotropin; Adrenocorticotropin (Wilkinson, C.W.) **378,** 107

Glucocorticoid; Hippocampus; Brain slice; Population spike; γ-Aminobutyric acid; Opioid peptide (Vidal, C.) **383,** 54

Corticosterone release
Push–pull cannula; Central amygdala; Medial hypothalamus; Rat (Dietl, H.) **369,** 373

Corticostriatal afferent
Corticofugal projection; Corticocortical afferent; Axonal collateralization; Commissural pathway; Decussated pathway; Multiple retrograde labeling (Fisher, R.S.) **384,** 395

Corticostriatal neuron
Neostriatum; Basal ganglia; Corticostriatal pathway; Neostriatal spiny neuron (Wilson, C.J.) **367,** 201

Corticostriatal pathway
Decortication; Nigrostriatal pathway; Striatum; Acetylcholine; Apomorphine; Choline; Bromocriptine; Neuroleptic; Rat (Consolo, S.) **363,** 128

Neostriatum; Basal ganglia; Neostriatal spiny neuron; Corticostriatal neuron (Wilson, C.J.) **367,** 201

Striatum; Substantia nigra pars reticulata; Ventromedial nucleus of the thalamus; Thalamocortical pathway; Glutamate release (Girault, J.A.) **374,** 362

Corticostriatal projection
Neostriatum; Cerebral cortex; Striatal heterogeneity; Opiate receptor (Donoghue, J.P.) **365,** 397

Corticotectal
Global vision; Pattern recognition; Motion selectivity; Superior colliculus; Receptive-field; Monkey (Bender, D.B.) **381,** 372

Corticotropin
Ethanol; β-Endorphin; Corticotropin-releasing factor; Vasopressin; Calcium; Corticosterone; Pituitary (Keith, L.D.) **367,** 222

Corticotropin-releasing factor; β-Endorphin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

Corticotropin-releasing factor
Ethanol; β-Endorphin; Corticotropin; Vasopressin; Calcium; Corticosterone; Pituitary (Keith, L.D.) **367,** 222

Sympathetic nervous system; Adrenal medulla; Adrenal gland; Catecholamine secretion; Adrenaline; Anesthetized rat (Kurosawa, M.) **367,** 250

Corticotropin releasing factor antagonist; Punished behavior; Locomotor activation (Britton, K.T.) **369,** 303

Kindling; Seizure; Aggression (Weiss, S.R.B.) **372,** 345

β-Endorphin; Corticotropin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

Gonadotropin releasing hormone; Luteinizing hormone-releasing hormone; Hypothalamus (Nikolarakis, K.E.) **377,** 388

Peptide receptor; Adenylate cyclase; Brain (Chen, F.M.) **381,** 49

Benzodiazepine receptor; Adrenalectomy; Glucocorticoid;

Adrenocorticotropic hormone; Dexamethasone; Neurotransmitter receptor binding (De Souza, E.B.) **381,** 176

Vasoactive intestinal peptide; Sympathetic preganglionic neuron; Cat (Krukoff, T.L.) **382,** 153

Amygdaloid complex; Cobalt-enhanced immunohistochemistry; Efferent projection (Sakanaka, M.) **382,** 213

Pentobarbital; Corticotropin-releasing factor antagonist; Hypothermia (Imaki, T.) **383,** 323

Serotonin; Cyproheptadine; Reserpine; Rat hypothalamus (Nakagami, Y.) **386,** 232

Noradrenaline; Autonomic nervous system; Site of action (Brown, M.) **399,** 10

β-Endorphin; Dynorphin; In vitro release (Nikolarakis, K.E.) **399,** 152

Immunocytochemistry; Medulla oblongata; Spinal cord; Hypothalamo-infundibular system; Substance P (Berkenbosch, F.) **399,** 87

Corticotropin-releasing factor antagonist
Corticotropin releasing factor; Punished behavior; Locomotor activation (Britton, K.T.) **369,** 303

Corticotropin-releasing factor; Pentobarbital; Hypothermia (Imaki, T.) **383,** 323

Corticotropin-releasing factor receptor
Acetylcholine; Muscarinic cholinergic receptor; Atropine treatment; Adenylate cyclase activity; Alzheimer's disease (De Souza, E.B.) **397,** 401

Corticotropin-releasing factor-γ-globulin
Corticotropin-releasing factor; β-Endorphin; Corticotropin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

Corticotropin-releasing hormone neuron
Parvocellular paraventricular nucleus; Vasopressin neuron; Ventral noradrenergic ascending bundle; 6-Hydroxydopamine; Rat (Alonso, G.) **397,** 297

Corticotropin-γ-globulin
Corticotropin-releasing factor; β-Endorphin; Corticotropin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

Cosine fitting
Circadian rhythm; Noradrenaline; Serotonin; Locus ceruleus; Dorsal raphe nucleus; Rat (Agren, H.) **397,** 353

Counter irritation
Arthritic rat; Writhing behavior; Endogenous opioid system; Pain (Calvino, B.) **370,** 191

Pain; Morphine; Inhibitory control (Kraus, E.) **379,** 151

Counterstaining method
Bodian stain; Fluorescent dye; Horseradish peroxidase; Neuroanatomical tracing (Sripanidkulchai, K.) **397,** 117

Coupling ratio
Astrocyte; Furosemide; Glial cell; Sodium-potassium pump; Ouabain; Potassium homeostasis; Sodium ion (Walz, W.) **368,** 226

Cranial nerve
Substance P; Trigeminal sensory neuron; Nucleus of the solitary tract; Neuropeptide (South, E.H.) **372,** 283

Crayfish
Ethyl gallate; Nervous system; Osmium; Silver impregnation (Leise, E.M.) **367,** 265

Axonal severance; Reconnection; Polyethylene glycol (Bittner, G.D.) **367,** 351

Glutamate; Acromelic acid; Quisqualate; Domoic acid; Kainate; Excitatory amino acid (Shinozaki, H.) **399,** 395

Crayfish neuromuscular junction
Glutamate; Glutamate inhibitor; Open channel blocker (Shinozaki, H.) **372,** 260

Creatine
Brain cortex; Potassium; Glutamate; Veratridine; Apamin (Lackington, I.) **378,** 390

Creutzfeldt–Jakob disease
Congophilia; Amyloid deposit; Gerstmann–Sträussler syndrome; Senile dementia; Alzheimer's disease; Infectivity of subacute spongiform encephalopathy (Tashima, T.) **399,** 80

Critical period
Monocular deprivation; Plasticity; Visual cortex; Cat; Dark-rearing (Ramachandran, V.S.) **367,** 309

Frontal cortex damage; Recovery of function; Benzodiazepine; Sensorimotor; Anticonvulsant; Extinction (Schallert, T.) **379,** 104

Sex dimorphism; Acetylcholine rhythm; Pentobarbital; Estrous cycle (Egozi, Y.) **383,** 310

Cross-circulation
Brain; Thyrotropin-releasing hormone; Electroencephalogram; Vagal efferent activity (Tonoue, T.) **378,** 394

Cross-correlation
4-Aminopyridine; Rhythmic activity; Fictive locomotion; Decerebrate cat; Spinal cat; Spinal cord; Chronic spinal rat (Dubuc, R.) **369,** 243

Cross-species
Cell suspension; Transplantation; Horseradish peroxidase; Septal nucleus; Hippocampus; Differentiation; Migration (Wells, J.) **383,** 333

Cross-tolerance
Stress analgesia; Tolerance; Opioid; Non-opioid; Morphine (Terman, G.W.) **368,** 101

Opioid peptide; Stress; Morphine; Natural killer cell; Tolerance (Shavit, Y.) **372,** 382

Crude P_2 synaptosomal pellet
Spontaneous taurine release; High potassium-evoked taurine release; Veratridine-evoked taurine release; Calcium-independent taurine release (Hanretta, A.T.) **378,** 205

Crus cerebri
Amphetamine; Ascorbic acid; In vivo voltammetry; Neostriatum; Picrotoxin; Substantia nigra (Wilson, R.L.) **370,** 393

Crus II
Cerebellum; Superior colliculus; Inferior olive; Rat (Akaike, T.) **378,** 186

Inferior olive; Superior colliculus; Medial accessory olive; Lobule VII; Rat (Akaike, T.) **386,** 400

Crustacean
Sensory feedback; Motor program; Chordotonal organ; Myochordotonal organ (Notvest, R.R.) **380,** 235

Cryopreservation
Neuron; Tissue culture (Kawamoto, J.C.) **384,** 84

Cryoprobe
Blood pressure; Heart rate; Respiration; Amygdala; Central nucleus; Conditioning (Zhang, J.-X.) **386,** 136

Culture
Spinal cord; Graft; Transplant; Regeneration; Substrate; Histocompatibility (Bernstein, J.J.) **377,** 403

Adenylate cyclase; Dopamine receptor; Flupenthixol; 1-Methyl-4-phenylpyridine receptor binding; Spiroperidol; Ventral mesencephalon (Heyer, E.J.) **377,** 54

Cultured embryonic rat myotube
Acetylcholinesterase secretion; Acetylcholinesterase metabolism (Brockman, S.K.) **376,** 409

Cultured neuron
Avermectin; γ-Aminobutyric acid receptor; Insect neuron (Lees, G.) **366,** 369

Brain graft; Parkinson's disease; Rat; Human (Kamo, H.) **397,** 372

Curare
Endplate; Acetylcholine ionophoresis; Choline; Desensitization (Sterz, R.) **385,** 99

Current
Calcium; Non-bursting neuron; Potassium; Tetraethylammonium; *Aplysia* (Jones, L.S.) **385,** 46

Current–distance relation
Axon threshold; Circling; Brain stimulation; Refractory period; Summation (Yeomans, J.) **372,** 95

Current–source density
Hippocampus electroencephalogram; Rhythmic slow wave activity; Laminar profile; Atropine; Urethane; Dipole (Buzsáki, G.) **365,** 125

Current–source density analysis
Hippocampal slice; Laminar recording; Dendritic spike; Tetrodotoxin; Local perfusion; Guinea pig (Miyakawa, H.) **399,** 303

Cutaneous afferent C-fiber
Nociception; Primary somatosensory cortex; Pain (Schouenborg, J.) **397,** 86

Cutaneous input
Dorsal spinocerebellar tract; Ventral spinocerebellar tract; Spinal cord; Cerebellum (Kim, J.H.) **369,** 125

Cutaneous mechanoreceptor
Peripheral nerve; Sensory modality (Roberts, W.J.) **370,** 149

Cutaneous sensory stimulation
Locus ceruleus; Sympathetic nerve activity (Elam, M.) **366,** 254

Cyanide
Glutamate; Ketamine; Cell culture; Hypoxia; Cell death (Weiss, J.) **380,** 186

Cycle
Body weight; Food intake; Hibernator; Hypothalamus; Recovery; Lesion (Mrosovsky, N.) **399,** 282

Cyclic adenosine 3′,5′-monophosphate
Neuronal electrical and secretory activity; Exocytosis; Caudo-dorsal cell; *Lymnaea stagnalis* (Buma, P.) **380,** 26

Choroid plexus; Vasoactive intestinal peptide; Porcine intestinal peptide; Receptor (Crook, R.B.) **384,** 138

Cyclic adenosine monophosphate
Serotonin receptor; Messenger ribonucleic acid; *Xenopus* oocyte; Prostaglandin (Sakai, Y.) **362,** 199

Schwann cell; Galactocerebroside; Myelination; Neuroglial proliferation (Sobue, G.) **362,** 23

Astrocyte; Muscarinic receptor; Inositol phospholipid; Agonist; Antagonist; Cell culture (Murphy, S.) **364,** 177

Neuropeptide; Neurotransmitter; Hypothalamic nucleus; Vasoactive intestinal peptide; Noradrenaline; Synergism (Redgate, E.S.) **365,** 61

Adenosine; Cyclic nucleotide; Retina (Blazynski, C.) **366,** 224

[Asu^{1,7}]Eel calcitonin; Lateral hypothalamus; Glucose-sensitive neuron; Feeding behavior; Serotonergic mechanism; Noradrenergic mechanism (Shimizu, N.) **367,** 128

Adenylate cyclase; Opioid tolerance; Spinal cord culture; Dorsal-horn network (Crain, S.M.) **370,** 61

Voltage clamp; Teophylline; Ionic channel (Arhem, P.) **371,** 182

Aplysia; Learning; Modulation; Sensory neuron; Sensitization (Ocorr, K.A.) **371,** 190

Tuberoinfundibular dopaminergic neuron; Dihydroxyphenylalanine; Hypothalamic slice; Forskolin (Arita, J.) **374,** 37

Estradiol; Estrous cycle; Hypothalamus; Norepinephrine; Progesterone (Etgen, A.M.) **375,** 385

α-Adrenergic receptor; Forskolin; Brain slice (Duman, R.S.) **384,** 391

α-Adrenoceptor; β-Adrenoceptor; Olfactory bulb; Central nervous system; α-Potentiation effect (Stone, E.A.) **384,** 401

Dopamine; Striatal slice; Protein phosphorylation (Laurier, L.G.) **385,** 361

Prostaglandin E_2; Luteinizing hormone-releasing hormone release; Hypothalamus (Kim, K.) **386,** 258

Astrocyte; Primary culture; Ammonia; Isoproterenol; Hepatic encephalopathy (Liskowsky, D.R.) **386,** 386

Epilepsy; Kindling; Cyclic guanosine monophosphate; Habituation (Wasterlain, C.G.) **397,** 345

Astrocyte; Phorbol ester; Protein kinase C; Astrocyte culture; Differentiation (Mobley, P.L.) **398,** 366

Cyclic adenosine monophosphate-dependent protein kinase
Immunocytochemistry; Neuron-specific enolase; Immunoblotting (Löffner, F.) **363,** 205

Chronic ethanol; Striatum (Rius, R.A.) **365,** 355

Cyclic guanosine monophosphate
Cerebellum; Pentobarbital; Locomotor activity; Swimming performance; Behavior (McCaslin, P.P.) **374,** 367

Cortex; Intracellular response; Protein kinase (Woody, C.D.) **386,** 379

Epilepsy; Kindling; Cyclic adenosine monophosphate; Habituation (Wasterlain, C.G.) **397,** 345

Cerebellum; Swimming performance; Acidic amino acid; 2-Amino-7-phosphonoheptanoic acid; Locomotor activity; *N*-Methyl-D-aspartate (McCaslin, P.P.) **398,** 71

Cyclic nucleotide
Adenosine; Cyclic adenosine monophosphate; Retina (Blazynski, C.) **366,** 224

2′,3′-Cyclic nucleotide 3′-phosphodiesterase
Fish myelin; P_o myelin protein; Myelin proteolipid protein; Hydroxy fatty acid; Myelin lipid; Phylogeny; *Polypterus* (Matthieu, J.-M.) **379,** 137

2′,3′-Cyclic nucleotide 3′-phosphohydrolase
Human myelin; Human brain; Myelination; Myelin basic protein; Protein degradation; Myelin lipid; Myelin protein (Martinez, M.) **364,** 22(

Schwann cell; Schwannoma hybrid; Axolemmal fragment (Kreider, B.Q.) **397,** 238

2′,3′-Cyclic nucleotide phosphohydrolase
Myelin basic protein; Proteolipid; Myelination; Immunoblotting (Kerner, A.-L.) **374,** 45

Cyclohexyladenosine
Adenosine; Xanthine; Autoradiography; Receptor; *N*-Ethylcarboxamidoadenosine (Lee, K.S.) **368,** 394

Anoxia; Adenosine; Receptor; Down regulation; Hippocampus (Lee, K.S.) **380,** 155

Cyclohexyladenosine
Nucleoside transport site; Nitrobenzylthioinosine; Adenosine receptor; Striatum; Superior colliculus (Geiger, J.D.) **363,** 404

Cyclosporine
Kainic acid; Striatum; Transplantation; Huntington's disease (Tulipan, N.) **377,** 163

Interferon; Irradiation; Morphine; Antinociception; Tolerance (Dougherty, P.M.) **385,** 401

Cyproheptadine
Serotonin; Reserpine; Corticotropin-releasing factor; Rat hypothalamus (Nakagami, Y.) **386,** 232

Cysteamine
Somatostatin; Locomotor activity; Passive avoidance; Rat (Bakhit, C.) **365,** 159

Kindling; Seizure; Myoclonus (Cottrell, G.A.) **365,** 393

Somatostatin; Paradoxical sleep; Intracerebroventricular infusion (Danguir, J.) **367,** 26

Cytoarchitecture
Nucleus olfactoretinalis; Nervus terminalis; Synaptic organization; Fiber connection; Electron microscopy; Teleost (Matsutani, S.) **373,** 126

Taste; Gustatory cortex; Rat; Agranular insular cortex (Kosar, E.) **379,** 329

Taste; Gustatory cortex; Rat; Autoradiography; Thalamocortical projection; Medial parvicellular component of the nucleus ventralis posteromedialis; Agranular insular cortex (Kosar, E.) **379,** 342

Cytochrome
Redox state; Electrical activity; Bullfrog brain; Scanning spectrophotometry; Vasoactive intestinal polypeptide (Kanno, T.) **369,** 275

Cytochrome oxidase
α-Motoneuron; Double-labeling; [^{3}H]Wheat germ agglutinin; Spinal cord (Mjaatvedt, A.E.) **368,** 178

Cerebellum; Chemoarchitecture; Acetylcholinesterase (Hess, D.T.) **369,** 383

Retina; Selective degeneration; Color-opponent neuron; Neurofilamentous axonopathy; Horseradish peroxidase transport; Monkey (Eskin, T.A.) **378,** 379

Trigeminal nucleus; Vibrissa; Horseradish peroxidase; Cat (Nomura, S.) **380,** 167

Cytochrome P-450
Mitochondrion; Microsome; Monooxygenase; Subcellular distribution; Purification (Walther, B.) **375,** 340

Cytofluorometry
Maturation; Aging; Fibronectin receptor; Tissue culture; Dorsal root ganglion; Neuron (Kawasaki, Y.) **397,** 185

Cytosine arabinoside
Axonal regeneration; Non-neuronal cell proliferation; Rat neocortex; Tissue culture (Oorschot, D.E.) **368,** 49

Cytoskeletal
Copper deficiency; Menkes' disease; Immunocytochemistry; Immunogold; Actin; Dendrite; Cortex; Cerebellum; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Cytoskeletal protein
Olfactory cilia; Sensory neuron; Glycoprotein immunofluorescence; Immunoblotting; Lectin; Tubulin (Chen, Z.) **368,** 329

Cytoskeleton
Brain; Membranous structure; Microtubule; Tubulin (López, L.A.) **382,** 46

Axonal transport; Tubulin; Microtubule (Johnston, K.M.) **385,** 38

Cytotoxic lymphocyte
Glioma; Interleukin-2; Lymphokine activated killer cell; Trypsin (Jacobs, S.K.) **372,** 386

D

D_1 dopamine receptor
Quantitative receptor autoradiography; Regional distribution; SCH 23390; Rat brain; Dopaminergic system (Savasta, M.) **375,** 291

Nucleus accumbens neuron; Dopamine; D_2 receptor; Haloperidol; Sulpiride; Dopamine uptake blocker; Schizophrenia (Uchimura, N.) **375,** 368

Dopamine receptor agonist; D_2 dopamine receptor; SKF 38393A; LY 171555; Bromocriptine; Rotational behavior (Robertson, G.S.) **384,** 387

D_1 dopamine receptor; Cholecystokinin; (−)-Sulpiride; SCH 23390; LY-171555; LY-181990; LY-141865 (Martin, J.R.) **397,** 253

D_2 dopamine receptor; Cholecystokinin; (−)-Sulpiride; SCH 23390; LY-171555; LY-181990; LY-141865 (Martin, J.R.) **397,** 253

Acetylcholine release; Rabbit retina; SKF 38398; SKF 82526; SCH 23390 (Hensler, J.G.) **398,** 407

D_2 dopamine receptor
Nucleus accumbens neuron; Dopamine; D_1 receptor; Haloperidol; Sulpiride; Dopamine uptake blocker; Schizophrenia (Uchimura, N.) **375,** 368

Dopamine receptor agonist; D_1 dopamine receptor; SKF 38393A; LY 171555; Bromocriptine; Rotational behavior (Robertson, G.S.) **384,** 387

Dark rearing
Visual cortex; Geniculate afferent; Conduction failure; Dark-reared cat; Ocular dominance (Swindale, N.V.) **362,** 281

Critical period; Monocular deprivation; Plasticity; Visual cortex; Cat (Ramachandran, V.S.) **367,** 309

Dark-reared cat
Dark rearing; Visual cortex; Geniculate afferent; Conduction failure; Ocular dominance (Swindale, N.V.) **362,** 281

Deafferentation
Auditory; Lesion; Neuron; Midbrain; Gerbil (Moore, D.R.) **373,** 268

Substance P; Tuberoinfundibular neuron; Stalk median eminence; Hypothalamus (Makara, G.) **374,** 399

Serotonin; Serotonin-1 receptor; Quantitative autoradiography; Microdensitometry; Superior colliculus (Segu, L.) **384,** 205

Deafferentation
Immunocytochemistry; Monosodium glutamate (Merchenthaler, I.) **378,** 297

Golgi; Purkinje cell; Plasticity; Image analysis (Anderson, W.A.) **383,** 245

Decerebrate cat
4-Aminopyridine; Rhythmic activity; Fictive locomotion; Spinal cat; Spinal cord; Chronic spinal rat; Cross-correlation (Dubuc, R.) **369,** 243

Labyrinth reflex; Neck reflex; Reflex excitability; Elbow joint afferent (Baxendale, R.H.) **377,** 41

Fictive locomotion; Locomotor movement; Forelimb; Cervical lateral funiculus (Yamaguchi, T.) **379,** 125

Decerebration
γ-Aminobutyric acid (GABA); Spinal cord transection; Cardiac vagus; Heart rate; Blood pressure; γ-Aminobutyric acid antagonist (Wible, J.H.) **363,** 279

Decorticate
Development; Neonatal lesion; Fluorescent tracer (Kolb, B.) **397,** 315

Decortication
Corticostriatal pathway; Nigrostriatal pathway; Striatum; Acetylcholine; Apomorphine; Choline; Bromocriptine; Neuroleptic; Rat (Consolo, S.) **363,** 128

Glutamate binding; Striatum–kainatelesion; 6-Hydroxydopamine lesion; Thalamic lesion (Errami, M.) **366,** 178

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Striatum; Mouse; Dopamine; Serotonergic neuron; Kainate lesion (Melamed, E.) **399,** 178

Decussated pathway
Corticofugal projection; Corticocortical afferent; Corticostriatal afferent; Axonal collateralization; Commissural pathway; Multiple retrograde labeling (Fisher, R.S.) **384,** 395

***p,p′*-DDT**
Difluoromethylornithine; Ornithine

decarboxylase; Chlordecone; Tremor; Neuronal adaptation (Tilson, H.A.) **379,** 147

Deep cerebellar nucleus
Glutamic acid decarboxylase; Dystonia; Interpositus nucleus; Fastigial nucleus; Dentate nucleus (Oltmans, G.A.) **385,** 148

Cerebellum; Mutant mouse; γ-Aminobutyric acid; Purkinje cell; Immunocytochemistry (Wassef, M.) **399,** 125

Deermouse
Noradrenaline; Serotonin; Bombesin; *Peromyscus*; Thermoregulation; Hypothalamus (Lin, L.-H.) **364,** 212

Defeat
Octadecaneuropeptide; Diazepam binding inhibitor; Aggression; Analgesia; Benzodiazepine; γ-Aminobutyric acid; Social conflict; Ro 15-1788 (Kavaliers, M.) **383,** 343

Defecation
Postural change; Reflex straining; Micturition; Pelvic nerve (Fukuda, H.) **380,** 276

Straining reflex centre; Micturition; Parturition; Kölliker–Fuse nucleus (Fukuda, H.) **380,** 287

Defense
Rat; γ-Aminobutyric acid; Picrotoxin; Intracerebral microinjection; Periaqueductal gray matter; Aggressive behavior; Open-field; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Defense area
Vasoconstrictor neuron; Vasodilator neuron; Cholinergic vasodilatation; Cat (Dean, C.) **377,** 271

Defensive attack
Methamphetamine; Apomorphine; Dopamine; Hypothalamic ventromedial nucleus; Amygdala (Maeda, H.) **363,** 135

Degeneration
Immunohistochemistry; Cholinergic neuron; AF64A; Morphometry; In vitro study (Tonnaer, J.A.D.J6.) **370,** 200

Superior cervical ganglion; Cell culture; Neurite; Potassium; Depolarization; Retraction (Campenot, R.B.) **399,** 357

Degeneration activity
Superior cervical ganglion; Growth hormone; Prolactin; Noradrenaline; α-Adrenoceptor; β-Adrenoceptor (Cardinali, D.P.) **363,** 350

Dehydration
Autoradiography; Opiate receptor; Trigeminal system; Solitary nucleus (Hwang, B.H.) **371,** 345

Plasma renin concentration; Anteroventral third ventricle; Ablation (McKinley, M.J.) **376,** 416

Deiodinase
Iodothyronine; Thyroxine; Triiodothyronine; Astrocyte; Oligodendrocyte; Neuroglia (Cavalieri, R.R.) **364,** 382

Deiters' cell
Vestibular compensation; γ-Aminobutyric acid; Vestibular deafferentation; Vestibular nucleus; Squirrel monkey (Thompson, G.C.) **370,** 182

Delayed conditional Go/No-go discrimination
Prefrontal cortex; Premotor cortex; Single unit activity; Meaning of the stimulus; Monkey (Watanabe, M.) **382,** 1

Delayed match-to-sample
Memory; Single unit recording; Hippocampus; Working memory; Reference memory (Wible, C.G.) **399,** 97

Delayed neuronal death
Cerebral ischemia; Calcium homeostasis; Hippocampus (Sakamoto, N.) **364,** 372

Delayed response task
Nucleus basalis of Meynert; Basal forebrain cholinergic system; Memory; Reward (Richardson, R.T.) **399,** 364

Delta opioid binding site
Opioid receptor, expression in neuroblastoma line; D-Ala-D-Leu-enkephalin; Human neuroblastoma cell; IMR-32, NMB, SK-N-SH neuroblastoma line (Hochhaus, G.) **382,** 327

Delta opioid receptor ligand
Opiate receptor; Mu opioid receptor ligand; Periaqueductal gray; Medullary reticular formation; Antinociception (Jensen, T.S.) **372,** 301

Dementia
Parkinsonism; Acetylcholinesterase; Butyrylcholinesterase; Cerebrospinal fluid; Human brain (Ruberg, M.) **362,** 83

Serotonin; 5-Hydroxytryptamine; *p*-Chlorophenylalanine; Electrocorticogram; Rhythmical slow activity; Low voltage fast activity (Vanderwolf, C.H.) **374,** 342

Parkinson's disease; Alzheimer's disease; Somatostatin; Human; Cortex (Beal, M.F.) **397,** 386

Demyelination
4-Aminopyridine; Peripheral nerve; Lysophosphatidylcholine (Targ, E.F.) **363,** 1

Experimental allergic encephalomyelitis; Ventral root exit zone; Conduction block; Lewis rat; Hindlimb weakness (Pender, M.P.) **367,** 398

Optic nerve; Axonal transport; Semliki Forest Virus; Virus infection (Tansey, E.M.) **397,** 9

Dendrite
Granule cell; Hippocampal explant; Dentate gyrus; Development (Fowler, J.) **368,** 148

Basal ganglion; Pallidal segment; Morphometry; Golgi method (Dvergsten, C.L.) **375,** 395

Aging; Cerebellum; Purkinje cell; Plasticity; Learning (Greenough, W.T.) **380,** 136

Copper deficiency; Menkes' disease; Immunocytochemistry; Immunogold; Actin; Cytoskeletal; Cortex; Cerebellum; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Spinal cord; Dorsal horn; Axon collateral; Receptive field; Plantar cushion (Egger, M.D.) **383,** 68

Cerebral ischemia; Gerbil; Immunoelectron microscopy; Microtubule; Transmission electron microscopy (Yamamoto, K.) **384,** 1

Dendritic bundle
Dendritic organization; Sympathetic preganglionic neuron; Intermediolateral nucleus; Vegetative network; Rabbit (Vera, P.L.) **386,** 84

Dendritic differentiation
Cerebellar development; Horseradish peroxidase axonal tracing; In vitro slab Cell migration (Bourrat, F.) **378,** 69

Dendritic organization
Sympathetic preganglionic neuron; Intermediolateral nucleus; Dendritic bundle; Vegetative network; Rabbit (Vera, P.L.) **386,** 84

Dendritic pattern
Japanese quail; Retinal ganglion cell; Cell distribution; Soma size; Axon diameter; Classification (Ikushima, M.) **376,** 320

Dendritic spike
Hippocampal slice; Laminar recording; Current source density analysis; Tetrodotoxin; Local perfusion; Guinea pig (Miyakawa, H.) **399,** 303

Dendritic spine
Aging; Dentate fascia; Spine apparatus; Calcium (Fifková, E.) **376,** 357

Dendrodendritic synapse
Receptor, prostaglandin D_2-; Olfaction; Olfactory bulb neuron (Watanabe, Y.) **378,** 216

Denervated muscle
Electrical stimulation; Reinnervation; Contractile property; Endplate morphometry; Isometric twitch tension (Eberstein, A.) **384,** 304

Dentate fascia
Aging; Dendritic spine; Spine apparatus; Calcium (Fifková, E.) **376,** 357

Dentate granule cell
CA3 pyramidal neuron; Field-effect depolarization; Transmembrane recording (Snow, R.W.) **367,** 292

Dentate gyrus
Granule cell; Hippocampal explant; Dendrite; Development (Fowler, J.) **368,** 148

Glutamate release; Calcium ion sensitivity; Ruthenium red; Caffeine (Lynch, M.A.) **369,** 405

Amygdala efferent; Entorhinal cortex; Neurophysiology; Rat; Intracellular recording (Finch, D.M.) **370,** 273

Neuronal transmission; Brainstem influence (Dahl, D.) **377,** 391

Long-term potentiation; Entorhinal cortex; Septum; Cooperativity; Learning and memory (Robinson, G.B.) **379,** 56

Facilitation; Depression; Paired-pulse; Entorhinal cortex; Septum (Robinson, G.B.) **379,** 63

Kindling; Colchicine; Hippocampal formation (Sutula, T.) **385,** 291

Hippocampus; Colchicine; Locomotor activity; Cognitive behavior; Granule cell; Radial-arm maze; Learning and memory (Walsh, T.J.) **398,** 23

Long-term potentiation; Protein phosphorylation; Protein kinase C; Intact hippocampus; Perforant path; Synaptic plasticity; Protein F_1 (Lovinger, D.M.) **399,** 205

Opioid; Enkephalin; Hippocampus; Field potential; Population spike; Perforant path (Wiesner, J.B.) **399,** 404

Dentate nucleus
Deep cerebellar nucleus; Glutamic acid decarboxylase; Dystonia; Interpositus nucleus; Fastigial nucleus (Oltmans, G.A.) **385,** 148

Deoxycorticosterone acetate
Brain angiotensin II receptor; Mineralocorticoid hormone; Aldosterone; Drinking; Blood pressure; Neuronal cell culture (Wilson, K.M.) **382,** 87

Deoxyglucose
Sleep; Rapid-eye-movement sleep; Metabolism; Autoradiography (Ramm, P.) **365,** 112

Morphine; Analgesia; Regional cerebral metabolism; Autoradiography; Pain (Levy, R.M.) **368,** 170

Regional cerebral metabolic rate for glucose; Rat; Correlation matrix; Functional system; Brain (Soncrant, T.T.) **369,** 1

Hypothyroidism; Thyroid hormone; Glucose utilization (Dow-Edwards, D.) **373,** 139

κ-Opiate; Nucleus accumbens; Locomotion; Dopamine; Local cerebral glucose utilization (Beck, T.) **381,** 327

Deoxyglucose technique
Fever; Temperature regulation; Endogenous pyrogen; Brain metabolism (Morimoto, A.) **381,** 100

2-Deoxy-D-glucose
Carotid body; Arterial chemoreceptor; Adenosine triphosphate content; Dopamine release; Chemoafferent activity; Metabolic hypothesis (Obeso, A.) **371,** 25

Vasopressin; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Carbohydrate appetite; Obesity; Stress-induced feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

2-Deoxy-D-[^{14}C]glucose technique
Local cerebral glucose utilization; Interpeduncular nucleus; Median raphe; Dorsal raphe; Stria medullaris; Habenular nucleus; Choline acetyltransferase (Motohashi, N.) **397,** 265

2-Deoxyglucose
Classical conditioning; Cortex; Hippocampal formation; Reticular stimulation; Thalamus; Learning (Gonzalez-Lima, F.) **363,** 239

Ethanol withdrawal syndrome; Postwithdrawal recovery (Eckardt, M.J.) **366,** 1

Nucleus tractus solitarius; Gastric distention; Vagus nerve; Rat (Gonzalez, M.F.) **369,** 395

Olfactory bulb development; Early experience; Neural plasticity; Norway rats (Coopersmith, R.) **371,** 400

Vestibular compensation; Labyrinthectomy; Vestibular nucleus; Oculomotor nucleus (Luyten, W.H.M.W6.) **373,** 68

Glucose utilization; Spinal cord; Noxious stimulation; Pain (Abram, S.E.) **385,** 143

Time action; Naloxone; Half-life; Morphine withdrawal (Geary II, W.A.) **399,** 181

2-Deoxyglucose autoradiography
L-3,4-Dihydroxyphenylalanine; Substantia nigra lesion; Turning behavior (Trugman, J.M.) **379,** 264

5′-Deoxy-5′-(ethylamine)-5′-oxoadenosine
Stable adenosine analogue; (*R*)-*N*-(1-Methyl-2-phenylethyl)-adenosine; Dopamine synthesis and metabolism; Rat striatum (Myers, S.) **375,** 193

Deoxyribonucleic acid synthesis
Bromocriptine; GH_3 pituitary cell; Prolactin (Melmed, S.) **369,** 83

pO_2-Dependency of K^+-distribution rate
Hippocampal slice; Ion-selective microelectrode; Potassium-distribution mode (Lipinski, H.-G.) **380,** 267

Depolarization
Superior cervical ganglion; Cell culture; Neurite; Potassium; Retraction; Degeneration (Campenot, R.B.) **399,** 357

Depolarization block
Cholecystokinin; Nucleus accumbens; Dopamine release; Peptide-monoamine coexistence; In vivo electrochemistry (Lane, R.F.) **397,** 200

Depolarizing agent
Locus coeruleus; Brain tissue culture; Tyrosine hydroxylase; Potassium chloride; Veratridine; Tyrosine hydroxylase regulation; Brain noradrenergic neuron (Dreyfus, C.F.) **379,** 216

Depression
Facilitation; Paired-pulse; Entorhinal cortex; Septum; Dentate gyrus (Robinson, G.B.) **379,** 63

Serotonin; Dopamine; Stress; Open field; Behaviour; 5-Methoxy-*N*,*N*-dimethyltryptamine; Sex difference (Kennett, G.A.) **382,** 416

Deprivation
β-Endorphin; Dynorphin; Arcuate nucleus; Diurnal rhythm; Food intake; Water intake; Naloxone (Millan, M.J.) **381,** 29

Depth profile
Hippocampus; Evoked potential; Cellular activity; Tooth pulp stimulation; Acoustic response; Behavior (Brankačk, J.) **378,** 303

Dermorphin
Nociceptive reflex; Naloxone; Spinal cord; Human (Sandrini, G.) **371,** 364

Morphine; Tolerance; Analgesia; Amphibian (Stevens, C.W.) **385,** 300

Descending fiber
Pro-opiomelanocortin; β-Endorphin; α-Melanocyte-stimulating hormone; Adrenocorticotrophic hormone; Peptide, 16K; Spinal cord; Rat (Tsou, K.) **378,** 28

Descending inhibition
Spinal α_2-adrenoceptor; Locus ceruleus; Tail flick reflex; Stimulation-produced antinociception (Jones, S.L.) **364,** 315

Calcitonin; Brainstem microinjection; Dorsal horn neuron; Nociception (Morton, C.R.) **372,** 149

Stimulation-produced analgesia; Brainstem; Spinal cord; Noradrenaline; Glycine; Pain (García-Arrarás, J.E.) **379,** 188

Dorsal horn neuron; Noxious

heat-evoked response; Midbrain periaqueductal gray; Reticular formation; Rat (Carstens, E.) **382,** 266

Lateral reticular nucleus; Antinociception; Tail flick reflex; Hot plate test; Opioid; Cholinergic; α-Adrenergic (Ossipov, M.H.) **384,** 282

Descending neuron
Mating dance; Protocerebrum; Sexual pheromone odor; Silkworm moth; Wing vibration (Kanzaki, R.) **377,** 378

Desensitization
Glutamate; Aspartate; Olfactory cortex; Prepyriform cortex; Amino acid receptor; Brain slice (Braitman, D.J.) **364,** 199

Muscarinic acetylcholine receptor; Hippocampal pyramidal cell; Phosphoinositide (Lippa, A.S.) **366,** 98

Neostigmine; Pyridostigmine; Acetylcholine receptor; *Aplysia* (Slater, N.T.) **375,** 407

Frog endplate; Acetylcholine iontophoresis; Pyridostigmine; Phospholine iodide (Bradley, R.J.) **376,** 199

Endplate; Acetylcholine ionophoresis; Choline; Curare (Sterz, R.) **385,** 99

Desipramine
Noradrenaline; Complex environment; Isolated environment; 6-Hydroxydopamine; Motor activity; Neurochemistry; Rat; Behavior (Mohammed, A.K.) **398,** 6

Desmethylimipramine
6-Hydroxydopamine lesion; Mesocortical dopamine neuron; Interaction dopamine-noradrenaline (Herve, D.) **383,** 47

Detergent
Organotypic culture; Hippocampus; Rat; Neuronal connection; Axonal tracing; Horseradish peroxidase; Neuroanatomical method (Keller, F.) **380,** 191

Detyrosylation
Tubulin; Axonal transport; Microtubule (Burgoyne, R.D.) **381,** 113

Development
Monoclonal antibody; Cerebellum; Purkinje cell; Focal axonal swelling (Gravel, C.) **363,** 325

Raphe discharge; Sleep cycle; Serotonin (Adrien, J.) **366,** 10

Granule cell; Hippocampal explant; Dentate gyrus; Dendrite (Fowler, J.) **368,** 148

α-Melanotropin; Prolactin; Dopamine neuron; Peptide feedback; α-Melanotropin antiserum (Lichtensteiger, W.) **368,** 205

Serotonin; Visual cortex; Organotypic culture; Synaptogenesis; Electrical activity; Rat (Chubakov, A.R.) **369,** 285

Brain protein; Sexual differentiation; Tubulin; Polyacrylamide gel electrophoresis (Stanley, H.F.) **370,** 215

Pedicle; Spherule; Synaptic ribbon; Extracellular space (Maslim, J.) **373,** 35

Parasympathetic neuron; Choline acetyltransferase; Survival; Lung (Wallace, T.L.) **375,** 92

Immunocytochemical localization; Phosphoprotein B-50; Rat brain; Growth cone (Oestreicher, A.B.) **375,** 267

Membrane fluidity; Lipid; Regeneration; Aging; Tissue culture; Fluorescence photobleaching recovery; Dorsal root ganglion; Mouse; Neuron (Horie, H.) **377,** 246

Impulse activity; Synaptic connection; Spinal cord; Spindle afferent fiber; Motoneuron; Specificity (Frank, E.) **378,** 147

Sympathetic neuron; Transient outward K^+ current; Whole-cell voltage clamp (Nerbonne, J.M.) **378,** 197

Nucleoplasm; Ribonucleoprotein; Interchromatin granule; Chromatin; Facial neuron (Jones, K.J.) **377,** 119

Optic nerve; Gliogenesis; Axon; Mitotic inhibitor; Myelination (Black, J.A.) **380,** 122

γ-Enolase; Distribution; Immunohistochemistry; Human embryo (Shinohara, H.) **382,** 33

Innervation; Tooth pulp; Trigeminal nerve; Branching axon (Brenan, A.) **382,** 250

Hypogastric ganglion; Tyrosine hydroxylase; Choline acetyltransferase; Testosterone (Melvin, J.E.) **383,** 38

Retina; Monoclonal antibody; Immunocytochemistry; Monolayer culture; Rat (Akagawa, K.) **383,** 110

Decorticate; Neonatal lesion; Fluorescent tracer (Kolb, B.) **397,** 315

Developmental aging
Adrenocorticotropic hormone; Immunoreactive β-endorphin; Brain concentration; Molecular form; Immunoreaction; Pro-opiomelanocortin; Regulation; Chromatography (Kapcala, L.P.) **364,** 350

Dexamethasone
Benzodiazepine receptor; Adrenalectomy; Glucocorticoid; Adrenocorticotropic hormone; Corticotropin-releasing factor; Neurotransmitter receptor binding (De Souza, E.B.) **381,** 176

Receptor autoradiography; Hemicholinium-3; High-affinity binding; Corticosteroid (Van Marle, J.) **398,** 191

Dextromethorphan
Epilepsy; Non-opioid antitussive; Carbetapentane; Diphenylhydantoin; Anticonvulsant (Tortella, F.C.) **383,** 314

Diabetes
Retrograde axonal transport; Nerve growth factor; Rat; Autonomic neuropathy (Schmidt, R.E.) **378,** 325

Axonal transport; Receptor; Opiate; Muscarinic; Streptozocin (Laduron, P.M.) **380,** 359

Diabetes insipidus
Vasopressin; Neurohypophysectomy; Neural transplantation; Median eminence; Neurosecretory; Fluid regulation (Marciano, F.F.) **370,** 338

Diamidino yellow
Calcitonin gene-related peptide; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Diamidino yellow retrograde neuronal labelling
Fast blue; Wheatgerm agglutinin–horseradish peroxidase; Fas blue labelling collateral; Fast blue fibr labelling; WGA-HRP fibre labelling; Pons; Pontine pyramidal collateral (Ugolini, G.) **365,** 211

3,3′-Diaminobenzidine
Double immunocytochemistry; Benzidine dihydrochloride (Bolam, J.P.) **397,** 279

Diazepam
Stress-induced analgesia; Naloxone; Human (Willer, J.C.) **362,** 398

Norepinephrine; Release; Benzodiazepine receptor; α-Receptor (Kellogg, C.K.) **366,** 137

Locus coeruleus; Noradrenergic neuron; Freely moving cat; Aversive conditioning; Appetitive conditioning; Yohimbine; Anxiety (Rasmussen, K.) **371,** 335

Circadian phase shift; γ-Aminobutyric acid; Benzodiazepine (Ralph, M.R.) **372,** 405

S1 cortex; Receptive field; Benzodiazepine; Ro 15-1788; Flurazepam; Midazolam (Oka, J.-I.) **376,** 194

Pilocarpine; Scopolamine; Seizure; L-Glutamic acid decarboxylase; Brain damage; Epilepsy (Turski, L.) **398,** 37

Diazepam binding inhibitor
Octadecaneuropeptide; Aggression; Analgesia; Defeat; Benzodiazepine; γ-Aminobutyric acid; Social conflict; Ro 15-1788 (Kavaliers, M.) **383,** 343

(Ferrero, P.) **399,** 136

Dibutyryl cyclic monophosphate
Differentiation; Olfactory cell line; 12-*O*-Tetradecanoylphorbol-13-acetate; Benzodiazepine; Ro5-4864 (Goldstein, N.I.) **370,** 205

Diencephalon
Autoradiography; Opiate receptor; μ-Receptor; δ-Receptor; Telencephalon (McLean, S.) **378,** 49

Horseradish peroxidase histochemistry; *Ictalurus punctatus*; Optic tract; Retinal topography (Fraley, S.M.) **385,** 179

Dietary protein
Retina; Dopamine; Tyrosine; Substrate availability; Amino acid (Gibson, C.J.) **382,** 195

Dietary zinc content
Amygdala kindling; Cat; Plasma zinc level (Sterman, M.B.) **383,** 382

Diethyldithiocarbamate
Cadmium; Synapsin I; Glial fibrillary acidic protein; Neurotoxicity; Metal; Brain damage (O'Callaghan, J.P.) **370,** 354

Differential Pavlovian conditioning
Amygdala central nucleus; Corneo-retinal potential; Heart rate; Horseradish peroxidase; Medial geniculate; Rabbit (Jarrell, T.W.) **374,** 126

Baroreceptor reflex; Bradycardia; Rabbit; Sinoaortic denervation (Jarrell, T.W.) **381,** 251

Heart rate; Medial geniculate nucleus; Rabbit (Jarrell, T.W.) **382,** 199

Differential pulse voltammetry
Freely moving rat; Locus ceruleus; Immobilization stress; Clonidine; 3,4-Dihydroxyphenylacetic acid; Noradrenaline (Quintin, L.) **362,** 366

Freely moving rat; Locus coeruleus; Adrenoceptor; Yohimbine; Piperoxane; Clonidine; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline (Quintin, L.) **375,** 235

3,4-Dihydroxyphenylacetic acid; Freely moving rat; Immobilized rat; Pentylenetetrazole-induced seizure; Electroencephalogram (Yokoi, I.) **385,** 212

Differentiation
Olfactory cell line; Dibutyryl cyclic monophosphate; 12-*O*-Tetradecanoylphorbol-13-acetate; Benzodiazepine; Ro5-4864 (Goldstein, N.I.) **370,** 205

Growth factor; Autocrine regulation; Cell growth; Astrocytoma (Ito, J.-I.) **374,** 335

Cell suspension; Transplantation; Cross-species; Horseradish peroxidase; Septal nucleus; Hippocampus; Migration (Wells, J.) **383,** 333

Astrocyte; Phorbol ester; Protein kinase C; Astrocyte culture; Cyclic adenosine monophosphate (Mobley, P.L.) **398,** 366

Diffusion
Axonal transport; Calcium; Squid axon (Chang, D.C.) **367,** 319

Difluoromethylornithine
Calcium; D-Aspartate; γ-Aminobutyric acid; Ornithine decarboxylase; Synaptosomal fraction (Bondy, S.C.) **371,** 96

Ornithine decarboxylase; Chlordecone; *p,p'*-DDT; Tremor; Neuronal adaptation (Tilson, H.A.) **379,** 147

Dihydromorphine
Opioid binding; Hibernation; Euthermia; Hippocampus; Cortex; Autoradiography; Ground squirrel (Beckman, A.L.) **386,** 223

Dihydropyridine
Bay K 8644; Nimodipine; Synaptosome; Calcium entry; Dopamine release (Woodward, J.J.) **370,** 397

Nitrendipine; Calcium channel antagonist; Parkinson's disease; Human brain (Nishino, N.) **377,** 186

Seizure; Calcium channel blocker; Nimodipine; Phenytoin (Meyer, F.B.) **384,** 180

Dihydropyridine binding site
Phylogeny; Nitrendipine; Peripheral binding site (Bolger, G.T.) **368,** 351

Dihydrotestosterone
Guinea pig; Autoradiography; Immunocytochemistry; Gonadotroe; Thyrotroe; Pituicyte (Herbert, D.C.) **362,** 318

5β-Dihydrotestosterone
Testosterone metabolism; Sexual differentiation; Song system; Zebra finch; 5β-Reductase (Balthazart, J.) **378,** 240

Dihydroxyphenylacetic acid
N-Chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride; 6-Hydroxydopamine; Hypothalamic noradrenaline; Dopamine; 5-Hydroxytryptamine (Lookingland, K.J.) **365,** 228

Scrapie; Serotonin; 5-Hydroxyindoleacetic acid; 3,4-Dihydroxyphenylethyleneglycol; Rat brain area (Bassant, M.H.) **367,** 360

Dopamine; 6-Hydroxydopamine; Striatum; Tyrosine hydroxylase (Onn, S.-P.) **376,** 8

Substance P; Immunoneutralization; Nucleus accumbens; Dopamine; Locomotor activity; Amphetamine; Dopamine release (Elliott, P.J.) **385,** 379

3,4-Dihydroxyphenylacetic acid
Freely moving rat; Locus ceruleus; Immobilization stress; Clonidine; Differential pulse voltammetry; Noradrenaline (Quintin, L.) **362,** 366

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; *N*-Methylphenylpyridine; Dopamine; Parkinsonism; Corpus striatum (Chang, G.D.) **368,** 134

Freely moving rat; Locus coeruleus; Adrenoceptor; Yohimbine; Piperoxane; Clonidine; Guanfacine; Prazosin; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

In vivo voltammetry; Prefrontal cortex; Neuroleptic; Rat (Serrano, A.) **378,** 191

Differential pulse voltammetry; Freely moving rat; Immobilized rat; Pentylenetetrazole-induced seizure; Electroencephalogram (Yokoi, I.) **385,** 212

4-Dihydroxyphenylacetic acid
Genetic hypertension; Brain catecholamine; L-Dihydroxyphenylalanine accumulation; Dopamine; Norepinephrine (Koulu, M.) **369,** 361

Dihydroxyphenylalanine
Stress; 5-Hydroxyindoleacetic acid; 5-Hydroxytryptophan; Noradrenaline; Dopamine; Adrenaline; Corticosterone (De Souza, E.B.) **367,** 77

Tuberoinfundibular dopaminergic neuron; Hypothalamic slice; Cyclic adenosine monophosphate; Forskolin (Arita, J.) **374,** 37

Dihydroxyphenylalanine accumulation
Methoxyhydroxyphenylethyleneglycol sulfate; Catecholamine; Blood pressure; Hypotension (Conlay, L.A.) **375,** 210

L-Dihydroxyphenylalanine
$MgCl_2$ neurotoxicity; Pargyline; Turning behavior (Parenti, M.) **367,** 8

Intracerebral dialysis; Dopamine release; 6-Hydroxydopamine; Rotational behavior; Amphetamine (Zetterström, T.) **376,** 1

L-Dihydroxyphenylalanine accumulation
Genetic hypertension; Brain catecholamine; 4-Dihydroxyphenylacetic acid; Dopamine; Norepinephrine (Koulu, M.) **369,** 361

3,4-Dihydroxyphenylalanine
Aging; Calcium ion; Tuberoinfundibular dopaminergic neuron (Arita, J.) **369,** 391

3,4-Dihydroxyphenylalanine decarboxylase
Noradrenaline; Tyrosine hydroxylase;

High-affinity noradrenaline uptake; Aging cerebral cortex (Harik, S.I.) **381,** 125

L-3,4-Dihydroxyphenylalanine
2-Deoxyglucose autoradiography; Substantia nigra lesion; Turning behavior (Trugman, J.M.) **379,** 264

L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Monkey; Bromocriptine; Supersensitivity (Bédard, P.J.) **379,** 294

3,4-Dihydroxyphenylethyleneglycol
Scrapie; Serotonin; 5-Hydroxyindoleacetic acid; Dihydroxyphenylacetic acid; Rat brain area (Bassant, M.H.) **367,** 360

5,7-Dihydroxytryptamine
Substance P; Thyrotropin-releasing hormone; Serotonin; Neurotoxin; Colocalization (Towle, A.C.) **363,** 38

Serotonin-1 binding assay; Serotonin receptor; Serotonin; Serotonergic-myoclonic syndrome; Ascorbate (Pranzatelli, M.R.) **364,** 57

Serotonergic-myoclonic syndrome; Myoclonus; Serotonin neurotoxin; Behavioral supersensitivity; Locomotor activity; *p*-Chloroamphetamine; Fenfluramine (Pranzatelli, M.R.) **364,** 67

Serotonin; Central nervous system protein; Two-dimensional gel electrophoresis; Computerized scanning densitometry (Heydorn, W.E.) **368,** 193

Suprachiasmatic nucleus; Circadian rhythm; Corticosterone (Bánky, Z.) **369,** 119

Respiratory timing; Medulla oblongata; Thyrotropin-releasing hormone (McCown, T.J.) **373,** 189

Homotypic sprouting; Serotonin; Raphe nucleus; Hippocampus; Immunocytochemistry; Fasciola cinerea (Zhou, F.C.) **373,** 337

Thyrotropin releasing hormone; Ventral medullary lesion; Intermediolateral cell column; Thyrotropin-releasing hormone radioimmunoassay; Substance P; Nucleus paragigantocellularis lateralis; Nucleus interfascicularis hypoglossi (Helke, C.J.) **381,** 1

Serotonin; γ-Aminobutyric acid; Retina; Co-occurrence (Osborne, N.N.) **382,** 158

Thyrotropin-releasing hormone; Serotonin; Immunocytochemistry; Radioimmunoassay; High performance liquid chromatography; Dorsal horn; Rat spinal cord (Harkness, D.H.) **384,** 323

5,7-Dihydroxytryptamine lesion
$GABA_A$ receptor; $GABA_B$ receptor; Imipramine binding; Baclofen binding (Mennini, T.) **371,** 372

Diisopropyl fluorophosphate
D-Tubocurarine; Muscle block; Compound action potential (Bradley, R.J.) **377,** 194

2,5-Dimethoxy-4-methylamphetamine
Lysergic acid diethylamide; Mescaline; LY 53857; Ritanserin; Locus ceruleus; Serotonin-2 receptor (Rasmussen, K.) **385,** 395

2,4-Dinitrophenol
Thiamin; Blood–brain barrier; Perfusion; Transport (Greenwood, J.) **399,** 148

Dinitrophenol
Oxygen delivery to tissue; Mitochondrial function; Bioenergetics; Phosphorus nuclear magnetic resonance; Isolated perfused head (Kariman, K.) **366,** 300

Diphenylhydantoin
Epilepsy; Non-opioid antitussive; Dextromethorphan; Carbetapentane; Anticonvulsant (Tortella, F.C.) **383,** 314

Dipole
Hippocampus electroencephalogram; Rhythmic slow wave activity; Laminar profile; Current–source density; Atropine; Urethane (Buzsáki, G.) **365,** 125

Diprenorphine
Autoradiography; Basal ganglia (Morris, B.J.) **384,** 362

Direct current potential
Reilly syndrome; Vagus nucleus; Medulla oblongata; Trigeminal nerve (Sugaya, E.) **369,** 369

Direct relay of afferent input
Spinothalamic tract; Motor cortex; Thalamus (motor) (Greenan, T.J.) **362,** 384

Directional sensitivity
Tonic neck reflex; Cervical and lumbar interneurons; Neck afferent input (Suzuki, I.) **367,** 356

Discrimination
Slow potential; Single unit; Frontal cortex; Rat (Rucker, H.K.) **376,** 368

Periaqueductal gray; Medial hypothalamus; Aversion; Escape; Morphine; Choice (Jenck, F.) **378,** 274

Disk-shedding
Mammalian retina; Autophagy; Light response; Circadian rhythm; Dopamine (Remé, C.) **369,** 356

Dissociation of ligand
Glutamate binding; Sodium-dependent binding; Sodium-independent binding; Quisqualic acid; D-Aspartate; Sulphhydryl-reagent (Ogita, K.) **397,** 137

Distal axonopathy
2,5-Hexanedione; Retrograde axonal transport; Anterograde axonal transport; Peripheral neuropathy; Sensory nerve; Motor nerve (Brændgaard, H.) **378,** 1

Distal forelimb
Spinal cord; Cervical motoneuron; Electrical property; Cat (Botterman, B.R.) **379,** 192

Distribution
Cholinoceptive neuron; Hippocampal formation (Rowntree, C.I.) **362,** 98

Kainic acid; Binding site; Goldfish; Central nervous system (Migani, P.) **376,** 186

DL-2-Amino-4-phosphonobutyrate binding; Striatum; L-2-Amino-4-phosphonobutyrate sensitive receptor (Butcher, S.P.) **381,** 305

γ-Enolase; Immunohistochemistry; Human embryo; Development (Shinohara, H.) **382,** 33

Neuropeptide K; Neurokinin A; Neurokinin B; Substance P-tachykinin Brain; Spinal cord (Arai, H.) **399,** 240

Cholecystokinin binding site; [*Propionyl*-^{3}H]Propionylated cholecystokinin octapeptide; In vitro autoradiography; Characterization; Species difference (Sekiguchi, R.) **399,** 271

Diurnal cycle
Rat line; Ligand receptor binding; Choline acetyltransferase activity; Line-dependent cycle (Jenni-Eiermann, S.) **370,** 54

Diurnal rhythm
β-Endorphin; Dynorphin; Arcuate nucleus; Food intake; Water intake; Deprivation; Naloxone (Millan, M.J.) **381,** 29

Divalent cation
Barbiturate; Leech neuron; Calcium potential (Johansen, J.) **376,** 255

Divergent axonal collateral
Neocortical afferent; Basal nucleus of Meynert; Globus pallidus (Boylan, M.K.) **375,** 176

Basal forebrain; Neocortical afferent; Basal nucleus of Meynert (Adams, C.E.) **397,** 365

Dog
Spinal cord; Somatotopic organization Forearm and forepaw; Median nerve; Ulnar nerve; Horseradish peroxidase (Mutai, M.) **371,** 90

Efferent neuron; Afferent neuron; Pharynx; Horseradish peroxidase (Hudson, L.C.) **374,** 413

Domoic acid
Glutamate; Acromelic acid; Quisqualate; Kainate; Excitatory ami acid; Crayfish (Shinozaki, H.) **399,** 39

Dopamine

D-Amphetamine; Ascorbic acid; In vivo voltammetry; Long-term treatment; Neostriatum (Kamata, K.) **362,** 331

In vivo dialysis; Transplantation; Neostriatum; Release (Zetterström, T.) **362,** 344

Endogenous dopamine release; Endogenous noradrenaline release; Noradrenaline; Striatum; Hypothalamus; Nomifensine; Calcium; Rat (Okuma, Y.) **363,** 47

Methamphetamine; Apomorphine; Hypothalamic ventromedial nucleus; Defensive attack; Amygdala (Maeda, H.) **363,** 135

Triethyl lead; Organolead; Amphetamine; Apomorphine; Locomotor activity (Walsh, T.J.) **363,** 222

Nucleus accumbens; Ventromedial mesencephalic tegmentum; Excitation; Inhibition; Haloperidol; Sulpiride (Le Douarin, C.) **363,** 290

Ventral tegmental area; Locus ceruleus; A10 cell group; Noradrenaline; 3-Methoxy-4-hydroxyphenolglycol (Deutch, A.Y.) **363,** 307

Striatum; Kainicate; Brain transplant; Autoradiography; Behavioral recovery (Deckel, A.W.) **363,** 383

Neostriatum; Acetylcholine; γ-Aminobutyric acid; Behavior; Rat (Vrijmoed-De Vries, M.C.) **364,** 77

Caudate; Reinforcement; In vivo electrochemistry (Brozoski, T.J.) **364,** 275

N-Chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride; 6-Hydroxydopamine; Hypothalamic noradrenaline; Dihydroxyphenylacetic acid; 5-Hydroxytryptamine (Lookingland, K.J.) **365,** 228

Voltammetry; Electrical stimulation; Mazindol; D-Phenmetrazine; β-Phenylethylamine; Striatum (Stamford, J.A.) **366,** 350

Δ^9-Tetrahydrocannabinol; Cocaine; Homovanillic acid; Prefrontal cortex; Olfactory tubercle (Bowers, M.B.) **366,** 405

Stress; 5-Hydroxyindoleacetic acid; 5-Hydroxytryptophan; Noradrenaline; Adrenaline; Dihydroxyphenylalanine; Corticosterone (De Souza, E.B.) **367,** 77

Self-mutilation; Biting behavior; Ventral tegmental area lesion; Lesch–Nyhan syndrome (Goldstein, M.) **367,** 114

Autoreceptor; Transmitter release; 4-Aminopyridine; Tetraethylammonium (Tepper, J.M.) **367,** 230

Noradrenaline; Carotid body; Guanethidine; Sympathectomy; High-pressure liquid chromatography (Pequignot, J.M.) **367,** 238

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; *N*-Methylphenylpyridine; 3,4 dihydroxyphenylacetic acid; Parkinsonism; Corpus striatum (Chang, G.D.) **368,** 134

Hypertension; Brain; Spontaneously hypertensive rat; Uptake-inhibition; Substantia nigra; Ventral tegmental area; 6-Hydroxydopamine; Electrolytic lesion (Van den Buuse, M.) **368,** 69

Retina; Melatonin; Serotonin *N*-acetyltransferase (Iuvone, P.M.) **369,** 168

Mammalian retina; Disk-shedding; Autophagy; Light response; Circadian rhythm (Remé, C.) **369,** 356

Genetic hypertension; Brain catecholamine; L-Dihydroxyphenylalanine accumulation; 4-Dihydroxyphenylacetic acid; Norepinephrine (Koulu, M.) **369,** 361

Sexual behavior; Apomorphine; Medial preoptic area; Caudate-putamen; Nucleus accumbens; Lateral septum (Hull, E.M.) **370,** 73

Tetrabenazine binding; Monoamine transporter; Serotonin; Noradrenaline; Mouse; Binding site regionalization (Scherman, D.) **370,** 176

Cholecystokinin; Striatum (Hutchison, J.B.) **370,** 310

Startle; Apomorphine; D-Amphetamine; Strychnine; Cochlear nucleus (Davis, M.) **371,** 58

Tryptamine; Tryptophan; Noradrenaline; Substantia nigra; Electrolytic lesion; Pargyline; Striatum; Hypothalamus (Juorio, A.V.) **371,** 385

Iontophoresis; Visual reaction time task; Dorsolateral prefrontal cortex; Monkey (Sawaguchi, T.) **371,** 404

Somatostatin; Frontal cortex; Release (Thal, L.J.) **372,** 205

Amacrine cell; Japanese dace; Ethidium bromide; Intracellular response; Morphology (Chino, Y.M.) **372,** 323

Gastrin-releasing peptide; Neurotensin; γ-Butyrolacton-γ-carbonyl-1-histidyl-1-prolinamide citrate; Norepinephrine; Rat hypothalamus (Kabayama, Y.) **372,** 394

Receptor autoradiography; *N*-*n*-Propylnorapomorphine; Human brain; Caudate nucleus (Camus, A.) **375,** 135

Microiontophoresis; Flupenthixol; Activation (Mintz, I.) **375,** 172

Neuromodulation; Striatum; Electrophysiology; Iontophoresis (Chiodo, L.A.) **375,** 198

Nucleus accumbens neuron; D_1 receptor; D_2 receptor; Haloperidol; Sulpiride; Dopamine uptake blocker; Schizophrenia (Uchimura, N.) **375,** 368

Dihydroxyphenylacetic acid; 6-Hydroxydopamine; Striatum; Tyrosine hydroxylase (Onn, S.-P.) **376,** 8

Striatum; Electrophysiology; Spontaneous activity; 6-Hydroxydopamine (Orr, W.B.) **376,** 20

Neurotoxicity; Substantia nigra; Striatum; Parkinson's disease (Ricaurte, G.A.) **376,** 117

Noradrenaline; Serotonin; Acetylcholine; Immunocytochemistry; Rat brain (McRae-Degueurce, A.) **376,** 217

Stroke; $Dynorphin_{1-13}$; Opiate binding; γ-Aminobutyric acid (Kuroda, H.) **379,** 68

Striatum; Aging; Senescence; Nomifensine; Bupropion; Motor performance (Marshall, J.F.) **379,** 112

Calcium-activated potassium conductance; Afterhyperpolarization; Hippocampus; Pyramidal cell; Receptor, β-adrenergic- (Malenka, R.C.) **379,** 210

Excitability; Striatum; Substantia nigra; Frontal cortex; Glutamic acid (Chavez-Noriega, L.) **379,** 300

γ-Aminobutyric acid; In vivo voltammetry; Neostriatum; Long-term treatment; Haloperidol (Kamata, K.) **380,** 1

Pulsatile secretion; Luteinizing hormone; Frequency; Estrogen (Tadokoro, Y.) **380,** 69

Parkinson's disease; Lumbar spinal cord; Noradrenaline; Serotonin; Homovanillic acid (Scatton, B.) **380,** 181

Quinolinic acid; Huntington's disease; Basal ganglion (Mazzari, S.) **380,** 309

Cingulate cortex; Substantia nigra pars compacta; Parkinson's disease; Schizophrenia; Retrograde double-labeling (Takada, M.) **380,** 331

Cholecystokinin; Glutamate; Serotonin; Nucleus accumbens; Modulator (Wang, R.Y.) **380,** 363

Retinal neuron; Neurotransmission; Acetylcholine; Retina–muscle coculture; Receptor, D_1-dopamine- (Tsai, W.H.) **380,** 375

κ-Opiate; Nucleus accumbens; Locomotion; Deoxyglucose; Local cerebral glucose utilization (Beck, T.)

381, 327

Striatum; Electrical stimulation; Voltammetry; Carbon fiber microelectrode (Stamford, J.A.) **381,** 351

Neostriatum; Heterogeneity; Methamphetamine; Reserpine; Fluorescence histochemistry (Fukui, K.) **382,** 81

Retina; Tyrosine; Substrate availability; Amino acid; Dietary protein (Gibson, C.J.) **382,** 195

Serotonin; Stress; Depression; Open field; Behaviour; 5-Methoxy-*N,N*-dimethyltryptamine; Sex difference (Kennett, G.A.) **382,** 416

Noradrenaline; Neuroblastoma cell line; Catecholamine; Uptake; Catechol-*O*-methyl metabolite (Richards, M.L.) **384,** 132

Amphetamine; Calcium; Calmodulin; Sensitization; Striatum; Radioimmunoassay (Roberts-Lewis, J.M.) **384,** 383

Striatal slice; Protein phosphorylation; Cyclic adenosine monophosphate (Laurier, L.G.) **385,** 361

Substance P; Immunoneutralization; Nucleus accumbens; Dihydroxyphenylacetic acid; Locomotor activity; Amphetamine; Dopamine release (Elliott, P.J.) **385,** 379

Nucleus tractus solitarii; Swallowing; Pressure microinjection; Noradrenaline; Medullary polysynaptic reflex; Rat (Kessler, J.P.) **386,** 69

Prolactin secretion; Anterior pituitary; Posterior pituitary; In vivo electrochemistry (Mulchahey, J.J.) **386,** 332

Striatum; Electrophysiology; 6-Hydroxydopamine; Behavioral recovery (Nisenbaum, E.S.) **398,** 221

Conditioned suppression of motility; Opioid; Stress; Mouse (Nabeshima, T.) **398,** 354

Dynorphin; Striatonigral pathway (Li, S.) **398,** 390

Place conditioning; Cocaine; Pimozide; Intracerebroventricular microinjection; Procaine; Bromocriptine; Reward (Morency, M.A.) **399,** 33

5-Hydroxytryptamine; Turnover; Tryptophan; Cerebrospinal fluid; Social behavior (Sahakian, B.J.) **399,** 162

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Striatum; Mouse; Serotonergic neuron; Decortication; Kainate lesion (Melamed, E.) **399,** 178

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Caudate nucleus; Serotonin; Noradrenaline (Sirinathsinghji, D.J.S.) **399,** 339

Dopamine denervation
Spiroperidol; Mazindol; Caudate nucleus; Putamen; Primate (Joyce, J.N.) **382,** 360

Dopamine metabolism
Striatum; Transmitter; Serotonin metabolism; Histamine; Noradrenaline; Adrenaline (Widmann, R.) **367,** 244

Nicotine; Body temperature; Mouse striatum (Haikala, H.) **375,** 313

Anaesthetic; In vivo voltammetry (Ford, A.P.D.A6.) **379,** 162

Dopamine metabolite
[pGlu^5,MePhe^8,Sar^9]Substance P; Substance P; Dopamine neuron; Ventral tegmental area; Footshock stress; Prefrontal cortex; Nucleus accumbens (Elliott, P.J.) **363,** 145

Dopamine modulation
Intracellular recording; Nucleus accumbens; Conditioning ventral tegmental area stimulation (Yim, C.Y.) **369,** 347

Dopamine neuron
Tyrosine hydroxylase; Immunocytochemistry; Rhesus monkey; Hypothalamus; Catecholamine; Synaptic analysis; Immunogold staining (Thind, K.K.) **366,** 37

[pGlu^5,MePhe^8,Sar^9]Substance P; Substance P; Ventral tegmental area; Footshock stress; Dopamine metabolite; Prefrontal cortex; Nucleus accumbens (Elliott, P.J.) **363,** 145

Neuronal grafting; 6-Hydroxydopamine; Striatum; Turning behavior; Amphetamine; Mouse (Brundin, P.) **366,** 346

Development; α-Melanotropin; Prolactin; Peptide feedback; α-Melanotropin antiserum (Lichtensteiger, W.) **368,** 205

Dopamine receptor
Acrylamide; *bis*-Acrylamide; Glutathione-*S*-transferase; Glutathione; Neurotoxicity; Neuropathy; Neurotoxin; Axonopathy (Srivastava, S.P.) **371,** 319

Somatostatin; Cholecystokinin octapeptide; Acetylcholine; Caudate nucleus; Release (Arneric, S.P.) **374,** 153

Adenylate cyclase; Culture; Flupenthixol; 1-Methyl-4-phenylpyridine receptor binding; Spiroperidol; Ventral mesencephalon (Heyer, E.J.) **377,** 54

Lead; Striatum; Nucleus accumbens (Govoni, S.) **381,** 138

Spiroperidol; Quantitative autoradiography; Guanine nucleotide (Richfield, E.K.) **383,** 121

Hippocampus; Cerebellum; Striatum; Pineal gland; Spiperone (Bruinink, A.) **386,** 78

Circling behavior; Locus ceruleus; Dorsolateral pontine tegmentum; Nigrostriatal system; Noradrenaline (Matsuoka, S.) **398,** 253

Dopamine receptor agonist
D_1 dopamine receptor; D_2 dopamine receptor; SKF 38393A; LY 171555; Bromocriptine; Rotational behavior (Robertson, G.S.) **384,** 387

Dopamine receptor supersensitivity
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Spiperone binding site; Calmodulin-dependent phosphorylation; Apomorphine-stimulated climbing behavior; Striatum (Lau, Y.-S.) **369,** 311

Dopamine release
Ethanol; Calcium channel; Endogenous dopamine; Striatal synaptosome (Leslie, S.W.) **368,** 174

Dihydropyridine; Bay K 8644; Nimodipine; Synaptosome; Calcium entry (Woodward, J.J.) **370,** 397

Carotid body; Arterial chemoreceptor; 2-Deoxy-D-glucose; Adenosine triphosphate content; Chemoafferent activity; Metabolic hypothesis (Obeso, A.) **371,** 25

Carotid body; Chemoreceptor; Hypoxia; Catecholamine; Carotid sinus nerve activity (Rigual, R.) **374,** 101

Intracerebral dialysis; 6-Hydroxydopamine; Rotational behavior; Amphetamine; L-Dihydroxyphenylalanine (Zetterström, T.) **376,** 1

In vivo superfusion; Subthalamic nucleus stimulation; Nigrostriatal pathway (Mintz, I.) **376,** 406

Caudate nucleus; Electrical stimulation; In vivo voltammetry; Dopamine uptake (Kuhr, W.G.) **381,** 168

Amygdaloid complex; Substantia nigra; Rat (Leviel, V.) **381,** 205

Tuberoinfundibular neuron; Calcium channel; Calcium agonist; Maitotoxin; BAY-K-8644 (Taglialatela, M.) **381,** 356

Substance P; Immunoneutralization; Nucleus accumbens; Dopamine; Dihydroxyphenylacetic acid; Locomotor activity; Amphetamine (Elliott, P.J.) **385,** 379

Cholecystokinin; Nucleus accumbens; Depolarization block; Peptide-monoamine coexistence; In vivo electrochemistry (Lane, R.F.) **397,** 200

Dopamine sulfate
Serotonin sulfate; Norepinephrine sulfate; Amphetamine; Potassium ion depolarization; Nomifensine (Tyce, G.M.) **372,** 269

Dopamine synthesis and metabolism
Stable adenosine analogue; (*R*)-*N*-(1-Methyl-2-phenylethyl)-adenosine; 5′-Deoxy-5′-(ethylamine)-5′-oxoadenosine; Rat striatum (Myers, S.) **375,** 193

Dopamine turnover
Morphine; Tuberoinfundibular neuron; Median eminence; Prolactin; Biphasic effect (Callahan, P.) **381,** 106

Dopamine uptake
Striatum; In vivo voltammetry; Median forebrain bundle (Stamford, J.A.) **373,** 85

Caudate nucleus; Dopamine release; Electrical stimulation; In vivo voltammetry (Kuhr, W.G.) **381,** 168

Dopamine uptake blocker
Nucleus accumbens neuron; Dopamine; D_1 receptor; D_2 receptor; Haloperidol; Sulpiride; Schizophrenia (Uchimura, N.) **375,** 368

Dopaminergic cell
Carp retina; Lucifer yellow; Intracellular injection (Teranishi, T.) **370,** 196

Dopaminergic graft
Neural graft; Nucleus accumbens; Hoarding (Herman, J.P.) **372,** 210

Dopaminergic neuron
Serotonergic neuron; Substantia nigra; Noradrenergic neuron; Locus coeruleus; Single unit activity; Behaving cat; Sensory stimulus; Habituation (Rasmussen, K.) **369,** 336

Nucleus accumbens; In vivo voltammetry; Free moving animal; Tail-pinch; Social interaction (Louilot, A.) **397,** 395

Tropic factor; Tissue culture; Striatal extract (Tomozawa, Y.) **399,** 111

Dopaminergic system
Quantitative receptor autoradiography; D_1 receptor; Regional distribution; SCH 23390; Rat brain (Savasta, M.) **375,** 291

Dorsal cap
Inferior olive; Optic nerve; Pretectum; Nucleus β; Medial accessory olive; Rat (Akaike, T.) **368,** 183

Dorsal column lesion
Awake rat; Stimulation of dorsal column nucleus; Nociception; Tail immersion test; Formalin test (Saadé, N.E.) **369,** 307

Dorsal column nucleus
γ-Aminobutyric acid; Interneuron; Somatosensory thalamus (Barbaresi, P.) **382,** 305

Central nervous system reorganization; Neural plasticity; Sprouting; Neonatal brain lesion; Hemispherectomy; Spinal cord (Gómez-Pinilla, F.) **385,** 343

Dorsal column postsynaptic neuron
Heat sensitization; Species difference (Kamogawa, H.) **364,** 386

Dorsal gray commissure
Enkephalin; Dynorphin; Coexistence; Lumbosacral spinal cord (Sasek, C.A.) **381,** 8

Dorsal hippocampus
Protein malnutrition; Hippocampal kindling; Seizure behavior; Kindling threshold; Afterdischarge duration; Postictal depression (Bronzino, J.D.) **384,** 348

Dorsal horn
Ineffective projection; Sural nerve (Pubols, L.M.) **371,** 109

Opiate; Pain; Noxious heat; Perceived intensity (Oliveras, J.-L.) **371,** 368

Nociceptive neuron; Noxious heat; Stimulus detection; Pain (Maixner, W.) **374,** 385

Glutamate; Nociceptive primary afferent fiber; Pain (Schouenborg, J.) **379,** 394

Substance P antibody; Slow excitatory transmission; Rat spinal cord slice (Randic, M.) **383,** 15

Spinal cord; Dendrite; Axon collateral; Receptive field; Plantar cushion (Egger, M.D.) **383,** 68

Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Immunocytochemistry; Radioimmunoassay; High performance liquid chromatography; Rat spinal cord (Harkness, D.H.) **384,** 323

Substance P; Nociceptive stimulus; Axoplasmic transport; Electrical activity; Formaldehyde (Kantner, R.M.) **385,** 282

Dorsal horn convergent neuron
Pain; Morphine analgesia; Bulbo-spinal control; Dorsolateral funiculus (Chitour, D.) **377,** 397

Dorsal horn network
Cyclic adenosine monophosphate; Adenylate cyclase; Opioid tolerance; Spinal cord culture (Crain, S.M.) **370,** 61

Dorsal horn neuron
Calcitonin; Brainstem microinjection; Descending inhibition; Nociception (Morton, C.R.) **372,** 149

Noxious heat-evoked response; Descending inhibition; Midbrain periaqueductal gray; Reticular formation; Rat (Carstens, E.) **382,** 266

Dorsal lateral geniculate nucleus
Eastern chipmunk; Ipsilateral retinal projection; Wheatgerm agglutinin-horseradish peroxidase; Lamination (Fukuda, Y.) **384,** 373

Dorsal medullary nucleus
Cochlear nucleus; Frog; Innervation pattern; Horseradish peroxidase study (Feng, A.S.) **367,** 183

Dorsal motor nucleus
Bradycardia; Cardioinhibitory area; Inferior olivary nucleus; Solitary nucleus; Ambiguus nucleus; Vagus nerve (Kuo, J.S.) **372,** 217

Baroreceptor reflex; Bradycardia; Tachycardia; Inferior olivary nucleus; Vagus nerve; Solitary nucleus; Gigantocellular reticular nucleus (Kuo, J.S.) **372,** 227

Dorsal motor nucleus of the vagus
Aurothioglucose; Obesity; Ventromedial hypothalamus; Nucleus tractus solitarii; Hypoglossal nucleus (Powley, T.L.) **367,** 192

Dorsal noradrenergic bundle
Locus coeruleus; Norepinephrine; Antidromic impulse; Unit recording; Collateral inhibition; Self-inhibition (Ennis, M.) **374,** 299

Baclofen; Clonidine; 6-Hydroxydopamine lesion; Locus ceruleus; Antinociception; Tail-flick test (Sawynok, J.) **386,** 341

Dorsal raphe
2-Deoxy-D-[^{14}C]glucose technique; Local cerebral glucose utilization; Interpeduncular nucleus; Median raphe; Stria medullaris; Habenular nucleus; Choline acetyltransferase (Motohashi, N.) **397,** 265

Noradrenergic neuron; Locus ceruleus; Serotonergic neuron; Cardiac cycle; Blood volume (Morilak, D.A.) **399,** 262

Dorsal raphe nucleus
Circadian rhythm; Cosine fitting; Noradrenaline; Serotonin; Locus ceruleus; Rat (Agren, H.) **397,** 353

Dorsal root ganglia neuron
Asialoglycoprotein; Retrograde axonal transport; Endocytosis; Receptor; Endogenous lectin; Trigeminal neuron; Mouse (Gustafsson, M.) **367,** 14

Dorsal root ganglion
Primary afferent; Sensory modality; Somatotopy; Action potential; Morphology (Cameron, A.A.) **362,** 1

Lumbar sympathetic chain; Horseradish peroxidase; Neuronal labeling; Motoneuron; Neuronal dysfunction (Peyronnard, J.M.) **364,** 137

Lectin; Neuronal subpopulation; Nociceptive afferent; Spinal cord (Mori, K.) **365,** 404

Rat hindlimb; Horseradish peroxidase; Sympathetic innervation; Motor supply; Rat skeletal muscle; Neuronal labelling

(Peyronnard, J.M.) **373,** 288

Vasoactive intestinal polypeptide; Peripheral axotomy; Sciatic nerve; Retrograde transport; Fluorescence microscopy; Immunohistochemistry (Shehab, S.A.S.) **376,** 180

Spinal motoneuron; Axon collateral; Horseradish peroxidase; Electron microscope (Kayahara, T.) **376,** 299

Membrane fluidity; Lipid; Regeneration; Development; Aging; Tissue culture; Fluorescence photobleaching recovery; Mouse; Neuron (Horie, H.) **377,** 246

Maturation; Aging; Fibronectin receptor; Tissue culture; Neuron; Cytofluorometry (Kawasaki, Y.) **397,** 185

Dorsal root reflex
γ-Aminobutyric acid; Spinal cord; Primary afferent depolarization; Motoneuron; Benzodiazepine (Duchen, M.R.) **379,** 182

Dorsal spinocerebellar tract
Ventral spinocerebellar tract; Spinal cord; Cerebellum; Cutaneous input (Kim, J.H.) **369,** 125

Dorsal vagal nucleus
Thyrotropin-releasing hormone; Nucleus of the solitary tract; Raphe nucleus; Immunohistochemistry; Medullary transection (Palkovits, M.) **373,** 246

Dorsal ventricular ridge
Intrinsic neuron; Local circuit neuron; Relay cell; Reptile; Thalamus (Pritz, M.B.) **376,** 169

Dorsolateral frontal cortex
Nucleus basalis magnocellularis; Horseradish peroxidase; Subcortical nucleus; Rat (Haring, J.H.) **366,** 152

Dorsolateral funiculus
Periaqueductal gray; Nucleus raphe dorsalis; Viscerointercostal reflex; Galvanic skin reflex; Naloxone; Cat (Sonoda, H.) **369,** 91

Pain; Morphine analgesia; Dorsal horn convergent neuron; Bulbo-spinal control (Chitour, D.) **377,** 397

Dorsolateral pontine tegmentum
Circling behavior; Locus ceruleus; Nigrostriatal system; Dopamine receptor; Noradrenaline (Matsuoka, S.) **398,** 253

Dorsolateral prefrontal cortex
Dopamine; Iontophoresis; Visual reaction time task; Monkey (Sawaguchi, T.) **371,** 404

Dorsomedial medulla oblongata
Catecholamine; Cholecystokinin; Coexistence; Synapse; Solitary tract (Kubota, Y.) **370,** 343

Dot blot hybridization
Phenylethanolamine *N*-methyltransferase; Immunochemical titration; Strain difference; Adrenal gland; Medulla oblongata; Messenger ribonucleic acid (Park, D.H.) **372,** 185

Double immunocytochemistry
3,3′-Diaminobenzidine; Benzidine dihydrochloride (Bolam, J.P.) **397,** 279

Double label
Inferior olive; Serotonin; Immunohistochemistry (Bishop, G.A.) **399,** 369

Double label immunocytochemistry
Peroxidase–antiperoxidase; Colloidal gold; Tyrosine hydroxylase; Glutamic acid decarboxylase; Synaptic interaction; Rhesus hypothalamus (Thind, K.K.) **383,** 215

Double labeling
α-Motoneuron; Cytochrome oxidase; [^{3}H]Wheat germ agglutinin; Spinal cord (Mjaatvedt, A.E.) **368,** 178

Superior colliculus; Rat; Intralaminar thalamus; Projection neuron; Patch; Autoradiography (Yamasaki, D.S.G.) **378,** 223

Subfornical organ; Midbrain raphe system; Angiotensin; Serotonin; Immunohistochemistry; Tract tracing (Lind, R.W.) **384,** 250

Double staining
Electron microscopic study; Substance P; Calcitonin gene-related peptide; Solitary nucleus (Morishima, Y.) **379,** 157

Double-immunogold labeling
Electron microscopy; Corticoliberin; Met-Enk-8; Coexistence; Median eminence; Rat (Hisano, S.) **370,** 321

Double-label fluorescence method
Spinoannular tract; Spinomesencephalic tract; Spinoreticular tract; Ascending spinal system; Axon collaterals of spinal neuron (Pechura, C.M.) **374,** 357

Down-regulation
Benzodiazepine receptor; Chronic bupropion; Bupropion metabolite (Smith, T.M.) **367,** 385

Anoxia; Adenosine; Receptor; Hippocampus; Cyclohexyladenosine (Lee, K.S.) **380,** 155

Drinking
Angiotensin II; Hypertonic saline; Isoproterenol; Polyethylene glycol; Sinoaortic baroreceptor deafferentation; Water deprivation (Rettig, R.) **370,** 29

Central osmoreceptor; Preoptic area; Lateral hypothalamus; Pigeon; Angiotensin II (Thornton, S.N.) **377,** 96

Brain angiotensin II receptor; Mineralocorticoid hormone; Deoxycorticosterone acetate; Aldosterone; Blood pressure; Neurona cell culture (Wilson, K.M.) **382,** 87

Angiotensin II; Vasopressin; Circumventricular organ; Hypothalamus; Cardiovascular regulation (Gutman, M.B.) **382,** 119

Drinking behavior
Subfornical organ; Tachykinin; Bombesin; Angiotensin; Hypovolemic thirst; Hyperosmotic thirst; Pigeon (Massi, M.) **381,** 289

Drug effect
Choline uptake; Hemicholinium-3 binding; Cholinergic nerve activity; Cortex; Striatum (Lowenstein, P.R.) **381,** 191

Dual pathway
Cold afferent; Trigeminal subnucleus caudalis; Medial ventroposterior nucleus; Preoptic/anterior hypothalami area; Cold sensation; Temperature regulation (Kawahara, K.) **378,** 61

DuP 701
Parkinsonism; Monkey; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-(1-methylpyrrol-2-yl)-4-piperidinol; Substantia nigra (Wilkening, D.) **368,** 239

Dura
Blood vessel; Trigeminal nucleus; Periaqueductal gray region; Pain; Electrophysiology (Strassman, A.) **379,** 242

Dwarf gourami
Retinopetal projection; Ganglion cell Nervus terminalis; Cobaltic lysine; Anabantoid fish (Oka, Y.) **367,** 341

Dye coupling
Insect; Neurosecretory cell; Electrical coupling; Gap junction; Freeze fractur (Orchard, I.) **397,** 359

Dye marking
Identified neuron; Common inhibitor; Electrophysiological mapping; Brachyuran; *Carcinus maenas* (Moffett, S.B.) **366,** 388

Dynorphin
Amygdala; Kindling; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Cholecystokinin; Hippocampus; Substantia nigra; Epilepsy; Limbic system (Iadarola, M.J.) **365,** 185

Substantia nigra; Opiate receptor; Basal ganglion (Lavin, A.) **369,** 298

Substance P; Co-occurrence; Striatonigral; Striatopallidal; Basal ganglion; Bird; Reptile (Reiner, A.) **371,** 155

Cerebrospinal fluid; β-Endorphin; Enkephalin; Proenkephalin (Nyberg, F.) **371,** 278

β-Endorphin; Arcuate nucleus; Diurna

rhythm; Food intake; Water intake; Deprivation; Naloxone (Millan, M.J.) **381,** 29

Enkephalin; Coexistence; Dorsal gray commissure; Lumbosacral spinal cord (Sasek, C.A.) **381,** 8

Neurohypophysis; Opioid receptor; Autoradiography; Kappa (Herkenham, M.) **382,** 365

Dopamine; Striatonigral pathway (Li, S.) **398,** 390

Corticotropin-releasing factor; β-Endorphin; In vitro release (Nikolarakis, K.E.) **399,** 152

Dynorphin (dynorphin A)
Opioid peptide; Leumorphin (dynorphin B-29); β-Endorphin; Hypothalamus; Multiple opioid receptor; Sexual behavior (lordosis); Estrous cycle (Suda, M.) **374,** 236

Dynorphin A
Opioid peptide; Food intake; Naloxone; Enkephalin, D-Ala^2,D-Leu^5; β-Endorphin; Localization; Paraventricular nucleus (Gosnell, B.A.) **369,** 177

Haloperidol; Clozapine; Dynorphin B; Substance P; Basal ganglion (Nylander, I.) **380,** 34

Dynorphin A_{1-8}
Opioid peptide; Prodynorphin system; Proenkephalin system; Met-enkephalin-Arg^6-Gly^7-Leu^8; Human brain; Basal ganglia; Huntington's disease (Seizinger, B.R.) **378,** 405

Opioid receptor; Food deprivation; Zucker rat (Tsujii, S.) **399,** 200

Dynorphin B
Haloperidol; Clozapine; Dynorphin A; Substance P; Basal ganglion (Nylander, I.) **380,** 34

Dynorphin $_{1-13}$
Stroke; Opiate binding; Dopamine; γ-Aminobutyric acid (Kuroda, H.) **379,** 68

Dysautonomia
Neuronotropic; Fibroblast; Nerve growth factor; Tissue culture; Sensory neuron (Wrathall, J.R.) **364,** 23

Dystonia
Deep cerebellar nucleus; Glutamic acid decarboxylase; Interpositus nucleus; Fastigial nucleus; Dentate nucleus (Oltmans, G.A.) **385,** 148

Dystonic
Noradrenaline; Cerebellum (McKeon, T.W.) **366,** 89

Dystrophic mouse
Sodium channel; Monoclonal antibody; Sciatic nerve; Abnormal myelination (Meiri, H.) **384,** 355

E

Early experience
Olfactory bulb development; Neural plasticity; 2-Deoxyglucose; Norway rats (Coopersmith, R.) **371,** 400

Brain laterality; Hemispheric difference; Unilateral neocortical lesion; Muricide; Rat; Split brain; Early social experience (Denenberg, V.H.) **397,** 327

Early social experience
Brain laterality; Hemispheric difference; Unilateral neocortical lesion; Early experience; Muricide; Rat; Split brain (Denenberg, V.H.) **397,** 327

Eastern chipmunk
Dorsal lateral geniculate nucleus; Ipsilateral retinal projection; Wheatgerm agglutinin-horseradish peroxidase; Lamination (Fukuda, Y.) **384,** 373

Eating
Naloxone; Pimozide; Feeding; Opioid (Wise, R.A.) **368,** 62

Naloxone; Pimozide; Feeding; Opioid; Hypothalamus (Jenck, F.) **375,** 331

Ectostriatum
Tectofugal visual system; Monocular deprivation; Cell size; Plasticity; Bird (Herrmann, K.) **379,** 143

Edinger–Westphal nucleus
Cholecystokinin; Nociceptive neuron; Rat (Innis, R.B.) **363,** 230

[Asu^{1,7}]Eel calcitonin
Lateral hypothalamus; Glucose-sensitive neuron; Feeding behavior; Serotonergic mechanism; Noradrenergic mechanism; Cyclic adenosine monophosphate (Shimizu, N.) **367,** 128

Eel electroplax
Sciatic nerve; Sodium channel; Monoclonal antibody; Immunofluorescence; Mobility (Meiri, H.) **368,** 188

Efference copy
Electric fish; Plasticity; Mormyridae (Bell, C.C.) **369,** 29

Efferent branching fiber
Frog labyrinth; Efferent vestibular system; Efferent control; Efferent inhibition; Efferent facilitation (Valli, P.) **362,** 92

Efferent control
Frog labyrinth; Efferent vestibular system; Efferent inhibition; Efferent facilitation; Efferent branching fiber (Valli, P.) **362,** 92

Efferent facilitation
Frog labyrinth; Efferent vestibular system; Efferent control; Efferent inhibition; Efferent branching fiber (Valli, P.) **362,** 92

Efferent inhibition
Frog labyrinth; Efferent vestibular system; Efferent control; Efferent facilitation; Efferent branching fiber (Valli, P.) **362,** 92

Efferent neuron
γ-Aminobutyric acid; Immunocytochemistry; Cochlea; Olivocochlear; Video enhanced microscopy (Fex, J.) **366,** 106

Afferent neuron; Pharynx; Dog; Horseradish peroxidase (Hudson, L.C.) **374,** 413

Efferent projection
Corticotropin releasing factor; Amygdaloid complex; Cobalt-enhanced immunohistochemistry (Sakanaka, M.) **382,** 213

Efferent vestibular system
Frog labyrinth; Efferent control; Efferent inhibition; Efferent facilitation; Efferent branching fiber (Valli, P.) **362,** 92

Egg-laying behavior
Aplysia californica; Neuropeptide; Gene expression; Recombinant deoxyribonucleic acid (Shyamala, M.) **371,** 49

Ejaculation
Noradrenaline; Serotonin; Sexual behavior; *N*-2-Choloethyl-*N*-ethyl-2-bromobenzylaline; 5-Methoxy-*N*,*N*-dimethyltryptamine; Lisuride (Fernandez-Guasti, A.) **377,** 112

Elbow joint afferent
Labyrinth reflex; Neck reflex; Reflex excitability; Decerebrate cat (Baxendale, R.H.) **377,** 41

Electric field
Hippocampal slice; Epilepsy; Penicillin (Bawin, S.M.) **399,** 194

Electric fish
Efference copy; Plasticity; Mormyridae (Bell, C.C.) **369,** 29

Electrical activity
Redox state; Cytochrome; Bullfrog brain; Scanning spectrophotometry; Vasoactive intestinal polypeptide (Kanno, T.) **369,** 275

Serotonin; Visual cortex; Organotypic culture; Development; Synaptogenesis; Rat (Chubakov, A.R.) **369,** 285

Substance P; Dorsal horn; Nociceptive stimulus; Axoplasmic transport; Formaldehyde (Kantner, R.M.) **385,** 282

Electrical coupling
Aging; Mollusc; Identified neuron (Janse, C.) **376,** 208

Insect; Neurosecretory cell; Dye

coupling; Gap junction; Freeze fracture (Orchard, I.) **397,** 359

Electrical property
Hypothalamoseptal pathway; Enkephalinergic neuron (Poulain, P.) **362,** 74

Spinal cord; Cervical motoneuron; Distal forelimb; Cat (Botterman, B.R.) **379,** 192

Electrical resistance of microvessels
Modulation of vascular permeability; Blood–brain barrier opening; Blood–brain barrier in hypoxia; Inhibition of endothelial metabolism; Glycolysis (Olesen, S.-P.) **368,** 24

Electrical stimulation
Amygdala; Pyriform cortex; Seizure; Aggressive behavior; Affective defense; Quiet attack (Brutus, M.) **366,** 53

Dopamine; Voltammetry; Mazindol; D-Phenmetrazine; β-Phenylethylamine; Striatum (Stamford, J.A.) **366,** 350

Ibotenic acid; 2-Amino-4-phosphonobutyric acid; Hippocampus; Inositol phospholipid (Iadorola, M.J.) **374,** 174

Blood pressure; A5 Noradrenergic nucleus; Pons; Rabbit (Woodruff, M.L.) **379,** 10

Neurointermediate lobe; Melanocyte-stimulating hormone; Calcium dependence; Tetrodotoxin; Mouse (Taraskevich, P.S.) **379,** 390

Regional cerebral blood flow; Centromedian-parafascicular complex (Mraovitch, S.) **380,** 42

Caudate nucleus; Dopamine release; In vivo voltammetry; Dopamine uptake (Kuhr, W.G.) **381,** 168

Striatum; Dopamine; Voltammetry; Carbon fiber microelectrode (Stamford, J.A.) **381,** 351

Growth hormone; Basolateral amygdala; Lesion; Periventricular hypothalamic nucleus; Stria terminalis (Koibuchi, N.) **382,** 104

Reinnervation; Denervated muscle; Contractile property; Endplate morphometry; Isometric twitch tension (Eberstein, A.) **384,** 304

Collision method; Circling; Lateral head movement; Rostromedial tegmentum; Superior colliculus; Medial pons (Tehovnik, E.J.) **385,** 329

Electroacupuncture
Morphine; Enkephalin; Analgesia; Naloxone; Thiorphan; Bestatin; Nucleus accumbens (Jin, W.-Q.) **380,** 317

Electrochemical detection
Cat spinal cord; Serotonergic system; Morphine; Nucleus raphe magnus (Suzuki, Y.) **398,** 413

Electroconvulsive shock
Seizure; Footshock; Analgesia; Opioid; Mouse (Pavone, F.) **366,** 326

Antinociception; Opiate receptor; Spinopetal pathway; Noradrenaline; Serotonin (Furui, T.) **367,** 162

Electrocorticogram
Serotonin; 5-Hydroxytryptamine; *p*-Chlorophenylalanine; Rhythmical slow activity; Low voltage fast activity; Dementia (Vanderwolf, C.H.) **374,** 342

Electroencephalogram
Axial muscle; Reticular formation; Pudendal nerve; Lordosis; Electromyogram (Sullivan, J.M.) **368,** 197

Cross-circulation; Brain; Thyrotropin-releasing hormone; Vagal efferent activity (Tonoue, T.) **378,** 394

Thalamus; Trigeminal main sensory nucleus; Somatosensory neuron (Kanosue, K.) **379,** 90

Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Freely moving rat; Immobilized rat; Pentylenetetrazole-induced seizure (Yokoi, I.) **385,** 212

Rabies virus; Sleep; Spectral analysis; Immunofluorescence (Gourmelon, P.) **398,** 128

Electroencephalographic alteration
Scrapie; Rat; Inoculation route; Neuropathological lesion (Bassant, M.-H.) **383,** 397

Electroencephalography
Monkey; Epilepsy; Cerebral cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Immunocytochemistry; Morphology (Houser, C.R.) **383,** 129

Hippocampus; Sharp wave; Unit activity; Behavior; Cellular burst; Epileptic transient; Long-term potentiation (Buzsáki, G.) **398,** 242

Electrolyte balance
Atrial natriuretic peptide; Rat brain nucleus anteroventral third ventricle; Radioimmunoassay; Fluid balance (Zamir, N.) **365,** 105

Electrolyte homeostasis
Atrial natriuretic peptide; Cardiovascular system; Interpeduncular nucleus (Standaert, D.G.) **382,** 163

Electrolytic lesion
Nucleus tractus solitarii; Pressor response; Vasopressin antagonist; Vasopressin (Kubo, T.) **363,** 183

Circling behavior; Colchicine; 6-Hydroxydopamine; Apomorphine; Methamphetamine (Kamata, K.) **367,** 1

Hypertension; Brain; Dopamine; Spontaneously hypertensive rat; Uptake-inhibition; Substantia nigra; Ventral tegmental area; 6-Hydroxydopamine (Van den Buuse, M.) **368,** 69

Tryptamine; Tryptophan; Dopamine; Noradrenaline; Substantia nigra; Pargyline; Striatum; Hypothalamus (Juorio, A.V.) **371,** 385

Electromyogram
Balance; Posture; Stroke; Reflex (Di Fabio, R.P.) **363,** 257

Axial muscle; Reticular formation; Pudendal nerve; Lordosis; Electroencephalogram (Sullivan, J.M.) **368,** 197

Co-contraction; Reciprocal inhibition; Maximum voluntary contraction (Tyler, A.E.) **370,** 171

Electromyographic activity
Wrist muscle; Step-tracking movement; Agonist; Antagonist; Movement direction (Hoffman, D.S.) **367,** 287

Electromyography
Trigeminal nerve; Masticatory muscle; Silent period; Blink reflex (Cruccu, G.) **371,** 298

Bethanechol; Muscimol; Muscular rigidity; Neostriatum; *N*-Methylscopolamine; Substantia nigra (Schwarz, M.) **373,** 365

Human arm movement; Perturbation (Brown, S.H.) **377,** 311

Rigidity; Catatonia; Alfentanil; Methylnaloxonium; Nucleus raphe pontis; Caudate nucleus (Blasco, T.A.) **386,** 280

Electron microscope
Spinal motoneuron; Axon collateral; Dorsal root ganglion; Horseradish peroxidase (Kayahara, T.) **376,** 299

Electron microscopic immunocytochemistry
Substance P; Arginine vasopressin; Paraventricular nucleus; Synapse; Rat (Heike, Y.) **369,** 341

Electron microscopic study
Double staining; Substance P; Calcitonin gene-related peptide; Solitary nucleus (Morishima, Y.) **379,** 157

Electron microscopy
Enkephalin, Met-; Immunohistochemistry; Substantia nigra; Monkey (Inagaki, S.) **362,** 171

Ventrolateral nucleus; Fast pyramidal tract neuron; Synaptic linkage; Motor cortex (Liu, X.) **362,** 189

Synaptic vesicle; Horseradish peroxidase; Sympathetic ganglion (Parducz, A.) **362,** 375

Spinal cord; Cat; Horseradish peroxidase; Intracellular staining; Spinocervical tract; Postsynaptic dorsal column system (Maxwell, D.J.) **363,** 199

γ-Aminobutyric acid; Hippocampus; Immunoreactivity; Peroxidase–antiperoxidase (Gamrani, H.) **364,** 30

Rat duodenum; Brunner's gland cell; Endocrine cell; Receptosome; Lysosome; Mucopeptide synthesis; Adrenocorticotropin (Wolter, H.J.) **367,** 141

Interaction; Tyrosine hydroxylase; Enkephalin; Neostriatum; Rat (Kubota, Y.) **367,** 374

Cholinergic synapse; Choline acetyltransferase; Immunocytochemistry; Transplantation; Hippocampus (Clarke, D.J.) **369,** 151

Arcuate nucleus; Median eminence; Immunocytochemistry; Growth hormone-releasing factor; Rat (Ibata, Y.) **370,** 136

Double-immunogold labeling; Corticoliberin; Met-Enk-8; Coexistence; Median eminence; Rat (Hisano, S.) **370,** 321

Synaptosome isolation; Percoll; Biochemical marker; Viability (Dunkley, P.R.) **372,** 115

Nucleus olfactoretinalis; Nervus terminalis; Cytoarchitecture; Synaptic organization; Fiber connection; Teleost (Matsutani, S.) **373,** 126

Microwave irradiation; Magnetic field; Light microscopy; Tissue structural integrity (Ikarashi, Y.) **373,** 182

Rat sciatic nerve; Neuroma; Node of Ranvier; Voltage clamp (Brismar, T.) **378,** 347

Neuroanatomical technique; Golgi technique; Retina (Zimmerman, R.P.) **383,** 287

Human arachnoid villus; Superior sagittal sinus; Lateral lacuna; Extracellular cistern; Cerebrospinal fluid (Yamashima, T.) **384,** 68

Rat cerebellum; Immunohistochemistry; Western blotting; Gel electrophoresis; Purkinje cell; Climbing fiber; Synaptic connection (Pasteels, J.L.) **384,** 294

Thalamic reticular nucleus; γ-Aminobutyric acid; Immunocytochemistry; Rat; Immunogold staining (De Biasi, S.) **399,** 143

Electroolfactogram
Septal organ; Organ of Masera; Olfactory epithelium; Olfactory receptor; Odor response map; Mammalian nasochemoreception (Marshall, D.A.) **366,** 329

Electrophoresis
Lateral hypothalamus; Single neuron activity; Monkey; Morphine; Naloxone; Reward (Oomura, Y.) **365,** 335

Electrophoresis, two-dimensional
Schwann cell; Cell culture; Myelin synthesizing enzyme; Schwann cell protein; Inherited neuropathy; Trembler mouse (White, F.V.) **381,** 85

Electrophysiological mapping
Identified neuron; Common inhibitor; Dye marking; Brachyuran; *Carcinus maenas* (Moffett, S.B.) **366,** 388

Electrophysiology
Hippocampus; Microiontophoresis; Acetylcholine; Aging; Rat (Haigler, H.J.) **362,** 157

Noradrenaline; Uptake; 6-Hydroxydopamine; Hippocampus (Yasuda, R.P.) **367,** 121 Pineal; Intracellular recording; Patch-clamp; Voltage-clamp; Noradrenaline (Freschi, J.E.) **368,** 366

Olfaction; Salamander; Supporting cell; Intracellular recording (Trotier, D.) **374,** 205

Dopamine; Neuromodulation; Striatum; Iontophoresis (Chiodo, L.A.) **375,** 198

Dopamine; Striatum; Spontaneous activity; 6-Hydroxydopamine (Orr, W.B.) **376,** 20

Neuron caudal ventrolateral medulla; Paraventricular nucleus; Baroreceptor; Vagus nerve; Clonidine; Rat (Kannan, H.) **376,** 342

Entorhinal cortex; Subiculum; Inhibition; Amygdala (Colino, A.) **378,** 416

Dura; Blood vessel; Trigeminal nucleus; Periaqueductal gray region; Pain (Strassman, A.) **379,** 242

Haloperidol; Butaclamol; Cell culture; Spontaneously generated action potential (Heyer, E.J.) **382,** 404

Noradrenaline; Modulation; Aging; Climbing fiber; Cerebellum (Bickford, P.C.) **385,** 405

Olfactory receptor cell; Mouse (Sicard, G.) **397,** 405

Dopamine; Striatum; 6-Hydroxydopamine; Behavioral recovery (Nisenbaum, E.S.) **398,** 221

Eledoisin
Substance P; Neurokinin A; Substance K; Physalaemin; Tail-flick test; Intrathecal administration; Nociception (Cridland, R.A.) **381,** 93

Autoradiography; Tachykinin receptor; Substance P; Neuropeptide; Brain receptor (Danks, J.A.) **385,** 273

ELISA
Cerebral cortex; Immunohistochemistry; In vitro; Neurofilament monoclonal antibody; Oxygen tension; Regeneration; Tissue culture (Kaplan, F.S.) **384,** 199

Embryology
Evolution; Enkephalin; Immunocytochemistry; Inhibition; Peptide; Radioimmunoassay; Spinal cord (Maderdrut, J.L.) **377,** 29

Embryonic glycoprotein
Rat hippocampus; Memory and learning; Goldfish brain protein; Behavioral plasticity; Immunohistofluorescence staining; Plasticity of the CNS; Pyramidal cell culture (Schmidt, R.) **386,** 245

Emotion
Classical conditioning; Autonomic nervous system; Lateral hypothalamus; Ibotonic acid (Iwata, J.) **368,** 161

Medial geniculate body; Amygdala; Classical conditioning (Iwata, J.) **383,** 195

Emotional facial innervation
Facial nucleus; Orbicularis oculi muscle; Blink reflex; Voluntary facial innervation; Medullary lateral tegmental field; Pretectum; Red nucleus (Holstege, G.) **374,** 306

Emotional learning
Medial geniculate body; Classical conditioning; Ibotenic acid (LeDoux, J.E.) **371,** 395

Endocrine cell
Rat duodenum; Brunner's gland cell; Receptosome; Lysosome; Mucopeptide synthesis; Adrenocorticotropin; Electron microscopy (Wolter, H.J.) **367,** 141

Endocytosis
Asialoglycoprotein; Retrograde axonal transport; Receptor; Endogenous lectin; Trigeminal neuron; Dorsal root ganglia neuron; Mouse (Gustafsson, M.) **367,** 14

Endogenous analgesia
Pregnancy; Pain; Endogenous opioid (Dahl, J.L.) **373,** 316

Endogenous antipyresis
Fever; Pyrogen; Arginine vasopressin; Oxytocin; Ventral septal area (Naylor, A.M.) **385,** 156

Endogenous dopamine
Ethanol; Calcium channel; Striatal synaptosome; Dopamine release (Leslie, S.W.) **368,** 174

Endogenous dopamine release
Endogenous noradrenaline release; Dopamine; Noradrenaline; Striatum; Hypothalamus; Nomifensine; Calcium; Rat (Okuma, Y.) **363,** 47

Endogenous factor
α-Bungarotoxin; Acetylcholine; Nicotinic receptor; Muscle cell culture (Quik, M.) **374,** 395

Endogenous lectin
Asialoglycoprotein; Retrograde axonal transport; Endocytosis; Receptor; Trigeminal neuron; Dorsal root ganglia

neuron; Mouse (Gustafsson, M.) **367,** 14

Endogenous ligand
α-Bungarotoxin; Chromaffin cell culture; Nicotinic receptor; Adrenal medulla (Quik, M.) **372,** 11

Endogenous noradrenaline
Ethanol; Calcium uptake; Norepinephrine release; Synaptosome (Daniell, L.C.) **377,** 18

Endogenous noradrenaline release
Endogenous dopamine release; Dopamine; Noradrenaline; Striatum; Hypothalamus; Nomifensine; Calcium; Rat (Okuma, Y.) **363,** 47

Endogenous opiate antagonist
Vasopressin; Thyrotropin-releasing hormone; Morphine; Non-opiate antinociception (Watkins, L.R.) **362,** 308

Endogenous opioid
Pregnancy; Pain; Endogenous analgesia (Dahl, J.L.) **373,** 316

Endogenous opioid system
Arthritic rat; Writhing behavior; Counter irritation; Pain (Calvino, B.) **370,** 191

Endogenous pyrogen
Fever; Temperature regulation; Brain metabolism; Deoxyglucose technique (Morimoto, A.) **381,** 100

Endoneurial capillary
Sciatic nerve; Sucrose; Permeability; Paracellular pathway; Blood–nerve barrier; Frog; Perineurium (Weerasuriya, A.) **375,** 150

Endoneurial hypoxia
Experimental diabetic neuropathy; Oxygen supplementation; Endoneurial lipid biosynthesis (Yao, J.K.) **362,** 362

Endoneurial lipid biosynthesis
Experimental diabetic neuropathy; Endoneurial hypoxia; Oxygen supplementation (Yao, J.K.) **362,** 362

Endopiriform nucleus
Frontal cortex; Insular cortex; Olfactory cortex; Piriform cortex; Solitary nucleus; Olfactory bulb; Periaqueductal gray; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

Endorphin
Antinociception; Quaternary naloxone; Tail-flick; Stress; Footshock; Analgesia (Chance, W.T.) **380,** 394

α-Endorphin
γ-Endorphin; Pituitary gland; Schizophrenia; Amino acid composition; Pro-opiomelanocortin Messenger ribonucleic acid; Primer extension technique; Pro-opiomelanocortin cDNA (Bovenberg, R.A.L.) **376,** 29

β-Endorphin
Ethanol; Corticotropin; Corticotropin-releasing factor; Vasopressin; Calcium; Corticosterone; Pituitary (Keith, L.D.) **367,** 222

Opioid peptide; Food intake; Naloxone; Dynorphin A; Enkephalin, D-Ala^2,D-Leu^5; Localization; Paraventricular nucleus (Gosnell, B.A.) **369,** 177

Cerebrospinal fluid; Dynorphin; Enkephalin; Proenkephalin (Nyberg, F.) **371,** 278

Opioid peptide; Leumorphin (dynorphin B-29); Dynorphin (dynorphin A); Hypothalamus; Multiple opioid receptor; Sexual behavior (lordosis); Estrous cycle (Suda, M.) **374,** 236

Corticotropin-releasing factor; Corticotropin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

α-Melanocyte-stimulating hormone; Medulla oblongata; Nucleus tractus solitarius; Post-translational processing; Acetylation; Mammalian central nervous system (Dores, R.M.) **377,** 251

[D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin; Morphine; Plasma catecholamine; Paraventricular nucleus; Nucleus of the solitary tract; Central sympathetic outflow; Heart rate; Mean arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Pro-opiomelanocortin; α-Melanocyte-stimulating hormone; Adrenocorticotrophic hormone; Peptide, 16K; Spinal cord; Descending fiber; Rat (Tsou, K.) **378,** 28

Ethanol dependence; Brain; Withdrawal; Pituitary; α-Melanotropin; Adrenocorticotropin; Corticosterone (Wilkinson, C.W.) **378,** 107

Dynorphin; Arcuate nucleus; Diurnal rhythm; Food intake; Water intake; Deprivation; Naloxone (Millan, M.J.) **381,** 29

Rat duodenum; Myenteric plexus; Receptosome; Lyosome; Immunoelectron microscopy (Wolter, H.J.) **381,** 121

Stress; Brain biogenic amine; Neuroendocrine function; Foot-shock analgesia (Rosecrans, J.A.) **382,** 71

Arcuate nucleus; Lesion; Naltrexone; Non-opioid analgesia; Opioid analgesia; Stress-induced analgesia; Time-dependent (Kelsey, J.E.) **382,** 278

Cerebral blood flow; Cerebral blood volume; Cerebral blood flow autoregulation; Opioid peptide; Naloxone (Sándor, P.) **386,** 122

Corticotropin-releasing factor; Dynorphin; In vitro release (Nikolarakis, K.E.) **399,** 152

β-Endorphin-γ-globulin
Corticotropin-releasing factor; β-Endorphin; Corticotropin; Corticotropin-releasing factor-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

γ-Endorphin
α-Endorphin; Pituitary gland; Schizophrenia; Amino acid composition; Pro-opiomelanocortin Messenger ribonucleic acid; Primer extension technique; Pro-opiomelanocortin cDNA (Bovenberg, R.A.L.) **376,** 29

Endothelium
Fenestration; Capillaries; Cationic ferritin; Blood–brain barrier (Schmidley, J.W.) **363,** 265

Vesicle; Rapid freeze; Pial vessel; Meninges; Frog; Capillary (Latker, C.H.) **375,** 186

Monoclonal antibody; Brain microvasculature; Blood–brain barrier; Kidney proximal tubule; Bile canaliculus (Michalak, T.) **379,** 320

Catechol-O-methyltransferase; High performance liquid chromatography; Immunocytochemistry; Cerebromicrovascular culture; Smooth muscle cell (Spatz, M.) **381,** 363

Cerebrum; Microvessel; Epidermal growth factor; Platelet-derived growth factor (Robinson, R.A.) **384,** 114

Endplate
Acetylcholine ionophoresis; Choline; Curare; Desensitization (Sterz, R.) **385,** 99

Endplate morphometry
Electrical stimulation; Reinnervation; Denervated muscle; Contractile property; Isometric twitch tension (Eberstein, A.) **384,** 304

Energetics
Glial cell; Amino acid; Neurotransmitter; Energy parameter; Ion; Ion gradient (Erecinska, M.) **369,** 193

Energy parameter
Glial cell; Amino acid; Neurotransmitter; Energetics; Ion; Ion gradient (Erecinska, M.) **369,** 193

Met-Enk-8
Electron microscopy; Double-immunogold labeling;

Corticoliberin; Coexistence; Median eminence; Rat (Hisano, S.) **370,** 321

Enkephalin
Serotonin; Coexistence; Raphe nucleus; Cat (Léger, L.) **362,** 63

Interaction; Tyrosine hydroxylase; Neostriatum; Electron microscopy; Rat (Kubota, Y.) **367,** 374

Cerebrospinal fluid; β-Endorphin; Dynorphin; Proenkephalin (Nyberg, F.) **371,** 278

Proenkephalin; Synthesis; Neuronal activity (Glass, J.) **372,** 180

Calcitonin gene-related peptide; Diamidino yellow; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Embryology; Evolution; Immunocytochemistry; Inhibition; Peptide; Radioimmunoassay; Spinal cord (Maderdrut, J.L.) **377,** 29

Glucoreceptive neuron; Ventromedial hypothalamic nucleus; Immunohistochemistry; Ultrastructure; Rat (Inagaki, S.) **378,** 420

Coexistence; Serotonin; Superior cervical ganglion; Immunocytochemistry; Guinea pig (Kanagawa, Y.) **379,** 377

Electroacupuncture; Morphine; Analgesia; Naloxone; Thiorphan; Bestatin; Nucleus accumbens (Jin, W.-Q.) **380,** 317

Dynorphin; Coexistence; Dorsal gray commissure; Lumbosacral spinal cord (Sasek, C.A.) **381,** 8

Neuropeptide; Gonadotropin-releasing hormone; Molluscan cardioexcitatory peptide (FMRFamide); Retinal ganglion cell; Terminal nerve (Walker, S.E.) **384,** 262

Neurotensin; Striatum; Caudate nucleus; Putamen; Immunohistochemistry; Coexistence; Cat (Sugimoto, T.) **398,** 195

Ventromedial hypothalamic nucleus; Midbrain; Central gray matter; Rat; Immunocytochemistry; Projection (Yamano, M.) **398,** 337

Opioid; Hippocampus; Dentate gyrus; Field potential; Population spike; Perforant path (Wiesner, J.B.) **399,** 404

[D-Ala^2,NMe-Phe^4,Gly-ol^5]-Enkephalin
β-Endorphin; Morphine; Plasma catecholamine; Paraventricular nucleus; Nucleus of the solitary tract; Central sympathetic outflow; Heart rate; Mean arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Enkephalin generation
Acetylcholinesterase; Peptidase; Chromogranin; Hydrolysis (Ismael, Z.) **376,** 230

Enkephalin, D-Ala^2,D-Leu^5
Opioid peptide; Food intake; Naloxone; Dynorphin A; β-Endorphin; Localization; Paraventricular nucleus (Gosnell, B.A.) **369,** 177

Enkephalin, Met-
Immunohistochemistry; Substantia nigra; Monkey; Electron microscopy (Inagaki, S.) **362,** 171

Enkephalinergic neuron
Hypothalamoseptal pathway; Electrical property (Poulain, P.) **362,** 74

γ-Enolase
Distribution; Immunohistochemistry; Human embryo; Development (Shinohara, H.) **382,** 33

Entorhinal
Hippocampus; Claustrum; Long-term potentiation (Wilhite, B.L.) **365,** 54

Entorhinal cortex
Amygdala efferent; Neurophysiology; Dentate gyrus; Rat; Intracellular recording (Finch, D.M.) **370,** 273

Subiculum; Inhibition; Amygdala; Electrophysiology (Colino, A.) **378,** 416

Long-term potentiation; Dentate gyrus; Septum; Cooperativity; Learning and memory (Robinson, G.B.) **379,** 56

Facilitation; Depression; Paired-pulse; Septum; Dentate gyrus (Robinson, G.B.) **379,** 63

Subicular efferent; Hippocampal efferent; Neurophysiology; Rat; Intracellular recording (Finch, D.M.) **397,** 205

Kindling; Chronic desmethylimipramine; Central nervous system adaptation (Applegate, C.D.) **398,** 121

Entorhinal lesion
Nerve growth factor; Hippocampal slices; Conditioned medium (Crutcher, K.A.) **399,** 383

Entrainment
Circadian rhythm; Suprachiasmatic nucleus; Pineal gland (Duncan, M.J.) **369,** 326

Enucleation
Choline acetyltransferase; Goldfish; Immunocytochemistry; Interneuron; Optic tectum; Type XIV cell (Tumosa, N.) **370,** 365

Environmental enrichment
Neural transplant; Acetylcholine; Acetylcholinesterase; Cortex; Hippocampus; Septum; Nucleus basalis magnocellularis; Fimbria-fornix; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Enzyme immunoassay
α-Melanocyte stimulating hormone; Extrahypophyseal distribution; Human brain; Alzheimer's disease; Senile dementia (Arai, H.) **377,** 305

Calcineurin; Immunohistochemistry; Cerebral hemitransection; Striatonigral pathway; Pallidal pathway (Goto, S.) **397,** 161

Enzyme-linked immunosorbent assay
Noradrenaline; Glutaraldehyde; Antibody; Rat brain; Locus ceruleus; Immunocytochemistry (Geffard, M.) **363,** 395

Ephaptic transmission
Axonal swelling; Glial cell; β,β′-Iminodipropionitrile; Motoneuron; Neurofilament; Paranodal demyelination; Synapse (Gold, B.G.) **362,** 205

Ephemeral cortical pattern
Barrel field cortex; Cortical development; Glial fibrillary acidic protein immunocytochemistry; Glial fibrillary acidic protein; Radial glia; Astrocyte; Cortical pattern development; Radial glia associated topography (Cooper, N.G.F.) **380,** 341

Epidermal growth factor
Endothelium; Cerebrum; Microvessel; Platelet-derived growth factor (Robinson, R.A.) **384,** 114

Epiglottis
Calcitonin gene-related peptide; Capsaicin; Pharynx; Retrograde tracing; Tongue (Terenghi, G.) **365,** 1

Epilepsy
γ-Aminobutyric acid; Photosensitivity; *Papio papio*; Cerebrospinal fluid; Taurine; Amino acid; Monoamine (Lloyd, K.G.) **363,** 390

Amygdala; Kindling; Dynorphin; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Cholecystokinin; Hippocampus; Substantia nigra; Limbic system (Iadarola, M.J.) **365,** 185

Quaking mutant; Locus coruleus lesion (Maurin, Y.) **366,** 379

Trimethyltin; Neuropathology; Seizure; Epileptic brain damage; Hippocampus; Rat (Sloviter, R.S.) **367,** 169

γ-Aminobutyric acid; Hippocampus; Kainate (Ashwood, T.J.) **367,** 390

Magnetoencephalography; Penicillin; Interictal spike; Cellular electrophysiology; Neocortex (Barth, D.S.) **368,** 36

Hippocampus; Hippocampal slice; γ-Aminobutyric acid; γ-Aminobutyric acid uptake; γ-Aminobutyric acid receptor agonist; Cis-4-hydroxy-nipecotic acid;

4,5,6,7-Tetrahydroisoxazolo[4,5-c]-pyridine-3-ol (Korn, S.J.) **368,** 247

Seizure; Convulsion; Kindling; Substantia nigra; Catecholamine; Amygdala; Rat (Albala, B.J.) **370,** 388

Anticonvulsant; 2-Amino-5-phosphonovalerate; γ-D-Glutamylglycine; 3-Hydroxy-2-quinoxalinecarboxylic acid (Frenk, H.) **373,** 222

Kindling; Audiogenic seizure; Hippocampal formation; Genetically epilepsy-prone rat (Savage, D.D.) **376,** 412

Calmodulin; Calmodulin kinase II; Kindling; Phosphorylation (Goldenring, J.R.) **377,** 47

N-Methyl-D-aspartate; Striatum; Kindling (Cavalheiro, E.A.) **377,** 173

Baclofen; Hippocampus; Anticonvulsant; Brain slice; Focal paroxysm (Ogata, N.) **377,** 362

Rat; Hippocampus; CA3; Physiology; Septotemporal; Potassium; Bursting (Bragdon, A.C.) **378,** 169

Opioid receptor; Seizure; Gerbil; Autoradiography (Lee, R.J.) **380,** 76

Substance P; Tachykinin; Substantia nigra; Seizure; Maximal electroshock; Bicuculline; Anticonvulsant (Garant, D.S.) **382,** 372

Monkey; Cerebral cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Immunocytochemistry; Morphology; Electroencephalography (Houser, C.R.) **383,** 129

Non-opioid antitussive; Dextromethorphan; Carbetapentane; Diphenylhydantoin; Anticonvulsant (Tortella, F.C.) **383,** 314

Synaptic plasma membrane; Phase transition; Fluidity; Paramagnetic resonance (Nelson, L.) **386,** 32

Kindling; Cyclic guanosine monophosphate; Cyclic adenosine monophosphate; Habituation (Wasterlain, C.G.) **397,** 345

Pilocarpine; Scopolamine; Diazepam; Seizure; L-Glutamic acid decarboxylase; Brain damage (Turski, L.) **398,** 37

Penicillin; Hippocampal slice; Synchrony; Synaptic potential; Burst discharge (Schneiderman, J.H.) **398,** 231

Hippocampal slice; Penicillin; Electric field (Bawin, S.M.) **399,** 194

Epileptic afterdischarge
Hippocampal kindling; Antiepileptic drug evaluation; Seizure; Microcephaly; Rat (Majkowski, J.) **386,** 325

Epileptic brain damage
Trimethyltin; Neuropathology; Seizure; Epilepsy; Hippocampus; Rat (Sloviter, R.S.) **367,** 169

Epileptic transient
Hippocampus; Electroencephalography; Sharp wave; Unit activity; Behavior; Cellular burst; Long-term potentiation (Buzsáki, G.) **398,** 242

Epileptiform activity
Penicillin; Monocular deprivation; Visual cortex; Kitten (Videen, T.O.) **371,** 1

Epithalamus
Combined immunocytochemistry and radioautography; γ-Aminobutyric acid; Serotonin; Supraependymal fiber; Rat (Harandi, M.) **370,** 241

Epitope
Glycolipid; Sulfated glucuronyl paragloboside; Myelin-associated glycoprotein; Immunoglobulin-M paraprotein; Monoclonal antibody; Polyneuropathy (Ilyas, A.A.) **385,** 1

EPTA stained synapse
Synaptic plasticity; Aging; Morphometry; Hippocampus; Aging of synaptic membranes (Bertoni-Freddari, C.) **366,** 187

Equation
A-current; Connor–Stevens; Ion current; Hodgkin–Huxley (De Schutter, E.) **382,** 134

Escape
Periaqueductal gray; Medial hypothalamus; Aversion; Morphine; Choice; Discrimination (Jenck, F.) **378,** 274

Escape behavior
Aversion; Brain stimulation; Local neuronal circuitry; Mesencephalon; Periaqueductal gray; Rat; Unit activity (Sandner, G.) **386,** 53

Second somatosensory cortex; Tooth pulp; Evoked potential; Nociception; Aδ nerve fiber (Chudler, E.H.) **397,** 47

***Escherichia coli* endotoxin**
Hypotension; Renal nerve discharge; Medullary pressor area; Blood pressure; Heart rate; Sympathetic nerve activity (Koyama, S.) **366,** 217

ESR spin probe
Vitamin E; Phospholipase; Fluorescent probe; Synaptic membrane; Membrane potential (Erin, A.N.) **398,** 85

Estradiol
Cyclic adenosine monophosphate; Estrous cycle; Hypothalamus; Norepinephrine; Progesterone (Etgen, A.M.) **375,** 385

Immunocytochemistry; Gonadotropin-releasing hormone; Ewe; Brain; Progesterone (Glass, J.D.) **381,** 336

Rabbit; Intrahypothalamic noradrenaline; Hypothalamic gonadotropin-releasing hormone; Luteinizing hormone; Follicle stimulating hormone (Francis Pau, K.-Y.) **399,** 15

Brain protein; Arcuate nucleus; Median eminence; Two-dimensional ge electrophoresis (Rodriguez-Sierra, J.F.) **399,** 379

Estradiol valerate
Arcuate nucleus; Synapse; Neuronal plasticity; Estrogen; Rat (Garcia-Segura, L.M.) **366,** 131

17β-Estradiol
Hypothalamus; Primate sexual behavior; Proceptivity; Receptivity; Marmoset (Kendrick, K.M.) **375,** 221

Estrogen
Morphine; Luteinizing hormone surge; Catechol turnover (Akabori, A.) **362,** 221

Naloxone; Luteinizing hormone surge; Prolactin surge; Progesterone (Akabori, A.) **362,** 55

Arcuate nucleus; Synapse; Neuronal plasticity; Estradiol valerate; Rat (Garcia-Segura, L.M.) **366,** 131

Monoamine (Renner, K.) **366,** 64

Rat; Feminine sexual receptivity; Cholinergic; Progesterone; RU 38486 (Richmond, G.) **373,** 159

Pulsatile secretion; Luteinizing hormone; Frequency; Dopamine (Tadokoro, Y.) **380,** 69

Vasopressin; Oxytocin; Lateral septum Bed nucleus of the stria terminalis; Paraventricular nucleus; Androgen; Testosterone (De Vries, G.J.) **399,** 296

Estrogen action
Progestin receptor; Noradrenergic transmission; Prazosin; Hypothalamus; Lordosis behavior; Guinea pig (Thornton, J.E.) **377,** 155

Estrogen binding
Estrogen receptor; Aging; Age-associated; Hypothalamus; Preoptic area; Anterior pituitary; Estrous cyclicity (Rubin, B.S.) **383,** 60

Estrogen receptor
Estrogen binding; Aging; Age-associated; Hypothalamus; Preoptic area; Anterior pituitary; Estrous cyclicity (Rubin, B.S.) **383,** 60

Estrous cycle
Opioid peptide; Leumorphin (dynorphin B-29); Dynorphin (dynorphin A); β-Endorphin; Hypothalamus; Multiple opioid receptor; Sexual behavior (lordosis) (Suda, M.) **374,** 236

Cyclic adenosine monophosphate; Estradiol; Hypothalamus; Norepinephrine; Progesterone

...togen. A.M.) **375,** 385

...ithium; Luteinizing hormone surge; ...roestrus; Follicle stimulating ...ormone; Plasma; Pituitary (Banerji, T.K.) **380,** 176

...erotonin binding; Cortex ...phouse, L.) **381,** 376

...ex dimorphism; Acetylcholine rhythm; ...entobarbital; Critical period ...gozi, Y.) **383,** 310

...-Adrenoceptor; Cerebral cortex; ...Hypothalamus; Rhinencephalon; ...ectomy (Bedran De Castro, J.C.) **384,** 11

...strous cyclicity ...strogen receptor; Estrogen binding; ...aging; Age-associated; Hypothalamus; ...reoptic area; Anterior pituitary (Rubin, B.S.) **383,** 60

...thanol
...-Endorphin; Corticotropin; ...orticotropin-releasing factor; ...asopressin; Calcium; Corticosterone; ...tuitary (Keith, L.D.) **367,** 222

...alcium channel; Endogenous ...opamine; Striatal synaptosome; ...opamine release (Leslie, S.W.) **368,** 174

...pioid peptide; Opiate receptor; ...Morphine; Analgesia; Fetal ethanol ...xposure; Prenatal ethanol exposure (Nelson, L.R.) **372,** 234

...alcium uptake; Norepinephrine ...elease; Endogenous norepinephrine; ...ynaptosome (Daniell, L.C.) **377,** 18

...nferior olive; Cerebellum; Ethanol ...etabolite; β-Carboline; Harmaline (Rogers, J.) **385,** 253

...xon; Action potential (Hochner, B.) **398,** 164

...thanol dependence
...-Endorphin; Brain; Withdrawal; ...tuitary; α-Melanotropin; ...drenocorticotropin; Corticosterone (Wilkinson, C.W.) **378,** 107

...thanol metabolite
...nferior olive; Cerebellum; Ethanol; ...-Carboline; Harmaline (Rogers, J.) **385,** 253

...thanol withdrawal syndrome
...Deoxyglucose; Postwithdrawal ...ecovery (Eckardt, M.J.) **366,** 1

...thidium bromide
...Amacrine cell; Japanese dace; ...Dopamine; Intracellular response; ...Morphology (Chino, Y.M.) **372,** 323

...thyl 5-benzyloxy-4-methoxymethyl ...-carboline-3-carboxylate (ZK ...1296)
...-Carboline; Anxiety; Exploration; ...Motor activity; Rat (Pellow, S.) ...63, 174

Ethyl gallate
Crayfish; Nervous system; Osmium; Silver impregnation (Leise, E.M.) **367,** 265

Ethylcholine aziridinium
Choline; Cholinotoxin; Neuron; Cell culture; Neurotoxin; Glial cell; Neuroglia (Davies, D.L.) **378,** 251

Ethylcholine aziridinium ion
Acetylcholine; Nucleus basalis of Meynert; Alzheimer's disease (Kozlowski, M.R.) **372,** 45

Ethylketocyclazocine
Receptor, β-; Mr 2266; Naltrexone; Phencyclidine; Stereotyped behavior (Nabeshima, T.) **378,** 234

***N*-Ethylcarboxamidoadenosine**
Adenosine; Xanthine; Autoradiography; Receptor; Cyclohexyladenosine (Lee, K.S.) **368,** 394

Adenosine; Receptor; Autoradiography; Striatum; *N*-Ethylmaleimide (Reddington, M.) **399,** 232

***N*-Ethylmaleimide**
Adenosine; Receptor; *N*-Ethylcarboxamidoadenosine; Autoradiography; Striatum (Reddington, M.) **399,** 232

Etorphine radioligand binding assay
Opiate receptor; Restraint stress; Morphine; Naloxone; Rat brain; Receptor down-regulation (Hnatowich, M.R.) **380,** 107

Euthermia
Dihydromorphine; Opioid binding; Hibernation; Hippocampus; Cortex; Autoradiography; Ground squirrel (Beckman, A.L.) **386,** 223

Evoked activity
Hippocampus; Monosialoganglioside GM1; In vitro (Wieraszko, A.) **371,** 305

Evoked potential
Hippocampus; Cellular activity; Depth profile; Tooth pulp stimulation; Acoustic response; Behavior (Brankaćk, J.) **378,** 303

Second somatosensory cortex; Tooth pulp; Nociception; Escape behavior; Aδ nerve fiber (Chudler, E.H.) **397,** 47

Evoked release
2-(4-Phenylpiperidino)cyclohexanol; Miniature endplate potential; Acetylcholine transport inhibitor; Synaptic vesicle; Mouse phrenic nerve (Whitton, P.S.) **385,** 189

Evolution
Embryology; Enkephalin; Immunocytochemistry; Inhibition; Peptide; Radioimmunoassay; Spinal cord (Maderdrut, J.L.) **377,** 29

Evolution of spike-wave complex
Topographical analysis; Spike morphology; Automated analysis (Lemieux, J.F.) **373,** 275

Ewe
Immunocytochemistry; Gonadotropin-releasing hormone; Brain; Estradiol; Progesterone (Glass, J.D.) **381,** 336

Excitability
Striatum; Substantia nigra; Frontal cortex; Dopamine; Glutamic acid (Chavez-Noriega, L.) **379,** 300

Excitation
Nucleus accumbens; Ventromedial mesencephalic tegmentum; Inhibition; Dopamine; Haloperidol; Sulpiride (Le Douarin, C.) **363,** 290

Excitatory amino acid
Chick spinal cord neuron; Tissue culture; Patch clamp (Vyklický, L.) **363,** 148

Receptor; Olfactory cortex (Collins, G.G.S.) **371,** 9

Horizontal cell; Retina; Intracellular recording (Ariel, M.) **372,** 143

Anesthetic; Pentobarbital; Kainate; L-Aspartate; Voltage-dependent block (Miljkovic, Z.) **376,** 396

Seizure; γ-Aminobutyric acid; Bicuculline; Acetylcholine; *n*-Methyl-D-aspartate; Glutamate; 2-Amino-7-phosphonohepatanoic acid (Piredda, S.) **377,** 205

2-Amino-4-phosphonobutyrate; Prepyriform cortex slice; Kynurenic acid; Lateral olfactory tract; Synaptic antagonist (Hearn, T.J.) **379,** 372

Hippocampal slice; Synaptic field potential; Glutamate analogue; Extracellular recording; Quisqualate; 2-Amino-4-phosphonobutanoate; Sensitization (Robinson, M.B.) **381,** 187

Lateral septum; Kynurenic acid; *p*-Bromobenzoyl-piperazine-2,3-dicarboxylic acid; Intracellular recording; Synaptic transmission; Fimbria (Stevens, D.R.) **382,** 437

N-Methyl-D-aspartate; Hypoxia; Calcium; Hippocampal slice (Ashton, D.) **385,** 185

Thalamus; Exploratory activity; Catalepsy; Excitatory amino acid antagonist (Klockgether, T.) **399,** 1

Glutamate; Acromelic acid; Quisqualate; Domoic acid; Kainate; Crayfish (Shinozaki, H.) **399,** 395

Excitatory amino acid antagonist
3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; *N*-Methyl-D-aspartate receptor; Binding site; Anticonvulsant; Spinal cord (Davies, J.) **382,** 169

Thalamus; Exploratory activity; Catalepsy; Excitatory amino acid (Klockgether, T.) **399,** 1

Excitatory amino acid receptor
Glutamate; *N*-Methyl-D-aspartate; Hippocampus; Alzheimer's disease (Geddes, J.W.) **399,** 156

Excitatory interneuron
Tongue-muscle motoneuron; Hypoglossal motoneuron; Glossopharyngeal nerve; Optic tectum; Prey-catching behavior; Rejecting behavior; Toad (Matsushima, T.) **365,** 198

Excitatory postsynaptic potential
Optic tectum; Synaptic transmission; Retinal afferent (Leresche, N.) **365,** 138

Excitotoxin
N-Methyl-D,L-aspartic acid; Lesion; Basal forebrain; Cholineacetyltransferase; Immunohistochemistry; Rat (Stewart, G.R.) **369,** 377

Quinolinic acid; Glial fibrillary acidic protein; Astrocyte; Gliosis; Huntington's disease (Björklund, H.) **371,** 267

Exercise
Antiserum; Reflex cardiovascular control; Spinal cord; Muscle afferent (Kaufman, M.P.) **377,** 199

Blood pressure control; Opiate receptor; Spinal cord; Muscle afferent (Pomeroy, G.) **381,** 385

Exocytosis
Cyclic adenosine 3′,5′-monophosphate; Neuronal electrical and secretory activity; Caudo-dorsal cell; *Lymnaea stagnalis* (Buma, P.) **380,** 26

Experimental allergic encephalomyelitis
Regional cerebral blood flow; Iodoantipyrine; Quantitative autoradiography; Spatial resolution (Juhler, M.) **363,** 272

Ventral root exit zone; Demyelination; Conduction block; Lewis rat; Hindlimb weakness (Pender, M.P.) **367,** 398

Experimental autoimmune encephalomyelitis
Glial fibrillary acidic protein; Prazosin; Reactive astrocyte; α_1-Adrenoceptor; Vimentin (Goldmuntz, E.A.) **397,** 16

Experimental diabetic neuropathy
Endoneurial hypoxia; Oxygen supplementation; Endoneurial lipid biosynthesis (Yao, J.K.) **362,** 362

Experimental epilepsy
Kindling; Low-frequency stimulation; Cat; Amygdala (Minabe, Y.) **385,** 201

Experimental neuropathy
Motor neuron; Rapid axonal transport; *p*-Bromophenylacetylurea; Peripheral neurotoxicology (Nagata, H.) **385,** 136

Exploration
Ethyl 5-benzyloxy-4-methoxymethyl β-carboline-3-carboxylate (ZK 91296); β-Carboline; Anxiety; Motor activity; Rat (Pellow, S.) **363,** 174

Exploratory activity
Thalamus; Catalepsy; Excitatory amino acid; Excitatory amino acid antagonist (Klockgether, T.) **399,** 1

Extinction
Frontal cortex damage; Recovery of function; Benzodiazepine; Sensorimotor; Critical period; Anticonvulsant (Schallert, T.) **379,** 104

Extinction behavior
Haloperidol; Lateral septum; High-affinity choline uptake; Hippocampus; CA1 pyramidal cell excitability; Mouse (Durkin, T.) **376,** 420

Extracellular accumulation
Potassium; Hippocampus (Aitken, P.G.) **369,** 163

Extracellular calcium concentration
Valproate; Hippocampus; Rat; Neuronal excitability; Extracellular potassium concentration; Spontaneous epileptiform activity (Franceschetti, S.) **386,** 1

Extracellular cistern
Human arachnoid villus; Superior sagittal sinus; Lateral lacuna; Cerebrospinal fluid; Electron microscopy (Yamashima, T.) **384,** 68

Extracellular electric field
Hippocampal slice; Neuronal excitability (Bawin, S.M.) **362,** 350

Extracellular electrophysiology
Cerebral neocortical culture; Functional development; Subcortical influence; Columnar organization (Leiman, A.L.) **365,** 205

Extracellular fluid
Brain dialysis; Hippocampus; Amino acid; Neurotransmitter (Lerma, J.) **384,** 145

Extracellular potassium concentration
Valproate; Hippocampus; Rat; Neuronal excitability; Extracellular calcium concentration; Spontaneous epileptiform activity (Franceschetti, S.) **386,** 1

Extracellular recording
Hypothalamic slice; Growth hormone releasing factor; Paraventricular nucleus; Phasic activity (Poulain, P.) **371,** 355

Hippocampal slice; Synaptic field potential; Glutamate analogue; Excitatory amino acid; Quisqualate; 2-Amino-4-phosphonobutanoate; Sensitization (Robinson, M.B.) **381,** 187

Extracellular space
Development; Pedicle; Spherule; Synaptic ribbon (Maslim, J.) **373,** 35

Extracellular unit recording
Locomotor activity; Amphetamine-induced activity; Hypothalamic/preoptic area; Cholinergic system; Carbachol; Mesencephalic locomotor region; Rat (Brudzynski, S.M.) **376,** 47

Extracerebral circulation
Trigeminal ganglion; Vasodilatation; *Macaca nemestrina* (Goadsby, P.J.) **381,** 63

Extrahypophyseal distribution
α-Melanocyte stimulating hormone; Human brain; Alzheimer's disease; Senile dementia; Enzyme immunoassay (Arai, H.) **377,** 305

Extra hypothalamic area
Adrenalectomy; α_1-Noradrenoceptor; α_2-Noradrenoceptor; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus; Feeding behavior (Jhanwar-Uniyal, M.) **368,** 404

Eye
Cholecystokinin; Substance P; Co-existence; Guinea pig; Trigeminal ganglion; Immunohistochemistry (Kuwayama, Y.) **381,** 266

Eye lesion
Retina repair; Peripheral nerve implant (Turner, J.E.) **376,** 246

Eye movement
Vestibulo-ocular reflex; Optokinetic reflex; Goldfish; Vestibulo-ocular reflex gain; Oculomotor system (Schairer, J.O.) **373,** 177

Cervico-ocular reflex; Vestibulo-ocular reflex; Absent vestibular function; Compensatory mechanism (Bronstein, A.M.) **373,** 399

Simultaneous unitary recording; Superior colliculus (Infante, C.) **381,** 390

Optokinetic nystagmus; Scotopic vision; Central scotoma; Fovea; Peripheral retina (Van Die, G.C.) **383,** 185

Superior colliculus; Tecto-reticulo-spinal; Head movement (Munoz, D.P.) **398,** 185

Eye protection
Retractor bulbus; Autoradiography; Blink reflex; Nictitating membrane response; Conditioning (Holstege, G.) **374,** 321

Eye–head coordination
Passive head rotation; Man; Vestibulo-ocular reflex inhibition; Gaze position encoding (Pelisson, D.) **380,** 397

F

F_1 offspring of SHR × WKY
Volume loading; Hypoalgesia; Tail flick; Spontaneously hypertensive rat (SHR); Wistar Kyoto normotensive rat (Randich, A.) **363,** 178

Face-rub response
Trigeminal nucleus; Nociception; Arousal; Organization; Syringobulbia (Broton, J.G.) **397,** 1

Facial lobe
Trigeminal nerve; Facial nerve; Taste; Tactile; Somatosensation (Kiyohara, S.) **379,** 353

Facial motor nucleus
Axon regeneration; Somatotopical organization; Adult; Neonatal; Retrograde axonal transport; Horseradish peroxidase (Aldskogius, H.) **375,** 126

Facial nerve
Trigeminal nerve; Facial lobe; Taste; Tactile; Somatosensation (Kiyohara, S.) **379,** 353

Blink reflex; Facial reflex; Brainstem; Trigeminal nucleus; Trigeminal nerve; Facial nucleus; Cat (Tamai, Y.) **380,** 19

Neuroanatomy; Sympathetic nervous system; Trigeminal nerve; Greater superficial petrosal nerve; Auricular branch of vagus nerve (Matthews, B.) **382,** 55

Trigeminal nerve; Motor nucleus; Jaw muscle; Hagfish; Retrograde horseradish peroxidase transport (Kishida, R.) **385,** 263

Facial neuron
Nucleoplasm; Ribonucleoprotein; Interchromatin granule; Chromatin; Development (Jones, K.J.) **377,** 119

Facial nucleus
Spinal cord; Inferior olivary nucleus; Spinal trigeminal nucleus (Nakano, K.) **372,** 338

Orbicularis oculi muscle; Blink reflex; Emotional facial innervation; Voluntary facial innervation; Medullary lateral tegmental field; Pretectum; Red nucleus (Holstege, G.) **374,** 306

Blink reflex; Facial reflex; Brainstem; Trigeminal nucleus; Trigeminal nerve; Facial nerve; Cat (Tamai, Y.) **380,** 19

Facial reflex
Blink reflex; Brainstem; Trigeminal nucleus; Trigeminal nerve; Facial nucleus; Facial nerve; Cat (Tamai, Y.) **380,** 19

Facilitation
Locus coeruleus; Monosynaptic reflex; Noradrenergic neurotransmission; Rat (Chan, J.Y.H.) **369,** 103

Depression; Paired-pulse; Entorhinal cortex; Septum; Dentate gyrus (Robinson, G.B.) **379,** 63

Secretion; Neurosecretion; Calcium; Cooperativity; Arginine vasopressin; Neurohypophysis; Mouse (Wolfe, S.A.) **399,** 190

Faglu fluorescence
Catecholamine; Spinal cord; Cell culture; Immunohistochemistry (Mariani, A.P.) **376,** 335

False precursor
N-Amino-*N*,*N*-dimethylaminoethanol; Cholinergic false transmitter; Passive avoidance behavior; Animal model; Cholinergic dysfunction (Newton, M.W.) **373,** 197

Fasciculus retroflexus
Cerebral dopaminergic transmission; Stria medullaris; Habenular nucleus; Raphe nucleus; Acetylcholine; Opioid peptide; Substance P (Nishikawa, T.) **373,** 324

Fasciola cinerea
Homotypic sprouting; Serotonin; Raphe nucleus; Hippocampus; Immunocytochemistry; 5,7-Dihydroxytryptamine (Zhou, F.C.) **373,** 337

Fast blue
Wheatgerm agglutinin–horseradish peroxidase; Fast blue labelling collateral; Fast blue fibre labelling; WGA-HRP fibre labelling; Pons; Pontine pyramidal collateral; Diamidino yellow retrograde neuronal labelling (Ugolini, G.) **365,** 211

Retinal ganglion cell; Recrossed retinotectal projection; Horseradish peroxidase; Nuclear yellow; Rat (Jen, L.S.) **377,** 368

Fast blue fiber labelling
Fast blue; Wheatgerm agglutinin–horseradish peroxidase; Fast blue labelling collateral; WGA-HRP fibre labelling; Pons; Pontine pyramidal collateral; Diamidino yellow retrograde neuronal labelling (Ugolini, G.) **365,** 211

Fast blue labelling collateral
Fast blue; Wheatgerm agglutinin–horseradish peroxidase; Fast blue fibre labelling; WGA-HRP fibre labelling; Pons; Pontine pyramidal collateral; Diamidino yellow retrograde neuronal labelling (Ugolini, G.) **365,** 211

Fast excitatory postsynaptic potential
Kynurenate; *Cis*-2,3-Piperidine dicarboxylate; γ-D-Glutamylglycine; 2-Amino-5-phosphonovalerate; Concentration–effect curve (Langdon, R.B.) **398,** 169

Fast motor unit
Slow motor unit; Synaptic transmission; Neurotransmitter release; Tetanic potentiation; Post-tetanic potentiation (Lev-Tov, A.) **363,** 379

Fast phase optokinetic nystagmus
Human evoked potential; Saccade; Cortical laterality; Movement directionality (Ignocheck, A.) **384,** 94

Fast pyramidal tract neuron
Ventrolateral nucleus; Synaptic linkage; Motor cortex; Electron microscopy (Liu, X.) **362,** 189

Fastigial nucleus
Cholinergic vasodilation; Cerebral blood flow; Atropine (Iadecola, C.) **368,** 375

Deep cerebellar nucleus; Glutamic acid decarboxylase; Dystonia; Interpositus nucleus; Dentate nucleus (Oltmans, G.A.) **385,** 148

Cerebellum; Vagus nerve; Control of respiration; Control of circulation; Apneusis (Williams, J.L.) **399,** 224

Fatigue
Soleus muscle; Sustained isometric contraction (Kukulka, C.G.) **362,** 47

Motor unit; Muscle spindle afferent; Information on motor unit contraction; Afferent gain increase (Christakos, C.N.) **365,** 388

Fatty acid
Phospholipase A_2; Conduction block; Myelin damage; Sciatic nerve; Lysophospholipid (Kasckow, J.W.) **373,** 384

Fatty acid synthesis
Ventromedial hypothalamus; Obesity; Brown adipose tissue; Noradrenaline; Chronic infusion (Shimazu, T.) **369,** 215

Fear behavior
Kainate; Avain (Phillips, R.E.) **377,** 216

Feeding
Naloxone; Pimozide; Eating; Opioid (Wise, R.A.) **368,** 62

Hypothalamus; Cholecystokinin release; Satiety; Push–pull perfusion (Schick, R.R.) **370,** 349

Single unit activity; Long term recording; Circadian rhythm; Lateral hypothalamic area; Freely behaving rat (Ono, T.) **373,** 92

Hypothalamus; Insulin; Hyperphagia; Obesity; Monosodium glutamate; Bipiperidyl mustard; Lesion (Scallet, A.C.) **374,** 380

Naloxone; Pimozide; Eating; Opioid; Hypothalamus (Jenck, F.) **375,** 331

Glucose homeostasis; α_2-Receptor binding; Paraventricular nucleus; Medial hypothalamus; Noradrenergic activity (Chafetz, M.D.) **384,** 404

Morphine; Ventral tegmental area;

Periaqueductal gray; Lateral hypothalamus (Jenck, F.) **399,** 24

Feeding and drinking
Kainate; Striatum; Body weight; Vasopressin (Sanberg, P.R.) **367,** 314

Feeding behavior
[Asu^{1,7}]Eel calcitonin; Lateral hypothalamus; Glucose-sensitive neuron; Serotonergic mechanism; Noradrenergic mechanism; Cyclic adenosine monophosphate (Shimizu, N.) **367,** 128

Adrenalectomy; α_1-Noradrenoceptor; α_2-Noradrenoceptor; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus; Extra-hypothalamic area (Jhanwar-Uniyal, M.) **368,** 404

Single neuron activity; Visual response; Learning; Lateral hypothalamic area; Monkey (Fukuda, M.) **374,** 249

Vasopressin; 2-Deoxy-D-glucose; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Carbohydrate appetite; Obesity; Stress-induced feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Amygdala; Single neuron activity; Glucose; Morphine; Monkey (Nakano, Y.) **399,** 167

Female rat
Gonadotropin-releasing hormone; Ventral tegmental area; A10 dopamine neurone; 6-Hydroxydopamine; Lordosis behaviour (Sirinathsinghji, D.J.S.) **374,** 167

Feminine sexual behavior
Medial preoptic lesion; Rat (Hennessey, A.C.) **370,** 21

Feminine sexual receptivity
Rat; Cholinergic; Progesterone; RU 38486; Estrogen (Richmond, G.) **373,** 159

Fenestration
Endothelium; Capillaries; Cationic ferritin; Blood–brain barrier (Schmidley, J.W.) **363,** 265

Fenfluramine
Serotonergic-myoclonic syndrome; Myoclonus; Serotonin neurotoxin; Behavioral supersensitivity; Locomotor activity; 5,7-Dihydroxytryptamine; *p*-Chloroamphetamine (Pranzatelli, M.R.) **364,** 67

Fenton reaction
Hydrogen peroxide; Hippocampus; Active oxygen; Hydroxyl free radical (Pellmar, T.) **364,** 377

Ferret
Sexual dimorphism; Preoptic area; Anterior hypothalamic area; Hypothalamus; Image analysis (Tobet, S.A.) **364,** 249

Progestin receptor; Progesterone; Sexual behavior; Pituitary (Baum, M.J.) **368,** 296

Olfactory bulb development; Olfactory granule cell; Odour imprinting (Rehn, B.) **373,** 114

Fetal ethanol exposure
Opioid peptide; Opiate receptor; Morphine; Ethanol; Analgesia; Prenatal ethanol exposure (Nelson, L.R.) **372,** 234

Fetal implant
Hippocampus; Maze performance; Behavioral recovery; Rat (Kimble, D.P.) **363,** 358

Fetal monoaminergic implant
Transected spinal cord; GM_1 ganglioside; Thyroxine; Hydrocortisone (Commissiong, J.W.) **380,** 205

Fever
Acute-phase reaction; Interleukin-1; Prostaglandin; Leukotriene; Preoptic-anterior hypothalamus (Mashburn, T.A.) **376,** 285

Temperature regulation; Endogenous pyrogen; Brain metabolism; Deoxyglucose technique (Morimoto, A.) **381,** 100

Pyrogen; Arginine vasopressin; Oxytocin; Ventral septal area; Endogenous antipyresis (Naylor, A.M.) **385,** 156

FG 7142
γ-Aminobutyric acidergic function; γ-Aminobutyric acid receptor (Corda, M.G.) **384,** 60

Fiber connection
Nucleus olfactoretinalis; Nervus terminalis; Cytoarchitecture; Synaptic organization; Electron microscopy; Teleost (Matsutani, S.) **373,** 126

Nucleus pretectalis superficialis; Nucleus intermedius; Optic tectum; Horseradish peroxidase; Fish; Homology (Murakami, T.) **373,** 213

Fiber-of-passage
Parametric; Selective lesion; Cobalt; Reversible inactivation; Lateral geniculate nucleus (Lee, C.) **364,** 396

Fibroblast
Dysautonomia; Neuronotropic; Nerve growth factor; Tissue culture; Sensory neuron (Wrathall, J.R.) **364,** 23

Fibronectin receptor
Maturation; Aging; Tissue culture; Dorsal root ganglion; Neuron; Cytofluorometry (Kawasaki, Y.) **397,** 185

Fictitious locomotion
Propriospinal neuron; Spinoreticulocerebellar pathway (Arshavsky, Y.I.) **363,** 354

Fictive locomotion
4-Aminopyridine; Rhythmic activity; Decerebrate cat; Spinal cat; Spinal cord; Chronic spinal rat; Cross-correlation (Dubuc, R.) **369,** 243

Locomotor movement; Forelimb; Cervical lateral funiculus; Decerebrate cat (Yamaguchi, T.) **379,** 125

Lamprey spinal cord; Magnesium ion; *N*-Methyl-D-aspartate receptor; Tetrodotoxin resistant membrane potential oscillation; Tetraethylammonium sensitive K^+-channel (Brodin, L.) **380,** 244

Field effect
Neuronal synchronization; Seizure; Seizure inhibition (Durand, D.) **382,** 139

Field effect depolarization
CA3 pyramidal neuron; Dentate granule cell; Transmembrane recording (Snow, R.W.) **367,** 292

Field potential
Acute lithium; Neurophysiology; Hippocampal slice; CA1 region (Rinaldi, P.C.) **375,** 302

Opioid; Enkephalin; Hippocampus; Dentate gyrus; Population spike; Perforant path (Wiesner, J.B.) **399,** 404

Filipin
Harmaline; 3-Acetylpyridine; Freeze-fracture; Cholesterol; Purkinje cell; Climbing fiber; Plasma membrane Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Fimbria
Excitatory amino acid; Lateral septum; Kynurenic acid; *p*-Bromobenzoyl-piperazine-2,3-dicarboxylic acid; Intracellular recording; Synaptic transmission (Stevens, D.R.) **382,** 437

Fimbria-fornix
Neural transplant; Acetylcholine; Acetylcholinesterase; Cortex; Hippocampus; Septum; Nucleus basalis magnocellularis; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Fink–Heimer method
Physiological neuronal death; Neonatal brain (Yamamoto, T.) **374,** 419

Fipexide
Striatal slice; Met-enkephalin release; Amphetamine (Lucchi, L.) **398,** 212

Fish
Nucleus pretectalis superficialis; Nucleus intermedius; Optic tectum; Fiber connection; Horseradish peroxidase; Homology (Murakami, T.) **373,** 213

Fish myelin
P_o myelin protein; Myelin proteolipid protein; Hydroxy fatty acid; Myelin lipid; Phylogeny; *Polypterus*; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Matthieu, J.-M.)

379, 137

Flavoprotein
Gerbil; Ischemia; Redox state mapping; Nicotinamide-adenine dinucleotide; Frozen brain; Brain circulation (Mayevsky, A.) **367,** 63

Flexor reflex afferent
Propriospinal pathway; Forelimb afferent; Hindlimb motoneuron (Schomburg, E.D.) **375,** 280

Floccular inhibition
Group y nucleus; Oculomotor nucleus; Cat (Yamamoto, F.) **371,** 350

Flow cytometry
Fluorescence-activated cell sorting; Neurophysin; Paraventricular nucleus; Supraoptic nucleus (Paden, C.M.) **376,** 310

Fluctuation, 1/*f*
Mesencephalic reticular formation; Sleep; Attention; Spike train analysis (Yamamoto, M.) **366,** 279

Fluid balance
Atrial natriuretic peptide; Rat brain nucleus anteroventral third ventricle; Radioimmunoassay; Electrolyte balance (Zamir, N.) **365,** 105

Fluid homeostasis
Subfornical organ; Two-dimensional gel electrophoresis; Radioamino acid incorporation into protein; Salt loading; Water deprivation; Autofluorography; Computerized scanning densitometry (Santer, D.M.) **372,** 107

Fluid regulation
Vasopressin; Neurohypophysectomy; Neural transplantation; Diabetes insipidus; Median eminence; Neurosecretory (Marciano, F.F.) **370,** 338

Fluidity
Synaptic plasma membrane; Phase transition; Paramagnetic resonance; Epilepsy (Nelson, L.) **386,** 32

Flunitrazepam
Benzodiazepine receptor; Acetylcholinesterase; Striosome; Striatum; Human (Faull, R.L.M.) **381,** 153

Fluorescence histochemistry
Neostriatum; Heterogeneity; Methamphetamine; Reserpine; Dopamine (Fukui, K.) **382,** 81

Fluorescence microscopy
Vasoactive intestinal polypeptide; Peripheral axotomy; Dorsal root ganglion; Sciatic nerve; Retrograde transport; Immunohistochemistry (Shehab, S.A.S.) **376,** 180

Fluorescence photobleaching recovery
Membrane fluidity; Lipid; Regeneration; Development; Aging; Tissue culture; Dorsal root ganglion; Mouse; Neuron (Horie, H.) **377,** 246

Fluorescence spectroscopy
Alzheimer's disease; Membrane alteration (Zubenko, G.S.) **385,** 115

Fluorescence-activated cell sorting
Flow cytometry; Neurophysin; Paraventricular nucleus; Supraoptic nucleus (Paden, C.M.) **376,** 310

Fluorescent double label
Paleospinothalamic tract; Spinothalamic collateral; Periaqueductal gray; Intralaminar thalamic nucleus; Spinal projection neuron; Intermediate gray; Nucleus of dorsolateral funiculus (Liu, R.P.C.) **365,** 145

Fluorescent dye
Sympathetic; Regeneration; Retrograde transport; Specificity; Axotomy (Hendry, I.A.) **376,** 292

Fluoro-gold; Retrograde tracer; Multiple label (Schmued, L.C.) **377,** 147

Bodian stain; Counterstaining method; Horseradish peroxidase; Neuroanatomical tracing (Sripanidkulchai, K.) **397,** 117

Fluorescent latex microsphere
Hypothalamic efferent; Retrograde fluorescent tracer; Amygdala; Cerebellum; Spinal cord (Dietrichs, E.) **364,** 241

Fluorescent lipopigment
Guanethidine; Guanacline; Sympathectomy; Species specificity (Johnson, E.M.) **383,** 100

Fluorescent probe
Vitamin E; Phospholipase; ESR spin probe; Synaptic membrane; Membrane potential (Erin, A.N.) **398,** 85

Fluorescent retrograde labeling
Histamine; Immunohistochemistry; Caudate–putamen complex; Premammillary region (Steinbusch, H.W.M.) **368,** 389

Fluorescent tracer
Cerebellar efferent; Axon collateral; Brachium conjunctivum; Rat (Bentivoglio, M.) **362,** 180

Decorticate; Development; Neonatal lesion (Kolb, B.) **397,** 315

Fluorescent tracing
Hemicerebellectomy; Cerebellar efferent; Axonal sprouting; Axonal branching; Plasticity; Rat (Molinari, M.) **372,** 1

Fluoro-gold
Retrograde tracer; Fluorescent dye; Multiple label (Schmued, L.C.) **377,** 147

Fluoroacetate
Acetate; Glia; Metabolism; Autoradiography (Muir, D.) **380,** 336

α-Fluoromethylhistidine
Footshock; Histamine; Tele-methylhistamine; Histamine turnover; Pargyline; Metoprine (Yoshitomi, I.) **362,** 195

Flupenthixol
Microiontophoresis; Dopamine; Activation (Mintz, I.) **375,** 172

Adenylate cyclase; Dopamine receptor; Culture; 1-Methyl-4-phenylpyridine receptor binding; Spiroperidol; Ventral mesencephalon (Heyer, E.J.) **377,** 54

Fluphenazine
Time-dependent sensitization; Catalepsy; Haloperidol; Neuroleptic; Stress (Antelman, S.M.) **385,** 58

Flurazepam
S1 cortex; Receptive field; Benzodiazepine; Ro 15-1788; Diazepam; Midazolam (Oka, J.-I.) **376,** 194

Focal axonal swelling
Monoclonal antibody; Cerebellum; Purkinje cell; Development (Gravel, C.) **363,** 325

Focal epilepsy
γ-Aminobutyric acid neuron; γ-Aminobutyric acid terminal; Monkey; Motor cortex (Ribak, C.E.) **363,** 78

Taurine; γ-Aminobutyric acid antagonism (Fariello, R.G.) **380,** 196

Focal paroxysm
Baclofen; Hippocampus; Epilepsy; Anticonvulsant; Brain slice (Ogata, N.) **377,** 362

Folate
Superior colliculus; Glutamate; Kainate; Quinolinate; Rat (Fosse, V.M.) **383,** 28

Follicle stimulating hormone
Lithium; Luteinizing hormone surge; Proestrus; Plasma; Pituitary; Estrous cycle (Banerji, T.K.) **380,** 176

Rabbit; Intrahypothalamic noradrenaline; Estradiol; Hypothalamic gonadotropin-releasing hormone; Luteinizing hormone (Francis Pau, K.-Y.) **399,** 15

Food approach
Sheep; Neuronal response; Lateral hypothalamus; Zona incerta; Sight of food; Food preference; Learning; Satiation (Kendrick, K.M.) **375,** 322

Food deprivation
Opioid receptor; Dynorphin A_{1-8}; Zucker rat (Tsujii, S.) **399,** 200

Food intake
Opioid peptide; Naloxone; Dynorphin A; Enkephalin, D-Ala^2,D-Leu^5; β-Endorphin; Localization; Paraventricular nucleus (Gosnell, B.A.) **369,** 177

β-Endorphin; Dynorphin; Arcuate nucleus; Diurnal rhythm; Water intake; Deprivation; Naloxone (Millan, M.J.) **381,** 29

Motivation; Water intake; Opioid; Morphine; Accumbens; Ventral tegmental area; Microinjection (Mucha, R.F.) **397,** 214

Body weight; Cycle; Hibernator; Hypothalamus; Recovery; Lesion (Mrosovsky, N.) **399,** 282

Food preference
Sheep; Neuronal response; Lateral hypothalamus; Zona incerta; Sight of food; Food approach; Learning; Satiation (Kendrick, K.M.) **375,** 322

Footshock
Histamine; Tele-methylhistamine; Histamine turnover; Pargyline; α-Fluoromethylhistidine; Metoprine (Yoshitomi, I.) **362,** 195

Seizure; Analgesia; Electroconvulsive shock; Opioid; Mouse (Pavone, F.) **366,** 326

Antinociception; Quaternary naloxone; Tail-flick; Stress; Endorphin; Analgesia (Chance, W.T.) **380,** 394

Histamine; Tele-methylhistamine; Naloxone; Histamine turnover; Brain (Yoshitomi, I.) **398,** 57

Footshock analgesia
Stress; Brain biogenic amine; β-Endorphin; Neuroendocrine function (Rosecrans, J.A.) **382,** 71

Footshock stress
[pGlu^5,MePhe^8,Sar^9]Substance P; Substance P; Dopamine neuron; Ventral tegmental area; Dopamine metabolite; Prefrontal cortex; Nucleus accumbens (Elliott, P.J.) **363,** 145

Self-stimulation; Ventral tegmental area; Naloxone; Methamphetamine (Kamata, K.) **371,** 197

Substance P; Substance K; Neuromedin K; Met-enkephalin; Leu-enkephalin; Ventral tegmental area (Bannon, M.J.) **381,** 393

Force coding
Somatosensory cortex; Precision grip; Single neuron; Motor cortex; Microstimulation; Conscious monkey (Wannier, T.M.J.) **382,** 427

Force rate
Voluntary force exertion; Ballistic contraction; Ramp contraction; Isometric force; Motor unit; Threshold force (Yoneda, T.) **372,** 89

Forearm and forepaw
Spinal cord; Somatotopic organization; Median nerve; Ulnar nerve; Horseradish peroxidase; Dog (Mutai, M.) **371,** 90

Forebrain
β_1-Adrenoceptor; α_1-Adrenoceptor; Mouse; Reeler; Midbrain (Goffinet, A.M.) **366,** 193

Vasopressin; Peptide biosynthesis; Body fluid balance; Circumventricular organ (Gruber, K.A.) **378,** 115

Forebrain nucleus
Refractory period; Brain stimulation reward; Medial forebrain bundle; Self-stimulation; Single unit recording; Lateral hypothalamus; Ventral tegmental area (Rompré, P.-P.) **364,** 338

Forelimb
Fictive locomotion; Locomotor movement; Cervical lateral funiculus; Decerebrate cat (Yamaguchi, T.) **379,** 125

Forelimb afferent
Propriospinal pathway; Flexor reflex afferent; Hindlimb motoneuron (Schomburg, E.D.) **375,** 280

Forelimb movement
Transneuronal transport; Wheat germ agglutinin; Horseradish peroxidase; Propriospinal neuron (Alstermark, B.) **376,** 387

Forelimb response
Microstimulation; Hemicerebellectomy; Plasticity; Motor cortex; Neonatal; Cerebellum (O'Donoghue, D.L.) **385,** 311

Formaldehyde
Substance P; Dorsal horn; Nociceptive stimulus; Axoplasmic transport; Electrical activity (Kantner, R.M.) **385,** 282

Formalin test
Awake rat; Dorsal column lesion; Stimulation of dorsal column nucleus; Nociception; Tail immersion test (Saadé, N.E.) **369,** 307

Fornix
Neurotensin; Human; Hippocampus; Subiculum; Mammillary body (Sakamoto, N.) **375,** 353

Fornix–fimbria lesion
Nerve growth factor; Central cholinergic neuron; Septohippocampal pathway; Cholinergic degeneration; Hippocampus; Septum (Gasser, U.E.) **376,** 351

Forskolin
Tuberoinfundibular dopaminergic neuron; Dihydroxyphenylalanine; Hypothalamic slice; Cyclic adenosine monophosphate (Arita, J.) **374,** 37

α-Adrenergic receptor; Cyclic adenosine monophosphate; Brain slice (Duman, R.S.) **384,** 391

Fourier transform
Peristimulus time histogram; Spike train analysis (Schild, D.) **369,** 353

Fovea
Optokinetic nystagmus; Eye movement; Scotopic vision; Central scotoma; Peripheral retina (Van Die, G.C.) **383,** 185

Fragment C of tetanus toxin
Transsynaptic transport; Immunohistochemical localization; Vestibulo-ocular pathway (Evinger, C.) **380,** 383

Free nerve ending
Glans penis; Sensory innervation; Pain; Genital end bulb; Simple corpuscle; Pacinian corpuscle; Ruffini corpuscle (Halata, Z.) **371,** 205

Freely behaving rat
Single unit activity; Long term recording; Circadian rhythm; Feeding; Lateral hypothalamic area (Ono, T.) **373,** 92

Freely moving animal
Dopaminergic neuron; Nucleus accumbens; In vivo voltammetry; Tail-pinch; Social interaction (Louilot, A.) **397,** 395

Freely moving cat
Locus coeruleus; Noradrenergic neuron; Behavior; Sensory stimulation (Rasmussen, K.) **371,** 324

Locus coeruleus; Noradrenergic neuron; Aversive conditioning; Appetitive conditioning; Diazepam; Yohimbine; Anxiety (Rasmussen, K.) **371,** 335

Freely moving rat
Locus ceruleus; Immobilization stress; Clonidine; Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Noradrenaline (Quintin, L.) **362,** 366

Locus coeruleus; Adrenoceptor; Yohimbine; Piperoxane; Clonidine; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Immobilized rat; Pentylenetetrazole-induced seizure; Electroencephalogram (Yokoi, I.) **385,** 212

Freeze fracture
Harmaline; 3-Acetylpyridine; Filipin; Cholesterol; Purkinje cell; Climbing fiber; Plasma membrane; Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Basic protein; Proteolipid; Myelin; Intramembrane particle; Liposome (Garcia-Segura, L.M.) **380,** 261

Insect; Neurosecretory cell; Electrical coupling; Dye coupling; Gap junction (Orchard, I.) **397,** 359

Freeze substitution
Axonal transport; Myelinated axon; Rapid freezing; Serial section; Node of Ranvier (Okamura, Y.) **383,** 146

Freezing
Nerve regeneration; Basal lamina; Meissner corpuscle; Lamellar cell; Schwann cell (Ide, C.) **384,** 311

Frequency
Pulsatile secretion; Luteinizing hormone; Estrogen; Dopamine (Tadokoro, Y.) **380,** 69

Frequency dependence
Phenytoin; Lamprey; Spinal cord; Axon; Action potential; Potassium (Adler, E.M.) **362,** 271

Frequency sensitivity
Cerebellum; Tuning; Tonotopic organization (Huang, C.-M.) **371,** 101

Frog
Innervation pattern; Tonotopical organization; Superior olivary nucleus; Horseradish peroxidase (Feng, A.S.) **364,** 167

Cochlear nucleus; Dorsal medullary nucleus; Innervation pattern; Horseradish peroxidase study (Feng, A.S.) **367,** 183

Endoneurial capillary; Sciatic nerve; Sucrose; Permeability; Paracellular pathway; Blood–nerve barrier; Perineurium (Weerasuriya, A.) **375,** 150

Vesicle; Rapid freeze; Pial vessel; Meninges; Capillary; Endothelium (Latker, C.H.) **375,** 186

Catecholamine; Insulin; Adrenocorticothyrotropic hormone; Quantal size; Neuromuscular junction (Van der Kloot, W.) **376,** 378

Taste response; Calcium; Sodium; Receptor site; Water fiber; Glossopharyngeal nerve (Kitada, Y.) **377,** 211

Taste response; Magnesium; Sodium; Multiple receptor site; Receptor protein; Glossopharyngeal nerve (Kitada, Y.) **380,** 172

Frog endplate
Acetylcholine iontophoresis; Pyridostigmine; Phospholine iodide; Desensitization (Bradley, R.J.) **376,** 199

Frog hypothalamus
Melanocyte-stimulating hormone; Immunofluorescence; High-performance liquid chromatography; Radioimmunoassay (Benyamina, M.) **366,** 230

Frog labyrinth
Efferent vestibular system; Efferent control; Efferent inhibition; Efferent facilitation; Efferent branching fiber (Valli, P.) **362,** 92

Frontal cortex
^{125}I-Lysergic acid diethylamide (^{125}I-LSD); Neostriatum; Serotonin receptor; Autoradiography; Receptor binding (Altar, C.A.) **372,** 130

Somatostatin; Dopamine; Release (Thal, L.J.) **372,** 205

Restraint stress; High-affinity choline uptake; Hippocampus; Naltrexone (Lai, H.) **372,** 366

Discrimination; Slow potential; Single unit; Rat (Rucker, H.K.) **376,** 368

Insular cortex; Olfactory cortex; Piriform cortex; Endopiriform nucleus; Solitary nucleus; Olfactory bulb; Periaqueductal gray; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

Excitability; Striatum; Substantia nigra; Dopamine; Glutamic acid (Chavez-Noriega, L.) **379,** 300

Frontal cortex damage
Recovery of function; Benzodiazepine; Sensorimotor; Critical period; Anticonvulsant; Extinction (Schallert, T.) **379,** 104

Frozen brain
Gerbil; Ischemia; Redox state mapping; Nicotinamide-adenine dinucleotide; Flavoprotein; Brain circulation (Mayevsky, A.) **367,** 63

Functional deficit
Brain injury; Local cerebral glucose utilization; Behavioral testing; Metabolic mapping (Colle, L.M.) **397,** 27

Functional development
Cerebral neocortical culture; Extracellular electrophysiology; Subcortical influence; Columnar organization (Leiman, A.L.) **365,** 205

Functional recovery
Neuronal degeneration; Brain reorganization; Thalamus morphology; Hemispherectomy (Villablanca, J.R.) **368,** 211

Functional system
Regional cerebral metabolic rate for glucose; Deoxyglucose; Rat; Correlation matrix; Brain (Soncrant, T.T.) **369,** 1

Furosemide
Astrocyte; Coupling ratio; Glial cell; Sodium-potassium pump; Ouabain; Potassium homeostasis; Sodium ion (Walz, W.) **368,** 226

G

Anti-GABA serum
Mouse barrel field; Immunocytochemistry (Chmielowska, J.) **368,** 371

$GABA_A$ receptor
Prolactin; Benzodizapine; Barbiturate (Anderson, R.A.) **371,** 287

$GABA_B$ receptor; Imipramine binding; 5,7-Dihydroxytryptamine lesion; Baclofen binding (Mennini, T.) **371,** 372

$GABA_B$ receptor
$GABA_A$ receptor; Imipramine binding; 5,7-Dihydroxytryptamine lesion; Baclofen binding (Mennini, T.) **371,** 372

Gabaculine
Amygdala kindling; γ-Aminobutyric acid; γ-Aminobutyric acid transaminase activity; Histochemistry (Itagaki, S.) **381,** 77

Gain change
Motor unit; Motor-unit fatigue; Muscle-afferent feedback; Reflex connection to motoneuron (Windhorst, U.) **398,** 181

Gait perturbation
Leg muscle electromyogram response; Motor control; Ballistic movement; Triphasic pattern (Dietz, V.) **362,** 355

Leg muscle electromyogram; Spinal reflex; Stumbling reaction; Motor control; Man (Dietz, V.) **384,** 166

Galactocerebroside
Schwann cell; Cyclic adenosine monophosphate; Myelination; Neuroglial proliferation (Sobue, G.) **362,** 23

Gallamine
N-Methylscopolamine; Multiple muscarinic receptor; Quantitative autoradiography; Pirenzepine; Rat brain (Cortés, R.) **362,** 227

Galvanic skin reflex
Periaqueductal gray; Nucleus raphe dorsalis; Viscerointercostal reflex; Dorsolateral funiculus; Naloxone; Cat (Sonoda, H.) **369,** 91

Ganglion
Aplysia; Synapse; Cerebrum; Neurotransmitter (Gaillard, W.D.) **373,** 311

Ganglion cell
Retinopetal projection; Nervus terminalis; Cobaltic lysine; Anabantoid fish; Dwarf gourami (Oka, Y.) **367,** 341

Retina; Serotonin antagonist; Ketanserin; LY-53857; Methysergide; Rabbit (Brunken, W.J.) **384,** 161

Ganglion cell dendritic orientation
Old-World monkey; Retinal ganglion cell; Human visual orientation perception; Orientation specificity (Schall, J.D.) **368,** 18

Ganglionic neuron
Sodium–potassium pump; Nerve growth factor; Ciliary neuronotropic factor; Phorbol ester (Skaper, S.D.) **386,** 130

Ganglionic transmission
Rat pelvic ganglion; Lucifer yellow; Intracellular recording; Intracellular labelling (Tabatabai, M.) **382,** 61

Ganglioside
ATPase, ($Na^+ + K^+$)-; Mitochondrion; Hippocampus (Bianchi, R.) **364,** 400

Glycolipid; Astrocyte; Gliosis; Murine cerebellar mutant (Levine, S.M.) **374,** 260

Retrograde cell degeneration; Basal nucleus; Choline acetyltransferase; Immunocytochemistry (Cuello, A.C.) **376,** 373

Nigrostriatum; Asymmetric rotation; Na^+,K^+-Adenosinetriphosphatase; GM1 ganglioside (Li, Y.S.) **377,** 292

Cerebellum; Cell migration; Automatic image analysis; Cell adhesion molecule; Glycosaminoglycans; Mouse (Lindner, J.) **377,** 298

Septal nucleus; Immunohistochemistry; Choline acetyltransferase; Retrograde degeneration (Sofroniew, M.V.) **398,** 393

Ganglioside storage disease
Axonal initial segment; Axon hillock; Cortical pyramidal neuron; Axonal spheroid; Meganeurite (Walkley, S.U.) **382,** 379

Gap junction
Giant fiber; Mauthner fiber; Pectoral fin adductor motoneuron; Lucifer yellow; Hatchetfish (Gilat, E.) **365,** 96

Insect; Neurosecretory cell; Electrical coupling; Dye coupling; Freeze fracture (Orchard, I.) **397,** 359

Gastric distention
Nucleus tractus solitarius; 2-Deoxyglucose; Vagus nerve; Rat (Gonzalez, M.F.) **369,** 395

Gastric motility
Medial frontal cortex; Infralimbic cortex; Rat; Neocortex; Microstimulation (Hurley-Gius, K.M.) **365,** 241

Nucleus tractus solitarii; Substance P; L-Glutamate; Acetylcholine; Arterial pressure (Spencer, S.E.) **385,** 371

Gastric ulceration
Noradrenaline; Corticosterone; Immobilization; Restraint; Stress (Bakke, H.K.) **368,** 256

Gastrin
Rat; Septal preoptic area; Unit activity; Cholecystokinin; Secretin; Vasoactive intestinal peptide (Akema, T.) **385,** 366

Gastrin-releasing peptide
Neurotensin; γ-Butyrolacton-γ-carbonyl-1-histidyl-1-prolinamide citrate; Dopamine; Norepinephrine; Rat hypothalamus (Kabayama, Y.) **372,** 394

Somatostatin; Regional distribution; Microdissection method; Hypothalamic nucleus; Rabbit (Kita, T.) **398,** 18

Gastropod mollusc
Olfaction; Cell renewal; Chemoreceptor cell; Thymidine; Autoradiography (Chase, R.) **384,** 232

Gaze position encoding
Passive head rotation; Man; Vestibulo-ocular reflex inhibition; Eye–head coordination (Pelisson, D.) **380,** 397

Gel electrophoresis
Rat cerebellum; Electron microscopy; Immunohistochemistry; Western blotting; Purkinje cell; Climbing fiber; Synaptic connection (Pasteels, J.L.) **384,** 294

Gel filtration chromatography
Somatostatin; Radioimmunoassay; Immunocytochemistry; Spinal cord; Sensory neuron; Cat (Tessler, A.) **370,** 232

Gene expression
Egg-laying behavior; *Aplysia californica*; Neuropeptide; Recombinant deoxyribonucleic acid (Shyamala, M.) **371,** 49

Generalized seizure
Anterior thalamus; Substantia nigra; Pentylenetetrazol; Maximal electroshock (Mirski, M.A.) **397,** 377

Generalized seizure
Anterior thalamus; Pentylenetetrazol; Muscimol; γ-Vinyl-γ-aminobutyric acid (Mirski, M.A.) **399,** 212

Genetic hypertension
Brain catecholamine; L-Dihydroxyphenylalanine accumulation; 4-Dihydroxyphenylacetic acid; Dopamine; Norepinephrine (Koulu, M.) **369,** 361

Substance P receptor; Neuropeptide; Cerebellum; Tachykinin (Shigematsu, K.) **370,** 383

Raphe nucleus; Locus coeruleus; Serotonin formation; Biogenic amine (Koulu, M.) **371,** 177

5-Hydroxyindoleacetic acid; Pargyline; 5-Hydroxytryptophan; Serotonin; Central cardiovascular control (Koulu, M.) **379,** 257

Genetic study
Acetylcholinesterase; Animal strain; Basal ganglion; Cholinergic system; Histochemistry; Microphotometry (Iacopino, C.) **374,** 402

Genetically epilepsy-prone rat
Epilepsy; Kindling; Audiogenic seizure; Hippocampal formation (Savage, D.D.) **376,** 412

Genetically spastic rat
Tizanidine; Yohimbine; Prazosin; Basal ganglion; Muscle tone (Turski, L.) **379,** 367

Geniculate afferent
Dark rearing; Visual cortex; Conduction failure; Dark-reared cat; Ocular dominance (Swindale, N.V.) **362,** 281

Geniculocortical afferent
Layer I; Monocular suture; Reverse suture; Visual cortex; Plasticity; Kitten (Kato, N.) **386,** 393

Genital end bulb
Glans penis; Sensory innervation; Pain; Free nerve ending; Simple corpuscle; Pacinian corpuscle; Ruffini corpuscle (Halata, Z.) **371,** 205

Gerbil
Ischemia; Redox state mapping; Nicotinamide-adenine dinucleotide; Flavoprotein; Frozen brain; Brain circulation (Mayevsky, A.) **367,** 63

Immunohistochemistry; Posterior communicating artery; Regional cerebral ischemia (Yamamoto, K.) **371,** 244

Auditory; Lesion; Neuron; Midbrain; Deafferentation (Moore, D.R.) **373,** 268

Opioid receptor; Seizure; Autoradiography; Epilepsy (Lee, R.J.) **380,** 76

Cerebral ischemia; Dendrite; Immunoelectron microscopy; Microtubule; Transmission electron microscopy (Yamamoto, K.) **384,** 1

Gerstmann–Sträussler syndrome
Congophilia; Amyloid deposit; Creutzfeldt–Jakob disease; Senile dementia; Alzheimer's disease; Infectivity of subacute spongiform encephalopathy (Tashima, T.) **399,** 80

GH_3 pituitary cell
Bromocriptine; Prolactin; Deoxyribonucleic acid synthesis (Melmed, S.) **369,** 83

Giant fiber
Mauthner fiber; Pectoral fin adductor motoneuron; Gap junction; Lucifer yellow; Hatchetfish (Gilat, E.) **365,** 96

Gigantocellular reticular nucleus
Baroreceptor reflex; Bradycardia; Tachycardia; Inferior olivary nucleus; Vagus nerve; Dorsal motor nucleus; Solitary nucleus (Kuo, J.S.) **372,** 227

Glabrous skin
Collateral sprouting; Sensory axon; Sciatic nerve lesion; Wheat germ agglutinin–horseradish peroxidase conjugate; Anterograde transport; Microinjection (Kinnman, E.) **377,** 73

Glans penis
Sensory innervation; Pain; Free nerve ending; Genital end bulb; Simple corpuscle; Pacinian corpuscle; Ruffini corpuscle (Halata, Z.) **371,** 205

Glia
Visual system; Lesion; Regeneration;

Retinal axon; Superior colliculus (Harvey, A.R.) **368,** 141

Acetate; Fluoroacetate; Metabolism; Autoradiography (Muir, D.) **380,** 336

Glia maturation factor
Acetylcholine; Amino acid; α-Aminoisobutyric acid; Uptake; ATPase, (Ca^{2+},Mg^{2+})-; Nodose ganglion; Rat (Ando, M.) **373,** 359

Glial ATPase
Temporal lobe epilepsy; ATPase, (Na^+,K^+)- (Grisar, T.) **364,** 1

Glial cell
Axonal swelling; Ephaptic transmission; β,β′-Iminodipropionitrile; Motoneuron; Neurofilament; Paranodal demyelination; Synapse (Gold, B.G.) **362,** 205

Astrocyte; Coupling ratio; Furosemide; Sodium-potassium pump; Ouabain; Potassium homeostasis; Sodium ion (Walz, W.) **368,** 226

Amino acid; Neurotransmitter; Energy parameter; Energetics; Ion; Ion gradient (Erecinska, M.) **369,** 193

Neurotransmitter; Amino acid; Astrocyte; Aspartate transport (Erecinska, M.) **369,** 203

Choline; Cholinotoxin; Ethylcholine aziridinium; Neuron; Cell culture; Neurotoxin; Neuroglia (Davies, D.L.) **378,** 251

Blood–brain barrier; Cerebral endothelium; ATPase, (Na^+,K^+)-; Alkaline phosphatase (Beck, D.W.) **381,** 131

Glial fibrillary acidic protein
Astroglia; Co-cultivation; Neuron; Neuron-specific enolase; Primary brain culture (Hansson, E.) **366,** 159

Diethyldithiocarbamate; Cadmium; Synapsin I; Neurotoxicity; Metal; Brain damage (O'Callaghan, J.P.) **370,** 354

Quinolinic acid; Excitotoxin; Astrocyte; Gliosis; Huntington's disease (Björklund, H.) **371,** 267

Vimentin; Glial reaction; Rat brain (Schiffer, D.) **374,** 110

Angiotensinogen; Immunocytochemistry; Rat brain; Astrocyte (Deschepper, C.F.) **374,** 195

Central nervous system transplantation; Myelin; Myelin basic protein; Shiverer; Neurofilament protein (Friedman, E.) **378,** 142

Barrel field cortex; Cortical development; Glial fibrillary acidic protein immunocytochemistry; Radial glia; Astrocyte; Ephemeral cortical pattern; Cortical pattern development; Radial glia associated topography (Cooper, N.G.F.) **380,** 341

Experimental autoimmune encephalomyelitis; Prazosin; Reactive astrocyte; α_1-Adrenoceptor; Vimentin (Goldmuntz, E.A.) **397,** 16

Glial fibrillary acidic protein immunocytochemistry
Barrel field cortex; Cortical development; Glial fibrillary acidic protein; Radial glia; Astrocyte; Ephemeral cortical pattern; Cortical pattern development; Radial glia associated topography (Cooper, N.G.F.) **380,** 341

Glial protein
Heat shock-like protein; Axonal trauma (Tytell, M.) **363,** 161

Glial reaction
Glial fibrillary acidic protein; Vimentin; Rat brain (Schiffer, D.) **374,** 110

Glioblastoma cell
Glycine; Transport; Membrane vesicle (Zafra, F.) **397,** 108

Gliogenesis
Optic nerve; Axon; Mitotic inhibitor; Myelination; Development (Black, J.A.) **380,** 122

Glioma
Interleukin-2; Lymphokine activated killer cell; Cytotoxic lymphocyte; Trypsin (Jacobs, S.K.) **372,** 386

Gliosis
Cholinergic; Chick ciliary ganglion; Methotrexate; Neurotropic factor (Heacock, A.M.) **363,** 299

Quinolinic acid; Excitotoxin; Glial fibrillary acidic protein; Astrocyte; Huntington's disease (Björklund, H.) **371,** 267

Ganglioside; Glycolipid; Astrocyte; Murine cerebellar mutant (Levine, S.M.) **374,** 260

Platelet-derived growth factor; Astrocyte proliferation; Brain injury; Trapidil (Takamiya, Y.) **383,** 305

Global vision
Pattern recognition; Motion selectivity; Corticotectal; Superior colliculus; Receptive-field; Monkey (Bender, D.B.) **381,** 372

Globus pallidus
Rat; Nucleus basalis; Substantia innominata; Cholinergic neuron; Antidromic stimulation; Microiontophoresis; Acetylcholine; Cholinergic agonist (Lamour, Y.) **362,** 122

Basal nucleus of Meynert; Cholinergic cell group Ch4; *Phaseolus vulgaris* leucoagglutinin; Striatum (Grove, E.A.) **367,** 379

Nucleus basalis magnocellularis; Choline acetyltransferase; Learning (Thompson, R.) **367,** 402

Divergent axonal collateral; Neocortical afferent; Basal nucleus of Meynert (Boylan, M.K.) **375,** 176

Glomerulus
Acid phosphatase; Primary afferent; Substantia gelatinosa; Rat (Ribeiro-da-Silva, A.) **377,** 323

Glomus cell
Carotid body; Intracellular chloride activity (Oyama, Y.) **368,** 167

Carotid body; Intracellular potassium activity; Ion-selective electrode (Oyama, Y.) **381,** 405

Glossopharyngeal nerve
Tongue-muscle motoneuron; Hypoglossal motoneuron; Optic tectum; Excitatory interneuron; Prey-catching behavior; Rejecting behavior; Toad (Matsushima, T.) **365,** 198

Horseradish peroxidase; Anterograde transport; Taste bud (Bradley, R.M.) **367,** 364

Taste response; Calcium; Sodium; Receptor site; Water fiber; Frog (Kitada, Y.) **377,** 211

Taste response; Magnesium; Sodium; Multiple receptor site; Receptor protein; Frog (Kitada, Y.) **380,** 172

Glucocorticoid
Bullfrog; Primary afferent neuron; γ-Aminobutyric acid-A receptor sensitivity; Prednisolone; Hydrocortisone (Ariyoshi, M.) **367,** 332

Benzodiazepine receptor; Adrenalectomy; Adrenocorticotropic hormone; Corticotropin-releasing factor; Dexamethasone; Neurotransmitter receptor binding (De Souza, E.B.) **381,** 176

Corticosterone; Hippocampus; Brain slice; Population spike; γ-Aminobutyric acid; Opioid peptide (Vidal, C.) **383,** 54

Glucocorticoid receptor
Rat brain; Receptor measurement; Molybdate (Mitchell, J.) **383,** 373

Glucoreceptive neuron
Ventromedial hypothalamic nucleus; Enkephalin; Immunohistochemistry; Ultrastructure; Rat (Inagaki, S.) **378,** 420

Glucose
Amygdala; Single neuron activity; Morphine; Feeding behavior; Monkey (Nakano, Y.) **399,** 167

Glucose homeostasis
α_2-Receptor binding; Paraventricular nucleus; Medial hypothalamus; Noradrenergic activity; Feeding (Chafetz, M.D.) **384,** 404

Glucose utilization
Hypothyroidism; Thyroid hormone; Deoxyglucose (Dow-Edwards, D.) **373,** 139

Spinal cord; Noxious stimulation; Pain;

2-Deoxyglucose (Abram, S.E.) **385,** 143

Glucose-sensitive neuron
[Asu^{1,7}]Eel calcitonin; Lateral hypothalamus; Feeding behavior; Serotonergic mechanism; Noradrenergic mechanism; Cyclic adenosine monophosphate (Shimizu, N.) **367,** 128

Glutamate
Glutaminase; Aspartate aminotransferase; Cerebellar nucleus; Immunohistochemistry (Monaghan, P.L.) **363,** 364

Long-term potentiation; Hippocampus (Feasey, K.J.) **364,** 39

Tryptamine; Neurotransmitter release; Calcium; γ-Aminobutyric acid (Friedman, R.N.) **364,** 172

Aspartate; Olfactory cortex; Prepyriform cortex; Amino acid receptor; Desensitization; Brain slice (Braitman, D.J.) **364,** 199

Kainate; Binding; Snail ganglia membrane (Pin, J.-P.) **366,** 290

Neuropeptide Y; Hypothalamus (Kerkérian, L.) **369,** 388

Glutamate inhibitor; Open channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **372,** 260

Aspartate; Cerebral cortex; Hypothalamic nucleus; Brainstem nucleus; Pain-stress; Amphetamine (Palkovits, M.) **373,** 252

Vocalization; Motor control; Chemical brain stimulation; Squirrel monkey (Jürgens, U.) **373,** 349

D-Aspartate; γ-Aminobutyric acid; Horizontal cell; L-Aspartate; Kainate; Quisqualate (Cha, J.-H.) **376,** 140

Seizure; γ-Aminobutyric acid; Bicuculline; Acetylcholine; Excitatory amino acid; *n*-Methyl-D-aspartate; 2-Amino-7-phosphonohepatanoic acid (Piredda, S.) **377,** 205

Cerebral ischemia; Hippocampus; Pyramidal cell (CA-1) protection; Colchicine degranulation; Morphology (Johansen, F.F.) **377,** 344

Aspartate; Cerebellum; Climbing fiber; Parallel fiber; Neurotransmitter release; Mass fragmentography (Sekiguchi, M.) **378,** 174

Brain cortex; Potassium; Veratridine; Apamin; Creatine (Lackington, I.) **378,** 390

Excitability; Striatum; Substantia nigra; Frontal cortex; Dopamine (Chavez-Noriega, L.) **379,** 300

Nociceptive primary afferent fiber; Dorsal horn; Pain (Schouenborg, J.) **379,** 394

Ketamine; Cyanide; Cell culture; Hypoxia; Cell death (Weiss, J.) **380,** 186

Cholecystokinin; Dopamine; Serotonin; Nucleus accumbens; Modulator (Wang, R.Y.) **380,** 363

Ventral surface of the medulla; Respiratory activity; Arterial pressure; Nucleus paragigantocellularis lateralis; Lateral reticular nucleus; Glycine-sensitive area (Gatti, P.J.) **381,** 281

3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; *N*-Methyl-D-aspartate; Receptor; Hippocampus; Long-term potentiation (Harris, E.W.) **382,** 174

Superior colliculus; Kainate; Folate; Quinolinate; Rat (Fosse, V.M.) **383,** 28

Synthetic quisqualate; Natural quisqualate; Locust nerve–muscle junction; Amino acid receptor; Glutamate synapse (Boden, P.) **385,** 205

Nucleus tractus solitarii; Substance P; Acetylcholine; Arterial pressure; Gastric motility (Spencer, S.E.) **385,** 371

Synaptic vesicle; Brain cortex (Riveros, N.) **386,** 405

Aspartate; Kainate; γ-Aminobutyric acid; Retina (Moran, J.) **398,** 276

N-Methyl-D-aspartate; Excitatory amino acid receptor; Hippocampus; Alzheimer's disease (Geddes, J.W.) **399,** 156

Acromelic acid; Quisqualate; Domoic acid; Kainate; Excitatory amino acid; Crayfish (Shinozaki, H.) **399,** 395

Glutamate analogue
Hippocampal slice; Synaptic field potential; Excitatory amino acid; Extracellular recording; Quisqualate; 2-Amino-4-phosphonobutanoate; Sensitization (Robinson, M.B.) **381,** 187

Glutamate binding
Striatum (Errami, M.) **366,** 169

Striatum–kainatelesion; Decortication; 6-Hydroxydopamine lesion; Thalamic lesion (Errami, M.) **366,** 178

2-Amino-4-phosphonobutyric acid receptor; Glutamate receptor; Lateral perforant path; Glutamate uptake (Bridges, R.J.) **375,** 204

Quisqualic acid; *N*-Methyl-D-aspartic acid; Sodium ion; Adrenal medulla (Yoneda, Y.) **383,** 387

Sodium-dependent binding; Sodium-independent binding; Dissociation of ligand; Quisqualic acid; D-Aspartate; Sulphhydryl-reagent (Ogita, K.) **397,** 137

Glutamate inhibitor
Glutamate; Open channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **372,** 260

Glutamate receptor
2-Amino-4-phosphonobutyric acid receptor; Lateral perforant path; Glutamate binding; Glutamate uptake (Bridges, R.J.) **375,** 204

Presynaptic receptor; Potassium channel; Neuromuscular synapse; Joro spider toxin (Miwa, A.) **385,** 161

Audiogenic seizure; Chloride ion; Age; γ-Aminobutyric acid receptor; Benzodiazepine receptor; Mouse (Yu, O.) **399,** 374

Glutamate release
Dentate gyrus; Calcium ion sensitivity; Ruthenium red; Caffeine (Lynch, M.A.) **369,** 405

Striatum; Substantia nigra pars reticulata; Ventromedial nucleus of the thalamus; Corticostriatal pathway; Thalamocortical pathway (Girault, J.A.) **374,** 362

Glutamate synapse
Synthetic quisqualate; Natural quisqualate; Glutamate; Locust nerve–muscle junction; Amino acid receptor (Boden, P.) **385,** 205

Glutamate uptake
2-Amino-4-phosphonobutyric acid receptor; Glutamate receptor; Lateral perforant path; Glutamate binding (Bridges, R.J.) **375,** 204

Metal; High affinity uptake; γ-Aminobutyric acid uptake (Gabrielsson, B.) **384,** 218

Glutamic acid decarboxylase
Leu-enkephalin; Caudate nucleus; Immunocytochemistry (Aronin, N.) **365,** 151

Visual cortex; Superior colliculus; D-Aspartate uptake; Noradrenaline; Plasticity; Rat (Fosse, V.M.) **372,** 189

Glutamate decarboxylase monoclonal antibody; Glutamate decarboxylase polyclonal antibody; γ-Aminobutyric acid (Wu, J.-Y.) **373,** 1

Cortical graft; Basal nucleus; Cholinergic innervation; Cortical damage; Choline acetyl transferase; Immmunohistochemistry (Sofroniew, M.V.) **378,** 409

Monkey; Epilepsy; Cerebral cortex; γ-Aminobutyric acid; Immunocytochemistry; Morphology; Electroencephalography (Houser, C.R.) **383,** 129

Double label immunocytochemistry; Peroxidase–antiperoxidase; Colloidal gold; Tyrosine hydroxylase; Synaptic interaction; Rhesus hypothalamus (Thind, K.K.) **383,** 215

)eep cerebellar nucleus; Dystonia;
nterpositus nucleus; Fastigial nucleus;
)entate nucleus (Oltmans, G.A.)
35, 148

ilocarpine; Scopolamine; Diazepam;
eizure; Brain damage; Epilepsy
Turski, L.) **398,** 37

eostriatum; Striatonigral axon;
Aminobutyric acid; Medium spiny
ell; Neuronal morphology; Neuronal
trastructure; Combined
mmunoperoxidase and transport
beling (Fisher, R.S.) **398,** 148

lutamic acid decarboxylase
ionoclonal antibody
lutamate decarboxylase; Glutamate
ecarboxylase polyclonal antibody;
Aminobutyric acid (Wu, J.-Y.) **373,** 1

lutamic acid decarboxylase
olyclonal antibody
lutamate decarboxylase; Glutamate
ecarboxylase monoclonal antibody;
Aminobutyric acid (Wu, J.-Y.) **373,** 1

lutaminase
lutamate; Aspartate
ninotransferase; Cerebellar nucleus;
mmunohistochemistry
Monaghan, P.L.) **363,** 364

spartate aminotransferase;
erebellum; Amino acid
urotransmitter;
mmunocytochemistry
Venthold, R.J.) **363,** 371

lutamine
yptophan; Hyperammonemia;
Glutamyl-transpeptidase;
ood–brain barrier
Gorgievski-Hrisoho, M.) **367,** 395

D-Glutamylglycine
pilepsy; Anticonvulsant;
Amino-5-phosphonovalerate;
Hydroxy-2-quinoxalinecarboxylic acid
renk, H.) **373,** 222

ynurenate; *Cis*-2,3-Piperidine
carboxylate;
Amino-5-phosphonovalerate; Fast
citatory postsynaptic potential;
oncentration–effect curve
angdon, R.B.) **398,** 169

lutaraldehyde
oradrenaline; Antibody; Rat brain;
ocus ceruleus; Enzyme-linked
mmunosorbent assay;
mmunocytochemistry (Geffard, M.)
3, 395

spartate; Specificity; Affinity;
mmunocytochemistry; Cerebral cortex
Campistron, G.) **365,** 179

lycine; Specificity; Affinity;
mmunocytochemistry; Brainstem;
pinal cord (Campistron, G.) **376,** 400

lutathione
crylamide; *bis*-Acrylamide;
utathione-*S*-transferase; Dopamine
ceptor, Neurotoxicity; Neuropathy;
Neurotoxin; Axonopathy
(Srivastava, S.P.) **371,** 319

Glutathione-*S*-transferase
Acrylamide; *bis*-Acrylamide;
Glutathione; Dopamine receptor;
Neurotoxicity; Neuropathy;
Neurotoxin; Axonopathy
(Srivastava, S.P.) **371,** 319

γ-Glutamyl-transpeptidase
Tryptophan; Hyperammonemia;
Glutamine; Blood–brain barrier
(Gorgievski-Hrisoho, M.) **367,** 395

Glycine
Glycine receptor; Cochlear nucleus
neurotransmitter;
Immunocytochemistry
(Altschuler, R.A.) **369,** 316

Glutaraldehyde; Specificity; Affinity;
Immunocytochemistry; Brainstem;
Spinal cord (Campistron, G.) **376,** 400

Descending inhibition;
Stimulation-produced analgesia;
Brainstem; Spinal cord; Noradrenaline;
Pain (García-Arrarás, J.E.) **379,** 188

Transport; Membrane vesicle;
Glioblastoma cell (Zafra, F.) **397,** 108

Glycine receptor
Glycine; Cochlear nucleus
neurotransmitter;
Immunocytochemistry
(Altschuler, R.A.) **369,** 316

Glycine-sensitive area
Ventral surface of the medulla;
Respiratory activity; Arterial pressure;
L-Glutamic acid; Nucleus
paragigantocellularis lateralis; Lateral
reticular nucleus (Gatti, P.J.) **381,** 281

Glycolipid
Ganglioside; Astrocyte; Gliosis;
Murine cerebellar mutant
(Levine, S.M.) **374,** 260

Sulfated glucuronyl paragloboside;
Myelin-associated glycoprotein;
Immunoglobulin-M paraprotein;
Monoclonal antibody; Polyneuropathy;
Epitope (Ilyas, A.A.) **385,** 1

Adhesion molecule; Glycoprotein; L2
monoclonal antibody;
Myelin-associated glycoprotein; Neural
cell adhesion molecule
(Noronha, A.B.) **385,** 237

Glycolysis
Electrical resistance of microvessels;
Modulation of vascular permeability;
Blood–brain barrier opening;
Blood–brain barrier in hypoxia;
Inhibition of endothelial metabolism
(Olesen, S.-P.) **368,** 24

Glycopeptide
Vasopressin; Neurophysin;
Immunocytochemistry; Bed nucleus of
the stria terminalis; Locus coeruleus;
Hypothalamus; Brattleboro rat (Van
Leeuwen, F.W.) **379,** 171

Glycoprotein
Acetylcholine receptor; Central
nervous system; α-Bungarotoxin;
Wheat germ agglutinin; Central
nicotinic receptor (Sugiyama, H.)
373, 22

Immunopurification; Identified neuron;
Leech (Flanagan, T.) **378,** 152

Adhesion molecule; Glycolipid; L2
monoclonal antibody;
Myelin-associated glycoprotein; Neural
cell adhesion molecule
(Noronha, A.B.) **385,** 237

Kindling; Synaptic membrane;
Phosphorylation; Hippocampus
(Bank, B.) **399,** 390

Glycoprotein immunofluorescence
Olfactory cilia; Sensory neuron;
Immunoblotting; Lectin; Cytoskeletal
protein; Tubulin (Chen, Z.) **368,** 329

Glycoprotein synthesis
Trimethyltin; Protein synthesis; Axonal
transport; Visual system (Toews, A.D.)
398, 298

Glycosaminoglycans
Cerebellum; Cell migration; Automatic
image analysis; Cell adhesion molecule;
Ganglioside; Mouse (Lindner, J.)
377, 298

GM_1 ganglioside
Serotonin; 5-Hydroxyindoleacetic acid;
Spinal cord; Transverse hemisection;
Rat; Catecholamine
(Hadjiconstantinou, M.) **366,** 343

Partially denervated hippocampus;
Cholinergic system; Serotoninergic
system; Recovery (Gradkowska, M.)
375, 417

Ganglioside; Nigrostriatum;
Asymmetric rotation;
Na^+,K^+-Adenosinetriphosphatase
(Li, Y.S.) **377,** 292

Transected spinal cord; Thyroxine;
Hydrocortisone; Fetal monoaminergic
implant (Commissiong, J.W.) **380,** 205

Go/No-go discrimination
Prefrontal cortex; Premotor cortex;
Single unit activity; Behavioral
inhibition; Monkey (Watanabe, M.)
382, 15

Goldfish
Radial glia; Cell birth; In vitro; Optic
tectum; Thymidine autoradiography
(Henken, D.B.) **364,** 186

Choline acetyltransferase; Enucleation;
Immunocytochemistry; Interneuron;
Optic tectum; Type XIV cell
(Tumosa, N.) **370,** 365

Adaptive gain control; Vestibulo-ocular reflex; Oculomotor system; Optokinetic (Schairer, J.O.) **373,** 164

Vestibulo-ocular reflex; Optokinetic reflex; Eye movement; Vestibulo-ocular reflex gain; Oculomotor system (Schairer, J.O.) **373,** 177

Cholinergic; Retinotectal; Choline acetyltransferase; Optic tectum (Ross, C.D.) **373,** 49

Long-term potentiation; Tectum; Plasticity (Lewis, D.) **375,** 246

Kainic acid; Binding site; Central nervous system; Distribution (Migani, P.) **376,** 186

Colchicine; Axonal transport; Axonal competition; Lumicolchicine; Classical conditioning; Optic nerve regeneration; Optic tectum; Synaptogenesis (Schlumpf, B.E.) **386,** 305

Axoplasm; Axoplasmic transport; Organelle transport; Mauthner neuron; Axon (Koenig, E.) **398,** 288

Goldfish brain protein
Rat hippocampus; Memory and learning; Behavioral plasticity; Immunohistofluorescence staining; Embryonic glycoprotein; Plasticity of the CNS; Pyramidal cell culture (Schmidt, R.) **386,** 245

Goldfish optic nerve
Axonal transport; Tetrodotoxin; Ribonucleic acid; Adenosine; Uridine; Guanosine; Transcellular transfer (Edwards, D.L.) **364,** 258

Goldfish visual system
Tectal regulation; Axoplasmic transport (Yoon, M.G.) **382,** 339

Golgi
3-Acetylpyridine; Purkinje cell; Plasticity; Image analysis (Anderson, W.A.) **382,** 228

Deafferentation; Purkinje cell; Plasticity; Image analysis (Anderson, W.A.) **383,** 245

Septum; γ-Aminobutyric acid; Acetylcholinesterase; *Podarcis*; Lizard (Schwerdtfeger, W.K.) **384,** 184

Golgi method
Basal ganglion; Pallidal segment; Dendrite; Morphometry (Dvergsten, C.L.) **375,** 395

Golgi technique
Neuroanatomical technique; Electron microscopy; Retina (Zimmerman, R.P.) **383,** 287

Golgi tendon organ
Motor unit; Concurrent stimulation (Stauffer, E.K.) **375,** 157

Golgi-like staining
Tectum; Projection neuron; Retina; Centrifugal visual system; Horseradish peroxidase; Teleost (Uchiyama, H.) **369,** 260

Gonadal steroid
Preoptic area; Sexual dimorphism; Opioid peptide (Watson, R.E.) **398,** 157

Gonadotrope
Guinea pig; Autoradiography; Immunocytochemistry; Dihydrotestosterone; Thyrotroe; Pituicyte (Herbert, D.C.) **362,** 318

Gonadotropin regulation
Sexually dimorphic nucleus of the preoptic area; Prenatal stress; Sexual behavior; Plasma testosterone; Medial preoptic area of the hypothalamus (Anderson, R.H.) **370,** 1

Gonadotropin-releasing hormone
Ventral tegmental area; A10 dopamine neurone; 6-Hydroxydopamine; Lordosis behaviour; Female rat (Sirinathsinghji, D.J.S.) **374,** 167

Corticotropin-releasing factor; Luteinizing hormone-releasing hormone; Hypothalamus (Nikolarakis, K.E.) **377,** 388

Immunocytochemistry; Ewe; Brain; Estradiol; Progesterone (Glass, J.D.) **381,** 336

Neuropeptide; Enkephalin; Molluscan cardioexcitatory peptide (FMRFamide); Retinal ganglion cell; Terminal nerve (Walker, S.E.) **384,** 262

Olfactory system; Nervus terminalis; Immunohistochemistry; Retrograde transport; Mouse (Jennes, L.) **386,** 351

Graded heating
Tail flick modulation; Midbrain; Medulla; Pons; Tissue temperature (Ness, T.J.) **386,** 41

Graft
Spinal cord; Transplant; Regeneration; Substrate; Histocompatibility; Culture (Bernstein, J.J.) **377,** 403

Granular inclusion
Alzheimer's disease; Hippocampus; Neuronal cytoskeleton; Tubulin (Price, D.L.) **385,** 305

Granule cell
Hippocampal explant; Dentate gyrus; Dendrite; Development (Fowler, J.) **368,** 148

Hippocampus; Colchicine; Locomotor activity; Dentate gyrus; Cognitive behavior; Radial-arm maze; Learning and memory (Walsh, T.J.) **398,** 23

Greater superficial petrosal nerve
Neuroanatomy; Sympathetic nervous system; Facial nerve; Trigeminal nerve; Auricular branch of vagus nerve (Matthews, B.) **382,** 55

Grooming
Substance P; Locomotor activity; Wet dog shakes; Tachykinin; Lateral ventricle; Ventral tegmental area (Elliott, P.J.) **381,** 68

Ground squirrel
Vagus; Subdiaphragmatic vagotomy; Obesity; Body weight; Hibernation; Circannual rhythm (Powley, T.L.) **364,** 159

Dihydromorphine; Opioid binding; Hibernation; Euthermia; Hippocampus; Cortex; Autoradiography (Beckman, A.L.) **386,** 223

Group y nucleus
Floccular inhibition; Oculomotor nucleus; Cat (Yamamoto, F.) **371,** 350

Growth cone
Immunocytochemical localization; Phosphoprotein B-50; Development; Rat brain (Oestreicher, A.B.) **375,** 26

Growth cone movement rate
Axon branching; Axon growth rate; Cell motility rate; Tissue culture, neuronal (Katz, M.J.) **366,** 211

Growth factor
Autocrine regulation; Cell growth; Differentiation; Astrocytoma (Ito, J.-I.) **374,** 335

Growth hormone
Superior cervical ganglion; Prolactin; Noradrenaline; α-Adrenoceptor; β-Adrenoceptor; Degeneration activit (Cardinali, D.P.) **363,** 350

Bombesin; Insulin hypoglycemia (Scarpignato, C.) **371,** 187

Monosodium glutamate; Growth hormone-releasing factor; Sex difference (Wakabayashi, I.) **372,** 361

Anterior hypothalamus; Medial basal hypothalamus; Prolactin; γ-Aminobutyric acid; Muscimol (Willoughby, J.O.) **374,** 119

Somatostatin; Aging; Hypothalamus; Somatomedin-C (Sonntag, W.E.) **380,** 229

Electrical stimulation; Basolateral amygdala; Lesion; Periventricular hypothalamic nucleus; Stria terminalis (Koibuchi, N.) **382,** 104

Periventricular lesion; Somatostatin; Perifusion; Rat (Kaler, L.W.) **386,** 17

Prolactin; Somatostatin; Growth hormone-releasing factor; Perifusion; Preoptic-medial basal hypothalamus (Critchlow, V.) **398,** 347

Growth hormone-releasing factor
Arcuate nucleus; Median eminence; Immunocytochemistry; Electron microscopy; Rat (Ibata, Y.) **370,** 136

Extracellular recording; Hypothalamic slice; Paraventricular nucleus; Phasic activity (Poulain, P.) **371,** 355

Monosodium glutamate; Growth

hormone; Sex difference
(Wakabayashi, I.) **372,** 361

Growth hormone; Prolactin; Somatostatin; Perifusion; Preoptic-medial basal hypothalamus
(Critchlow, V.) **398,** 347

Immunohistochemistry; Tyrosine hydroxylase; Colocalization; Neuron; Hypothalamus; Rat (Daikoku, S.) **399,** 250

Guanacline
Guanethidine; Sympathectomy; Fluorescent lipopigment; Species specificity (Johnson, E.M.) **383,** 100

Guanethidine
Dopamine; Noradrenaline; Carotid body; Sympathectomy; High-pressure liquid chromatography
(Pequignot, J.M.) **367,** 238

Sympathectomy; Noradrenaline; Cerebrospinal fluid; Blood–brain barrier; Adrenaline; Catecholamine; Adrenal medullectomy (Peskind, E.R.) **367,** 258

Guanacline; Sympathectomy; Fluorescent lipopigment; Species specificity (Johnson, E.M.) **383,** 100

Guanfacine
Freely moving rat; Locus coeruleus; Adrenoceptor; Yohimbine; Piperoxane; Clonidine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Guanidine administration
Thiamine-deficient encephalopathy; Magnesium deficiency; Rat (Goto, I.) **372,** 31

Guanine nucleotide
Spiroperidol; Dopamine receptor; Quantitative autoradiography (Richfield, E.K.) **383,** 121

Guanosine
Goldfish optic nerve; Axonal transport; Tetrodotoxin; Ribonucleic acid; Adenosine; Uridine; Transcellular transfer (Edwards, D.L.) **364,** 258

Guanosine triphosphate binding protein
Aging; Cerebral cortex; Adrenoreceptor, α_2-; Adenylate cyclase; *Pertussis* toxin; Cholera toxin (Nomura, Y.) **379,** 118

Guanylnucleotide regulation
Serotonin; Mesulergine; Serotonin-1C-site; Choroid plexus; Adenylate cyclase activity
(Palacios, J.M.) **380,** 151

Guinea pig
Autoradiography; Immunocytochemistry; Dihydrotestosterone; Gonadotroe; Thyrotroe; Pituicyte (Herbert, D.C.) **362,** 318

Calcitonin gene-related peptide; Substance P; Coexistence; Cerebral artery; Immunohistochemistry
(Wanaka, A.) **369,** 185

RU 486; Antiprogesterone; Progestin receptor; Heat duration; Sexual behavior; Lordosis; Progesterone
(Brown, T.J.) **373,** 103

Morphine; Hypothermia; Adrenocorticotropin(1–24); Adrenocorticotropin(4–10)
(Milanés, M.V.) **375,** 13

Sympathetic ingrowth; Hippocampal formation; Neuronal plasticity
(Booze, R.M.) **375,** 251

Estrogen action; Progestin receptor; Noradrenergic transmission; Prazosin; Hypothalamus; Lordosis behavior
(Thornton, J.E.) **377,** 155

Coexistence; Enkephalin; Serotonin; Superior cervical ganglion; Immunocytochemistry (Kanagawa, Y.) **379,** 377

Cholecystokinin; Substance P; Co-existence; Eye; Trigeminal ganglion; Immunohistochemistry
(Kuwayama, Y.) **381,** 266

Progesterone receptor; Immunohistochemistry; Monoclonal antibody; Central nervous system
(Warembourg, M.) **384,** 121

Hippocampal slice; Laminar recording; Current source density analysis; Dendritic spike; Tetrodotoxin; Local perfusion (Miyakawa, H.) **399,** 303

Gustatory cortex
Taste; Cytoarchitecture; Rat; Agranular insular cortex (Kosar, E.) **379,** 329

Taste; Cytoarchitecture; Rat; Autoradiography; Thalamocortical projection; Medial parvicellular component of the nucleus ventralis posteromedialis; Agranular insular cortex (Kosar, E.) **379,** 342

Gustatory response
Nucleus tractus solitarii; Rat; Convergence; Anterior tongue; Nasoincisor duct; Sucrose; Sodium chloride (Travers, S.P.) **365,** 305

Gut
Muscarinic receptor; Autoradiography; Pirenzepine; Sympathetic ganglion; Salivary gland (Buckley, N.J.) **375,** 83

Gymnotid fish
Neurofilament protein; Monoclonal antibody; Purkinje cell (Maler, L.) **378,** 337

H

H-reflex
Parkinsonian akinesia; Motor preparatory process; Reaction time
(Chan, C.W.Y.) **386,** 183

H_2-receptor
Analgesia; Histamine; Naloxone; Cimetidine (Gogas, K.R.) **370,** 370

Habenula
Monoclonal antibody; Immunocytochemistry (Plioplys, A.V.) **375,** 1

Transneuronal transport; Wheat germ agglutinin-horseradish peroxidase; Interpeduncular nucleus; Astroglia; Rat (Takada, M.) **384,** 77

Habenular nucleus
Cerebral dopaminergic transmission; Stria medullaris; Fasciculus retroflexus; Raphe nucleus; Acetylcholine; Opioid peptide; Substance P (Nishikawa, T.) **373,** 324

2-Deoxy-D-[^{14}C]glucose technique; Local cerebral glucose utilization; Interpeduncular nucleus; Median raphe; Dorsal raphe; Stria medullaris; Choline acetyltransferase
(Motohashi, N.) **397,** 265

Habituation
Mutant mouse lurcher; Spontaneous alternation; Cerebellum (Lalonde, R.) **362,** 161

Serotonergic neuron; Dopaminergic neuron; Substantia nigra; Noradrenergic neuron; Locus coeruleus; Single unit activity; Behaving cat; Sensory stimulus
(Rasmussen, K.) **369,** 336

Epilepsy; Kindling; Cyclic guanosine monophosphate; Cyclic adenosine monophosphate (Wasterlain, C.G.) **397,** 345

Hagfish
Trigeminal nerve; Facial nerve; Motor nucleus; Jaw muscle; Retrograde horseradish peroxidase transport
(Kishida, R.) **385,** 263

Half-life
Time action; Naloxone; Morphine withdrawal; 2-Deoxyglucose
(Geary II, W.A.) **399,** 181

Haloperidol
Noradrenaline neuron; Locus ceruleus; Antipsychotic drug; Clozapine; Amphetamine; Rat (Ramirez, O.A.) **362,** 165

Nucleus accumbens; Ventromedial mesencephalic tegmentum; Excitation; Inhibition; Dopamine; Sulpiride (Le Douarin, C.) **363,** 290

Oxytocin; Novelty-induced grooming;

Naloxone; Peripheral administration (Drago, F.) **368,** 287

Nucleus accumbens neuron; Dopamine; D_1 receptor; D_2 receptor; Sulpiride; Dopamine uptake blocker; Schizophrenia (Uchimura, N.) **375,** 368

Lateral septum; High-affinity choline uptake; Hippocampus; CA1 pyramidal cell excitability; Extinction behavior; Mouse (Durkin, T.) **376,** 420

γ-Aminobutyric acid; Dopamine; In vivo voltammetry; Neostriatum; Long-term treatment (Kamata, K.) **380,** 1

Clozapine; Dynorphin A; Dynorphin B; Substance P; Basal ganglion (Nylander, I.) **380,** 34

Butaclamol; Cell culture; Electrophysiology; Spontaneously generated action potential (Heyer, E.J.) **382,** 404

Amphetamine; Ascorbic acid; In vivo voltammetry; Neostriatum; Substantia nigra; Unit activity (Wilson, R.L.) **384,** 342

Time-dependent sensitization; Catalepsy; Fluphenazine; Neuroleptic; Stress (Antelman, S.M.) **385,** 58

Halothane
Pentobarbital; Anesthesia; Membrane potential; Hyperpolarization (Whitney, J.F.) **381,** 199

Hamster
Magnetic field; Melatonin; Pineal gland; Rat (Olcese, J.) **369,** 365

Retina; Peripheral nervous system nerve transplant; Central nervous system regeneration (So, K.-F.) **377,** 168

Harmaline
3-Acetylpyridine; Freeze-fracture; Filipin; Cholesterol; Purkinje cell; Climbing fiber; Plasma membrane; Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Inferior olive; Cerebellum; Ethanol; Ethanol metabolite; β-Carboline (Rogers, J.) **385,** 253

Hatchetfish
Giant fiber; Mauthner fiber; Pectoral fin adductor motoneuron; Gap junction; Lucifer yellow (Gilat, E.) **365,** 96

Head movement
Superior colliculus; Tecto-reticulo-spinal; Eye movement (Munoz, D.P.) **398,** 185

Head orientation
Vision; Y cell; α cell; Retina; Superior colliculus; Lateral geniculate nucleus; Antibody (Spear, P.D.) **368,** 154

Heart
Tissue culture; Autonomic nervous system; Intracardiac neuron; Neuropeptide Y-containing neuron; Vasoactive intestinal polypeptide-containing neuron (Hassall, C.J.S.) **364,** 102

Heart rate
γ-Aminobutyric acid (GABA); Decerebration; Spinal cord transection; Cardiac vagus; Blood pressure; γ-Aminobutyric acid antagonist (Wible, J.H.) **363,** 279

Angiotensin II; Atropine; Blood pressure; Nucleus tractus solitarii; Saralasin (Rettig, R.) **364,** 233

Escherichia coli endotoxin; Hypotension; Renal nerve discharge; Medullary pressor area; Blood pressure; Sympathetic nerve activity (Koyama, S.) **366,** 217

Amygdala central nucleus; Corneo-retinal potential; Differential Pavlovian conditioning; Horseradish peroxidase; Medial geniculate; Rabbit (Jarrell, T.W.) **374,** 126

β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin; Morphine; Plasma catecholamine; Paraventricular nucleus; Nucleus of the solitary tract; Central sympathetic outflow; Mean arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Differential pavlovian conditioning; Medial geniculate nucleus; Rabbit (Jarrell, T.W.) **382,** 199

Baroreflex; Anterior hypothalamic area; Ventromedial nucleus of the hypothalamus; Parasympathetic nervous system (Pardini, B.J.) **384,** 274

Blood pressure; Respiration; Amygdala; Central nucleus; Cryoprobe; Conditioning (Zhang, J.-X.) **386,** 136

Heat block
Tooth pulp stimulation; Temperature; Afferent excitability; Jaw-opening reflex (Rydenhag, B.) **367,** 337

Heat duration
RU 486; Antiprogesterone; Progestin receptor; Sexual behavior; Lordosis; Progesterone; Guinea pig (Brown, T.J.) **373,** 103

Heat sensitization
Dorsal column postsynaptic neuron; Species difference (Kamogawa, H.) **364,** 386

Heat shock-like protein
Glial protein; Axonal trauma (Tytell, M.) **363,** 161

Heat-stable modulator
Protein kinase; Chick brain; Phosphorylation (Sparkman, D.R.) **385,** 51

Hemicerebellectomy
Cerebellar efferent; Axonal sprouting; Axonal branching; Plasticity; Rat; Fluorescent tracing (Molinari, M.) **372,** 1

Microstimulation; Plasticity; Motor cortex; Neonatal; Cerebellum; Forelimb response (O'Donoghue, D.L.) **385,** 311

Hemicholinium-3
Choline uptake; Acetylcholine; Physostigmine (Swann, A.C.) **363,** 401

Cerebellar glomerulus; Mossy fiber rosette; Bovine cerebellar vermis; Acetylcholine; Choline uptake (Terrian, D.M.) **366,** 401

Receptor autoradiography; High-affinity binding; Dexamethasone; Corticosteroid (Van Marle, J.) **398,** 191

Hemicholinium-3 binding
Choline uptake; Drug effect; Cholinergic nerve activity; Cortex; Striatum (Lowenstein, P.R.) **381,** 191

Hemiplegia
Recovery of function; Aging; Rat model; γ-Aminobutyric acid; Cortical inactivation (Brailowsky, S.) **362,** 322

γ-Aminobutyric acid; Phenytoin; Motor cortex (Brailowsky, S.) **376,** 71

Hemispherectomy
Neuronal degeneration; Brain reorganization; Functional recovery; Thalamus morphology (Villablanca, J.R.) **368,** 211

Central nervous system reorganization; Neural plasticity; Sprouting; Neonatal brain lesion; Dorsal column nuclei; Spinal cord (Gómez-Pinilla, F.) **385,** 343

Hemispheric difference
Brain laterality; Unilateral neocortical lesion; Early experience; Muricide; Rat; Split brain; Early social experience (Denenberg, V.H.) **397,** 327

Hemorrhage
Vasopressin; Septum; Push-pull cannula; Hypertonic stimulation; Magnocellular system (Demotes-Mainard, J.) **381,** 314

Hepatic encephalopathy
Astrocyte; Primary culture; Ammonia; Isoproterenol; Cyclic adenosine monophosphate (Liskowsky, D.R.) **386,** 386

Herpes virus suis
Neurotropic virus; Receptor; Retrograde axonal transport (Marchand, C.F.) **383,** 262

Heterogeneity
Neostriatum; Methamphetamine; Reserpine; Dopamine; Fluorescence histochemistry (Fukui, K.) **382,** 81

2,5-Hexanedione
Retrograde axonal transport; Anterograde axonal transport; Peripheral neuropathy; Sensory nerve; Motor nerve; Distal axonopathy

(Brændgaard, H.) **378,** 1

Hibernation
Vagus; Subdiaphragmatic vagotomy; Obesity; Body weight; Circannual rhythm; Ground squirrel (Powley, T.L.) **364,** 159

Vasopressin; Sexual cycle; Season (Buijs, R.M.) **371,** 193

Dihydromorphine; Opioid binding; Euthermia; Hippocampus; Cortex; Autoradiography; Ground squirrel (Beckman, A.L.) **386,** 223

Hibernator
Body weight; Cycle; Food intake; Hypothalamus; Recovery; Lesion (Mrosovsky, N.) **399,** 282

High affinity
Somatostatin; Human brain; Binding site; Tritium (Whitford, C.A.) **398,** 141

High affinity uptake
Metal; Glutamate uptake; γ-Aminobutyric acid uptake (Gabrielsson, B.) **384,** 218

High energy phosphate
Phospholipase A_2; Sciatic nerve; Saxitoxin binding; Phospholipid (Kasckow, J.W.) **373,** 392

High potassium-evoked taurine release
Spontaneous taurine release; Crude P_2 synaptosomal pellet; Veratridine-evoked taurine release; Calcium-independent taurine release (Hanretta, A.T.) **378,** 205

High-affinity binding
Receptor autoradiography; Hemicholinium-3; Dexamethasone; Corticosteroid (Van Marle, J.) **398,** 191

High-affinity choline uptake
Restraint stress; Hippocampus; Frontal cortex; Naltrexone (Lai, H.) **372,** 366

Haloperidol; Lateral septum; Hippocampus; CA1 pyramidal cell excitability; Extinction behavior; Mouse (Durkin, T.) **376,** 420

High-affinity noradrenaline uptake
Noradrenaline; Tyrosine hydroxylase; 3,4-Dihydroxyphenylalanine decarboxylase; Aging cerebral cortex (Harik, S.I.) **381,** 125

High-performance liquid chromatography
Melanocyte-stimulating hormone; Immunofluorescence; Radioimmunoassay; Frog hypothalamus (Benyamina, M.) **366,** 230

Substance P; Substance K; Neuromedin K; Striatum; Substantia nigra; Knife cut (Lee, J.-M.) **371,** 152

Catechol-O-methyltransferase; Immunocytochemistry; Cerebromicrovascular culture; Endothelium; Smooth muscle cell (Spatz, M.) **381,** 363

Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Immunocytochemistry; Radioimmunoassay; Dorsal horn; Rat spinal cord (Harkness, D.H.) **384,** 323

High-pressure liquid chromatography
Dopamine; Noradrenaline; Carotid body; Guanethidine; Sympathectomy (Pequignot, J.M.) **367,** 238

Plasticity; Locus ceruleus; Induction; Pruning; Noradrenaline uptake (Haring, J.H.) **368,** 233

Cholecystokinin; Receptor; Radioreceptor assay; Cholecystokinin-4; Amygdala; Hypothalamus; Cortex (Beresford, I.J.M.) **398,** 313

High-pressure liquid chromatography with electrochemical detection
Norepinephrine; Uric acid; Spinal cord; Arthritic rat; Pain (Weil-Fugazza, J.) **374,** 190

Hindlimb flexion reflex
Neural transplant; Cell suspension; Brainstem; Locus coeruleus; Lumbar spinal cord; Catecholamine reinnervation; 6-Hydroxydopamine (Buchanan, J.T.) **381,** 225

Hindlimb motoneuron
Propriospinal pathway; Forelimb afferent; Flexor reflex afferent (Schomburg, E.D.) **375,** 280

Hindlimb weakness
Experimental allergic encephalomyelitis; Ventral root exit zone; Demyelination; Conduction block; Lewis rat (Pender, M.P.) **367,** 398

Hippocampal CA1
Theta rhythm; Spectral analysis; Inhibitory postsynaptic potential; Cellular mechanism (Leung, L.-W.S.) **367,** 323

Hippocampal dentate gyrus
Spatial working memory; Aging; Synapse quantitation (Geinisman, Y.) **398,** 266

Hippocampal efferent
Subicular efferent; Entorhinal cortex; Neurophysiology; Rat; Intracellular recording (Finch, D.M.) **397,** 205

Hippocampal explant
Granule cell; Dentate gyrus; Dendrite; Development (Fowler, J.) **368,** 148

Hyperexcitability; Organotypic explant; Hippocampal stimulation (Fowler, J.) **378,** 398

Hippocampal formation
Distribution; Cholinoceptive neuron (Rowntree, C.I.) **362,** 98

Zinc; Potentiation (Khulusi, S.S.) **363,** 152

Classical conditioning; Cortex; Reticular stimulation; Thalamus; 2-Deoxyglucose; Learning (Gonzalez-Lima, F.) **363,** 239

Theta rhythm; Colchicine; Theta generator (Monmaur, P.) **365,** 269

Adenosylhomocysteine hydrolase; Cerebellum; Adenosine deaminase; Basal hypothalamus; Superior colliculus; Immunocytochemistry (Patel, B.T.) **370,** 250

Sympathetic ingrowth; Guinea pig; Neuronal plasticity (Booze, R.M.) **375,** 251

Epilepsy; Kindling; Audiogenic seizure; Genetically epilepsy-prone rat (Savage, D.D.) **376,** 412

θ-Rhythm; Ischemia (Monmaur, P.) **378,** 262

Kindling; Dentate gyrus; Colchicine (Sutula, T.) **385,** 291

Hippocampal kindling
Protein malnutrition; Dorsal hippocampus; Seizure behavior; Kindling threshold; Afterdischarge duration; Postictal depression (Bronzino, J.D.) **384,** 348

Antiepileptic drug evaluation; Epileptic afterdischarge; Seizure; Microcephaly; Rat (Majkowski, J.) **386,** 325

Hippocampal pyramidal cell
Muscarinic acetylcholine receptor; Desensitization; Phosphoinositide (Lippa, A.S.) **366,** 98

Hippocampal slice
Extracellular electric field; Neuronal excitability (Bawin, S.M.) **362,** 350

Hippocampus; γ-Aminobutyric acid; Epilepsy; γ-Aminobutyric acid uptake; γ-Aminobutyric acid receptor agonist; Cis-4-hydroxy-nipecotic acid; 4,5,6,7-Tetrahydroisoxazolo[4,5-c]-pyridine-3-ol (Korn, S.J.) **368,** 247

Adaptation; Anoxia; Hypoxia; CA1 population spike (Schurr, A.) **374,** 244

Acute lithium; Neurophysiology; Field potential; CA1 region (Rinaldi, P.C.) **375,** 302

Neurotransmission; Ruthenium red; Sialic acid (Wieraszko, A.) **378,** 120

Long-term potentiation; Calcium channel blocker (Taube, J.S.) **379,** 275

Ion-selective microelectrode; Potassium-distribution mode; pO_2-Dependency of K^+-distribution rate (Lipinski, H.-G.) **380,** 267

Synaptic field potential; Glutamate

analogue; Excitatory amino acid; Extracellular recording; Quisqualate; 2-Amino-4-phosphonobutanoate; Sensitization (Robinson, M.B.) **381,** 187

Long-term potentiation; Neuronal plasticity; S-100 (Lewis, D.) **383,** 159

N-Methyl-D-aspartate; Hypoxia; Calcium; Excitatory amino acid (Ashton, D.) **385,** 185

Kainate; Voltage-clamp; Q-current; M-current; C-current (Gho, M.) **385,** 411

Magnesium-free medium; Ictal event; Seizure; Interictal event (Anderson, W.W.) **398,** 215

Epilepsy; Penicillin; Synchrony; Synaptic potential; Burst discharge (Schneiderman, J.H.) **398,** 231

Epilepsy; Penicillin; Electric field (Bawin, S.M.) **399,** 194

Laminar recording; Current source density analysis; Dendritic spike; Tetrodotoxin; Local perfusion; Guinea pig (Miyakawa, H.) **399,** 303

Entorhinal lesion; Nerve growth factor; Conditioned medium (Crutcher, K.A.) **399,** 383

Hippocampal stimulation
Hyperexcitability; Organotypic explant; Hippocampal explant (Fowler, J.) **378,** 398

Hippocampus
Microiontophoresis; Acetylcholine; Electrophysiology; Aging; Rat (Haigler, H.J.) **362,** 157

Kindled seizure; Aging; Benzodiazepine receptor (Fanelli, R.J.) **362,** 17

Fetal implant; Maze performance; Behavioral recovery; Rat (Kimble, D.P.) **363,** 358

Kindling; Vasopressin; Brattleboro strain; Septum (Gillis, B.J.) **363,** 386

Electron microscopy; γ-Aminobutyric acid; Immunoreactivity; Peroxidase–antiperoxidase (Gamrani, H.) **364,** 30

Long-term potentiation; Glutamate (Feasey, K.J.) **364,** 39

Cerebral ischemia; Calcium homeostasis; Delayed neuronal death (Sakamoto, N.) **364,** 372

Hydrogen peroxide; Fenton reaction; Active oxygen; Hydroxyl free radical (Pellmar, T.) **364,** 377

Ganglioside; ATPase, $(Na^+ + K^+)$-; Mitochondrion (Bianchi, R.) **364,** 400

Amygdala; Kindling; Dynorphin; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Cholecystokinin; Substantia nigra; Epilepsy; Limbic system (Iadarola, M.J.) **365,** 185

Claustrum; Entorhinal; Long-term potentiation (Wilhite, B.L.) **365,** 54

Synaptic plasticity; Aging; Morphometry; EPTA stained synapse; Aging of synaptic membranes (Bertoni-Freddari, C.) **366,** 187

γ-Aminobutyric acid; Muscimol; Nipecotic acid; Uptake blocker (Dalkara, T.) **366,** 314

Noradrenaline; Uptake; 6-Hydroxydopamine; Electrophysiology (Yasuda, R.P.) **367,** 121

Trimethyltin; Neuropathology; Seizure; Epileptic brain damage; Epilepsy; Rat (Sloviter, R.S.) **367,** 169

Cholinergic neuron; Septohippocampal pathway; Partial fimbrial lesion; Recovery of cholinergic enzyme; Compensatory collateral sprouting; Homotypic reinnervation; Adult rat (Gasser, U.E.) **367,** 368

Epilepsy; γ-Aminobutyric acid; Kainate (Ashwood, T.J.) **367,** 390

Hippocampal slice; γ-Aminobutyric acid; Epilepsy; γ-Aminobutyric acid uptake; γ-Aminobutyric acid receptor agonist; Cis-4-hydroxy-nipecotic acid; 4,5,6,7-Tetrahydroisoxazolo[4,5-c]-pyridine-3-ol (Korn, S.J.) **368,** 247

Long-term potentiation; Theta rhythm (Larson, J.) **368,** 347

Cholinergic synapse; Choline acetyltransferase; Immunocytochemistry; Transplantation; Electron microscopy (Clarke, D.J.) **369,** 151

Potassium; Extracellular accumulation (Aitken, P.G.) **369,** 163

Serotonin; Raphe nucleus; Neural transplantation; Immunocytochemistry; Ultrastructure (Anderson, K.J.) **369,** 21

Slice preparation; Hypoxia; Incubation; CA3 neuron (Davis, A.K.) **370,** 44

Prolactin; Amygdala; Afterdischarge (Sperling, M.R.) **371,** 293

Evoked activity; Monosialoganglioside GM1; In vitro (Wieraszko, A.) **371,** 305

Restraint stress; High-affinity choline uptake; Frontal cortex; Naltrexone (Lai, H.) **372,** 366

Homotypic sprouting; Serotonin; Raphe nucleus; Immunocytochemistry; 5,7-Dihydroxytryptamine; Fasciola cinerea (Zhou, F.C.) **373,** 337

Intracellular free calcium ion; Pyramidal cell; Calcium microelectrode (Krnjevic, K.) **374,** 1

Ibotenic acid; 2-Amino-4-phosphonobutyric acid; Inositol phospholipid; Electrical stimulation (Iadorola, M.J.) **374,** 174

Muscarinic receptor; Acetylcholine release; Aged rat; Oxotremorine; Striatum; Cortex (Consolo, S.) **374,** 212

Rat; Lesion; Behavior; Reversal learning; Receptor; Corticosteroid; Plasticity (De Ronde, F.S.W.) **374,** 219

Medial septum; Theta cell (Bland, S.K.) **375,** 102

Neurotensin; Human; Subiculum; Fornix; Mammillary body (Sakamoto, N.) **375,** 353

Vasopressin; Oxytocin; Septal nucleus; Amygdala; Locus coeruleus; Bed nucleus of the stria terminalis (Fliers, E.) **375,** 363

Nerve growth factor; Central cholinergic neuron; Septohippocampal pathway; Fornix–fimbria lesion; Cholinergic degeneration; Septum (Gasser, U.E.) **376,** 351

Adenosine; Calcium flux; Presynaptic flux; Postsynaptic flux; Receptor, A_1 (Schubert, P.) **376,** 382

Haloperidol; Lateral septum; High-affinity choline uptake; CA1 pyramidal cell excitability; Extinction behavior; Mouse (Durkin, T.) **376,** 420

Calcium; Potassium; Brain slice; Input/output curve (Balestrino, M.) **377,** 229

Cerebral ischemia; Pyramidal cell (CA-1) protection; Colchicine degranulation; Morphology; Glutamate (Johansen, F.F.) **377,** 344

Baclofen; Epilepsy; Anticonvulsant; Brain slice; Focal paroxysm (Ogata, N.) **377,** 362

Rat; CA3; Physiology; Septotemporal; Potassium; Bursting; Epilepsy (Bragdon, A.C.) **378,** 169

Evoked potential; Cellular activity; Depth profile; Tooth pulp stimulation; Acoustic response; Behavior (Brankačk, J.) **378,** 303

Neural transplant; Acetylcholine; Acetylcholinesterase; Cortex; Septum; Nucleus basalis magnocellularis; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Vasopressin; Oxytocin; Behavioral performance; Radioimmunoassay; Septum/striatum (Ermisch, A.) **379,** 24

Stress; Sensitization; Hypothalamus; Norepinephrine (Irwin, J.) **379,** 98

Dopamine; Calcium-activated potassium conductance; Afterhyperpolarization; Pyramidal cell;

Receptor, β-adrenergic-
(Malenka, R.C.) **379,** 210

Oleate; Protein kinase C; Long-term potentiation (Linden, D.J.) **379,** 358

Anoxia; Adenosine; Receptor; Down regulation; Cyclohexyladenosine
(Lee, K.S.) **380,** 155

Organotypic culture; Rat; Neuronal connection; Axonal tracing; Horseradish peroxidase; Detergent; Neuroanatomical method (Keller, F.) **380,** 191

Benzodiazepine; Benzodiazepine antagonist; Ro 15-1788; Adenosine; Purine (Stone, T.W.) **380,** 379

3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; *N*-Methyl-D-aspartate; Glutamate; Receptor; Long-term potentiation
(Harris, E.W.) **382,** 174

Calcium; Long-term potentiation; Mitochondrion (Stanton, P.K.) **382,** 185

Potassium channel, calcium-dependent; Apamin; Quantitative autoradiography; Rat brain; Septal area; Cerebellum; Limbic system (Mourre, C.) **382,** 239

Septum; Tissue culture; Transplant; Innervation (Gibbs, R.B.) **382,** 409

Glucocorticoid; Corticosterone; Brain slice; Population spike; γ-Aminobutyric acid; Opioid peptide (Vidal, C.) **383,** 54

Acetylcholine; Choline; Veratridine; Subcellular fraction; Choline *O*-acetyltransferase; Acetylcholinesterase; Septal lesion
(Carroll, P.T.) **383,** 83

Cell suspension; Transplantation; Cross-species; Horseradish peroxidase; Septal nucleus; Differentiation; Migration (Wells, J.) **383,** 333

Cholinergic innervation; Transplantation (Gibbs, R.B.) **383,** 362

Brain dialysis; Amino acid; Neurotransmitter; Extracellular fluid
(Lerma, J.) **384,** 145

Oxytocin; Vasopressin; Phosphorylation (Hinko, A.) **384,** 156

Kainate binding site; Autoradiography; Human development (Represa, A.) **384,** 170

Protein kinase C; Phorbol ester; Phosphatidyl inositol (Zatz, M.) **385,** 174

Alzheimer's disease; Granular inclusion; Neuronal cytoskeleton; Tubulin (Price, D.L.) **385,** 305

Valproate; Rat; Neuronal excitability; Extracellular potassium concentration; Extracellular calcium concentration; Spontaneous epileptiform activity
(Franceschetti, S.) **386,** 1

Cerebellum; Striatum; Pineal gland; Spiperone; Dopamine receptor
(Bruinink, A.) **386,** 78

Taurine; Taurine localization
(Taber, K.H.) **386,** 113

Retrograde fluorescent tracing; Intracellular injection; Interneuron; Septum (Schwerdtfeger, W.K.) **386,** 146

Medial septum; Nerve growth factor; Neurotropic factor; Radial maze learning; Septal graft; Spontaneous alternation; Sympathetic neuron
(Pallage, V.) **386,** 197

Dihydromorphine; Opioid binding; Hibernation; Euthermia; Cortex; Autoradiography; Ground squirrel
(Beckman, A.L.) **386,** 223

Acetylcholine; Amphetamine; Noradrenaline; Ventral noradrenergic bundle (Robinson, S.E.) **397,** 181

Colchicine; Locomotor activity; Dentate gyrus; Cognitive behavior; Granule cell; Radial-arm maze; Learning and memory (Walsh, T.J.) **398,** 23

Electroencephalography; Sharp wave; Unit activity; Behavior; Cellular burst; Epileptic transient; Long-term potentiation (Buzsáki, G.) **398,** 242

Oxytocin; Vasopressin; Paraventricular nucleus; Yawning; Penile erection
(Melis, M.R.) **398,** 259

Transsynaptic transport; Wheat germ agglutinin; Rodent; Primate
(Itaya, S.K.) **398,** 397

Memory; Single unit recording; Working memory; Reference memory; Delayed match-to-sample
(Wible, C.G.) **399,** 97

Glutamate; *N*-Methyl-D-aspartate; Excitatory amino acid receptor; Alzheimer's disease (Geddes, J.W.) **399,** 156

Kindling; Synaptic membrane; Glycoprotein; Phosphorylation
(Bank, B.) **399,** 390

Opioid; Enkephalin; Dentate gyrus; Field potential; Population spike; Perforant path (Wiesner, J.B.) **399,** 404

Hippocampus electroencephalogram
Rhythmic slow wave activity; Laminar profile; Current–source density; Atropine; Urethane; Dipole
(Buzsáki, G.) **365,** 125

Histamine
Footshock; Tele-methylhistamine; Histamine turnover; Pargyline; α-Fluoromethylhistidine; Metoprine
(Yoshitomi, I.) **362,** 195

Striatum; Transmitter; Dopamine metabolism; Serotonin metabolism; Noradrenaline; Adrenaline
(Widmann, R.) **367,** 244

Immunohistochemistry; Fluorescent retrograde labeling; Caudate–putamen complex; Premammillary region
(Steinbusch, H.W.M.) **368,** 389

Analgesia; Naloxone; Cimetidine; H_2-receptor (Gogas, K.R.) **370,** 370

Footshock; Tele-methylhistamine; Naloxone; Histamine turnover; Brain
(Yoshitomi, I.) **398,** 57

Histamine turnover
Footshock; Histamine; Tele-methylhistamine; Pargyline; α-Fluoromethylhistidine; Metoprine
(Yoshitomi, I.) **362,** 195

Footshock; Histamine; Tele-methylhistamine; Naloxone; Brain
(Yoshitomi, I.) **398,** 57

Histaminergic axon
Histidine decarboxylase; Immunocytochemistry; Ultrastructure; Neostriatum; Cerebral cortex
(Takagi, H.) **364,** 114

Histidine decarboxylase
Histaminergic axon; Immunocytochemistry; Ultrastructure; Neostriatum; Cerebral cortex
(Takagi, H.) **364,** 114

Histochemistry
Monoamine oxidase; Monoamine oxidase -containing unmyelinated axon; Postganglionic sympathetic fiber; Rat; Sciatic nerve (Matsubayashi, K.) **368,** 30

Acetylcholinesterase; Animal strain; Basal ganglion; Cholinergic system; Genetic study; Microphotometry
(Iacopino, C.) **374,** 402

Amygdala kindling; γ-Aminobutyric acid; γ-Aminobutyric acid transaminase activity; Gabaculine (Itagaki, S.) **381,** 77

Motoneuron; Spinal cord; Soma size; Oxidative enzyme; Succinate dehydrogenase; Stimulation (chronic); Spinalization (hemi-) (Donselaar, Y.) **385,** 22

Histocompatibility
Spinal cord; Graft; Transplant; Regeneration; Substrate; Culture
(Bernstein, J.J.) **377,** 403

Hoarding
Dopaminergic graft; Neural graft; Nucleus accumbens (Herman, J.P.) **372,** 210

Hodgkin–Huxley
A-current; Connor–Stevens; Equation; Ion current (De Schutter, E.) **382,** 134

Homogenate
Bicuculline seizure; ATPase, (Na^+,K^+)-; Cerebral cortex; Vanadate
(Folbergrová, J.) **363,** 53

Homology
Nucleus pretectalis superficialis;

Nucleus intermedius; Optic tectum; Fiber connection; Horseradish peroxidase; Fish (Murakami, T.) **373,** 213

Nucleus preglomerulosus; Nucleus anterior tuberis; Torus semicircularis; Horseradish peroxidase (Murakami, T.) **382,** 97

Homotypic reinnervation
Cholinergic neuron; Septohippocampal pathway; Partial fimbrial lesion; Hippocampus; Recovery of cholinergic enzyme; Compensatory collateral sprouting; Adult rat (Gasser, U.E.) **367,** 368

Homotypic sprouting
Serotonin; Raphe nucleus; Hippocampus; Immunocytochemistry; 5,7-Dihydroxytryptamine; Fasciola cinerea (Zhou, F.C.) **373,** 337

Homovanillic acid
Δ^9-Tetrahydrocannabinol; Cocaine; Dopamine; Prefrontal cortex; Olfactory tubercle (Bowers, M.B.) **366,** 405

Parkinson's disease; Lumbar spinal cord; Dopamine; Noradrenaline; Serotonin (Scatton, B.) **380,** 181

Voltammetry; Striatum; Nigra; Taurine; γ-Aminobutyric acid; Taurine antagonist (O'Neill, R.D.) **382,** 28

Honeybee
Insect visual system; Lamina; Tangential fiber; 5-Hydroxytryptamine-like-immunoreactivity; γ-Aminobutyric acid-like immunoreactivity; Neurotransmitter (Schäfer, S.) **380,** 368

Horizontal cell
Ion channel; Single channel; Potassium channel; Inward rectification; Patch clamp (Shingai, R.) **369,** 65

Excitatory amino acid; Retina; Intracellular recording (Ariel, M.) **372,** 143

D-Aspartate; γ-Aminobutyric acid; L-Glutamate; L-Aspartate; Kainate; Quisqualate (Cha, J.-H.) **376,** 140

Retina; Kynurenic acid; Quinolinic acid; Amino acid neurotransmitter (Hankins, M.W.) **380,** 297

Neurotransmitter; Amino acid; Voltage clamp (O'Dell, T.) **381,** 359

Hormonal effect
Chick neural cell culture; Myelin lipid biosynthesis (Kanamoto, Y.) **371,** 201

Hormone secretion
Ion channel; Vasopressin; Oxytocin; Rat neurohypophysis; Patch clamp (Mason, W.T.) **383,** 279

Horseradish peroxidase
Synaptic vesicle; Electron microscopy; Sympathetic ganglion (Parducz, A.) **362,** 375

X-organ-sinus gland; Intracellular injection; Neurosecretory cell; Peptidergic neuron (Nagano, M.) **362,** 379

Spinal cord; Cat; Intracellular staining; Electron microscopy; Spinocervical tract; Postsynaptic dorsal column system (Maxwell, D.J.) **363,** 199

Dorsal root ganglion; Lumbar sympathetic chain; Neuronal labeling; Motoneuron; Neuronal dysfunction (Peyronnard, J.M.) **364,** 137

Innervation pattern; Tonotopical organization; Superior olivary nucleus; Frog (Feng, A.S.) **364,** 167

Spinocerebellar tract; Projection field; Anterior lobe; Cat (Yaginuma, H.) **365,** 345

Nucleus basalis magnocellularis; Dorsolateral frontal cortex; Subcortical nucleus; Rat (Haring, J.H.) **366,** 152

Cholinergic projection; Nucleus basalis; Tetramethylbenzidine; Choline acetyltransferase (Mesulam, M.-M.) **367,** 301

Anterograde transport; Glossopharyngeal nerve; Taste bud (Bradley, R.M.) **367,** 364

Inferior colliculus; Cell type; Commissure (González Hernández, T.H.) **368,** 268

Tectum; Projection neuron; Retina; Centrifugal visual system; Golgi-like staining; Teleost (Uchiyama, H.) **369,** 260

Spinal cord; Motor nucleus; Pectoral muscle (Krogh, J.E.) **369,** 331

Choline acetyltransferase; Immunohistochemistry; Cholinergic; Superior colliculus; Mouse (Mufson, E.J.) **370,** 144

Spinal cord; Somatotopic organization; Forearm and forepaw; Median nerve; Ulnar nerve; Dog (Mutai, M.) **371,** 90

Reticular formation; Inferior olive; Intracellular staining; Ultrastructure (Bishop, G.A.) **371,** 133

Cerebellum; Inferior olive; Olivocerebellar fiber; Lobule IV; Lobule V; Squirrel monkey (Whitworth, R.H.) **372,** 55

Masseteric nerve afferent; Trigeminal nucleus; Trigeminal ganglion; Wheat germ agglutinin gel (Nishimori, T.) **372,** 375

Nucleus pretectalis superficialis; Nucleus intermedius; Optic tectum; Fiber connection; Fish; Homology (Murakami, T.) **373,** 213

Rat hindlimb; Dorsal root ganglion; Sympathetic innervation; Motor supply; Rat skeletal muscle; Neuronal labelling (Peyronnard, J.M.) **373,** 288

Amygdala central nucleus; Corneo-retinal potential; Differential Pavlovian conditioning; Heart rate; Medial geniculate; Rabbit (Jarrell, T.W.) **374,** 126

Tree shrew; Lateral geniculate nucleus; Striate cortex; Monocular deprivation (Florence, S.L.) **374,** 179

Efferent neuron; Afferent neuron; Pharynx; Dog (Hudson, L.C.) **374,** 413

Axon regeneration; Somatotopical organization; Adult; Neonatal; Facial motor nucleus; Retrograde axonal transport (Aldskogius, H.) **375,** 126

Acoustic middle ear reflex; Cochlear nucleus; Trigeminal motor nucleus; Tensor tympani muscle; Cat; Wheat germ agglutinin–horseradish peroxidase (Itoh, K.) **375,** 214

Superior salivatory nucleus; Axonal transport; Submandibular gland; Cat (Tramonte, R.) **375,** 381

Vestibulothalamic connection; Wheat germ agglutinin; Rat (Nagata, S.) **376,** 57

Spinal motoneuron; Axon collateral; Dorsal root ganglion; Electron microscope (Kayahara, T.) **376,** 299

Forelimb movement; Transneuronal transport; Wheat germ agglutinin; Propriospinal neuron (Alstermark, B.) **376,** 387

Retinal ganglion cell; Recrossed retinotectal projection; Fast blue; Nuclear yellow; Rat (Jen, L.S.) **377,** 368

Trigeminal nucleus; Vibrissa; Cytochrome oxidase; Cat (Nomura, S.) **380,** 167

Organotypic culture; Hippocampus; Rat; Neuronal connection; Axonal tracing; Detergent; Neuroanatomical method (Keller, F.) **380,** 191

Catecholamine; Preganglionic sympathetic neuron; Synapse; 5-Hydroxydopamine; Rat (Chiba, T.) **380,** 405

Nucleus preglomerulosus; Nucleus anterior tuberis; Torus semicircularis; Homology (Murakami, T.) **382,** 97

Cell suspension; Transplantation; Cross-species; Septal nucleus; Hippocampus; Differentiation; Migration (Wells, J.) **383,** 333

Spinoreticular tract; Ventral lateral funiculus; Cordotomy; Pain (Nahin, R.L.) **384,** 367

Bodian stain; Fluorescent dye; Counterstaining method; Neuroanatomical tracing (Sripanidkulchai, K.) **397,** 117

Thalamus; Cortex; Pallidum; Cerebellum; Intracellular recording; Identified neuron (Gazzara, R.A.) **397,** 225

Visceral primary afferent; Lumbar spinal cord; Large intestine (Morgan, C.) **398,** 11

Reticular formation; Medulla oblongata; Anterior cingulate cortex (Meyer, G.) **398,** 207

Horseradish peroxidase axonal tracing
Cerebellar development; In vitro slab; Cell migration; Dendritic differentiation (Bourrat, F.) **378,** 69

Horseradish peroxidase histochemistry
Diencephalon; *Ictalurus punctatus*; Optic tract; Retinal topography (Fraley, S.M.) **385,** 179

Horseradish peroxidase labeling
Squid; Brain; Chromatophore; Motoneuron (Dubas, F.) **374,** 21

Lateral geniculate nucleus; X-cell; Y-cell; Membrane property; Brain slice (Crunelli, V.) **380,** 371

Horseradish peroxidase nerve staining
Octopus; Pallial nerve; Central connection; Cobalt nerve staining (Saidel, W.M.) **374,** 30

Horseradish peroxidase study
Cochlear nucleus; Dorsal medullary nucleus; Frog; Innervation pattern (Feng, A.S.) **367,** 183

Horseradish peroxidase transport
Retina; Selective degeneration; Color-opponent neuron; Neurofilamentous axonopathy; Cytochrome oxidase; Monkey (Eskin, T.A.) **378,** 379

Horseradish peroxidase–wheat germ agglutinin
Anterograde transport; Tetramethylbenzidine; Sympathetic innervation; Iris; Pineal gland; Vascular innervation (Marfurt, C.F.) **366,** 373

Horseradish peroxidase–wheat germ agglutinin–polyacrylamide gel
Primary tooth; Somatotopy; Trigeminal nucleus (Ishidori, H.) **370,** 153

Hot plate
N-2-Chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Tail flick; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Shock-induced analgesia; 5-Methoxy-*N*,*N*-dimethyltryptamine; Tail-flick; Intrathecal 5-Hydroxydopamine; Intrathecal yohimbine; Antagonism; Rat (Danysz, W.) **365,** 169

Hot plate test
Lateral reticular nucleus; Antinociception; Descending inhibition; Tail flick reflex; Opioid; Cholinergic; α-Adrenergic (Ossipov, M.H.) **384,** 282

WGA-HRP fibre labelling
Fast blue; Wheatgerm agglutinin–horseradish peroxidase; Fast blue labelling collateral; Fast blue fibre labelling; Pons; Pontine pyramidal collateral; Diamidino yellow retrograde neuronal labelling (Ugolini, G.) **365,** 211

Human
Stress-induced analgesia; Diazepam; Naloxone (Willer, J.C.) **362,** 398

Brain cooling; Comfort; Hyperthermia (Brinnel, H.) **363,** 170

Dermorphin; Nociceptive reflex; Naloxone; Spinal cord (Sandrini, G.) **371,** 364

Neurotensin; Hippocampus; Subiculum; Fornix; Mammillary body (Sakamoto, N.) **375,** 353

Substance P; Astrocyte; Blood vessel (Michel, J.-P.) **377,** 383

5-Hydroxytryptamine-2 antagonist; Slow wave sleep; Ritanserin; Serotonin (Idzikowski, C.) **378,** 164

Adrenergic receptor; Autoradiography; Cerebral blood vessel; Rat (Nakai, K.) **381,** 148

Flunitrazepam; Benzodiazepine receptor; Acetylcholinesterase; Striosome; Striatum (Faull, R.L.M.) **381,** 153

Luteinizing hormone-releasing hormone; Thyrotropin-releasing hormone; Hypothalamus; Asymmetry (Borson-Chazot, F.) **382,** 433

Neurotensin; Immunocytochemistry; Infant; Striatum; Septum; Amygdala; Cerebral cortex (Michel, J.-P.) **397,** 93

Brain graft; Parkinson's disease; Rat; Cultured neuron (Kamo, H.) **397,** 372

Parkinson's disease; Alzheimer's disease; Dementia; Somatostatin; Cortex (Beal, M.F.) **397,** 386

Human arachnoid villus
Superior sagittal sinus; Lateral lacuna; Extracellular cistern; Cerebrospinal fluid; Electron microscopy (Yamashima, T.) **384,** 68

Human arm movement
Electromyography; Perturbation (Brown, S.H.) **377,** 311

Human brain
Parkinsonism; Dementia; Acetylcholinesterase; Butyrylcholinesterase; Cerebrospinal fluid (Ruberg, M.) **362,** 83

N-Methylscopolamine; Pirenzepine; Multiple muscarinic receptor; Quantitative autoradiography (Cortés, R.) **362,** 239

Serotonin receptor; Ketanserin (Biegon, A.) **363,** 91

Human myelin; Myelination; Myelin basic protein; Protein degradation; Myelin lipid; Myelin protein; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Martinez, M.) **364,** 220

Medial amygdaloid nucleus; Sexual dimorphism; Volumetric analysis (Murphy, G.M.) **365,** 321

Calcitonin gene-related peptide; Binding; Autoradiography; Rat brain (Inagaki, S.) **374,** 287

Receptor autoradiography; Dopamine; *N*-*n*-Propylnorapomorphine; Caudate nucleus (Camus, A.) **375,** 135

serotonin (5-HT_{1A}) receptor subtype
serotonin (5-HT_{1B}) receptor subtype
serotonin (5-HT_{1C}) receptor subtype (Hoyer, D.) **376,** 85

Serotonin (5-HT_{1C}) receptor subtype
serotonin (5-HT_{2} receptor subtype (Hoyer, D.) **376,** 97

Nitrendipine; Dihydropyridine; Calcium channel antagonist; Parkinson's disease (Nishino, N.) **377,** 186

α-Melanocyte stimulating hormone; Extrahypophyseal distribution; Alzheimer's disease; Senile dementia; Enzyme immunoassay (Arai, H.) **377,** 305

Opioid peptide; Prodynorphin system; Proenkephalin system; Dynorphin $A_{1\text{-}8}$; Met-enkephalin-Arg^6-Gly^7-Leu^8; Basal ganglia; Huntington's disease (Seizinger, B.R.) **378,** 405

Somatostatin; Binding site; High affinity; Tritium (Whitford, C.A.) **398,** 141

Immunohistochemistry; Vitamin D; Calcium-binding protein; Spinal cord; Cerebellum; Brainstem (Fournet, N.) **399,** 310

Human brain tumor
Calcineurin; Peroxidase–anti-peroxidase method; Rat brain; Neuronal marker; Immunohistochemistry (Goto, S.) **371,** 237

Human brainstem
Cholinergic structure; Choline acetyltransferase immunohistochemistry; Acetylcholinesterase staining (Mizukawa, K.) **379,** 39

Human cerebrospinal fluid
Thyrotropin-releasing hormone metabolism; Pyroglutamate aminopeptidase (Prasad, C.) **364,** 331

Human development
Kainate binding site; Hippocampus; Autoradiography (Represa, A.) **384,** 170

Human embryo
γ-Enolase; Distribution; Immunohistochemistry; Development (Shinohara, H.) **382,** 33

Human evoked potential
Saccade; Fast phase optokinetic nystagmus; Cortical laterality; Movement directionality (Ignocheck, A.) **384,** 94

Human evolution
Limbic system; Allometry; Thalamus; Primate (Armstrong, E.) **362,** 394

Human jaw reflex
Tremor; Spectral analysis; Biting force (McFarland, D.H.) **366,** 272

Human myelin
Human brain; Myelination; Myelin basic protein; Protein degradation; Myelin lipid; Myelin protein; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Martinez, M.) **364,** 220

Human neuroblastoma cell
Opioid receptor, expression in neuroblastoma line; Delta opioid binding site; D-Ala-D-Leu-enkephalin; IMR-32, NMB, SK-N-SH neuroblastoma line (Hochhaus, G.) **382,** 327

Human visual orientation perception
Old-World monkey; Retinal ganglion cell; Ganglion cell dendritic orientation; Orientation specificity (Schall, J.D.) **368,** 18

Hunger
Hypothalamus; Satiety; Sensory-specific satiety; Taste; Lateral hypothalamus; Substantia innominata (Rolls, E.T.) **368,** 79

Huntington's disease
Quinolinic acid; Excitotoxin; Glial fibrillary acidic protein; Astrocyte; Gliosis (Björklund, H.) **371,** 267

Basal ganglion; Immunocytochemistry; Opioid peptide; Postmortem human brain; Radioimmunoassay (Dawbarn, D.) **372,** 155

Kainic acid; Striatum; Transplantation; Cyclosporine (Tulipan, N.) **377,** 163

Opioid peptide; Prodynorphin system; Proenkephalin system; Dynorphin A_{1-8}; Met-enkephalin-Arg^6-Gly^7-Leu^8; Human brain; Basal ganglia (Seizinger, B.R.) **378,** 405

Quinolinic acid; Dopamine; Basal ganglion (Mazzari, S.) **380,** 309

Hybrid toxin
Ricin; Wheat germ agglutinin; Suicide transport; Vagus; Immunoperoxidase (Oeltmann, T.N.) **377,** 221

Hydrocephalus
Spontaneously hypertensive rat; Hypertension; Brain ventricle; Wistar–Kyoto rat (Ritter, S.) **370,** 327

Hydrocortisone
Bullfrog; Primary afferent neuron; γ-Aminobutyric acid-A receptor sensitivity; Prednisolone; Glucocorticoid (Ariyoshi, M.) **367,** 332

Transected spinal cord; GM_1 ganglioside; Thyroxine; Fetal monoaminergic implant (Commissiong, J.W.) **380,** 205

Hydrogen peroxide
Hippocampus; Fenton reaction; Active oxygen; Hydroxyl free radical (Pellmar, T.) **364,** 377

Hydrolysis
Acetylcholinesterase; Peptidase; Chromogranin; Enkephalin generation (Ismael, Z.) **376,** 230

Hydroxy fatty acid
Fish myelin; P_o myelin protein; Myelin proteolipid protein; Myelin lipid; Phylogeny; *Polypterus*; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Matthieu, J.-M.) **379,** 137

Hydroxyl free radical
Hydrogen peroxide; Hippocampus; Fenton reaction; Active oxygen (Pellmar, T.) **364,** 377

5-Hydroxydopamine
Catecholamine; Preganglionic sympathetic neuron; Synapse; Horseradish peroxidase; Rat (Chiba, T.) **380,** 405

6-Hydroxydopamine
N-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; Hypothalamic noradrenaline; Dopamine; Dihydroxyphenylacetic acid; 5-Hydroxytryptamine (Lookingland, K.J.) **365,** 228

Classical conditioning; Circling; Amphetamine; Apomorphine (Carey, R.J.) **365,** 379

Neuronal grafting; Dopamine neuron; Striatum; Turning behavior; Amphetamine; Mouse (Brundin, P.) **366,** 346

Circling behavior; Colchicine; Electrolytic lesion; Apomorphine; Methamphetamine (Kamata, K.) **367,** 1

Noradrenaline; Uptake; Hippocampus; Electrophysiology (Yasuda, R.P.) **367,** 121

Hypertension; Brain; Dopamine; Spontaneously hypertensive rat; Uptake-inhibition; Substantia nigra; Ventral tegmental area; Electrolytic lesion (Van den Buuse, M.) **368,** 69

Catecholamine; Plasticity; Synaptogenesis; Paraventricular nucleus (Hwang, B.H.) **369,** 267

Norepinephrine; Morphine; Antinociception; Nucleus reticularis paragigantocellularis; Spinal cord (Pang, I.-H.) **371,** 171

Norepinephrine; Angiotensin-induced thirst; Anteroventral third ventricle; Catecholamine; Angiotensin II (McRae-Degueurce, A.) **374,** 162

Gonadotropin-releasing hormone; Ventral tegmental area; A10 dopamine neurone; Lordosis behaviour; Female rat (Sirinathsinghji, D.J.S.) **374,** 167

Intracerebral dialysis; Dopamine release; Rotational behavior; Amphetamine; L-Dihydroxyphenylalanine (Zetterström, T.) **376,** 1

Dihydroxyphenylacetic acid; Dopamine; Striatum; Tyrosine hydroxylase (Onn, S.-P.) **376,** 8

Dopamine; Striatum; Electrophysiology; Spontaneous activit (Orr, W.B.) **376,** 20

Arterial pressure; A1 noradrenergic neuron; Tyramine; Kainic acid; Renal nerve activity; Rostral ventrolateral medulla; C1 adrenergic neuron; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

Neural transplant; Acetylcholine; Acetylcholinesterase; Cortex; Hippocampus; Septum; Nucleus basal magnocellularis; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion (Dunnett, S.B.) **378,** 357

Neural transplant; Cell suspension; Brainstem; Locus coeruleus; Lumbar spinal cord; Catecholamine reinnervation; Hindlimb flexion reflex (Buchanan, J.T.) **381,** 225

Cerebellum; Purkinje cell; Climbing fiber enhancement; Mossy fiber; Noradrenaline; Somatosensory stimulu (McElligott, J.G.) **397,** 245

Parvocellular paraventricular nucleus; Corticotropin releasing hormone neuron; Vasopressin neuron; Ventral noradrenergic ascending bundle; Rat (Alonso, G.) **397,** 297

Noradrenaline; Complex environment; Isolated environment; Desipramine; Motor activity; Neurochemistry; Rat; Behavior (Mohammed, A.K.) **398,** 6

Dopamine; Striatum; Electrophysiology; Behavioral recover (Nisenbaum, E.S.) **398,** 221

6-Hydroxydopamine lesion
Glutamate binding; Striatum–kainatelesion; Decortication; Thalamic lesion (Errami, M.) **366,** 178

Desmethylimipramine; Mesocortical dopamine neuron; Interaction dopamine-noradrenaline (Herve, D.) **383,** 47

aclofen; Clonidine; Dorsal
oradrenergic bundle; Locus ceruleus;
ntinociception; Tail-flick test
awynok, J.) **386,** 341

-Hydroxyindoleacetic acid
M_1 ganglioside; Serotonin; Spinal
rd; Transverse hemisection; Rat;
atecholamine
adjiconstantinou, M.) **366,** 343

rapie; Serotonin;
4-Dihydroxyphenylethyleneglycol;
ihydroxyphenylacetic acid; Rat brain
ea (Bassant, M.H.) **367,** 360

ress; 5-Hydroxytryptophan;
oradrenaline; Dopamine; Adrenaline;
ihydroxyphenylalanine;
orticosterone (De Souza, E.B.)
67, 77

enetic hypertension; Pargyline;
Hydroxytryptophan; Serotonin;
entral cardiovascular control
oulu, M.) **379,** 257

-Hydroxy-2-quinoxalinecarboxylic
id
pilepsy; Anticonvulsant;
Amino-5-phosphonovalerate;
D-Glutamylglycine (Frenk, H.)
73, 222

-Hydroxytryptamine
-Chloroethyl-*N*-ethyl-2-bromo-
nzylamine hydrochloride;
Hydroxydopamine; Hypothalamic
oradrenaline; Dopamine;
ihydroxyphenylacetic acid
ookingland, K.J.) **365,** 228

bstance P; *p*-Chlorophenylalanine;
inal dorsal horn neuron:
ontophoresis (Jeftinija, S.) **368,** 107

rotonin; *p*-Chlorophenylalanine;
lectrocorticogram; Rhythmical slow
tivity; Low voltage fast activity;
ementia (Vanderwolf, C.H.) **374,** 342

opamine; Turnover; Tryptophan;
erebrospinal fluid; Social behavior
ahakian, B.J.) **399,** 162

-Hydroxytryptamine-2 antagonist
ow wave sleep; Ritanserin; Human;
rotonin (Idzikowski, C.) **378,** 164

-Hydroxytryptamine-
ke-immunoreactivity
oneybee; Insect visual system;
amina; Tangential fiber;
Aminobutyric acid-like
mmunoreactivity; Neurotransmitter
chäfer, S.) **380,** 368

-Hydroxytryptophan
-2-Chloroethyl-*N*-ethyl-2-bromo-
nzylamine hydrochloride;
-Methoxy-*N*,*N*-dimethyltryptamine;
uipazine; *p*-Chloroamphetamine;
lethergoline; Mianserin; Hot plate;
ail flick; Shock-titration;
oradrenaline; Serotonin; Interaction
ost, C.) **363,** 18

ress; 5-Hydroxyindoleacetic acid;
Noradrenaline; Dopamine; Adrenaline;
Dihydroxyphenylalanine;
Corticosterone (De Souza, E.B.)
367, 77

Genetic hypertension;
5-Hydroxyindoleacetic acid; Pargyline;
Serotonin; Central cardiovascular
control (Koulu, M.) **379,** 257

5-Hydroxytryptophan accumulation
Anxiolytic drug; Benzodiazepine
receptor; γ-Aminobutyric acid; Central
serotonergic neuron (Nishikawa, T.)
371, 123

Hyperactivity
Striatum; Kainate; Transplantation;
Rewarded alternation; Stereotypy; Rat
(Deckel, A.W.) **365,** 249

Hyperalgesia
Pain; Analgesia; Prostaglandin;
Non-steroidal anti-inflammatory agent;
Central nervous system (Taiwo, Y.O.)
373, 81

Hyperalgesic inflammation
Rat; Ventrobasal thalamus;
Carrageenin (Guilbaud, G.) **385,** 86

Hyperammonemia
Tryptophan; Glutamine;
γ-Glutamyl-transpeptidase;
Blood–brain barrier
(Gorgievski-Hrisoho, M.) **367,** 395

Hypercapnia
Locus ceruleus; Cardiac output;
Cerebral blood flow; Propranolol
(Ramana Reddy, S.V.) **365,** 278

Hyperexcitability
Organotypic explant; Hippocampal
explant; Hippocampal stimulation
(Fowler, J.) **378,** 398

Hyperosmotic thirst
Subfornical organ; Drinking behavior;
Tachykinin; Bombesin; Angiotensin;
Hypovolemic thirst; Pigeon (Massi, M.)
381, 289

Hyperphagia
Hypothalamus; Insulin; Obesity;
Monosodium glutamate; Bipiperidyl
mustard; Lesion; Feeding
(Scallet, A.C.) **374,** 380

Hyperpolarization
Adenylate cyclase; α_2-Adrenoceptor;
Locus coeruleus; Opiate receptor;
Noradrenergic neuron; Pertussis toxin
(Aghajanian, G.K.) **371,** 390

Pentobarbital; Halothane; Anesthesia;
Membrane potential (Whitney, J.F.)
381, 199

Hypertension
Brain; Dopamine; Spontaneously
hypertensive rat; Uptake-inhibition;
Substantia nigra; Ventral tegmental
area; 6-Hydroxydopamine; Electrolytic
lesion (Van den Buuse, M.) **368,** 69

Spontaneously hypertensive rat; Brain
ventricle; Hydrocephalus;
Wistar–Kyoto rat (Ritter, S.) **370,** 327

Sympathetic nerve; Superior cervical
ganglion; Cerebral artery;
Spontaneously hypertensive rat
(Sadoshima, S.) **379,** 205

Cell culture; Adrenergic receptor;
Brainstem; Neuron; Neurotransmitter;
Peptide (Miura, M.) **399,** 352

Hyperthermia
Brain cooling; Comfort; Human
(Brinnel, H.) **363,** 170

Hypertonic saline
Angiotensin II; Drinking;
Isoproterenol; Polyethylene glycol;
Sinoaortic baroreceptor
deafferentation; Water deprivation
(Rettig, R.) **370,** 29

Hypertonic stimulation
Vasopressin; Septum; Push-pull
cannula; Hemorrhage; Magnocellular
system (Demotes-Mainard, J.) **381,** 314

Hypertrophy
Compensatory overload;
Neuromuscular adaptation;
Recruitment; Locomotion
(Gardiner, P.) **380,** 114

Hypoalgesia
Volume loading; Tail flick;
Spontaneously hypertensive rat (SHR);
Wistar Kyoto normotensive rat; F_1
offspring of SHR × WKY
(Randich, A.) **363,** 178

Orofacial pain; Spinal trigeminal
complex; Lesion; Rat; Intranuclear
projection (Pickoff-Matuk, J.F.)
382, 291

Opiate; Pain; Periaqueductal gray;
Trigeminal nucleus; Morphine;
Analgesia (Kasman, G.S.) **383,** 271

Hypogastric ganglion
Tyrosine hydroxylase; Choline
acetyltransferase; Testosterone;
Development (Melvin, J.E.) **383,** 38

Hypoglossal motoneuron
Tongue-muscle motoneuron;
Glossopharyngeal nerve; Optic tectum;
Excitatory interneuron; Prey-catching
behavior; Rejecting behavior; Toad
(Matsushima, T.) **365,** 198

Hypoglossal nucleus
Aurothioglucose; Obesity;
Ventromedial hypothalamus; Dorsal
motor nucleus of the vagus; Nucleus
tractus solitarii (Powley, T.L.) **367,** 192

Hypokalemia
Sodium–potassium pump;
Ventromedial hypothalamic nucleus;
Soleus muscle; Rat (Yoshimatsu, H.)
384, 17

Hypophysectomy
Somatostatin biosynthesis; Arginine
vasopressin biosynthesis; Hypothalamus
(Wetsel, W.C.) **370,** 315

Terminal nerve; Luteinizing
hormone-releasing hormone;
Acetylcholinesterase; Tiger

salamander; Bullfrog (Wirsig, C.R.) **385,** 10

Hypotension
Escherichia coli endotoxin; Renal nerve discharge; Medullary pressor area; Blood pressure; Heart rate; Sympathetic nerve activity (Koyama, S.) **366,** 217

Methoxyhydroxyphenylethyleneglycol sulfate; Dihydroxyphenalamine accumulation; Catecholamine; Blood pressure (Conlay, L.A.) **375,** 210

Hypothalamic culture
Aromatase; 5α-Reductase; Kainic acid; Neuron (Canick, J.A.) **372,** 277

Hypothalamic defence area
Vasoconstrictor neuron; Ventrolateral medulla; Nucleus paragigantocellularis lateralis; Carotid chemoreceptor (Dean, C.) **377,** 279

Hypothalamic efferent
Fluorescent latex microsphere; Retrograde fluorescent tracer; Amygdala; Cerebellum; Spinal cord (Dietrichs, E.) **364,** 241

Hypothalamic gonadotropin-releasing hormone
Rabbit; Intrahypothalamic noradrenaline; Estradiol; Luteinizing hormone; Follicle stimulating hormone (Francis Pau, K.-Y.) **399,** 15

Hypothalamic noradrenaline
N-Chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride; 6-Hydroxydopamine; Dopamine; Dihydroxyphenylacetic acid; 5-Hydroxytryptamine (Lookingland, K.J.) **365,** 228

Hypothalamic nucleus
Neuropeptide; Neurotransmitter; Cyclic adenosine monophosphate; Vasoactive intestinal peptide; Noradrenaline; Synergism (Redgate, E.S.) **365,** 61

Glutamate; Aspartate; Cerebral cortex; Brainstem nucleus; Pain-stress; Amphetamine (Palkovits, M.) **373,** 252

Gastrin-releasing peptide; Somatostatin; Regional distribution; Microdissection method; Rabbit (Kita, T.) **398,** 18

Hypothalamic slice
Thermosensitive neuron; Threshold temperature; Wide band control; Narrow band control; Thermostat; Thermosensor (Kobayashi, S.) **362,** 132

Extracellular recording; Growth hormone releasing factor; Paraventricular nucleus; Phasic activity (Poulain, P.) **371,** 355

Tuberoinfundibular dopaminergic neuron; Dihydroxyphenylalanine; Cyclic adenosine monophosphate; Forskolin (Arita, J.) **374,** 37

Hypothalamic ventromedial nucleus
Methamphetamine; Apomorphine; Dopamine; Defensive attack; Amygdala (Maeda, H.) **363,** 135

Hypothalamic-preoptic area
Locomotor activity; Rearing; Cholinergic system; Carbachol; Atropine; Rat (Brudzynski, S.M.) **376,** 38

Locomotor activity; Amphetamine-induced activity; Cholinergic system; Carbachol; Mesencephalic locomotor region; Extracellular unit recording; Rat (Brudzynski, S.M.) **376,** 47

Hypothalamo-infundibular system
Immunocytochemistry; Medulla oblongata; Spinal cord; Corticotropin-releasing factor; Substance P (Berkenbosch, F.) **399,** 87

Hypothalamo-neurohypophysial system
Angiotensin II; Potassium depolarization; Renin-angiotensin system; Vasopressin (Schiavone, M.T.) **397,** 193

Hypothalamoseptal pathway
Enkephalinergic neuron; Electrical property (Poulain, P.) **362,** 74

Hypothalamus
Phasic firing; Lucifer yellow CH; Immunocytochemistry; Paraventricular nucleus (Cobbett, P.) **362,** 7

Benzodiazepine; Midazolam; γ-Aminobutyric acid; Somatostatin; Neuropeptide; Cell culture; Cerebral; Neuron (Stryker, T.D.) **362,** 339

Endogenous dopamine release; Endogenous noradrenaline release; Dopamine; Noradrenaline; Striatum; Nomifensine; Calcium; Rat (Okuma, Y.) **363,** 47

Noradrenaline; Serotonin; Bombesin; Deermouse; *Peromyscus*; Thermoregulation (Lin, L.-H.) **364,** 212

Sexual dimorphism; Preoptic area; Anterior hypothalamic area; Ferret; Image analysis (Tobet, S.A.) **364,** 249

Tyrosine hydroxylase; Immunocytochemistry; Rhesus monkey; Catecholamine; Dopamine neuron; Synaptic analysis; Immunogold staining (Thind, K.K.) **366,** 37

Preoptic area; Paraventricular nucleus; Vasopressin; Water balance (Carithers, J.) **366,** 118

Morphine; Cholecystokinin radioimmunoassay; Tolerance; In vivo (Faris, P.L.) **367,** 405

Satiety; Sensory-specific satiety; Taste; Hunger; Lateral hypothalamus; Substantia innominata (Rolls, E.T.) **368,** 79

Adrenalectomy; α_1-Noradrenoceptor; α_2-Noradrenoceptor; Paraventricular nucleus; Supraoptic nucleus; Extra-hypothalamic area; Feeding behavior (Jhanwar-Uniyal, M.) **368,** 404

L-Glutamate; Neuropeptide Y (Kerkérian, L.) **369,** 388

Sexual dimorphism; Testosterone metabolism; Aromatase; Japanese quail; Sexual behavior; Preoptic area (Schumacher, M.) **370,** 285

Somatostatin biosynthesis; Arginine vasopressin biosynthesis; Hypophysectomy (Wetsel, W.C.) **370,** 315

Cholecystokinin release; Satiety; Feeding; Push–pull perfusion (Schick, R.R.) **370,** 349

Tryptamine; Tryptophan; Dopamine; Noradrenaline; Substantia nigra; Electrolytic lesion; Pargyline; Striatum (Juorio, A.V.) **371,** 385

Subarachnoid hemorrhage; Arrhythmia; Multiple unit activity (Lacy, P.S.) **373,** 146

Opioid peptide; Leumorphin (dynorphin B-29); Dynorphin (dynorphin A); β-Endorphin; Multiple opioid receptor; Sexual behavior (lordosis); Estrous cycle (Suda, M.) **374,** 236

Insulin; Hyperphagia; Obesity; Monosodium glutamate; Bipiperidyl mustard; Lesion; Feeding (Scallet, A.C.) **374,** 380

Substance P; Tuberoinfundibular neuron; Stalk median eminence; Deafferentation (Makara, G.) **374,** 399

Primate sexual behavior; Proceptivity; Receptivity; 17β-Estradiol; Marmoset (Kendrick, K.M.) **375,** 221

Naloxone; Pimozide; Feeding; Eating; Opioid (Jenck, F.) **375,** 331

Receptor; Autoradiography; Angiotensin II; Organum vasculosum of the lamina terminalis; Subfornical organ; Medulla (McKinley, M.J.) **375,** 373

Cyclic adenosine monophosphate; Estradiol; Estrous cycle; Norepinephrine; Progesterone (Etgen, A.M.) **375,** 385

Aromatase; Preoptic area; Testosterone; Metabolism of testosterone; Reproductive behavior; Brain differentiation; Sexual differentiation (Schumacher, M.) **377,** 63

Estrogen action; Progestin receptor; Noradrenergic transmission; Prazosin; Lordosis behavior; Guinea pig (Thornton, J.E.) **377,** 155

Corticotropin-releasing factor; Gonadotropin releasing hormone;

teinizing hormone-releasing
rmone (Nikolarakis, K.E.) **377,** 388

yptophan hydroxylase; Serotonergic
l body; Serotonergic terminal;
cleus raphe dorsalis; Nucleus raphe
ntralis; Postnatal development; Rat
ain (Park, D.H.) **378,** 183

sopressin; Neurophysin;
ycopeptide; Immunocytochemistry;
d nucleus of the stria terminalis;
cus coeruleus; Brattleboro rat (Van
euwen, F.W.) **379,** 171

ess; Sensitization; Hippocampus;
prepinephrine (Irwin, J.) **379,** 98

matostatin; Growth hormone;
ging; Somatomedin-C
onntag, W.E.) **380,** 229

Aminobutyric acid; Muscimol;
olactin; Arcuate; *N*-Methyl aspartate
ndo, J.G.) **381,** 43

ngiotensin II; Vasopressin;
rcumventricular organ;
rdiovascular regulation; Drinking
utman, M.B.) **382,** 119

teinizing hormone-releasing
rmone; Thyrotropin-releasing
rmone; Asymmetry; Human
orson-Chazot, F.) **382,** 433

trogen receptor; Estrogen binding;
ging; Age-associated; Preoptic area;
nterior pituitary; Estrous cyclicity
ubin, B.S.) **383,** 60

Adrenoceptor; Cerebral cortex;
hinencephalon; Estrous cycle;
variectomy (Bedran De Castro, J.C.)
4, 11

praoptic nucleus; Noradrenaline;
atecholamine; Brain slice;
eurosecretion (Ogata, N.) **385,** 122

yclic adenosine monophosphate;
ostaglandin E_2; Luteinizing
rmone-releasing hormone release
im, K.) **386,** 258

ging; β-Adrenoceptor; Quantitative
toradiography; Pineal gland
Veiland, N.G.) **398,** 305

holecystokinin; Receptor;
adioreceptor assay; High-pressure
quid chromatography;
holecystokinin-4; Amygdala; Cortex
Beresford, I.J.M.) **398,** 313

mmunoreactive; α-Melanocyte
mulating hormone; Suckling; Median
minence; Pituitary; Prolactin
Khorram, O.) **398,** 361

Aminobutyric acid; Melatonin; Pineal
and; Cerebellum; Cerebral cortex
Rosenstein, R.E.) **398,** 403

mmunohistochemistry; Growth
rmone-releasing factor; Tyrosine
hydroxylase; Colocalization; Neuron;
Rat (Daikoku, S.) **399,** 250

Body weight; Cycle; Food intake;
Hibernator; Recovery; Lesion
(Mrosovsky, N.) **399,** 282

Hypothalamus-neuronal oscillator
Brain slice; Circadian rhythm; Phase
shift; Single unit; Suprachiasmatic
nucleus (Gillette, M.U.) **375,** 176

Hypothermia
Cold adaptation; Neurotensin
(Merritt, W.D.) **369,** 136

Morphine; Adrenocorticotropin(1–24);
Adrenocorticotropin(4–10); Guinea pig
(Milanés, M.V.) **375,** 13

Corticotropin-releasing factor;
Pentobarbital; Corticotropin-releasing
factor antagonist (Imaki, T.) **383,** 323

Hypothyroidism
Thyroid hormone; Deoxyglucose;
Glucose utilization (Dow-Edwards, D.)
373, 139

Ventromedial nucleus; Paraventricular
nucleus; Subdivision; Karyometry;
Male mouse (Ferres-Torres, R.) **374,** 93

Hypovolemic thirst
Subfornical organ; Drinking behavior;
Tachykinin; Bombesin; Angiotensin;
Hyperosmotic thirst; Pigeon
(Massi, M.) **381,** 289

Hypoxia
Hippocampus; Slice preparation;
Incubation; CA3 neuron (Davis, A.K.)
370, 44

Brain development; Ornithine
decarboxylase; Norepinephrine uptake;
Protein synthesis (Slotkin, T.A.)
374, 63

Carotid body; Chemoreceptor;
Catecholamine; Dopamine release;
Carotid sinus nerve activity
(Rigual, R.) **374,** 101

Adaptation; Anoxia; Hippocampal
slice; CA1 population spike
(Schurr, A.) **374,** 244

Glutamate; Ketamine; Cyanide; Cell
culture; Cell death (Weiss, J.) **380,** 186

N-Methyl-D-aspartate; Calcium;
Hippocampal slice; Excitatory amino
acid (Ashton, D.) **385,** 185

Cerebral hypoxia; Cerebrovascular
disorder; Chlorpromazine; Spreading
depression; Calcium (Balestrino, M.)
385, 219

I

Ia afferent
Motor unit activity; Spindle group II
afferent; Spectral analysis; Coherence;
Modulation; Cat (Christakos, C.N.)
367, 52

Ibotenic acid
Emotion; Classical conditioning;
Autonomic nervous system; Lateral
hypothalamus (Iwata, J.) **368,** 161

Choline acetyltransferase;
Somatostatin; Nucleus basalis; Rat
cerebral cortex (Epelbaum, J.) **371,** 376

Medial geniculate body; Classical
conditioning; Emotional learning
(LeDoux, J.E.) **371,** 395

2-Amino-4-phosphonobutyric acid;
Hippocampus; Inositol phospholipid;
Electrical stimulation (Iadorola, M.J.)
374, 174

Magnocellular neuron; Oxytocin;
Paraventricular nucleus; Parvicellular
neuron; Vasopressin (Herman, J.P.)
383, 367

Ibotenic acid lesion
Nerve growth factor; Nucleus basalis;
Choline acetyltransferase;
Acetylcholinesterase; Cortex; Rat
(Haroutunian, V.) **386,** 397

Ictal event
Hippocampal slice; Magnesium-free
medium; Seizure; Interictal event
(Anderson, W.W.) **398,** 215

Ictalurus punctatus
Diencephalon; Horseradish peroxidase
histochemistry; Optic tract; Retinal
topography (Fraley, S.M.) **385,** 179

Identified neuron
Common inhibitor; Dye marking;
Electrophysiological mapping;
Brachyuran; *Carcinus maenas*
(Moffett, S.B.) **366,** 388

Aging; Mollusc; Electrical coupling
(Janse, C.) **376,** 208

Glycoprotein; Immunopurification;
Leech (Flanagan, T.) **378,** 152

Octopamine; Leydig cell; Leech
(Belanger, J.H.) **382,** 387

Thalamus; Cortex; Pallidum;
Cerebellum; Intracellular recording;
Horseradish peroxidase
(Gazzara, R.A.) **397,** 225

Image analysis
Sexual dimorphism; Preoptic area;
Anterior hypothalamic area;
Hypothalamus; Ferret (Tobet, S.A.)
364, 249

3-Acetylpyridine; Golgi; Purkinje cell;

Plasticity (Anderson, W.A.) **382,** 228

Deafferentation; Golgi; Purkinje cell; Plasticity (Anderson, W.A.) **383,** 245

Image processing
Quantitation; Computer; Retinal explant (Ford-Holevinski, T.S.) **368,** 339

Imipramine binding
$GABA_A$ receptor; $GABA_B$ receptor; 5,7-Dihydroxytryptamine lesion; Baclofen binding (Mennini, T.) **371,** 372

Immmunohistochemistry
Cortical graft; Basal nucleus; Cholinergic innervation; Cortical damage; Choline acetyl transferase; Glutamic acid decarboxylase (Sofroniew, M.V.) **378,** 409

Immobilization
Noradrenaline; Corticosterone; Gastric ulceration; Restraint; Stress (Bakke, H.K.) **368,** 256

Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; MIF-1; Naloxone; Analgesia; Activity; Opiate antagonist; Stress; Stress-induced analgesia (Kavaliers, M.) **372,** 370

Immobilization stress
Freely moving rat; Locus ceruleus; Clonidine; Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Noradrenaline (Quintin, L.) **362,** 366

Immobilized rat
Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Freely moving rat; Pentylenetetrazole-induced seizure; Electroencephalogram (Yokoi, I.) **385,** 212

Immunoblot
Paired helical filament; Isolation; Solubility; Alzheimer disease/senile dementia of the Alzheimer type; Polyacrylamide gel electrophoresis (Rubenstein, R.) **372,** 80

Immunoblot analysis
Synaptic vesicle; Monoclonal antibody; Immunohistochemistry; Immunoelectron microscopy; Cerebellum (Obata, K.) **375,** 37

Immunoblotting
Immunocytochemistry; Cyclic adenosine monophosphate-dependent protein kinase; Neuron-specific enolase (Löffner, F.) **363,** 205

Olfactory cilia; Sensory neuron; Glycoprotein immunofluorescence; Lectin; Cytoskeletal protein; Tubulin (Chen, Z.) **368,** 329

Myelin basic protein; Proteolipid; 2′,3′-Cyclic nucleotide phosphohydrolase; Myelination (Kerner, A.-L.) **374,** 45

Immunochemical titration
Phenylethanolamine *N*-methyltransferase; Strain difference; Dot blot hybridization; Adrenal gland; Medulla oblongata; Messenger ribonucleic acid (Park, D.H.) **372,** 185

Immunocytochemical localization
Phosphoprotein B-50; Development; Rat brain; Growth cone (Oestreicher, A.B.) **375,** 267

Immunocytochemistry
Phasic firing; Lucifer yellow CH; Hypothalamus; Paraventricular nucleus (Cobbett, P.) **362,** 7

Spinal cord; Choline acetyltransferase; Cholinergic neuron (Borges, L.F.) **362,** 140

Guinea pig; Autoradiography; Dihydrotestosterone; Gonadotroe; Thyrotroe; Pituicyte (Herbert, D.C.) **362,** 318

Cyclic adenosine monophosphate-dependent protein kinase; Neuron-specific enolase; Immunoblotting (Löffner, F.) **363,** 205

Glutaminase; Aspartate aminotransferase; Cerebellum; Amino acid neurotransmitter (Wenthold, R.J.) **363,** 371

Noradrenaline; Glutaraldehyde; Antibody; Rat brain; Locus ceruleus; Enzyme-linked immunosorbent assay (Geffard, M.) **363,** 395

Histidine decarboxylase; Histaminergic axon; Ultrastructure; Neostriatum; Cerebral cortex (Takagi, H.) **364,** 114

Neurofilament antigen; Neurofibrillary degeneration; Aluminum intoxication (Troncoso, J.C.) **364,** 295

Leu-enkephalin; Glutamatic acid decarboxylase; Caudate nucleus (Aronin, N.) **365,** 151

Aspartate; Glutaraldehyde; Specificity; Affinity; Cerebral cortex (Campistron, G.) **365,** 179

Vasopressin; Noradrenaline; Supraoptic nucleus; Spontaneously hypertensive rat; Catecholamine histofluorescence (Sladek, J.R.) **365,** 293

γ-Aminobutyric acid; Cochlea; Efferent neuron; Olivocochlear; Video enhanced microscopy (Fex, J.) **366,** 106

Tyrosine hydroxylase; Rhesus monkey; Hypothalamus; Catecholamine; Dopamine neuron; Synaptic analysis; Immunogold staining (Thind, K.K.) **366,** 37

Mouse barrel field; Anti-GABA serum (Chmielowska, J.) **368,** 371

Serotonin; Raphe nucleus; Neural transplantation; Hippocampus; Ultrastructure (Anderson, K.J.) **369,** 21

Cholinergic synapse; Choline acetyltransferase; Transplantation; Hippocampus; Electron microscopy (Clarke, D.J.) **369,** 151

Glycine; Glycine receptor; Cochlear nucleus neurotransmitter (Altschuler, R.A.) **369,** 316

Arcuate nucleus; Median eminence; Growth hormone-releasing factor; Electron microscopy; Rat (Ibata, Y.) **370,** 136

Phe-Met-Arg-Phe-NH_2 (FMRFamide); Small cardioactive peptide B; Arginin vasotocin; Mollusc; Modulation; Neuromuscular junction (Richmond, J.E.) **370,** 159

Somatostatin; Radioimmunoassay; Ge filtration chromatography; Spinal cord Sensory neuron; Cat (Tessler, A.) **370,** 232

Adenosylhomocysteine hydrolase; Cerebellum; Hippocampal formation; Adenosine deaminase; Basal hypothalamus; Superior colliculus (Patel, B.T.) **370,** 250

Choline acetyltransferase; Enucleation Goldfish; Interneuron; Optic tectum; Type XIV cell (Tumosa, N.) **370,** 365

Lamina I; Serotonin; Spinomesencephalic tract cell; Nociception; Spinothalamic tract cell; Spinal cord (Hylden, J.L.K.) **370,** 401

γ-Aminobutyric acid; D-Aspartate; Amino acid uptake; Oligodendrocyte; Astrocyte; Tissue culture; Autoradiography (Reynolds, R.) **371,** 253

Basal ganglion; Huntington's disease; Opioid peptide; Postmortem human brain; Radioimmunoassay (Dawbarn, D.) **372,** 155

Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Homotypic sprouting; Serotonin; Raphe nucleus; Hippocampus; 5,7-Dihydroxytryptamine; Fasciola cinerea (Zhou, F.C.) **373,** 337

Angiotensinogen; Glial fibrillary acidi protein; Rat brain; Astrocyte (Deschepper, C.F.) **374,** 195

Vasoactive intestinal peptide; Neuropeptide Y; Olfactory bulb; Neuropeptide (Gall, C.) **374,** 389

Habenula; Monoclonal antibody (Plioplys, A.V.) **375,** 1

Serotonin; Substance P; Spinal cord; Methenkephalin (Bowker, R.M.) **375,** 347

Noradrenaline; Dopamine; Serotonin; Acetylcholine; Rat brain

McRae-Degueurce, A.) **376,** 217

Retrograde cell degeneration; Basal ucleus; Choline acetyltransferase; Ganglioside (Cuello, A.C.) **376,** 373

Glycine; Glutaraldehyde; Specificity; Affinity; Brainstem; Spinal cord Campistron, G.) **376,** 400

Embryology; Evolution; Enkephalin; Inhibition; Peptide; Radioimmunoassay; Spinal cord Maderdrut, J.L.) **377,** 29

Calcitonin gene-related peptide; Vasoactive intestinal peptide; ympathetic neuron; Sweat gland; Neuropeptide; Coexistence of eurotransmitters (Landis, S.C.) **77,** 177

Met-enkephalin; Thalamus; Cat; Cell ody; Colchicine (Covenas, R.) **77,** 355

Deafferentation; Monosodium lutamate (Merchenthaler, I.) **378,** 297

Vasopressin; Neurophysin; Glycopeptide; Bed nucleus of the stria erminalis; Locus coeruleus; Hypothalamus; Brattleboro rat (Van eeuwen, F.W.) **379,** 171

Coexistence; Enkephalin; Serotonin; uperior cervical ganglion; Guinea pig Kanagawa, Y.) **379,** 377

Oxytocin; α-Melanocyte-stimulating ormone; Binding site; Brattleboro rat; Accurel (Ravid, R.) **379,** 404

-Aminobutyric acid (GABA); Antibody production; Cochlear nucleus Wenthold, R.J.) **380,** 7

Gonadotropin-releasing hormone; Ewe; Brain; Estradiol; Progesterone Glass, J.D.) **381,** 336

Catechol-O-methyltransferase; High erformance liquid chromatography; Cerebromicrovascular culture; Endothelium; Smooth muscle cell Spatz, M.) **381,** 363

Copper deficiency; Menkes' disease; mmunogold; Actin; Cytoskeletal; Dendrite; Cortex; Cerebellum; Brindled mouse; Ultrastructure Peterson, C.) **382,** 205

Vasoactive intestinal polypeptide; Stomach; Myenteric ganglion; Celiac anglion; Projection; Retrograde tracer Lee, Y.) **382,** 392

Development; Retina; Monoclonal ntibody; Monolayer culture; Rat Akagawa, K.) **383,** 110

Monkey; Epilepsy; Cerebral cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Morphology; Electroencephalography Houser, C.R.) **383,** 129

Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Radioimmunoassay; High performance liquid chromatography; Dorsal horn; Rat spinal cord (Harkness, D.H.) **384,** 323

Synapsin I; Vestibular receptor; Cat (Favre, D.) **384,** 379

Neurotensin; Human; Infant; Striatum; Septum; Amygdala; Cerebral cortex (Michel, J.-P.) **397,** 93

Enkephalin; Ventromedial hypothalamic nucleus; Midbrain; Central gray matter; Rat; Projection (Yamano, M.) **398,** 337

Medulla oblongata; Spinal cord; Hypothalamo-infundibular system; Corticotropin-releasing factor; Substance P (Berkenbosch, F.) **399,** 87

Cerebellum; Mutant mouse; γ-Aminobutyric acid; Purkinje cell; Deep cerebellar nucleus (Wassef, M.) **399,** 125

Thalamic reticular nucleus; γ-Aminobutyric acid; Rat; Electron microscopy; Immunogold staining (De Biasi, S.) **399,** 143

Luteinizing hormone-releasing hormone; Catecholamine; Sexual maturation; Postnatal development; Rat (Wray, S.) **399,** 327

Retina; Choline acetyltransferase; Amacrine cell; Tree shrew (Conley, M.) **399,** 332

Immunoelectron microscopy
Synaptic vesicle; Monoclonal antibody; Immunohistochemistry; Immunoblot analysis; Cerebellum (Obata, K.) **375,** 37

β-Endorphin; Rat duodenum; Myenteric plexus; Receptosome; Lyosome (Wolter, H.J.) **381,** 121

Cerebral ischemia; Dendrite; Gerbil; Microtubule; Transmission electron microscopy (Yamamoto, K.) **384,** 1

Immunofluorescence
Melanocyte-stimulating hormone; High-performance liquid chromatography; Radioimmunoassay; Frog hypothalamus (Benyamina, M.) **366,** 230

Sciatic nerve; Sodium channel; Monoclonal antibody; Mobility; Eel electroplax (Meiri, H.) **368,** 188

Rabies virus; Electroencephalogram; Sleep; Spectral analysis (Gourmelon, P.) **398,** 128

Immunoglobulin-M paraprotein
Glycolipid; Sulfated glucuronyl paragloboside; Myelin-associated glycoprotein; Monoclonal antibody; Polyneuropathy; Epitope (Ilyas, A.A.) **385,** 1

Immunogold
Copper deficiency; Menkes' disease; Immunocytochemistry; Actin; Cytoskeletal; Dendrite; Cortex; Cerebellum; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Immunogold staining
Tyrosine hydroxylase; Immunocytochemistry; Rhesus monkey; Hypothalamus; Catecholamine; Dopamine neuron; Synaptic analysis (Thind, K.K.) **366,** 37

Thalamic reticular nucleus; γ-Aminobutyric acid; Immunocytochemistry; Rat; Electron microscopy (De Biasi, S.) **399,** 143

Immunohistochemical localization
Transsynaptic transport; Fragment C of tetanus toxin; Vestibulo-ocular pathway (Evinger, C.) **380,** 383

Immunohistochemistry
Enkephalin, Met-; Substantia nigra; Monkey; Electron microscopy (Inagaki, S.) **362,** 171

Glutamate; Glutaminase; Aspartate aminotransferase; Cerebellar nucleus (Monaghan, P.L.) **363,** 364

Central nervous system transplant; Paraplegia; Vasoactive intestinal polypeptide neuron; Regeneration (Connor, J.R.) **367,** 214

Pituitary gland; Serotonin; Innervation (Saland, L.C.) **368,** 310

Transferrin; Neuroglia; Oligodendrocyte; Iron; Myelin (Connor, J.R.) **368,** 319

Histamine; Fluorescent retrograde labeling; Caudate–putamen complex; Premammillary region (Steinbusch, H.W.M.) **368,** 389

Substance P; Ultrastructure; Cerebral blood vessel; Sensory nerve fiber (Liu-Chen, L.-Y.) **369,** 12

Calcitonin gene-related peptide; Substance P; Coexistence; Cerebral artery; Guinea pig (Wanaka, A.) **369,** 185

N-Methyl-D,L-aspartic acid; Excitotoxin; Lesion; Basal forebrain; Cholineacetyltransferase; Rat (Stewart, G.R.) **369,** 377

Choline acetyltransferase; Cholinergic; Horseradish peroxidase; Superior colliculus; Mouse (Mufson, E.J.) **370,** 144

Cholinergic neuron; AF64A; Degeneration; Morphometry; In vitro study (Tonnaer, J.A.D.J6.) **370,** 200

Calcineurin; Peroxidase–anti-peroxidase method; Human brain tumor; Rat brain; Neuronal marker (Goto, S.) **371,** 237

Gerbil; Posterior communicating artery; Regional cerebral ischemia (Yamamoto, K.) **371,** 244

Neuropeptide Y; Striatum; Basal

ganglion; Primate; Cat; Somatostatin (Smith, Y.) **372,** 241

Axotomy; Vasoactive intestinal polypeptide; Spinal cord; Neuropeptide (Shehab, S.A.S.) **372,** 37

Calcitonin gene-related peptide; Substance P; Capsaicin; Cerebral artery; Iris; Neonatal rat (Matsuyama, T.) **373,** 205

Thyrotropin-releasing hormone; Nucleus of the solitary tract; Dorsal vagal nucleus; Raphe nucleus; Medullary transection (Palkovits, M.) **373,** 246

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Tyrosine hydroxylase; Basal ganglion (Schneider, J.S.) **373,** 258

Central nervous system transplant; Paraplegia; Spinal cord; Somatostatin; Regeneration (Bernstein, J.J.) **374,** 147

Thalamus; *Phaseolus vulgaris*-leucoagglutinin; Anterograde tracing; Striatum (Carlsen, J.) **374,** 375

Synaptic vesicle; Monoclonal antibody; Immunoelectron microscopy; Immunoblot analysis; Cerebellum (Obata, K.) **375,** 37

Tyrosine hydroxylase; Substance P; Rat neostriatum; Synaptic input (Kubota, Y.) **375,** 163

γ-Aminobutyric acid antiserum, purified; γ-Aminobutyric acid, enteric neuron (Saito, N.) **376,** 78

Serotonin; Spinal cord; Autonomic nervous system; Rat (Newton, B.W.) **376,** 155

Vasoactive intestinal polypeptide; Peripheral axotomy; Dorsal root ganglion; Sciatic nerve; Retrograde transport; Fluorescence microscopy (Shehab, S.A.S.) **376,** 180

Catecholamine; Spinal cord; Cell culture; Faglu fluorescence (Mariani, A.P.) **376,** 335

Glucoreceptive neuron; Ventromedial hypothalamic nucleus; Enkephalin; Ultrastructure; Rat (Inagaki, S.) **378,** 420

Medullospinal liquor contacting neuron; Methionine-enkephalin-Arg^6-Gly^7-Leu^8; Rat (Shimosegawa, T.) **379,** 1

Choline acetyltransferase; Acetylcholinesterase; Cholinergic neuron; Mauthner cell (Rhodes, K.J.) **381,** 215

Cholecystokinin; Substance P; Co-existence; Guinea pig; Eye; Trigeminal ganglion (Kuwayama, Y.) **381,** 266

γ-Enolase; Distribution; Human embryo; Development (Shinohara, H.) **382,** 33

Basal nucleus; Cholinergic neuron; Neuronal hypertrophy; Kainic acid (Pearson, R.C.A.) **382,** 149

Neuronal hypertrophy; Retrograde degeneration; Choline acetyltransferase; Oculomotor nerve; Motor neuron (Pearson, R.C.A.) **382,** 189

Anti-glutamate antibody; Colloidal gold particle; Carrier (Shiosaka, S.) **382,** 399

Progesterone receptor; Monoclonal antibody; Central nervous system; Guinea pig (Warembourg, M.) **384,** 121

Cerebral cortex; ELISA; In vitro; Neurofilament monoclonal antibody; Oxygen tension; Regeneration; Tissue culture (Kaplan, F.S.) **384,** 199

Subfornical organ; Midbrain raphe system; Angiotensin; Serotonin; Tract tracing; Double-labeling (Lind, R.W.) **384,** 250

Rat cerebellum; Electron microscopy; Western blotting; Gel electrophoresis; Purkinje cell; Climbing fiber; Synaptic connection (Pasteels, J.L.) **384,** 294

Gonadotropin-releasing hormone; Olfactory system; Nervus terminalis; Retrograde transport; Mouse (Jennes, L.) **386,** 351

Calcineurin; Enzyme immunoassay; Cerebral hemitransection; Striatonigral pathway; Pallidal pathway (Goto, S.) **397,** 161

Neurotensin; Enkephalin; Striatum; Caudate nucleus; Putamen; Coexistence; Cat (Sugimoto, T.) **398,** 195

Septal nucleus; Ganglioside; Choline acetyltransferase; Retrograde degeneration (Sofroniew, M.V.) **398,** 393

Growth hormone-releasing factor; Tyrosine hydroxylase; Colocalization; Neuron; Hypothalamus; Rat (Daikoku, S.) **399,** 250

Inferior olive; Serotonin; Double label (Bishop, G.A.) **399,** 369

Vitamin D; Calcium-binding protein; Human brain; Spinal cord; Cerebellum; Brainstem (Fournet, N.) **399,** 310

Immunohistofluorescence
Lamprey retina; Retinal cell; Polypeptide; Serotonin (Negishi, K.) **362,** 389

Immunohistofluorescence staining
Rat hippocampus; Memory and learning; Goldfish brain protein; Behavioral plasticity; Embryonic glycoprotein; Plasticity of the CNS; Pyramidal cell culture (Schmidt, R.) **386,** 245

Immunoneutralization
Substance P; Nucleus accumbens; Dopamine; Dihydroxyphenylacetic acid; Locomotor activity; Amphetamine; Dopamine release (Elliott, P.J.) **385,** 379

Immunoperoxidase
Ricin; Wheat germ agglutinin; Suicide transport; Vagus; Hybrid toxin (Oeltmann, T.N.) **377,** 221

Immunopurification
Glycoprotein; Identified neuron; Leech (Flanagan, T.) **378,** 152

Immunoreaction
Adrenocorticotropic hormone; Immunoreactive β-endorphin; Brain concentration; Molecular form; Developmental aging; Pro-opiomelanocortin; Regulation; Chromatography (Kapcala, L.P.) **364,** 350

Immunoreactive
α-Melanocyte stimulating hormone; Suckling; Hypothalamus; Median eminence; Pituitary; Prolactin (Khorram, O.) **398,** 361

Immunoreactive β-endorphin
Adrenocorticotropic hormone; Brain concentration; Molecular form; Immunoreaction; Developmental aging; Pro-opiomelanocortin; Regulation; Chromatography (Kapcala, L.P.) **364,** 350

Immunoreactivity
Electron microscopy; γ-Aminobutyric acid; Hippocampus; Peroxidase–antiperoxidase (Gamrani, H.) **364,** 30

Immunoreactivity of a pituitary protein '7B2'
Central nervous system; Subcellular organization; Molecular form (Marcinkiewicz, M.) **380,** 349

Implantation technique
Olivocerebellar fiber; Cerebello-olivary fiber; Interposed nucleus; Wheat germ agglutinin-horseradish peroxidase (Dietrichs, E.) **373,** 373

Impulse activity
Development; Synaptic connection; Spinal cord; Spindle afferent fiber; Motoneuron; Specificity (Frank, E.) **378,** 147

IMR-32, NMB, SK-N-SH neuroblastoma line
Opioid receptor, expression in neuroblastoma line; Delta opioid binding site; D-Ala-D-Leu-enkephalin; Human neuroblastoma cell (Hochhaus, G.) **382,** 327

In vitro
Radial glia; Cell birth; Optic tectum; Thymidine autoradiography; Goldfish (Henken, D.B.) **364,** 186

Hippocampus; Evoked activity; Monosialoganglioside GM1

(Wieraszko, A.) **371,** 305

Cerebral cortex; ELISA; Immunohistochemistry; Neurofilament monoclonal antibody; Oxygen tension; Regeneration; Tissue culture (Kaplan, F.S.) **384,** 199

Adenosine; Adenine nucleotide; Uptake; Release; Retina; Rabbit (Perez, M.T.R.) **398,** 106

In vitro autoradiography
Cholecystokinin binding site; *Propionyl*-[^{3}H]Propionylated cholecystokinin octapeptide; Distribution; Characterization; Species difference (Sekiguchi, R.) **399,** 271

In vitro glucose uptake
Suprachiasmatic nucleus; Circadian rhythm (Newman, G.C.) **381,** 345

In vitro recording
Nucleus accumbens; Brain slice; γ-Aminobutyric acidergic inhibition (Chang, H.T.) **366,** 392

In vitro release
Corticotropin-releasing factor; β-Endorphin; Dynorphin (Nikolarakis, K.E.) **399,** 152

In vitro slab
Cerebellar development; Horseradish peroxidase axonal tracing; Cell migration; Dendritic differentiation (Bourrat, F.) **378,** 69

In vitro study
Immunohistochemistry; Cholinergic neuron; AF64A; Degeneration; Morphometry (Tonnaer, J.A.D.J6.) **370,** 200

In vivo
Morphine; Cholecystokinin radioimmunoassay; Hypothalamus; Tolerance (Faris, P.L.) **367,** 405

Axoplasmic transport; Microtubule; Calcium ion; Cadmium ion; Tubulin; SH content (Gan, S.-D.) **369,** 75

D-2-Amino-5-phosphonovaleric acid; Brain dialysis; Kynurenate; Olfactory bulb (Jacobson, I.) **386,** 389

In vivo brain dialysis
Bulbospinal serotonin neuron; Ventrolateral medulla; Sympathetic activity (Pilowsky, P.M.) **366,** 354

In vivo dialysis
Transplantation; Neostriatum; Dopamine; Release (Zetterström, T.) **362,** 344

In vivo electrochemistry
Caudate; Dopamine; Reinforcement (Brozoski, T.J.) **364,** 275

Prolactin secretion; Dopamine; Anterior pituitary; Posterior pituitary (Mulchahey, J.J.) **386,** 332

Cholecystokinin; Nucleus accumbens; Dopamine release; Depolarization block; Peptide-monoamine coexistence (Lane, R.F.) **397,** 200

In vivo superfusion
Subthalamic nucleus stimulation; Nigrostriatal pathway; Dopamine release (Mintz, I.) **376,** 406

In vivo voltammetry
D-Amphetamine; Ascorbic acid; Dopamine; Long-term treatment; Neostriatum (Kamata, K.) **362,** 331

Amphetamine; Ascorbic acid; Crus cerebri; Neostriatum; Picrotoxin; Substantia nigra (Wilson, R.L.) **370,** 393

Dopamine uptake; Striatum; Median forebrain bundle (Stamford, J.A.) **373,** 85

Prefrontal cortex; 3,4-Dihydroxyphenylacetic acid; Neuroleptic; Rat (Serrano, A.) **378,** 191

Anaesthetic; Dopamine metabolism (Ford, A.P.D.A6.) **379,** 162

γ-Aminobutyric acid; Dopamine; Neostriatum; Long-term treatment; Haloperidol (Kamata, K.) **380,** 1

Caudate nucleus; Dopamine release; Electrical stimulation; Dopamine uptake (Kuhr, W.G.) **381,** 168

Amphetamine; Ascorbic acid; Haloperidol; Neostriatum; Substantia nigra; Unit activity (Wilson, R.L.) **384,** 342

Dopaminergic neuron; Nucleus accumbens; Free moving animal; Tail-pinch; Social interaction (Louilot, A.) **397,** 395

Incubation
Hippocampus; Slice preparation; Hypoxia; CA3 neuron (Davis, A.K.) **370,** 44

Induction
Plasticity; Locus ceruleus; Pruning; High-pressure liquid chromatography; Noradrenaline uptake (Haring, J.H.) **368,** 233

Ineffective projection
Dorsal horn; Sural nerve (Pubols, L.M.) **371,** 109

Infant
Neurotensin; Immunocytochemistry; Human; Striatum; Septum; Amygdala; Cerebral cortex (Michel, J.-P.) **397,** 93

Infarction
Spinal cord injury; Photochemical sensitization; Singlet oxygen; Microvascular stasis (Watson, B.D.) **367,** 296

Infectivity of subacute spongiform encephalopathy
Congophilia; Amyloid deposit; Creutzfeldt–Jakob disease; Gerstmann–Sträussler syndrome; Senile dementia; Alzheimer's disease (Tashima, T.) **399,** 80

Inferior alveolar nerve
Collateral reinnervation; Trigeminal nerve; Rhizotomy; Jaw opening reflex; Tooth (Robinson, P.P.) **366,** 397

Inferior colliculus
Auditory system; Macula lagena (Conlee, J.W.) **367,** 96

Cell type; Horseradish peroxidase; Commissure (González Hernández, T.H.) **368,** 268

Inferior colliculus central nucleus
Acoustic startle response; Stimulus repetition; Inferior colliculus external nucleus (Willott, J.F.) **386,** 105

Inferior colliculus external nucleus
Acoustic startle response; Stimulus repetition; Inferior colliculus central nucleus (Willott, J.F.) **386,** 105

Inferior mesenteric ganglion
Substance P; Nicotinic transmission (Jiang, Z.G.) **363,** 196

Inferior olivary nucleus
Bradycardia; Cardioinhibitory area; Dorsal motor nucleus; Solitary nucleus; Ambiguus nucleus; Vagus nerve (Kuo, J.S.) **372,** 217

Baroreceptor reflex; Bradycardia; Tachycardia; Vagus nerve; Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus (Kuo, J.S.) **372,** 227

Facial nucleus; Spinal cord; Spinal trigeminal nucleus (Nakano, K.) **372,** 338

Inferior olive
Optic nerve; Pretectum; Dorsal cap; Nucleus β; Medial accessory olive; Rat (Akaike, T.) **368,** 183

Reticular formation; Horseradish peroxidase; Intracellular staining; Ultrastructure (Bishop, G.A.) **371,** 133

Cerebellum; Olivocerebellar fiber; Lobule IV; Lobule V; Squirrel monkey; Horseradish peroxidase (Whitworth, R.H.) **372,** 55

Rubral activity; 3-Acetylpyridine (Billard, J.) **374,** 270

Cerebellum; Superior colliculus; Crus II; Rat (Akaike, T.) **378,** 186

Cerebellum; Ethanol; Ethanol metabolite; β-Carboline; Harmaline (Rogers, J.) **385,** 253

Superior colliculus; Medial accessory olive; Lobule VII; Crus II; Rat (Akaike, T.) **386,** 400

Serotonin; Double label; Immunohistochemistry (Bishop, G.A.) **399,** 369

Information on motor unit contraction
Motor unit; Fatigue; Muscle spindle afferent; Afferent gain increase (Christakos, C.N.) **365,** 388

Infralimbic cortex
Medial frontal cortex; Gastric motility; Rat; Neocortex; Microstimulation (Hurley-Gius, K.M.) **365,** 241

Posteromedial ventral nucleus; Thalamus; Cerebral cortex; Cat; Wheat germ agglutinin–horseradish peroxidase (Yasui, Y.) **368,** 384

Inherited neuropathy
Schwann cell; Cell culture; Myelin synthesizing enzyme; Electrophoresis, two-dimensional; Schwann cell protein; Trembler mouse (White, F.V.) **381,** 85

Inhibition
Nucleus accumbens; Ventromedial mesencephalic tegmentum; Excitation; Dopamine; Haloperidol; Sulpiride (Le Douarin, C.) **363,** 290

Leech; Motor neuron; Membrane potential; Oscillation; Neuron ablation; Photoinactivation (Granzow, B.) **369,** 321

Neocortex; Late hyperpolarization; Slice (Avoli, M.) **370,** 165

Embryology; Evolution; Enkephalin; Immunocytochemistry; Peptide; Radioimmunoassay; Spinal cord (Maderdrut, J.L.) **377,** 29

Entorhinal cortex; Subiculum; Amygdala; Electrophysiology (Colino, A.) **378,** 416

γ-Aminobutyric acid; Visual cortex; Monocular deprivation; Ocular dominance; Amblyopia (Mower, G.D.) **380,** 253

Cat cortex; Single cell; γ-Aminobutyric acid; Contrast adaptation (DeBruyn, E.J.) **383,** 339

Inhibition of endothelial metabolism
Electrical resistance of microvessels; Modulation of vascular permeability; Blood–brain barrier opening; Blood–brain barrier in hypoxia; Glycolysis (Olesen, S.-P.) **368,** 24

Inhibitory avoidance
Amygdala; Adrenaline; Memory; Noradrenaline; Propranolol; Retention (Liang, K.C.) **368,** 125

Inhibitory control
Pain; Morphine; Counter-irritation (Kraus, E.) **379,** 151

Inhibitory postsynaptic potential
Synaptic organization; Retinal afferent; Optic tectum (Leresche, N.) **365,** 383

Theta rhythm; Hippocampal CA1; Spectral analysis; Cellular mechanism (Leung, L.-W.S.) **367,** 323

Reticular formation; Nucleus reticularis gigantocellularis; Spinal cord; Motoneuron; Sleep; Wakefulness; Active sleep; Quiet sleep (Chase, M.H.) **386,** 237

Inhibitory transmission
Oxygen at high pressure; Oxygen; γ-Aminobutyric acid; Transmitter release (Colton, C.A.) **364,** 151

Innervation
Pituitary gland; Serotonin; Immunohistochemistry (Saland, L.C.) **368,** 310

Tooth pulp; Development; Trigeminal nerve; Branching axon (Brenan, A.) **382,** 250

Septum; Tissue culture; Transplant; Hippocampus (Gibbs, R.B.) **382,** 409

Innervation pattern
Tonotopical organization; Superior olivary nucleus; Horseradish peroxidase; Frog (Feng, A.S.) **364,** 167

Cochlear nucleus; Dorsal medullary nucleus; Frog; Horseradish peroxidase study (Feng, A.S.) **367,** 183

Vestibular afferent; Otolith organ; Bullfrog; Lucifer yellow (Baird, R.A.) **369,** 48

Inoculation route
Scrapie; Rat; Electroencephalographic alteration; Neuropathological lesion (Bassant, M.-H.) **383,** 397

Inositol phosphate
Noradrenaline; α_1-Receptor; Lateral geniculate nucleus (Kemp, J.A.) **371,** 314

Vasoactive intestinal polypeptide receptor; Sympathetic ganglion (Audigier, S.) **376,** 363

Inositol phospholipid
Astrocyte; Muscarinic receptor; Cyclic adenosine monophosphate; Agonist; Antagonist; Cell culture (Murphy, S.) **364,** 177

Ibotenic acid; 2-Amino-4-phosphonobutyric acid; Hippocampus; Electrical stimulation (Iadorola, M.J.) **374,** 174

Inositol-trisphosphate
Bradykinin; Calcium indicator quin 2; Calcium mobilization; Calcium blocker; Microinjection; NG108-15 cell (Osugi, T.) **379,** 84

Input 1 excitatory postsynaptic potential
Neuron R15; Calcium power function; Steady-state facilitation; Stimulation frequency (Carlson, C.G.) **376,** 204

Input/output curve
Calcium; Potassium; Hippocampus; Brain slice (Balestrino, M.) **377,** 229

Insect
Visceral muscle; Octopaminergic control; Adenosine monophosphate, cyclic; Locust (Lange, A.B.) **363,** 340

Met-enkephalin; Opioid; Neuropeptide; Radioimmunoassay; Nervous system (Davenport, A.P.) **383,** 319

Neurosecretory cell; Electrical coupling; Dye coupling; Gap junction; Freeze fracture (Orchard, I.) **397,** 359

Color vision; Optic lobe; Medulla; Interneuron; Color-opponency (Ichikawa, T.) **397,** 381

Insect neuron
Avermectin; γ-Aminobutyric acid receptor; Cultured neuron (Lees, G.) **366,** 369

Insect visual system
Honeybee; Lamina; Tangential fiber; 5-Hydroxytryptamine-like-immunoreactivity; γ-Aminobutyric acid-like immunoreactivity; Neurotransmitter (Schäfer, S.) **380,** 368

Inspiratory neuron
Nucleus tractus solitarii; Control of respiration; Antidromic latency technique; Lung inflation; Vagal pulmonary afferents; Medulla; Cat (Davies, R.O.) **366,** 22

Insula
Middle cerebral artery; Cerebral infarction; Plasma catecholamine; Stroke (Smith, K.E.) **375,** 182

Insular cortex
Frontal cortex; Olfactory cortex; Piriform cortex; Endopiriform nucleus; Solitary nucleus; Olfactory bulb; Periaqueductal gray; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

Insulin
Hypothalamus; Hyperphagia; Obesity Monosodium glutamate; Bipiperidyl mustard; Lesion; Feeding (Scallet, A.C.) **374,** 380

Catecholamine; Adrenocorticothyrotropic hormone; Quantal size; Frog; Neuromuscular junction (Van der Kloot, W.) **376,** 378

Neuronal culture; Noradrenaline; Maprotiline; Catecholamine uptake; Insulin receptor (Boyd, F.T.) **398,** 1

Insulin hypoglycemia
Bombesin; Growth hormone (Scarpignato, C.) **371,** 187

Insulin receptor
Insulin; Neuronal culture; Noradrenaline; Maprotiline; Catecholamine uptake (Boyd, F.T.) **398,** 1

Intact hippocampus
Long-term potentiation; Protein phosphorylation; Protein kinase C; Perforant path; Dentate gyrus; Synapti plasticity; Protein F_1 (Lovinger, D.M.) **399,** 205

Interaction
N-2-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline;

Mianserin; Hot plate; Tail flick; Shock-titration; Noradrenaline; Serotonin (Post, C.) **363,** 18

Tyrosine hydroxylase; Enkephalin; Neostriatum; Electron microscopy; Rat (Kubota, Y.) **367,** 374

Brain thyrotropin-releasing hormone receptors; [^{3}H-3-MeHis^2]TRH; μ-Opiate ligand; δ-Opiate ligand; κ-Opiate ligand; σ-Opiate ligand (Bhargava, H.N.) **368,** 262

Interaction dopamine-noradrenaline
Desmethylimipramine; 6-Hydroxydopamine lesion; Mesocortical dopamine neuron (Herve, D.) **383,** 47

Interchromatin granule
Nucleoplasm; Ribonucleoprotein; Chromatin; Facial neuron; Development (Jones, K.J.) **377,** 119

Intercollicular fiber
Superior colliculus; Wheat germ agglutinin–horseradish peroxidase; Rat (Jen, L.S.) **379,** 385

Intercostal motoneuron
Carbon dioxide; Phrenic motoneuron; Cat (Jodkowski, J.S.) **386,** 296

Interferon
Cyclosporine; Irradiation; Morphine; Antinociception; Tolerance (Dougherty, P.M.) **385,** 401

Interictal event
Hippocampal slice; Magnesium-free medium; Ictal event; Seizure (Anderson, W.W.) **398,** 215

Interictal spike
Epilepsy; Magnetoencephalography; Penicillin; Cellular electrophysiology; Neocortex (Barth, D.S.) **368,** 36

Interlaminar zone
Parallel pathway; Lateral geniculate nucleus; Primate vision; W-like pathway (Irvin, G.E.) **362,** 254

Interleukin-1
Fever; Acute-phase reaction; Prostaglandin; Leukotriene; Preoptic-anterior hypothalamus (Mashburn, T.A.) **376,** 285

Interleukin-2
Glioma; Lymphokine activated killer cell; Cytotoxic lymphocyte; Trypsin (Jacobs, S.K.) **372,** 386

Intermediate gray
Fluorescent double label; Paleospinothalamic tract; Spinothalamic collateral; Periaqueductal gray; Intralaminar thalamic nucleus; Spinal projection neuron; Nucleus of dorsolateral funiculus (Liu, R.P.C.) **365,** 145

Intermediolateral cell column
Thyrotropin releasing hormone; Ventral medullary lesion; 5,7-Dihydroxytryptamine; Thyrotropin-releasing hormone radioimmunoassay; Substance P; Nucleus paragigantocellularis lateralis; Nucleus interfascicularis hypoglossi (Helke, C.J.) **381,** 1

A_5 cell group; Nucleus tractus solitarii; Blood pressure regulation; Noradrenaline (Loewy, A.D.) **386,** 313

Intermediolateral nucleus
Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Immunocytochemistry; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Dendritic organization; Sympathetic preganglionic neuron; Dendritic bundle; Vegetative network; Rabbit (Vera, P.L.) **386,** 84

Interneuron
Choline acetyltransferase; Enucleation; Goldfish; Immunocytochemistry; Optic tectum; Type XIV cell (Tumosa, N.) **370,** 365

γ-Aminobutyric acid; Somatosensory thalamus; Dorsal column nucleus (Barbaresi, P.) **382,** 305

Hippocampus; Retrograde fluorescent tracing; Intracellular injection; Septum (Schwerdtfeger, W.K.) **386,** 146

Insect; Color vision; Optic lobe; Medulla; Color-opponency (Ichikawa, T.) **397,** 381

Internuclear neuron
Abducens nucleus; Motoneuron; Ocular fixation (Gómez, C.) **381,** 401

Interpeduncular nucleus
Cholinotoxin; Ultrastructure; Neurochemistry (Villani, L.) **379,** 223

Atrial natriuretic peptide; Electrolyte homeostasis; Cardiovascular system (Standaert, D.G.) **382,** 163

Transneuronal transport; Wheat germ agglutinin-horseradish peroxidase; Habenula; Astroglia; Rat (Takada, M.) **384,** 77

2-Deoxy-D-[^{14}C]glucose technique; Local cerebral glucose utilization; Median raphe; Dorsal raphe; Stria medullaris; Habenular nucleus; Choline acetyltransferase (Motohashi, N.) **397,** 265

Interposed nucleus
Olivocerebellar fiber; Cerebello-olivary fiber; Wheat germ agglutinin-horseradish peroxidase; Implantation technique (Dietrichs, E.) **373,** 373

Interpositorubral fiber
Rubrointerposital fiber; Wheatgerm agglutinin–horseradish peroxidase (Walberg, F.) **397,** 73

Interpositus nucleus
Deep cerebellar nucleus; Glutamic acid decarboxylase; Dystonia; Fastigial nucleus; Dentate nucleus (Oltmans, G.A.) **385,** 148

Intestinal receptor
Rat; Bradykinin; Sympathoexcitatory reflex; Capsaicin; Substance P (Stein, R.D.) **397,** 145

Intracardiac neuron
Heart; Tissue culture; Autonomic nervous system; Neuropeptide Y-containing neuron; Vasoactive intestinal polypeptide-containing neuron (Hassall, C.J.S.) **364,** 102

Intracellular chloride activity
Carotid body; Glomus cell (Oyama, Y.) **368,** 167

Intracellular free calcium ion
Hippocampus; Pyramidal cell; Calcium microelectrode (Krnjevic, K.) **374,** 1

Intracellular injection
X-organ-sinus gland; Horseradish peroxidase; Neurosecretory cell; Peptidergic neuron (Nagano, M.) **362,** 379

Carp retina; Dopaminergic cell; Lucifer yellow (Teranishi, T.) **370,** 196

Hippocampus; Retrograde fluorescent tracing; Interneuron; Septum (Schwerdtfeger, W.K.) **386,** 146

Intracellular labelling
Rat thalamo-cortical neuron; Intracellular recording; Membrane property; Cortical stimulation-induced response (Kita, H.) **371,** 80

Rat pelvic ganglion; Lucifer yellow; Intracellular recording; Ganglionic transmission (Tabatabai, M.) **382,** 61

Intracellular potassium activity
Carotid body; Glomus cell; Ion-selective electrode (Oyama, Y.) **381,** 405

Intracellular recording
Serotonin; Lamprey; Spinal cord; Afterhyperpolarization (Van Dongen, P.A.M.) **366,** 320

Adenosine; Locus ceruleus; Brain slice; Theophylline (Shefner, S.A.) **366,** 364

Pineal; Electrophysiology; Patch-clamp; Voltage-clamp; Noradrenaline (Freschi, J.E.) **368,** 366

Nucleus accumbens; Conditioning ventral tegmental area stimulation; Dopamine modulation (Yim, C.Y.) **369,** 347

Amygdala efferent; Entorhinal cortex; Neurophysiology; Dentate gyrus; Rat (Finch, D.M.) **370,** 273

Rat thalamo-cortical neuron; Intracellular labeling; Membrane property; Cortical stimulation-induced response (Kita, H.) **371,** 80

Rat; Substantia nigra compacta neuron; Slice preparation; Membrane property (Kita, T.) **372,** 21

Excitatory amino acid; Horizontal cell; Retina (Ariel, M.) **372,** 143

Olfaction; Electrophysiology; Salamander; Supporting cell (Trotier, D.) **374,** 205

Pain; Analgesia; Medial thalamus; Periaqueductal gray; Cerebral cortex (Andersen, E.) **375,** 30

Excitatory amino acid; Lateral septum; Kynurenic acid; *p*-Bromobenzoyl-piperazine-2,3-dicarboxylic acid; Synaptic transmission; Fimbria (Stevens, D.R.) **382,** 437

Rat pelvic ganglion; Lucifer yellow; Intracellular labelling; Ganglionic transmission (Tabatabai, M.) **382,** 61

Subicular efferent; Hippocampal efferent; Entorhinal cortex; Neurophysiology; Rat (Finch, D.M.) **397,** 205

Thalamus; Cortex; Pallidum; Cerebellum; Identified neuron; Horseradish peroxidase (Gazzara, R.A.) **397,** 225

Intracellular response
Amacrine cell; Japanese dace; Dopamine; Ethidium bromide; Morphology (Chino, Y.M.) **372,** 323

Cortex; Protein kinase; Cyclic guanosine monophosphate (Woody, C.D.) **386,** 379

Intracellular staining
Spinal cord; Cat; Horseradish peroxidase; Electron microscopy; Spinocervical tract; Postsynaptic dorsal column system (Maxwell, D.J.) **363,** 199

Reticular formation; Inferior olive; Horseradish peroxidase; Ultrastructure (Bishop, G.A.) **371,** 133

Intracerebral dialysis
Dopamine release; 6-Hydroxydopamine; Rotational behavior; Amphetamine; L-Dihydroxyphenylalanine (Zetterström, T.) **376,** 1

Intracerebral injection
μ Opiate receptor; δ Opiate receptor; Nociceptive threshold; Seizure activity; Thalamus; Catalepsy (Walker, G.E.) **383,** 1

Intracerebral microinjection
Rat; γ-Aminobutyric acid; Picrotoxin; Periaqueductal gray matter; Aggressive behavior; Defense; Open-field; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Intracerebroventricular infusion
Somatostatin; Paradoxical sleep; Cysteamine (Danguir, J.) **367,** 26

Intracerebroventricular microinjection
Place conditioning; Cocaine; Pimozide; Procaine; Bromocriptine; Dopamine; Reward (Morency, M.A.) **399,** 33

Intracisternal administration
β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin; Morphine; Plasma catecholamine; Paraventricular nucleus; Nucleus of the solitary tract; Central sympathetic outflow; Heart rate; Mean arterial blood pressure (Appel, N.M.) **378,** 8

Intrahypothalamic noradrenaline
Rabbit; Estradiol; Hypothalamic gonadotropin-releasing hormone; Luteinizing hormone; Follicle stimulating hormone (Francis Pau, K.-Y.) **399,** 15

Intralaminar nucleus
Anterior nucleus; Cholinesterase; Midline nucleus; Thalamus (Robertson, R.T.) **368,** 116

Intralaminar thalamic nucleus
Fluorescent double label; Paleospinothalamic tract; Spinothalamic collateral; Periaqueductal gray; Spinal projection neuron; Intermediate gray; Nucleus of dorsolateral funiculus (Liu, R.P.C.) **365,** 145

Intralaminar thalamus
Superior colliculus; Rat; Projection neuron; Patch; Double labeling; Autoradiography (Yamasaki, D.S.G.) **378,** 223

Intramembrane particle
Basic protein; Proteolipid; Myelin; Freeze-fracture; Liposome (Garcia-Segura, L.M.) **380,** 261

Intranuclear projection
Orofacial pain; Spinal trigeminal complex; Lesion; Rat; Hypoalgesia (Pickoff-Matuk, J.F.) **382,** 291

Intrathecal
Substance P; Somatostatin; Spinal cord; C-afferent; Polymodal nociceptor; Thermosensitive C-afferent (Wiesenfeld-Hallin, Z.) **372,** 172

Intrathecal administration
Substance P; Neurokinin A; Substance K; Eledoisin; Physalaemin; Tail-flick test; Nociception (Cridland, R.A.) **381,** 93

Intrathecal 6-hydroxydopamine
Shock-induced analgesia; 5-Methoxy-*N*,*N*-dimethyltryptamine; Tail-flick; Hot-plate; Intrathecal yohimbine; Antagonism; Rat (Danysz, W.) **365,** 169

Intrathecal yohimbine
Shock-induced analgesia; 5-Methoxy-*N*,*N*-dimethyltryptamine; Tail-flick; Hot-plate; Intrathecal 6-Hydroxydopamine; Antagonism; Rat (Danysz, W.) **365,** 169

Intravenous administration
Prostaglandin D_2; Blood–brain barrier; Radioimmunoassay; Mouse brain (Suzuki, F.) **385,** 321

Intrinsic neuron
Dorsal ventricular ridge; Local circuit neuron; Relay cell; Reptile; Thalamus (Pritz, M.B.) **376,** 169

Inward rectification
Ion channel; Single channel; Potassium channel; Horizontal cell; Patch clamp (Shingai, R.) **369,** 65

Iodoantipyrine
Experimental allergic encephalomyelitis; Regional cerebral blood flow; Quantitative autoradiography; Spatial resolution (Juhler, M.) **363,** 272

Iodothyronine
Thyroxine; Triiodothyronine; Deiodinase; Astrocyte; Oligodendrocyte; Neuroglia (Cavalieri, R.R.) **364,** 382

Ion
Glial cell; Amino acid; Neurotransmitter; Energy parameter; Energetics; Ion gradient (Erecinska, M.) **369,** 193

Ion channel
Single channel; Potassium channel; Inward rectification; Horizontal cell; Patch clamp (Shingai, R.) **369,** 65

Voltage clamp; Cyclic adenosine monophosphate; Teophylline (Arhem, P.) **371,** 182

Molluscan neuron; Acetylcholine; Cholinoreceptor; Cholinergic antagonist; Voltage-clamp (Furukawa, Y.) **374,** 227

Vasopressin; Oxytocin; Hormone secretion; Rat neurohypophysis; Patch clamp (Mason, W.T.) **383,** 279

Ion current
A-current; Connor–Stevens; Equation; Hodgkin–Huxley (De Schutter, E.) **382,** 134

Ion gradient
Glial cell; Amino acid; Neurotransmitter; Energy parameter; Energetics; Ion (Erecinska, M.) **369,** 193

Ion homeostasis
Third ventricle choroid plexus; Cerebrospinal fluid; Sodium; Potassium ion; Acidosis; Tela choroidea (Harbut, R.E.) **374,** 137

Ion permeation
Sodium channel; Tetramethrin; Pyrethroid; Ion selectivity (Yamamoto, D.) **372,** 193

Ion selectivity
Sodium channel; Tetramethrin; Pyrethroid; Ion permeation (Yamamoto, D.) **372,** 193

Ion-selective electrode
Carotid body; Glomus cell; Intracellular potassium activity (Oyama, Y.) **381,** 405

Ion-selective microelectrode
Hippocampal slice; Potassiun-distribution mode; pO_2-Dependency of K^+-distribution rate (Lipinski, H.-G.) **380,** 267

Ionic mechanism
Action potential; Neurosecretory terminal; Sinus gland; Neurosecretion; Isopod (Chiang, R.G.) **377,** 83

Iontophoresis
Substance P; Noradrenaline interaction; Cingulate cortex; Adrenergic agonist; Adrenergic antagonist (Jones, R.S.G.) **367,** 151

Substance P; 5-Hydroxytryptamine; *p*-Chlorophenylalanine; Spinal dorsal horn neuron (Jeftinija, S.) **368,** 107

Dopamine; Visual reaction time task; Dorsolateral prefrontal cortex; Monkey (Sawaguchi, T.) **371,** 404

Dopamine; Neuromodulation; Striatum; Electrophysiology (Chiodo, L.A.) **375,** 198

Neurotensin; Respiratory related neuron; Nucleus tractus solitarii; Phrenic nerve activity; Pressure injection (Morin-Surun, M.P.) **384,** 106

Ipsilateral retinal projection
Eastern chipmunk; Dorsal lateral geniculate nucleus; Wheatgerm agglutinin-horseradish peroxidase; Lamination (Fukuda, Y.) **384,** 373

Iris
Horseradish peroxidase–wheat germ agglutinin; Anterograde transport; Tetramethylbenzidine; Sympathetic innervation; Pineal gland; Vascular innervation (Marfurt, C.F.) **366,** 373

Calcitonin gene-related peptide; Substance P; Capsaicin; Cerebral artery; Neonatal rat; Immunohistochemistry (Matsuyama, T.) **373,** 205

Iron
Transferrin; Neuroglia; Oligodendrocyte; Immunohistochemistry; Myelin (Connor, J.R.) **368,** 319

Seizure; Peroxidation; Tocopherol (Willmore, L.J.) **382,** 422

Irradiation
Interferon; Cyclosporine; Morphine; Antinociception; Tolerance (Dougherty, P.M.) **385,** 401

Ischemia
Gerbil; Redox state mapping; Nicotinamide-adenine dinucleotide; Flavoprotein; Frozen brain; Brain circulation (Mayevsky, A.) **367,** 63

Hippocampal formation; θ-Rhythm (Monmaur, P.) **378,** 262

Isoelectric point
Aromatic-L-amino-acid decarboxylase; Charge isozyme; Adrenal and brain; Chromatofocusing; Species difference (Park, D.H.) **370,** 375

Isolated brain
Vestibular compensation; Acetylcholine; Muscarinic synapse; Plasticity (Kasik, P.) **363,** 188

Isolated environment
Noradrenaline; Complex environment; 6-Hydroxydopamine; Desipramine; Motor activity; Neurochemistry; Rat; Behavior (Mohammed, A.K.) **398,** 6

Isolated perfused head
Oxygen delivery to tissue; Mitochondrial function; Dinitrophenol; Bioenergetics; Phosphorus nuclear magnetic resonance (Kariman, K.) **366,** 300

Isolation
Paired helical filament; Solubility; Alzheimer disease/senile dementia of the Alzheimer type; Polyacrylamide gel electrophoresis; Immunoblot (Rubenstein, R.) **372,** 80

Isometric force
Voluntary force exertion; Ballistic contraction; Ramp contraction; Motor unit; Threshold force; Force rate (Yoneda, T.) **372,** 89

Isometric twitch tension
Electrical stimulation; Reinnervation; Denervated muscle; Contractile property; Endplate morphometry (Eberstein, A.) **384,** 304

Isoniazid
Pilocarpine; γ-Vinyl-γ-aminobutyric acid; Substantia nigra; Striatum; Seizure; Brain damage; Temporal lobe epilepsy; Rat (Turski, L.) **370,** 294

Isopod
Action potential; Neurosecretory terminal; Sinus gland; Ionic mechanism; Neurosecretion (Chiang, R.G.) **377,** 83

Isoproterenol
Angiotensin II; Drinking; Hypertonic saline; Polyethylene glycol; Sinoaortic baroreceptor deafferentation; Water deprivation (Rettig, R.) **370,** 29

Astrocyte; Primary culture; Ammonia; Cyclic adenosine monophosphate; Hepatic encephalopathy (Liskowsky, D.R.) **386,** 386

β,β′-Iminodipropionitrile
Axonal swelling; Ephaptic transmission; Glial cell; Motoneuron; Neurofilament; Paranodal demyelination; Synapse (Gold, B.G.) **362,** 205

Axonal transport; Neurofilament protein; Tubulin; Optic nerve; Microtubule associated protein (Parhad, I.M.) **363,** 315

J

Japanese dace
Amacrine cell; Dopamine; Ethidium bromide; Intracellular response; Morphology (Chino, Y.M.) **372,** 323

Japanese quail
Sexual dimorphism; Testosterone metabolism; Aromatase; Sexual behavior; Preoptic area; Hypothalamus (Schumacher, M.) **370,** 285

Retinal ganglion cell; Cell distribution; Soma size; Axon diameter; Classification; Dendritic pattern (Ikushima, M.) **376,** 320

Jaw muscle
Trigeminal nerve; Facial nerve; Motor nucleus; Hagfish; Retrograde horseradish peroxidase transport (Kishida, R.) **385,** 263

Jaw opening reflex
Collateral reinnervation; Trigeminal nerve; Rhizotomy; Inferior alveolar nerve; Tooth (Robinson, P.P.) **366,** 397

Tooth pulp stimulation; Temperature; Heat block; Afferent excitability (Rydenhag, B.) **367,** 337

Pain; Tooth pulp; Raphe magnus; Periaqueductal gray region (Mason, P.) **379,** 232

Jimpy
Shiverer; Myelin; Mammalian genetics (Billings-Gagliardi, S.) **374,** 54

Joro spider toxin
Glutamate receptor; Presynaptic receptor; Potassium channel; Neuromuscular synapse (Miwa, A.) **385,** 161

K

Kainate
Striatum; Brain transplant; Dopamine; Autoradiography; Behavioral recovery (Deckel, A.W.) **363,** 383

Striatum; Transplantation; Rewarded alternation; Hyperactivity; Stereotypy; Rat (Deckel, A.W.) **365,** 249

Glutamate; Binding; Snail ganglia membrane (Pin, J.-P.) **366,** 290

Striatum; Body weight; Feeding and drinking; Vasopressin (Sanberg, P.R.) **367,** 314

Epilepsy; γ-Aminobutyric acid; Hippocampus (Ashwood, T.J.) **367,** 390

Hypothalamic culture; Aromatase; 5α-Reductase; Neuron (Canick, J.A.) **372,** 277

Neurosecretory neuron; Rat (Rheinert, C.) **373,** 57

D-Aspartate; γ-Aminobutyric acid; Horizontal cell; L-Glutamate; L-Aspartate; Quisqualate (Cha, J.-H.) **376,** 140

Binding site; Goldfish; Central nervous system; Distribution (Migani, P.) **376,** 186

Anesthetic; Pentobarbital; Excitatory amino acid; L-Aspartate; Voltage-dependent block (Miljkovic, Z.) **376,** 396

Arterial pressure; A1 noradrenergic neuron; Tyramine; Renal nerve activity; Rostral ventrolateral medulla; C1 adrenergic neuron; 6-Hydroxydopamine; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

Striatum; Transplantation; Cyclosporine; Huntington's disease (Tulipan, N.) **377,** 163

Fear behavior; Avain (Phillips, R.E.) **377,** 216

Kynurenic acid; Quisqualate; Retina; Acidic amino acid; Antagonist (Coleman, P.A.) **381,** 172

Basal nucleus; Cholinergic neuron; Neuronal hypertrophy; Immunohistochemistry (Pearson, R.C.A.) **382,** 149

Superior colliculus; Glutamate; Folate; Quinolinate; Rat (Fosse, V.M.) **383,** 28

Voltage-clamp; Hippocampal slice; Q-current; M-current; C-current (Gho, M.) **385,** 411

Glutamate; Aspartate; γ-Aminobutyric acid; Retina (Moran, J.) **398,** 276

Glutamate; Acromelic acid; Quisqualate; Domoic acid; Excitatory amino acid; Crayfish (Shinozaki, H.) **399,** 395

Kainate binding site
Hippocampus; Autoradiography; Human development (Represa, A.) **384,** 170

Kainate lesion
1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Striatum; Mouse; Dopamine; Serotonergic neuron; Decortication (Melamed, E.) **399,** 178

Kainate microinjection
Cerebellar fastigial nucleus; Vasodepressor response (Chida, K.) **370,** 378

Kappa
Neurohypophysis; Opioid receptor; Autoradiography; Dynorphin (Herkenham, M.) **382,** 365

Karyometry
Ventromedial nucleus; Paraventricular nucleus; Subdivision; Hypothyroidism; Male mouse (Ferres-Torres, R.) **374,** 93

Ketamine
Glutamate; Cyanide; Cell culture; Hypoxia; Cell death (Weiss, J.) **380,** 186

Ketanserin
Serotonin receptor; Human brain (Biegon, A.) **363,** 91

Retina; Serotonin antagonist; LY-53857; Methysergide; Ganglion cell; Rabbit (Brunken, W.J.) **384,** 161

Ketanserin binding site
Tryptamine binding site; Serotonin-1 binding site; Quantitative autoradiography; Rat brain; Serotonin-2 binding site (Kaulen, P.) **366,** 72

Kidney
Peptide; Spinal cord; Cardiovascular system (Riphagen, C.L.) **374,** 371

Kidney proximal tubule
Monoclonal antibody; Brain microvasculature; Endothelium; Blood–brain barrier; Bile canaliculus (Michalak, T.) **379,** 320

Kindled seizure
Aging; Hippocampus; Benzodiazepine receptor (Fanelli, R.J.) **362,** 17

γ-Aminobutyric acid; γ-Vinyl γ-aminobutyric acid; Kindling development; Afterdischarge (Shin, C.) **398,** 370

Kindling
Vasopressin; Brattleboro strain; Septum; Hippocampus (Gillis, B.J.) **363,** 386

Vasopressin; Barrel rotation; Seizure; Brain; Central nervous system; Cerebrospinal fluid; Behavior (Wurpel, J.N.D.) **365,** 21

Amygdala; Dynorphin; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Cholecystokinin; Hippocampus; Substantia nigra; Epilepsy; Limbic system (Iadarola, M.J.) **365,** 185

Cysteamine; Seizure; Myoclonus (Cottrell, G.A.) **365,** 393

Seizure; Epilepsy; Convulsion; Substantia nigra; Catecholamine; Amygdala; Rat (Albala, B.J.) **370,** 388

Corticotropin-releasing factor; Seizure; Aggression (Weiss, S.R.B.) **372,** 345

Epilepsy; Audiogenic seizure; Hippocampal formation; Genetically epilepsy-prone rat (Savage, D.D.) **376,** 412

Calmodulin; Calmodulin kinase II; Epilepsy; Phosphorylation (Goldenring, J.R.) **377,** 47

Epilepsy; *N*-Methyl-D-aspartate; Striatum (Cavalheiro, E.A.) **377,** 173

Low-frequency stimulation; Cat; Amygdala; Experimental epilepsy (Minabe, Y.) **385,** 201

Dentate gyrus; Colchicine; Hippocampal formation (Sutula, T.) **385,** 291

Anterior neocortex; Amygdala; Transfer (Seidel, W.T.) **385,** 375

Norharman; β-Carboline; Benzodiazepine receptor; Ro 15-1788 (Morin, A.M.) **397,** 259

Epilepsy; Cyclic guanosine monophosphate; Cyclic adenosine monophosphate; Habituation (Wasterlain, C.G.) **397,** 345

Entorhinal cortex; Chronic desmethylimipramine; Central nervous system adaptation (Applegate, C.D.) **398,** 121

Synaptic membrane; Glycoprotein; Phosphorylation; Hippocampus (Bank, B.) **399,** 390

Kindling development
γ-Aminobutyric acid; γ-Vinyl γ-aminobutyric acid; Afterdischarge; Kindled seizure (Shin, C.) **398,** 370

Kindling threshold
Protein malnutrition; Hippocampal kindling; Dorsal hippocampus; Seizure behavior; Afterdischarge duration; Postictal depression (Bronzino, J.D.) **384,** 348

Kinesthesia
Position sense; Sensory information; Muscle spindle receptor (Wei, J.Y.) **370,** 108

Kinesthetic sensibility
Muscle spindle receptor; Sensory ending; Sensory receptor classification (Wei, J.Y.) **370,** 119

Kininase II
Quantitative enzyme autoradiography; Angiotensin-converting enzyme inhibitor; Brain nucleus; Microdensitometry of brain enzyme; Brain peptide (Correa, F.M.A.) **375,** 259

Kitten
Penicillin; Epileptiform activity; Monocular deprivation; Visual cortex (Videen, T.O.) **371,** 1

Geniculocortical afferent; Layer I; Monocular suture; Reverse suture; Visual cortex; Plasticity (Kato, N.) **386,** 393

Knife cut
Substance P; Substance K; Neuromedin K; Striatum; Substantia nigra; High-performance liquid chromatography (Lee, J.-M.) **371,** 152

Kölliker–Fuse nucleus
Straining reflex centre; Defecation; Micturition; Parturition (Fukuda, H.) **380,** 287

Kynurenate
2-Amino-4-phosphonobutyrate; Prepyriform cortex slice; Excitatory amino acid; Lateral olfactory tract; Synaptic antagonist (Hearn, T.J.) **379,** 372

Retina; Horizontal cell; Quinolinic acid; Amino acid neurotransmitter (Hankins, M.W.) **380,** 297

Kainic acid; Quisqualate; Retina; Acidic amino acid; Antagonist (Coleman, P.A.) **381,** 172

Excitatory amino acid; Lateral septum; *p*-Bromobenzoyl-piperazine-2,3-dicarboxylic acid; Intracellular recording; Synaptic transmission; Fimbria (Stevens, D.R.) **382,** 437

D-2-Amino-5-phosphonovaleric acid; Brain dialysis; Olfactory bulb; In vivo (Jacobson, I.) **386,** 389

Cis-2,3-Piperidine dicarboxylate; γ-D-Glutamylglycine; 2-Amino-5-phosphonovalerate; Fast excitatory postsynaptic potential; Concentration–effect curve (Langdon, R.B.) **398,** 169

L

L2 monoclonal antibody
Adhesion molecule; Glycoprotein; Glycolipid; Myelin-associated glycoprotein; Neural cell adhesion molecule (Noronha, A.B.) **385,** 237

Labyrinth reflex
Neck reflex; Reflex excitability; Elbow joint afferent; Decerebrate cat (Baxendale, R.H.) **377,** 41

Labyrinthectomy
2-Deoxyglucose; Vestibular compensation; Vestibular nucleus; Oculomotor nucleus (Luyten, W.H.M.W6.) **373,** 68

Lamellar cell
Nerve regeneration; Basal lamina; Meissner corpuscle; Schwann cell; Freezing (Ide, C.) **384,** 311

Lamina
Honeybee; Insect visual system; Tangential fiber; 5-Hydroxytryptamine-like-immunoreactivity; γ-Aminobutyric acid-like immunoreactivity; Neurotransmitter (Schäfer, S.) **380,** 368

Lamina I
Serotonin; Immunocytochemistry; Spinomesencephalic tract cell; Nociception; Spinothalamic tract cell; Spinal cord (Hylden, J.L.K.) **370,** 401

Laminar organization
Cat; Striate cortex; Visual latency (Best, J.) **385,** 356

Laminar profile
Hippocampus electroencephalogram; Rhythmic slow wave activity; Current–source density; Atropine; Urethane; Dipole (Buzsáki, G.) **365,** 125

Laminar recording
Hippocampal slice; Current source density analysis; Dendritic spike; Tetrodotoxin; Local perfusion; Guinea pig (Miyakawa, H.) **399,** 303

Lamination
Eastern chipmunk; Dorsal lateral geniculate nucleus; Ipsilateral retinal projection; Wheatgerm agglutinin-horseradish peroxidase (Fukuda, Y.) **384,** 373

Laminin
Neurofilament; Axon specificity; Phosphorylation; Peripheral nerve; Regeneration (Bignami, A.) **375,** 73

Lamprey
Phenytoin; Spinal cord; Axon; Action potential; Frequency dependence; Potassium (Adler, E.M.) **362,** 271

Serotonin; Intracellular recording; Spinal cord; Afterhyperpolarization (Van Dongen, P.A.M.) **366,** 320

Lamprey retina
Immunohistofluorescence; Retinal cell; Polypeptide; Serotonin (Negishi, K.) **362,** 389

Lamprey spinal cord
Fictive locomotion; Magnesium ion; *N*-Methyl-D-aspartate receptor; Tetrodotoxin resistant membrane potential oscillation; Tetraethylammonium sensitive K^+-channel (Brodin, L.) **380,** 244

Large aspiny striatonigral neuron
Neostriatum; Medium spiny striatonigral neuron; Connectivity and Golgi neuronal marker; Morphological diversity (Fisher, R.S.) **397,** 173

Large intestine
Visceral primary afferent; Horseradish peroxidase; Lumbar spinal cord (Morgan, C.) **398,** 11

Late hyperpolarization
Inhibition; Neocortex; Slice (Avoli, M.) **370,** 165

Lateral geniculate
Superior colliculus; Tecto-geniculate influence; Rabbit (Molotchnikoff, S.) **375,** 66

Lateral geniculate nucleus
Parallel pathway; Interlaminar zone; Primate vision; W-like pathway (Irvin, G.E.) **362,** 254

Parametric; Selective lesion; Cobalt; Fiber-of-passage; Reversible inactivation (Lee, C.) **364,** 396

Parabigeminal; Pretectum; Superior colliculus (Harting, J.K.) **366,** 358

Vision; Y cell; α cell; Head orientation; Retina; Superior colliculus; Antibody (Spear, P.D.) **368,** 154

Noradrenaline; α_1-Receptor; Inositol phosphate (Kemp, J.A.) **371,** 314

Tree shrew; Striate cortex; Monocular deprivation; Horseradish peroxidase (Florence, S.L.) **374,** 179

X-cell; Y-cell; Membrane property; Brain slice; Horseradish peroxidase labeling (Crunelli, V.) **380,** 371

Lateral head movement
Electrical stimulation; Collision method; Circling; Rostromedial tegmentum; Superior colliculus; Medial pons (Tehovnik, E.J.) **385,** 329

Lateral hypothalamic area
Stimulation; Lesion; Adrenal catecholamine secretion; Rat (Katafuchi, T.) **363,** 141

Single unit activity; Long term recording; Circadian rhythm; Feeding; Freely behaving rat (Ono, T.) **373,** 92

Single neuron activity; Visual response; Learning; Feeding behavior; Monkey (Fukuda, M.) **374,** 249

Subfornical organ; Paraventricular nucleus; Connection; Angiotensin II; Microiontophoresis; Saralasin; Atropine (Tanaka, J.) **379,** 200

Lateral hypothalamus
Refractory period; Brain stimulation reward; Medial forebrain bundle; Self-stimulation; Single unit recording; Ventral tegmental area; Forebrain nucleus (Rompré, P.-P.) **364,** 338

Single neuron activity; Monkey; Electrophoresis; Morphine; Naloxone; Reward (Oomura, Y.) **365,** 335

[$Asu^{1,7}$]Eel calcitonin; Glucose-sensitive neuron; Feeding behavior; Serotonergic mechanism; Noradrenergic mechanism; Cyclic adenosine monophosphate (Shimizu, N.) **367,** 128

Emotion; Classical conditioning; Autonomic nervous system; Ibotonic acid (Iwata, J.) **368,** 161

Hypothalamus; Satiety; Sensory-specific satiety; Taste; Hunger;

Substantia innominata (Rolls, E.T.) **368,** 79

Sheep; Neuronal response; Zona incerta; Sight of food; Food approach; Food preference; Learning; Satiation (Kendrick, K.M.) **375,** 322

Central osmoreceptor; Preoptic area; Drinking; Pigeon; Angiotensin II (Thornton, S.N.) **377,** 96

Angiotensin II; Motivation; Prefrontal cortex; Septal region; Subfornical organ; Zona incerta (Swanson, L.W.) **379,** 399

Morphine; Feeding; Ventral tegmental area; Periaqueductal gray (Jenck, F.) **399,** 24

Lateral lacuna
Human arachnoid villus; Superior sagittal sinus; Extracellular cistern; Cerebrospinal fluid; Electron microscopy (Yamashima, T.) **384,** 68

Lateral lemniscus
Anatomy; Avian; Auditory; Trigeminal; Nucleus basalis; Cochlear nucleus; Pigeon (Arends, J.J.A.) **398,** 375

Lateral olfactory tract
2-Amino-4-phosphonobutyrate; Prepyriform cortex slice; Kynurenic acid; Excitatory amino acid; Synaptic antagonist (Hearn, T.J.) **379,** 372

Lateral perforant path
2-Amino-4-phosphonobutyric acid receptor; Glutamate receptor; Glutamate binding; Glutamate uptake (Bridges, R.J.) **375,** 204

Lateral reticular nucleus
Ventral surface of the medulla; Respiratory activity; Arterial pressure; L-Glutamic acid; Nucleus paragigantocellularis lateralis; Glycine-sensitive area (Gatti, P.J.) **381,** 281

Antinociception; Descending inhibition; Tail flick reflex; Hot plate test; Opioid; Cholinergic; α-Adrenergic (Ossipov, M.H.) **384,** 282

Lateral reticular nucleus region
Noxious spinal and trigeminal input; Modification of neuronal activity; Rabbit (Sotgiu, M.L.) **375,** 168

Lateral septum
Sexual behavior; Apomorphine; Dopamine; Medial preoptic area; Caudate-putamen; Nucleus accumbens (Hull, E.M.) **370,** 73

Haloperidol; High-affinity choline uptake; Hippocampus; CA1 pyramidal cell excitability; Extinction behavior; Mouse (Durkin, T.) **376,** 420

Excitatory amino acid; Kynurenic acid; *p*-Bromobenzoyl-piperazine-2,3-dicarboxylic acid; Intracellular recording; Synaptic transmission; Fimbria (Stevens, D.R.) **382,** 437

Vasopressin; Oxytocin; Bed nucleus of the stria terminalis; Paraventricular nucleus; Estrogen; Androgen; Testosterone (De Vries, G.J.) **399,** 296

Lateral ventricle
Choroid plexus; Circumventricular organ; Vascular corrosion cast; Vascularization (Weiger, T.) **378,** 285

Substance P; Locomotor activity; Grooming; Wet dog shakes; Tachykinin; Ventral tegmental area (Elliott, P.J.) **381,** 68

Layer 6
Cat; Striate cortex; Wheatgerm agglutinin–horseradish peroxidase (McCourt, M.E.) **364,** 181

Layer I
Geniculocortical afferent; Monocular suture; Reverse suture; Visual cortex; Plasticity; Kitten (Kato, N.) **386,** 393

Lead
Dopamine receptor; Striatum; Nucleus accumbens (Govoni, S.) **381,** 138

Learning
Classical conditioning; Cortex; Hippocampal formation; Reticular stimulation; Thalamus; 2-Deoxyglucose (Gonzalez-Lima, F.) **363,** 239

Globus pallidus; Nucleus basalis magnocellularis; Choline acetyltransferase (Thompson, R.) **367,** 402

Aplysia; Cyclic adenosine monophosphate; Modulation; Sensory neuron; Sensitization (Ocorr, K.A.) **371,** 190

Classical conditioning; Auditory cortex; Receptive field; Single unit (Diamond, D.M.) **372,** 357

Single neuron activity; Visual response; Feeding behavior; Lateral hypothalamic area; Monkey (Fukuda, M.) **374,** 249

Sheep; Neuronal response; Lateral hypothalamus; Zona incerta; Sight of food; Food approach; Food preference; Satiation (Kendrick, K.M.) **375,** 322

Basal nucleus of Meynert; Acetylcholine; Arecoline; Marmoset (Ridley, R.M.) **376,** 108

Aging; Cerebellum; Purkinje cell; Dendrite; Plasticity (Greenough, W.T.) **380,** 136

Anterior thalamic nucleus; Subicular cortex; Cingulate cortex; Memory (Gabriel, M.) **384,** 195

Learning and memory
Long-term potentiation; Dentate gyrus; Entorhinal cortex; Septum; Cooperativity (Robinson, G.B.) **379,** 56

Hippocampus; Colchicine; Locomotor activity; Dentate gyrus; Cognitive behavior; Granule cell; Radial-arm maze (Walsh, T.J.) **398,** 23

Lectin
Dorsal root ganglion; Neuronal subpopulation; Nociceptive afferent; Spinal cord (Mori, K.) **365,** 404

Olfactory cilia; Sensory neuron; Glycoprotein immunofluorescence; Immunoblotting; Cytoskeletal protein; Tubulin (Chen, Z.) **368,** 329

Capsaicin; Axonal transport; Sensory neuron; Substance P; Brain glycoprotein; Ultrastructural cytochemistry (Streit, W.J.) **377,** 1

Lectin conjugate
Trigeminal nucleus; Mesencephalon; Anterograde transport; Retrograde transport; Cat (Wiberg, M.) **399,** 51

Leech
Motor neuron; Inhibition; Membrane potential; Oscillation; Neuron ablation; Photoinactivation (Granzow, B.) **369,** 321

Glycoprotein; Immunopurification; Identified neuron (Flanagan, T.) **378,** 152

Octopamine; Leydig cell; Identified neuron (Belanger, J.H.) **382,** 387

Leech neuron
Barbiturate; Divalent cation; Calcium potential (Johansen, J.) **376,** 255

Leg muscle electromyogram
Gait perturbation; Spinal reflex; Stumbling reaction; Motor control; Man (Dietz, V.) **384,** 166

Leg muscle electromyogram response
Gait perturbation; Motor control; Ballistic movement; Triphasic pattern (Dietz, V.) **362,** 355

Lesch–Nyhan syndrome
Dopamine; Self-mutilation; Biting behavior; Ventral tegmental area lesion (Goldstein, M.) **367,** 114

Lesion
Lateral hypothalamic area; Stimulation; Adrenal catecholamine secretion; Rat (Katafuchi, T.) **363,** 141

Visual system; Regeneration; Retinal axon; Superior colliculus; Glia (Harvey, A.R.) **368,** 141

N-Methyl-D,L-aspartic acid; Excitotoxin; Basal forebrain; Cholineacetyltransferase; Immunohistochemistry; Rat (Stewart, G.R.) **369,** 377

Norepinephrine; A5 nucleus; Pain; Analgesia; Brainstem; Spinal cord (Sagen, J.) **370,** 93

Auditory; Neuron; Midbrain; Gerbil; Deafferentation (Moore, D.R.) **373,** 268

Rat; Hippocampus; Behavior; Reversal learning; Receptor; Corticosteroid;

Plasticity (De Ronde, F.S.W.) **374,** 219

Hypothalamus; Insulin; Hyperphagia; Obesity; Monosodium glutamate; Bipiperidyl mustard; Feeding (Scallet, A.C.) **374,** 380

Growth hormone; Electrical stimulation; Basolateral amygdala; Periventricular hypothalamic nucleus; Stria terminalis (Koibuchi, N.) **382,** 104

Arcuate nucleus; β-Endorphin; Naltrexone; Non-opioid analgesia; Opioid analgesia; Stress-induced analgesia; Time-dependent (Kelsey, J.E.) **382,** 278

Orofacial pain; Spinal trigeminal complex; Rat; Hypoalgesia; Intranuclear projection (Pickoff-Matuk, J.F.) **382,** 291

Phencyclidine; TCP; Quantitative autoradiography; Receptor binding site; Central nervous system; Psychotomimetic (Gundlach, A.L.) **386,** 266

Body weight; Cycle; Food intake; Hibernator; Hypothalamus; Recovery (Mrosovsky, N.) **399,** 282

Leu-enkephalin
Glutamatic acid decarboxylase; Caudate nucleus; Immunocytochemistry (Aronin, N.) **365,** 151

Substance P; Substance K; Neuromedin K; Met-enkephalin; Ventral tegmental area; Footshock stress (Bannon, M.J.) **381,** 393

Leukotriene
Fever; Acute-phase reaction; Interleukin-1; Prostaglandin; Preoptic-anterior hypothalamus (Mashburn, T.A.) **376,** 285

Leumorphin (dynorphin B-29)
Opioid peptide; Dynorphin (dynorphin A); β-Endorphin; Hypothalamus; Multiple opioid receptor; Sexual behavior (lordosis); Estrous cycle (Suda, M.) **374,** 236

Lewis rat
Experimental allergic encephalomyelitis; Ventral root exit zone; Demyelination; Conduction block; Hindlimb weakness (Pender, M.P.) **367,** 398

Leydig cell
Octopamine; Leech; Identified neuron (Belanger, J.H.) **382,** 387

Lidocaine
Cholinergic muscarinic receptor; Physostigmine; Rostral ventrolateral medulla; Scopolamine; Tetrodotoxin (Punnen, S.) **382,** 178

Ligand receptor binding
Rat line; Diurnal cycle; Choline acetyltransferase activity; Line-dependent cycle (Jenni-Eiermann, S.) **370,** 54

Light microscopy
Microwave irradiation; Magnetic field; Electron microscopy; Tissue structural integrity (Ikarashi, Y.) **373,** 182

Light response
Mammalian retina; Disk-shedding; Autophagy; Circadian rhythm; Dopamine (Remé, C.) **369,** 356

Limbic structure
Vasopressin; Active fragment; Passive avoidance behavior; Selective effect (Kovács, G.L.) **371,** 17

Limbic system
Allometry; Thalamus; Human evolution; Primate (Armstrong, E.) **362,** 394

Amygdala; Kindling; Dynorphin; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Cholecystokinin; Hippocampus; Substantia nigra; Epilepsy (Iadarola, M.J.) **365,** 185

Potassium channel, calcium-dependent; Apamin; Quantitative autoradiography; Rat brain; Septal area; Hippocampus; Cerebellum (Mourre, C.) **382,** 239

Line-dependent cycle
Rat line; Diurnal cycle; Ligand receptor binding; Choline acetyltransferase activity (Jenni-Eiermann, S.) **370,** 54

Lipid
Membrane fluidity; Regeneration; Development; Aging; Tissue culture; Fluorescence photobleaching recovery; Dorsal root ganglion; Mouse; Neuron (Horie, H.) **377,** 246

Liposome
Basic protein; Proteolipid; Myelin; Freeze-fracture; Intramembrane particle (Garcia-Segura, L.M.) **380,** 261

Lissauer's tract
Aδ primary afferent; C-fiber primary afferent; Pain; Spinal cord (Traub, R.J.) **399,** 185

Lisuride
Noradrenaline; Serotonin; Sexual behavior; *N*-2-Choloethyl-*N*-ethyl-2-bromo-benzylaline; 5-Methoxy-*N,N*-dimethyltryptamine; Ejaculation (Fernandez-Guasti, A.) **377,** 112

Lithium
Luteinizing hormone surge; Proestrus; Follicle stimulating hormone; Plasma; Pituitary; Estrous cycle (Banerji, T.K.) **380,** 176

Myo-inositol-1-phosphatase; Myo-inositol-1-phosphate; Manic depressive illness (Renshaw, P.F.) **380,** 401

Lizard
Septum; γ-Aminobutyric acid; Acetylcholinesterase; Golgi; *Podarcis* (Schwerdtfeger, W.K.) **384,** 184

Lobule IV
Cerebellum; Inferior olive; Olivocerebellar fiber; Lobule V; Squirrel monkey; Horseradish peroxidase (Whitworth, R.H.) **372,** 55

Lobule V
Cerebellum; Inferior olive; Olivocerebellar fiber; Lobule IV; Squirrel monkey; Horseradish peroxidase (Whitworth, R.H.) **372,** 55

Lobule VII
Inferior olive; Superior colliculus; Medial accessory olive; Crus II; Rat (Akaike, T.) **386,** 400

Local anesthetic
Calcitonin gene-related peptide; Trigeminal ganglion; Cell culture; Veratridine; Sodium channel (Peterfreund, R.A.) **380,** 159

Local cerebral glucose utilization
Phencyclidine; σ-Agonist; Schizophrenia (Kozlowski, M.R.) **376,** 190

κ-Opiate; Nucleus accumbens; Locomotion; Dopamine; Deoxyglucose (Beck, T.) **381,** 327

Brain injury; Functional deficit; Behavioral testing; Metabolic mapping (Colle, L.M.) **397,** 27

2-Deoxy-D-[^{14}C]glucose technique; Interpeduncular nucleus; Median raphe; Dorsal raphe; Stria medullaris; Habenular nucleus; Choline acetyltransferase (Motohashi, N.) **397,** 265

Local circuit neuron
Dorsal ventricular ridge; Intrinsic neuron; Relay cell; Reptile; Thalamus (Pritz, M.B.) **376,** 169

Local cooling
Premotor cortex; Visually initiated hand movement; Visuo-motor integration; Monkey (Sasaki, K.) **374,** 278

Local hematocrit
Asymmetry of forelegs; Asymmetry of the brain; Aortic arch (Mchedlishvili, G.) **386,** 64

Local neuronal circuitry
Aversion; Brain stimulation; Escape behavior; Mesencephalon; Periaqueductal gray; Rat; Unit activity (Sandner, G.) **386,** 53

Local perfusion
Hippocampal slice; Laminar recording; Current source density analysis; Dendritic spike; Tetrodotoxin; Guinea pig (Miyakawa, H.) **399,** 303

Localization
Opioid peptide; Food intake; Naloxone; Dynorphin A; Enkephalin, D-Ala^2,D-Leu^5; β-Endorphin; Paraventricular nucleus (Gosnell, B.A.) **369,** 177

Neuropeptide Y; Receptor; Lower

brainstem; Autoradiography; Binding (Nakajima, T.) **380,** 144

Locomotion
Self-injurious behavior; Stereotyped behavior; Nociception; Analgesia; Substantia nigra; Midbrain reticular formation; Muscimol; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Compensatory overload; Hypertrophy; Neuromuscular adaptation; Recruitment (Gardiner, P.) **380,** 114

κ-Opiate; Nucleus accumbens; Dopamine; Deoxyglucose; Local cerebral glucose utilization (Beck, T.) **381,** 327

Locomotor activation
Corticotropin releasing factor; Corticotropin releasing factor antagonist; Punished behavior (Britton, K.T.) **369,** 303

Locomotor activity
Triethyl lead; Organolead; Dopamine; Amphetamine; Apomorphine (Walsh, T.J.) **363,** 222

Serotonergic-myoclonic syndrome; Myoclonus; Serotonin neurotoxin; Behavioral supersensitivity; 5,7-Dihydroxytryptamine; *p*-Chloroamphetamine; Fenfluramine (Pranzatelli, M.R.) **364,** 67

Cysteamine; Somatostatin; Passive avoidance; Rat (Bakhit, C.) **365,** 159

Cerebellum; Cyclic guanosine monophosphate; Pentobarbital; Swimming performance; Behavior (McCaslin, P.P.) **374,** 367

Rearing; Hypothalamic-preoptic area; Cholinergic system; Carbachol; Atropine; Rat (Brudzynski, S.M.) **376,** 38

Amphetamine-induced activity; Hypothalamic/preoptic area; Cholinergic system; Carbachol; Mesencephalic locomotor region; Extracellular unit recording; Rat (Brudzynski, S.M.) **376,** 47

Circadian period length (Pickard, G.E.) **376,** 149

Chronic stress; Opioid tolerance; Analgesia; Mice (Puglisi-Allegra, S.) **380,** 357

Substance P; Grooming; Wet dog shakes; Tachykinin; Lateral ventricle; Ventral tegmental area (Elliott, P.J.) **381,** 68

Neurotensin; Neuropeptide; Open-field (Elliott, P.J.) **381,** 259

Substance P; Immunoneutralization; Nucleus accumbens; Dopamine; Dihydroxyphenylacetic acid; Amphetamine; Dopamine release (Elliott, P.J.) **385,** 379

Hippocampus; Colchicine; Dentate gyrus; Cognitive behavior; Granule cell; Radial-arm maze; Learning and memory (Walsh, T.J.) **398,** 23

Cerebellum; Cyclic guanosine monophosphate; Swimming performance; Acidic amino acid; 2-Amino-7-phosphonoheptanoic acid; *N*-Methyl-D-aspartate (McCaslin, P.P.) **398,** 71

Locomotor movement
Fictive locomotion; Forelimb; Cervical lateral funiculus; Decerebrate cat (Yamaguchi, T.) **379,** 125

Locus ceruleus
Noradrenaline neuron; Antipsychotic drug; Haloperidol; Clozapine; Amphetamine; Rat (Ramirez, O.A.) **362,** 165

Freely moving rat; Immobilization stress; Clonidine; Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Noradrenaline (Quintin, L.) **362,** 366

Ventral tegmental area; A10 cell group; Noradrenaline; Dopamine; 3-Methoxy-4-hydroxyphenolglycol (Deutch, A.Y.) **363,** 307

Noradrenaline; Glutaraldehyde; Antibody; Rat brain; Enzyme-linked immunosorbent assay; Immunocytochemistry (Geffard, M.) **363,** 395

Spinal α_2-adrenoceptor; Descending inhibition; Tail flick reflex; Stimulation-produced antinociception (Jones, S.L.) **364,** 315

Cardiac output; Cerebral blood flow; Propranolol; Hypercapnia (Ramana Reddy, S.V.) **365,** 278

Sympathetic nerve activity; Cutaneous sensory stimulation (Elam, M.) **366,** 254

Adenosine; Intracellular recording; Brain slice; Theophylline (Shefner, S.A.) **366,** 364

Plasticity; Induction; Pruning; High-pressure liquid chromatography; Noradrenaline uptake (Haring, J.H.) **368,** 233

Facilitation; Monosynaptic reflex; Noradrenergic neurotransmission; Rat (Chan, J.Y.H.) **369,** 103

Vasopressin; Parabrachial nucleus; Blood pressure; Pons; Brainstem (Sved, A.F.) **369,** 143

Serotonergic neuron; Dopaminergic neuron; Substantia nigra; Noradrenergic neuron; Single unit activity; Behaving cat; Sensory stimulus; Habituation (Rasmussen, K.) **369,** 336

Adrenergic receptor; Subcellular fractionation; Cerebral cortex; Parkinson's disease (Cash, R.) **370,** 127

Raphe nucleus; Genetic hypertension; Serotonin formation; Biogenic amine (Koulu, M.) **371,** 177

Noradrenergic neuron; Freely moving cat; Behavior; Sensory stimulation (Rasmussen, K.) **371,** 324

Noradrenergic neuron; Freely moving cat; Aversive conditioning; Appetitive conditioning; Diazepam; Yohimbine; Anxiety (Rasmussen, K.) **371,** 335

Adenylate cyclase; α_2-Adrenoceptor; Hyperpolarization; Opiate receptor; Noradrenergic neuron; Pertussis toxin (Aghajanian, G.K.) **371,** 390

Norepinephrine; Antidromic impulse; Unit recording; Collateral inhibition; Self-inhibition; Dorsal noradrenergic bundle (Ennis, M.) **374,** 299

Sympathetic nerve activity; Visceral afferent (Elam, M.) **375,** 117

Freely moving rat; Adrenoceptor; Yohimbine; Piperoxane; Clonidine; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Vasopressin; Oxytocin; Septal nucleus; Hippocampus; Amygdala; Bed nucleus of the stria terminalis (Fliers, E.) **375,** 363

Spinal trigeminal nucleus; β-Adrenergic receptor; Noradrenaline (Sasa, M.) **377,** 337

Noradrenergic neuron; Sympathetic system; Chronic unit recording; Cat (Reiner, P.B.) **378,** 86

Vasopressin; Neurophysin; Glycopeptide; Immunocytochemistry; Bed nucleus of the stria terminalis; Hypothalamus; Brattleboro rat (Van Leeuwen, F.W.) **379,** 171

Brain tissue culture; Tyrosine hydroxylase; Depolarizing agent; Potassium chloride; Veratridine; Tyrosine hydroxylase regulation; Brain noradrenergic neuron (Dreyfus, C.F.) **379,** 216

Neural transplant; Cell suspension; Brainstem; Lumbar spinal cord; Catecholamine reinnervation; 6-Hydroxydopamine; Hindlimb flexion reflex (Buchanan, J.T.) **381,** 225

Norepinephrine; Subarachnoid hemorrhage (McCormack, B.M.) **382,** 395

Lysergic acid diethylamide; Mescaline; 2,5-Dimethoxy-4-methylamphetamine; LY 53857; Ritanserin; Serotonin-2 receptor (Rasmussen, K.) **385,** 395

Noradrenaline neuron; D-Amphetamine; Subsensitivity; α_2-Adrenoceptor; Autoreceptor; Clonidine (Ramirez, O.A.) **385,** 415

Baclofen; Clonidine;

6-Hydroxydopamine lesion; Dorsal noradrenergic bundle; Antinociception; Tail-flick test (Sawynok, J.) **386,** 341

Adrenaline neuron; Neuronal interaction; Noradrenaline neuron; Phenylethanolamine-*N*-methyltransferase; Rat brainstem; Tyrosine hydroxylase (Astier, B.) **397,** 333

Circadian rhythm; Cosine fitting; Noradrenaline; Serotonin; Dorsal raphe nucleus; Rat (Agren, H.) **397,** 353

Circling behavior; Dorsolateral pontine tegmentum; Nigrostriatal system; Dopamine receptor; Noradrenaline (Matsuoka, S.) **398,** 253

Noradrenergic neuron; Serotonergic neuron; Dorsal raphe; Cardiac cycle; Blood volume (Morilak, D.A.) **399,** 262

Locus ceruleus lesion
Quaking mutant; Epilepsy (Maurin, Y.) **366,** 379

Neonatal 6-hydroxydopamine; Central nervous system protein; Two-dimensional gel electrophoresis; Noradrenaline; Scanning densitometry (Heydorn, W.E.) **367,** 31

Locust
Visceral muscle; Octopaminergic control; Adenosine monophosphate, cyclic; Insect (Lange, A.B.) **363,** 340

Locust nerve–muscle junction
Synthetic quisqualate; Natural quisqualate; Glutamate; Amino acid receptor; Glutamate synapse (Boden, P.) **385,** 205

Long-term potentiation
Hippocampus; Glutamate (Feasey, K.J.) **364,** 39

Hippocampus; Claustrum; Entorhinal (Wilhite, B.L.) **365,** 54

Hippocampus; Theta rhythm (Larson, J.) **368,** 347

Goldfish; Tectum; Plasticity (Lewis, D.) **375,** 246

Hippocampal slice; Calcium channel blocker (Taube, J.S.) **379,** 275

Oleate; Protein kinase C; Hippocampus (Linden, D.J.) **379,** 358

Dentate gyrus; Entorhinal cortex; Septum; Cooperativity; Learning and memory (Robinson, G.B.) **379,** 56

3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; *N*-Methyl-D-aspartate; Glutamate; Receptor; Hippocampus (Harris, E.W.) **382,** 174

Calcium; Hippocampus; Mitochondrion (Stanton, P.K.) **382,** 185

Hippocampal slice; Neuronal plasticity; S-100 (Lewis, D.) **383,** 159

Hippocampus; Electroencephalography; Sharp wave; Unit activity; Behavior; Cellular burst; Epileptic transient (Buzsáki, G.) **398,** 242

Protein phosphorylation; Protein kinase C; Intact hippocampus; Perforant path; Dentate gyrus; Synaptic plasticity; Protein F_1 (Lovinger, D.M.) **399,** 205

Long-term treatment
D-Amphetamine; Ascorbic acid; Dopamine; In vivo voltammetry; Neostriatum (Kamata, K.) **362,** 331

γ-Aminobutyric acid; Dopamine; In vivo voltammetry; Neostriatum; Haloperidol (Kamata, K.) **380,** 1

Long-term recording
Single unit activity; Circadian rhythm; Feeding; Lateral hypothalamic area; Freely behaving rat (Ono, T.) **373,** 92

Lorazepam
Benzodiazepine; Rat; Mouse; Convulsion; Pentylenetetrazole; Tolerance; Withdrawal (Lister, R.G.) **379,** 364

Lordosis
Axial muscle; Reticular formation; Pudendal nerve; Electroencephalogram; Electromyogram (Sullivan, J.M.) **368,** 197

RU 486; Antiprogesterone; Progestin receptor; Heat duration; Sexual behavior; Progesterone; Guinea pig (Brown, T.J.) **373,** 103

Corticotropin-releasing factor; β-Endorphin; Corticotropin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area (Sirinathsinghji, D.J.S.) **375,** 49

Lordosis behavior
Gonadotropin-releasing hormone; Ventral tegmental area; A10 dopamine neurone; 6-Hydroxydopamine; Female rat (Sirinathsinghji, D.J.S.) **374,** 167

Estrogen action; Progestin receptor; Noradrenergic transmission; Prazosin; Hypothalamus; Guinea pig (Thornton, J.E.) **377,** 155

Low-frequency stimulation
Kindling; Cat; Amygdala; Experimental epilepsy (Minabe, Y.) **385,** 201

Low-threshold masseteric nerve afferent
Tooth-pulp driven neuron; Low-threshold tooth pulpal afferent; Area 3a; Coronal gyrus; Cat (Iwata, K.) **368,** 399

Low-threshold tooth pulpal afferent
Tooth-pulp driven neuron; Low threshold masseteric nerve afferent; Area 3a; Coronal gyrus; Cat (Iwata, K.) **368,** 399

Low-voltage fast activity
Serotonin; 5-Hydroxytryptamine; *p*-Chlorophenylalanine; Electrocorticogram; Rhythmical slow activity; Dementia (Vanderwolf, C.H.) **374,** 342

Lower brainstem
Neuropeptide Y; Receptor; Localization; Autoradiography; Binding (Nakajima, T.) **380,** 144

Lower extremity
Bereitschaftspotential; Readiness potential; Voluntary movement; Precentral gyrus; Motor homunculus (Boschert, J.) **376,** 175

Lower vertebrate central nervous system
Bungarotoxin binding site; Protein blotting (Hawrot, E.) **373,** 227

Lucifer yellow
Giant fiber; Mauthner fiber; Pectoral fin adductor motoneuron; Gap junction; Hatchetfish (Gilat, E.) **365,** 96

Vestibular afferent; Innervation pattern; Otolith organ; Bullfrog (Baird, R.A.) **369,** 48

Carp retina; Dopaminergic cell; Intracellular injection (Teranishi, T.) **370,** 196

Rat pelvic ganglion; Intracellular recording; Intracellular labelling; Ganglionic transmission (Tabatabai, M.) **382,** 61

Lucifer yellow CH
Phasic firing; Immunocytochemistry; Hypothalamus; Paraventricular nucleus (Cobbett, P.) **362,** 7

Lumbar spinal cord
Parkinson's disease; Dopamine; Noradrenaline; Serotonin; Homovanillic acid (Scatton, B.) **380,** 181

Neural transplant; Cell suspension; Brainstem; Locus coeruleus; Catecholamine reinnervation; 6-Hydroxydopamine; Hindlimb flexion reflex (Buchanan, J.T.) **381,** 225

Visceral primary afferent; Horseradish peroxidase; Large intestine (Morgan, C.) **398,** 11

Lumbar sympathetic chain
Dorsal root ganglion; Horseradish peroxidase; Neuronal labeling; Motoneuron; Neuronal dysfunction (Peyronnard, J.M.) **364,** 137

Lumbosacral spinal cord
Enkephalin; Dynorphin; Coexistence; Dorsal gray commissure (Sasek, C.A.) **381,** 8

Lumicolchicine
Colchicine; Axonal transport; Axonal competition; Classical conditioning; Optic nerve regeneration; Optic tectum; Synaptogenesis; Goldfish (Schlumpf, B.E.) **386,** 305

Luminance coding
Suprachiasmatic nucleus; Photic stimulation; Circadian rhythm; Neurophysiology (Meijer, J.H.) **382,** 109

Lung
Parasympathetic neuron; Choline acetyltransferase; Survival; Development (Wallace, T.L.) **375,** 92

Lung inflation
Inspiratory neuron; Nucleus tractus solitarii; Control of respiration; Antidromic latency technique; Vagal pulmonary afferents; Medulla; Cat (Davies, R.O.) **366,** 22

Lupus erythematosus
Synaptic vesicle kinase; Central nervous system; Phosphorylation inhibition (Moskowitz, N.) **370,** 38

Luteinizing hormone
Pulsatile secretion; Frequency; Estrogen; Dopamine (Tadokoro, Y.) **380,** 69

Rabbit; Intrahypothalamic noradrenaline; Estradiol; Hypothalamic gonadotropin-releasing hormone; Follicle stimulating hormone (Francis Pau, K.-Y.) **399,** 15

Luteinizing hormone surge
Morphine; Estrogen; Catechol turnover (Akabori, A.) **362,** 221

Naloxone; Prolactin surge; Estrogen; Progesterone (Akabori, A.) **362,** 55

Lithium; Proestrus; Follicle stimulating hormone; Plasma; Pituitary; Estrous cycle (Banerji, T.K.) **380,** 176

Luteinizing hormone-releasing hormone
Corticotropin-releasing factor; β-Endorphin; Corticotropin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone antagonist analogue; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

Corticotropin-releasing factor; Gonadotropin releasing hormone; Hypothalamus (Nikolarakis, K.E.) **377,** 388

Thyrotropin-releasing hormone; Hypothalamus; Asymmetry; Human (Borson-Chazot, F.) **382,** 433

Terminal nerve; Acetylcholinesterase; Tiger salamander; Bullfrog; Hypophysectomy (Wirsig, C.R.) **385,** 10

Catecholamine; Sexual maturation; Immunocytochemistry; Postnatal development; Rat (Wray, S.) **399,** 327

Luteinizing hormone-releasing hormone antagonist analogue
Corticotropin-releasing factor; β-Endorphin; Corticotropin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Medial preoptic area; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

Luteinizing hormone-releasing hormone release
Prostaglandin E_2; Median eminence; Metal; Copper (Barnea, A.) **384,** 101

Cyclic adenosine monophosphate; Prostaglandin E_2; Hypothalamus (Kim, K.) **386,** 258

LY-141865
D_2 dopamine receptor; D_1 dopamine receptor; Cholecystokinin; (–)-Sulpiride; SCH 23390; LY-171555; LY-181990 (Martin, J.R.) **397,** 253

LY-171555
Dopamine receptor agonist; D_1 dopamine receptor; D_2 dopamine receptor; SKF 38393A; Bromocriptine; Rotational behavior (Robertson, G.S.) **384,** 387

D_2 dopamine receptor; D_1 dopamine receptor; Cholecystokinin; (–)-Sulpiride; SCH 23390; LY-181990; LY-141865 (Martin, J.R.) **397,** 253

LY-181990
D_2 dopamine receptor; D_1 dopamine receptor; Cholecystokinin; (–)-Sulpiride; SCH 23390; LY-171555; LY-141865 (Martin, J.R.) **397,** 253

LY-53857
Retina; Serotonin antagonist; Ketanserin; Methysergide; Ganglion cell; Rabbit (Brunken, W.J.) **384,** 161

Lysergic acid diethylamide; Mescaline; 2,5-Dimethoxy-4-methylamphetamine; Ritanserin; Locus ceruleus; Serotonin-2 receptor (Rasmussen, K.) **385,** 395

Lymnaea stagnalis
Cyclic adenosine 3′,5′-monophosphate; Neuronal electrical and secretory activity; Exocytosis; Caudo-dorsal cell (Buma, P.) **380,** 26

Lymphocyte
Muscarinic binding; Atropine; Strain; Age (Shenkman, L.) **380,** 303

Lymphokine activated killer cell
Glioma; Interleukin-2; Cytotoxic lymphocyte; Trypsin (Jacobs, S.K.) **372,** 386

Lysosome
β-Endorphin; Rat duodenum; Myenteric plexus; Receptosome; Immunoelectron microscopy (Wolter, H.J.) **381,** 121

Lysergic acid diethylamide
Mescaline; 2,5-Dimethoxy-4-methylamphetamine; LY 53857; Ritanserin; Locus ceruleus; Serotonin-2 receptor (Rasmussen, K.) **385,** 395

Lysergic acid dimethylamide
Serotonin-1C receptor; Choroid plexus; Tumor; SV40 large T antigen; Transgenic mouse (Yagaloff, K.A.) **385,** 389

^{125}I-Lysergic acid diethylamide (^{125}I-LSD)
Neostriatum; Frontal cortex; Serotonin receptor; Autoradiography; Receptor binding (Altar, C.A.) **372,** 130

Lysophosphatidylcholine
Demyelination; 4-Aminopyridine; Peripheral nerve (Targ, E.F.) **363,** 1

Lysophospholipid
Phospholipase A_2; Conduction block; Myelin damage; Sciatic nerve; Fatty acid (Kasckow, J.W.) **373,** 384

Lysosome
Rat duodenum; Brunner's gland cell; Endocrine cell; Receptosome; Mucopeptide synthesis; Adrenocorticotropin; Electron microscopy (Wolter, H.J.) **367,** 141

M

M-current
Kainate; Voltage-clamp; Hippocampal slice; Q-current; C-current (Gho, M.) **385,** 411

M1 muscarinic receptor subtype
Acetylcholine; Autoradiography; Brain; M2 muscarinic receptor subtype; Neuroanatomy; Rat (Spencer, D.G.) **380,** 59

M2 muscarinic receptor subtype
Acetylcholine; Autoradiography; Brain; M1 muscarinic receptor subtype; Neuroanatomy; Rat (Spencer, D.G.)

380, 59

Macaca nemestrina
Trigeminal ganglion; Extracerebral circulation; Vasodilatation (Goadsby, P.J.) **381,** 63

Macrophage
Myelin; Plasminogen activator; Complement; Phospholipase (Cammer, W.) **364,** 91

Macula lagena
Inferior colliculus; Auditory system (Conlee, J.W.) **367,** 96

Magnesium
Taste response; Sodium; Multiple receptor site; Receptor protein; Glossopharyngeal nerve; Frog (Kitada, Y.) **380,** 172

Magnesium deficiency
Thiamine-deficient encephalopathy; Guanidine administration; Rat (Goto, I.) **372,** 31

Magnesium ion
Fictive locomotion; Lamprey spinal cord; *N*-Methyl-D-aspartate receptor; Tetrodotoxin resistant membrane potential oscillation; Tetraethylammonium sensitive K^+-channel (Brodin, L.) **380,** 244

Magnesium-free medium
Hippocampal slice; Ictal event; Seizure; Interictal event (Anderson, W.W.) **398,** 215

Magnetic field
Hamster; Melatonin; Pineal gland; Rat (Olcese, J.) **369,** 365

Microwave irradiation; Light microscopy; Electron microscopy; Tissue structural integrity (Ikarashi, Y.) **373,** 182

Analgesia; Activity; Morphine; Morphine-induced analgesia; Opiate antagonist; Calcium ion (Kavaliers, M.) **379,** 30

Magnetoencephalography
Epilepsy; Penicillin; Interictal spike; Cellular electrophysiology; Neocortex (Barth, D.S.) **368,** 36

Magnocellular
Norepinephrine; Vasopressin; α_2-Adrenoceptor; α_1-Adrenoceptor; Supraoptic nucleus (Mitchell, L.D.) **399,** 346

Magnocellular neuron
Ibotenic acid; Oxytocin; Paraventricular nucleus; Parvicellular neuron; Vasopressin (Herman, J.P.) **383,** 367

Magnocellular region
Red nucleus; Parvicellular region; Wheatgerm agglutinin horseradish peroxidase (Kennedy, P.R.) **364,** 124

Paraventricular nucleus; Cardiovascular region; Parvocellular region; Baroreflex; Rat (Porter, J.P.) **375,** 20

Magnocellular system
Vasopressin; Septum; Push-pull cannula; Hemorrhage; Hypertonic stimulation (Demotes-Mainard, J.) **381,** 314

Maitotoxin
Dopamine release; Tuberoinfundibular neuron; Calcium channel; Calcium agonist; BAY-K-8644 (Taglialatela, M.) **381,** 356

Major dense line
Transplantation; Oligodendrocyte; Myelination; Shiverer mutant mouse; Myelin basic protein (Kohsaka, S.) **372,** 137

Male mouse
Ventromedial nucleus; Paraventricular nucleus; Subdivision; Hypothyroidism; Karyometry (Ferres-Torres, R.) **374,** 93

Mammalian central nervous system
β-Endorphin; α-Melanocyte-stimulating hormone; Medulla oblongata; Nucleus tractus solitarius; Post-translational processing; Acetylation (Dores, R.M.) **377,** 251

Mammalian genetics
Shiverer; Jimpy; Myelin (Billings-Gagliardi, S.) **374,** 54

Mammalian nasochemoreception
Septal organ; Organ of Masera; Electroolfactogram; Olfactory epithelium; Olfactory receptor; Odor response map (Marshall, D.A.) **366,** 329

Mammalian retina
Disk-shedding; Autophagy; Light response; Circadian rhythm; Dopamine (Remé, C.) **369,** 356

Mammillary body
Amygdala; Conflict behavior; Rat (Shibata, K.) **372,** 159

Neurotensin; Human; Hippocampus; Subiculum; Fornix (Sakamoto, N.) **375,** 353

Neurotensin; Rat; Subiculum (Kiyama, H.) **375,** 357

Man
Passive head rotation; Vestibulo-ocular reflex inhibition; Eye–head coordination; Gaze position encoding (Pelisson, D.) **380,** 397

Leg muscle electromyogram; Gait perturbation; Spinal reflex; Stumbling reaction; Motor control (Dietz, V.) **384,** 166

Manic depressive illness
Lithium; Myo-inositol-1-phosphatase; Myo-inositol-1-phosphate (Renshaw, P.F.) **380,** 401

Maprotiline
Insulin; Neuronal culture; Noradrenaline; Catecholamine uptake; Insulin receptor (Boyd, F.T.) **398,** 1

Marmoset
Hypothalamus; Primate sexual behavior; Proceptivity; Receptivity; 17β-Estradiol (Kendrick, K.M.) **375,** 221

Basal nucleus of Meynert; Acetylcholine; Arecoline; Learning (Ridley, R.M.) **376,** 108

Mass fragmentography
Aspartate; Glutamate; Cerebellum; Climbing fiber; Parallel fiber; Neurotransmitter release (Sekiguchi, M.) **378,** 174

Masseteric nerve afferent
Trigeminal nucleus; Trigeminal ganglion; Horseradish peroxidase; Wheat germ agglutinin gel (Nishimori, T.) **372,** 375

Masticatory muscle
Trigeminal nerve; Electromyography; Silent period; Blink reflex (Cruccu, G.) **371,** 298

Mating dance
Descending neuron; Protocerebrum; Sexual pheromone odor; Silkworm moth; Wing vibration (Kanzaki, R.) **377,** 378

Maturation
Aging; Fibronectin receptor; Tissue culture; Dorsal root ganglion; Neuron; Cytofluorometry (Kawasaki, Y.) **397,** 185

Mauthner cell
Immunohistochemistry; Choline acetyltransferase; Acetylcholinesterase; Cholinergic neuron (Rhodes, K.J.) **381,** 215

Mauthner fiber
Giant fiber; Pectoral fin adductor motoneuron; Gap junction; Lucifer yellow; Hatchetfish (Gilat, E.) **365,** 96

Mauthner neuron
Axoplasm; Axoplasmic transport; Organelle transport; Axon; Goldfish (Koenig, E.) **398,** 288

Maximal electroshock
Substance P; Tachykinin; Substantia nigra; Epilepsy; Seizure; Bicuculline; Anticonvulsant (Garant, D.S.) **382,** 372

Anterior thalamus; Substantia nigra; Pentylenetetrazol; Generalized seizure (Mirski, M.A.) **397,** 377

Maximum voluntary contraction
Co-contraction; Reciprocal inhibition; Electromyogram (Tyler, A.E.) **370,** 171

Maze performance
Fetal implant; Hippocampus; Behavioral recovery; Rat (Kimble, D.P.) **363,** 358

Mazindol
Dopamine; Voltammetry; Electrical stimulation; D-Phenmetrazine; β-Phenylethylamine; Striatum (Stamford, J.A.) **366,** 350

Spiroperidol; Caudate nucleus; Putamen; Dopamine denervation; Primate (Joyce, J.N.) **382,** 360

Mean arterial blood pressure
β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin; Morphine; Plasma catecholamine; Paraventricular nucleus; Nucleus of the solitary tract; Central sympathetic outflow; Heart rate; Intracisternal administration (Appel, N.M.) **378,** 8

Meaning of the stimulus
Prefrontal cortex; Premotor cortex; Single unit activity; Delayed conditional Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 1

Mecamylamine
Neosurugatoxin; Nicotine antinociception; Nicotine binding; Pempidine (Yamada, S.) **375,** 360

Mechanoreceptor
Aminoglycoside; Neomycin; SA I-receptor; Skin; Touch (Baumann, K.I.) **377,** 160

Nociceptor; Sympathetic nerve; Afferent fibre; Skin (Barasi, S.) **378,** 21

Medial accessory olive
Inferior olive; Optic nerve; Pretectum; Dorsal cap; Nucleus β; Rat (Akaike, T.) **368,** 183

Inferior olive; Superior colliculus; Lobule VII; Crus II; Rat (Akaike, T.) **386,** 400

Medial amygdaloid nucleus
Sexual dimorphism; Human brain; Volumetric analysis (Murphy, G.M.) **365,** 321

Medial basal hypothalamus
Anterior hypothalamus; Growth hormone; Prolactin; γ-Aminobutyric acid; Muscimol (Willoughby, J.O.) **374,** 119

Medial forebrain bundle
Refractory period; Brain stimulation reward; Self-stimulation; Single unit recording; Lateral hypothalamus; Ventral tegmental area; Forebrain nucleus (Rompré, P.-P.) **364,** 338

Rat; Septohippocampal neuron; Cholinergic neuron; Microiontophoresis; Cholinergic agonist; Amygdala; Barbiturate (Dutar, P.) **365,** 325

Regeneration; Monoaminergic neuron; Nerve graft (Dum, R.P.) **372,** 198

Medial frontal cortex
Infralimbic cortex; Gastric motility; Rat; Neocortex; Microstimulation (Hurley-Gius, K.M.) **365,** 241

Medial geniculate
Amygdala central nucleus; Corneo-retinal potential; Differential Pavlovian conditioning; Heart rate; Horseradish peroxidase; Rabbit (Jarrell, T.W.) **374,** 126

Medial geniculate body
Classical conditioning; Emotional learning; Ibotenic acid (LeDoux, J.E.) **371,** 395

Amygdala; Classical conditioning; Emotion (Iwata, J.) **383,** 195

Medial geniculate nucleus
Differential pavlovian conditioning; Heart rate; Rabbit (Jarrell, T.W.) **382,** 199

Medial hypothalamus
Corticosterone release; Push–pull cannula; Central amygdala; Rat (Dietl, H.) **369,** 373

Periaqueductal gray; Aversion; Escape; Morphine; Choice; Discrimination (Jenck, F.) **378,** 274

Glucose homeostasis; α_2-Receptor binding; Paraventricular nucleus; Noradrenergic activity; Feeding (Chafetz, M.D.) **384,** 404

Medial parvicellular component of the nucleus ventralis posteromedialis
Taste; Gustatory cortex; Cytoarchitecture; Rat; Autoradiography; Thalamocortical projection; Agranular insular cortex (Kosar, E.) **379,** 342

Medial pons
Electrical stimulation; Collision method; Circling; Lateral head movement; Rostromedial tegmentum; Superior colliculus (Tehovnik, E.J.) **385,** 329

Medial preoptic area
Sexual behavior; Apomorphine; Dopamine; Caudate-putamen; Nucleus accumbens; Lateral septum (Hull, E.M.) **370,** 73

Corticotropin-releasing factor; β-Endorphin; Corticotropin; Corticotropin-releasing factor-γ-globulin; β-Endorphin-γ-globulin; Corticotropin-γ-globulin; Luteinizing hormone-releasing hormone; Luteinizing hormone-releasing hormone antagonist analogue; Lordosis (Sirinathsinghji, D.J.S.) **375,** 49

Medial preoptic area of the hypothalamus
Sexually dimorphic nucleus of the preoptic area; Prenatal stress; Sexual behavior; Gonadotrophin regulation; Plasma testosterone (Anderson, R.H.) **370,** 1

Medial preoptic lesion
Feminine sexual behavior; Rat (Hennessey, A.C.) **370,** 21

Medial septum
Hippocampus; Theta cell (Bland, S.K.) **375,** 102

Hippocampus; Nerve growth factor; Neurotropic factor; Radial maze learning; Septal graft; Spontaneous alternation; Sympathetic neuron (Pallage, V.) **386,** 197

Medial terminal nucleus
Accessory optic system; Ventral midbrain tegmentum; Monkey; Autoradiography (Weber, J.T.) **365,** 164

Medial thalamus
Pain; Analgesia; Periaqueductal gray; Cerebral cortex; Intracellular recording (Andersen, E.) **375,** 30

Medial ventroposterior nucleus
Cold afferent; Trigeminal subnucleus caudalis; Preoptic/anterior hypothalamic area; Dual pathway; Cold sensation; Temperature regulation (Kawahara, K.) **378,** 61

Median eminence
Arcuate nucleus; Immunocytochemistry; Growth hormone-releasing factor; Electron microscopy; Rat (Ibata, Y.) **370,** 136

Electron microscopy; Double-immunogold labeling; Corticoliberin; Met-Enk-8; Coexistence; Rat (Hisano, S.) **370,** 321

Vasopressin; Neurohypophysectomy; Neural transplantation; Diabetes insipidus; Neurosecretory; Fluid regulation (Marciano, F.F.) **370,** 338

Morphine; Tuberoinfundibular neuron; Dopamine turnover; Prolactin; Biphasic effect (Callahan, P.) **381,** 106

Prostaglandin E_2; Luteinizing hormone-releasing hormone release; Metal; Copper (Barnea, A.) **384,** 101

Immunoreactive; α-Melanocyte stimulating hormone; Suckling; Hypothalamus; Pituitary; Prolactin (Khorram, O.) **398,** 361

Brain protein; Estradiol; Arcuate nucleus; Two-dimensional gel electrophoresis (Rodriguez-Sierra, J.F.) **399,** 379

Median forebrain bundle
Dopamine uptake; Striatum; In vivo voltammetry (Stamford, J.A.) **373,** 85

Median nerve
Spinal cord; Somatotopic organization; Forearm and forepaw; Ulnar nerve; Horseradish peroxidase; Dog (Mutai, M.) **371,** 90

Median preoptic area
Blood pressure control; Angiotensin II; Neuronal activation (Gambino, M.C.) **375,** 230

Median raphe
2-Deoxy-D-[^{14}C]glucose technique; Local cerebral glucose utilization; Interpeduncular nucleus; Dorsal raphe; Stria medullaris; Habenular nucleus; Choline acetyltransferase (Motohashi, N.) **397,** 265

Medium spiny cell
Neostriatum; Striatonigral axon; γ-Aminobutyric acid; Glutamic acid decarboxylase; Neuronal morphology; Neuronal ultrastructure; Combined immunoperoxidase and transport labeling (Fisher, R.S.) **398,** 148

Medium spiny striatonigral neuron
Neostriatum; Large aspiny striatonigral neuron; Connectivity and Golgi neuronal marker; Morphological diversity (Fisher, R.S.) **397,** 173

Medulla
Microinjection; Opiate receptor; Spinal reflex; Periaqueductal gray; Raphe magnus; Analgesia (Jensen, T.S.) **363,** 99

Inspiratory neuron; Nucleus tractus solitarii; Control of respiration; Antidromic latency technique; Lung inflation; Vagal pulmonary afferents; Cat (Davies, R.O.) **366,** 22

Receptor; Autoradiography; Angiotensin II; Organum vasculosum of the lamina terminalis; Subfornical organ; Hypothalamus (McKinley, M.J.) **375,** 373

Tail flick modulation; Graded heating; Midbrain; Pons; Tissue temperature (Ness, T.J.) **386,** 41

Insect; Color vision; Optic lobe; Interneuron; Color-opponency (Ichikawa, T.) **397,** 381

Medulla oblongata
Reilly syndrome; Vagus nucleus; Direct current potential; Trigeminal nerve (Sugaya, E.) **369,** 369

Phenylethanolamine *N*-methyltransferase; Immunochemical titration; Strain difference; Dot blot hybridization; Adrenal gland; Messenger ribonucleic acid (Park, D.H.) **372,** 185

Respiratory timing; Thyrotropin-releasing hormone; 5,7-Dihydroxytryptamine (McCown, T.J.) **373,** 189

β-Endorphin; α-Melanocyte-stimulating hormone; Nucleus tractus solitarius; Post-translational processing; Acetylation; Mammalian central nervous system (Dores, R.M.) **377,** 251

Reticular formation; Anterior cingulate cortex; Horseradish peroxidase (Meyer, G.) **398,** 207

Immunocytochemistry; Spinal cord; Hypothalamo-infundibular system; Corticotropin-releasing factor; Substance P (Berkenbosch, F.) **399,** 87

Medullary lateral tegmental field
Facial nucleus; Orbicularis oculi muscle; Blink reflex; Emotional facial innervation; Voluntary facial innervation; Pretectum; Red nucleus (Holstege, G.) **374,** 306

Medullary polysynaptic reflex
Nucleus tractus solitarii; Swallowing; Pressure microinjection; Noradrenaline; Dopamine; Rat (Kessler, J.P.) **386,** 69

Medullary pressor area
Escherichia coli endotoxin; Hypotension; Renal nerve discharge; Blood pressure; Heart rate; Sympathetic nerve activity (Koyama, S.) **366,** 217

Medullary respiratory neuron
Baclofen; γ-Aminobutyric acid; Phrenic nerve activity (Lalley, P.M.) **376,** 392

Medullary reticular formation
Opiate receptor; Mu opioid receptor ligand; Delta opioid receptor ligand; Periaqueductal gray; Antinociception (Jensen, T.S.) **372,** 301

Medullary transection
Thyrotropin-releasing hormone; Nucleus of the solitary tract; Dorsal vagal nucleus; Raphe nucleus; Immunohistochemistry (Palkovits, M.) **373,** 246

Medullo-spinal sympathoexcitatory neuron
Ventrolateral medulla; Clonidine; Single-unit recording; Rat (Sun, M.-K.) **368,** 1

Medullospinal liquor contacting neuron
Methionine-enkephalin-Arg^6-Gly^7-Leu^8; Immunohistochemistry; Rat (Shimosegawa, T.) **379,** 1

Meganeurite
Axonal initial segment; Axon hillock; Cortical pyramidal neuron; Ganglioside storage disease; Axonal spheroid (Walkley, S.U.) **382,** 379

Meissner corpuscle
Nerve regeneration; Basal lamina; Lamellar cell; Schwann cell; Freezing (Ide, C.) **384,** 311

Melanin-concentrating hormone
Rat brain nucleus; Radioimmunoassay (Zamir, N.) **373,** 240

Melanocyte-stimulating hormone
Immunofluorescence; High-performance liquid chromatography; Radioimmunoassay; Frog hypothalamus (Benyamina, M.) **366,** 230

Electrical stimulation; Neurointermediate lobe; Calcium dependence; Tetrodotoxin; Mouse (Taraskevich, P.S.) **379,** 390

α-Melanocyte stimulating hormone
β-Endorphin; Medulla oblongata; Nucleus tractus solitarius; Post-translational processing; Acetylation; Mammalian central nervous system (Dores, R.M.) **377,** 251

Extrahypophyseal distribution; Human brain; Alzheimer's disease; Senile dementia; Enzyme immunoassay (Arai, H.) **377,** 305

Pro-opiomelanocortin; β-Endorphin; Adrenocorticotrophic hormone; Peptide, 16K; Spinal cord; Descending fiber; Rat (Tsou, K.) **378,** 28

Oxytocin; Immunocytochemistry; Binding site; Brattleboro rat; Accurel (Ravid, R.) **379,** 404

Immunoreactive; Suckling; Hypothalamus; Median eminence; Pituitary; Prolactin (Khorram, O.) **398,** 361

α-Melanotropin
Development; Prolactin; Dopamine neuron; Peptide feedback; α-Melanotropin antiserum (Lichtensteiger, W.) **368,** 205

Ethanol dependence; β-Endorphin; Brain; Withdrawal; Pituitary; Adrenocorticotropin; Corticosterone (Wilkinson, C.W.) **378,** 107

α-Melanotropin antiserum
Development; α-Melanotropin; Prolactin; Dopamine neuron; Peptide feedback (Lichtensteiger, W.) **368,** 205

Melatonin
Retina; Dopamine; Serotonin *N*-acetyltransferase (Iuvone, P.M.) **369,** 168

Hamster; Magnetic field; Pineal gland; Rat (Olcese, J.) **369,** 365

γ-Aminobutyric acid; Pineal gland; Cerebellum; Hypothalamus; Cerebral cortex (Rosenstein, R.E.) **398,** 403

Membrane alteration
Alzheimer's disease; Fluorescence spectroscopy (Zubenko, G.S.) **385,** 115

Membrane conductance
N-Methyl-D-aspartate; Cortical neuron; Brain slice; Voltage clamp (Flatman, J.A.) **363,** 62

Neurotransmitter; Retina; γ-Aminobutyric acid; Cone; Bipolar cell; Receptive field (Wu, S.M.) **365,** 70

Sympathetic neuron; Slow depolarization; Acetylcholine; Muscarinic receptor (Mochida, S.) **383,** 299

Membrane fluidity
Lipid; Regeneration; Development; Aging; Tissue culture; Fluorescence photobleaching recovery; Dorsal root ganglion; Mouse; Neuron (Horie, H.) **377,** 246

Membrane lipid fluidity
Calcium uptake; Calcium distribution; Brain mitochondrion; Synaptosome; Ageing (Vitorica, J.) **378,** 36

Membrane potential
Leech; Motor neuron; Inhibition;

Oscillation; Neuron ablation; Photoinactivation (Granzow, B.) **369,** 321

Pentobarbital; Halothane; Anesthesia; Hyperpolarization (Whitney, J.F.) **381,** 199

Vitamin E; Phospholipase; Fluorescent probe; ESR spin probe; Synaptic membrane (Erin, A.N.) **398,** 85

Membrane property
Rat thalamo-cortical neuron; Intracellular recording; Intracellular labeling; Cortical stimulation-induced response (Kita, H.) **371,** 80

Rat; Substantia nigra compacta neuron; Slice preparation; Intracellular recording (Kita, T.) **372,** 21

Lateral geniculate nucleus; X-cell; Y-cell; Brain slice; Horseradish peroxidase labeling (Crunelli, V.) **380,** 371

Membrane vesicle
Glycine; Transport; Glioblastoma cell (Zafra, F.) **397,** 108

Membranous structure
Brain; Microtubule; Tubulin; Cytoskeleton (López, L.A.) **382,** 46

Memory
Amygdala; Adrenaline; Inhibitory avoidance; Noradrenaline; Propranolol; Retention (Liang, K.C.) **368,** 125

Phorbol ester; Protein kinase C; Synaptic plasticity (Routtenberg, A.) **378,** 374

Anterior thalamic nucleus; Subicular cortex; Cingulate cortex; Learning (Gabriel, M.) **384,** 195

Nucleus basalis of Meynert; Delayed response task; Basal forebrain cholinergic system; Reward (Richardson, R.T.) **399,** 364

Single unit recording; Hippocampus; Working memory; Reference memory; Delayed match-to-sample (Wible, C.G.) **399,** 97

Memory and learning
Rat hippocampus; Goldfish brain protein; Behavioral plasticity; Immunohistofluorescence staining; Embryonic glycoprotein; Plasticity of the CNS; Pyramidal cell culture (Schmidt, R.) **386,** 245

Meninges
Vesicle; Rapid freeze; Pial vessel; Frog; Capillary; Endothelium (Latker, C.H.) **375,** 186

Menkes' disease
Copper deficiency; Immunocytochemistry; Immunogold; Actin; Cytoskeletal; Dendrite; Cortex; Cerebellum; Brindled mouse; Ultrastructure (Peterson, C.) **382,** 205

Mescaline
Lysergic acid diethylamide; 2,5-Dimethoxy-4-methylamphetamine; LY 53857; Ritanserin; Locus ceruleus; Serotonin-2 receptor (Rasmussen, K.) **385,** 395

Mesencephalic locomotor region
Locomotor activity; Amphetamine-induced activity; Hypothalamic/preoptic area; Cholinergic system; Carbachol; Extracellular unit recording; Rat (Brudzynski, S.M.) **376,** 47

Mesencephalic reticular formation
Sleep; Attention; Spike train analysis; Fluctuation, 1/*f* (Yamamoto, M.) **366,** 279

Mesencephalon
Aversion; Brain stimulation; Escape behavior; Local neuronal circuitry; Periaqueductal gray; Rat; Unit activity (Sandner, G.) **386,** 53

Trigeminal nucleus; Anterograde transport; Retrograde transport; Lectin conjugate; Cat (Wiberg, M.) **399,** 51

Mesocortical dopamine neuron
Desmethylimipramine; 6-Hydroxydopamine lesion; Interaction dopamine-noradrenaline (Herve, D.) **383,** 47

Messenger ribonucleic acid
Serotonin receptor; *Xenopus* oocyte; Cyclic adenosine monophosphate; Prostaglandin (Sakai, Y.) **362,** 199

Sexual differentiation; Brain protein; Tubulin; Polyacrylamide gel electrophoresis (Stanley, H.F.) **370,** 223

Phenylethanolamine *N*-methyltransferase; Immunochemical titration; Strain difference; Dot blot hybridization; Adrenal gland; Medulla oblongata (Park, D.H.) **372,** 185

Mesulergine
Serotonin; Serotonin-1C-site; Choroid plexus; Adenylate cyclase activity; Guanylnucleotide regulation (Palacios, J.M.) **380,** 151

Met-enkephalin
Serotonin; Substance P; Spinal cord; Immunocytochemistry (Bowker, R.M.) **375,** 347

Immunocytochemistry; Thalamus; Cat; Cell body; Colchicine (Covenas, R.) **377,** 355

Substance P; Substance K; Neuromedin K; Leu-enkephalin; Ventral tegmental area; Footshock stress (Bannon, M.J.) **381,** 393

Opioid; Neuropeptide; Radioimmunoassay; Insect; Nervous system (Davenport, A.P.) **383,** 319

Met-enkephalin-Arg^6-Gly^7-Leu^8
Amygdala; Kindling; Dynorphin; Cholecystokinin; Hippocampus; Substantia nigra; Epilepsy; Limbic system (Iadarola, M.J.) **365,** 185

Opioid peptide; Prodynorphin system; Proenkephalin system; Dynorphin A_{1-8}; Human brain; Basal ganglia; Huntington's disease (Seizinger, B.R.) **378,** 405

Medullospinal liquor contacting neuron; Immunohistochemistry; Rat (Shimosegawa, T.) **379,** 1

Met-enkephalin release
Striatal slice; Amphetamine; Fipexide (Lucchi, L.) **398,** 212

Metabolic hypothesis
Carotid body; Arterial chemoreceptor; 2-Deoxy-D-glucose; Adenosine triphosphate content; Dopamine release; Chemoafferent activity (Obeso, A.) **371,** 25

Metabolic mapping
Brain injury; Functional deficit; Local cerebral glucose utilization; Behavioral testing (Colle, L.M.) **397,** 27

Metabolism
Sleep; Rapid-eye-movement sleep; Deoxyglucose; Autoradiography (Ramm, P.) **365,** 112

Acetate; Fluoroacetate; Glia; Autoradiography (Muir, D.) **380,** 336

Metabolism of testosterone
Aromatase; Hypothalamus; Preoptic area; Testosterone; Reproductive behavior; Brain differentiation; Sexual differentiation (Schumacher, M.) **377,** 63

Metal
Diethyldithiocarbamate; Cadmium; Synapsin I; Glial fibrillary acidic protein; Neurotoxicity; Brain damage (O'Callaghan, J.P.) **370,** 354

Prostaglandin E_2; Luteinizing hormone-releasing hormone release; Median eminence; Copper (Barnea, A.) **384,** 101

High affinity uptake; Glutamate uptake; γ-Aminobutyric acid uptake (Gabrielsson, B.) **384,** 218

Methamphetamine
Apomorphine; Dopamine; Hypothalamic ventromedial nucleus; Defensive attack; Amygdala (Maeda, H.) **363,** 135

Circling behavior; Colchicine; 6-Hydroxydopamine; Electrolytic lesion; Apomorphine (Kamata, K.) **367,** 1

Self-stimulation; Ventral tegmental area; Footshock stress; Naloxone (Kamata, K.) **371,** 197

Neostriatum; Heterogeneity; Reserpine; Dopamine; Fluorescence histochemistry (Fukui, K.) **382,** 81

Methergoline
N-2-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Mianserin; Hot plate; Tail flick; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Methotrexate
Cholinergic; Gliosis; Chick ciliary ganglion; Neurotropic factor (Heacock, A.M.) **363,** 299

Methoxyhydroxyphenylethyleneglycol sulfate
Dihydroxyphenalamine accumulation; Catecholamine; Blood pressure; Hypotension (Conlay, L.A.) **375,** 210

3-Methoxy-4-hydroxyphenolglycol
Ventral tegmental area; Locus ceruleus; A10 cell group; Noradrenaline; Dopamine (Deutch, A.Y.) **363,** 307

5-Methoxy-*N*,*N*-dimethyltryptamine
N-2-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Tail flick; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Shock-induced analgesia; Tail-flick; Hot-plate; Intrathecal 6-Hydroxydopamine; Intrathecal yohimbine; Antagonism; Rat (Danysz, W.) **365,** 169

Noradrenaline; Serotonin; Sexual behavior; *N*-2-Choloethyl-*N*-ethyl-2-bromo-benzylaline; Lisuride; Ejaculation (Fernandez-Guasti, A.) **377,** 112

Serotonin; Dopamine; Stress; Depression; Open field; Behaviour; Sex difference (Kennett, G.A.) **382,** 416

Methylamphetamine
Catecholamine; Serotonin; Neurotoxicity; Somatosensory cortex; Rat (Commins, D.L.) **365,** 15

Methylmercury
Axonal transport; Rat; Scintillation spectrometry; Autoradiography (Aschner, M.) **381,** 244

Methylnaloxonium
Rigidity; Catatonia; Alfentanil; Nucleus raphe pontis; Caudate nucleus; Electromyography (Blasco, T.A.) **386,** 280

Catatonia; Alfentanil; Rat; Opiate; Caudate nucleus; Nucleus raphe pontis (Amairic, M.) **386,** 287

Arterial pressure; A1 noradrenergic neuron; Tyramine; Kainic acid; Renal nerve activity; Rostral ventrolateral medulla; C1 adrenergic neuron; 6-Hydroxydopamine (Granata, A.R.) **377,** 127

Methylxanthine
Anesthesia; Barbiturate; Monoaminergic neurotransmission; Arousal (Louie, G.L.) **383,** 377

1-Methyl-4-(1-methylpyrrol-2-yl)-4-piperidinol
Parkinsonism; Monkey; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; DuP 701; Substantia nigra (Wilkening, D.) **368,** 239

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine
Parkinsonism; Monkey; 1-Methyl-4-(1-methylpyrrol-2-yl)-4-piperidinol; DuP 701; Substantia nigra (Wilkening, D.) **368,** 239

1-Methyl-4-phenylpyridinium; Brain slice; Synaptic transmission; Toxicity (Wilson, J.A.) **368,** 357

Spiperone binding site; Calmodulin-dependent phosphorylation; Apomorphine-stimulated climbing behavior; Dopamine receptor supersensitivity; Striatum (Lau, Y.-S.) **369,** 311

Substantia nigra; Caudate nucleus; Dopamine; Serotonin; Noradrenaline (Sirinathsinghji, D.J.S.) **399,** 339

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine
Parkinson's disease; Monkey; Binding site; Monoamine oxidase; Monoamine oxidase inhibitor (Del Zompo, M.) **378,** 320

Striatum; Mouse; Dopamine; Serotonergic neuron; Decortication; Kainate lesion (Melamed, E.) **399,** 178

1-Methyl-4-phenylpyridine receptor binding
Adenylate cyclase; Dopamine receptor; Culture; Flupenthixol; Spiroperidol; Ventral mesencephalon (Heyer, E.J.) **377,** 54

1-Methyl-4-phenylpyridinium
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Brain slice; Synaptic transmission; Toxicity (Wilson, J.A.) **368,** 357

1-Methyl-4-phenylpyridinium ion
Tyrosine hydroxylation; Pyridinium salt; *N*-Methylisoquinolinium ion; Paraquat; Striatum; Rat (Hirata, Y.) **397,** 341

(*R*)-*N*-(1-Methyl-2-phenylethyl)-adenosine
Stable adenosine analogue; 5′-Deoxy-5′-(ethylamine)-5′-oxoadenosine; Dopamine synthesis and metabolism; Rat striatum (Myers, S.) **375,** 193

***N*-Methyl-D-aspartate**
Cortical neuron; Membrane conductance; Brain slice; Voltage clamp (Flatman, J.A.) **363,** 62

Epilepsy; Striatum; Kindling (Cavalheiro, E.A.) **377,** 173

γ-Aminobutyric acid; Muscimol; Prolactin; Arcuate; Hypothalamus (Ondo, J.G.) **381,** 43

Amino acid antagonist; Phosphate (Stone, T.W.) **381,** 195

3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; Glutamate; Receptor; Hippocampus; Long-term potentiation (Harris, E.W.) **382,** 174

Glutamate binding; Quisqualic acid; Sodium ion; Adrenal medulla (Yoneda, Y.) **383,** 387

Hypoxia; Calcium; Hippocampal slice; Excitatory amino acid (Ashton, D.) **385,** 185

Cerebellum; Cyclic guanosine monophosphate; Swimming performance; Acidic amino acid; 2-Amino-7-phosphonoheptanoic acid; Locomotor activity (McCaslin, P.P.) **398,** 71

Glutamate; Excitatory amino acid receptor; Hippocampus; Alzheimer's disease (Geddes, J.W.) **399,** 156

***N*-Methyl-D-aspartate receptor**
Fictive locomotion; Lamprey spinal cord; Magnesium ion; Tetrodotoxin resistant membrane potential oscillation; Tetraethylammonium sensitive K^+-channel (Brodin, L.) **380,** 244

Excitatory amino acid antagonist; 3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; Binding site; Anticonvulsant; Spinal cord (Davies, J.) **382,** 169

***N*-Methyl-D,L-aspartate**
Excitotoxin; Lesion; Basal forebrain; Cholineacetyltransferase; Immunohistochemistry; Rat (Stewart, G.R.) **369,** 377

***N*-Methylisoquinolinium ion**
Tyrosine hydroxylation; 1-Methyl-4-phenylpyridinium ion; Pyridinium salt; Paraquat; Striatum; Rat (Hirata, Y.) **397,** 341

***N*-Methylphenylpyridine**
N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; 3,4 dihydroxyphenylacetic acid; Parkinsonism; Corpus striatum (Chang, G.D.) **368,** 134

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine
Uridine; Substantia nigra (Pakkenberg, H.) **362,** 192

N-Methylphenylpyridine; Dopamine; 3,4 dihydroxyphenylacetic acid; Parkinsonism; Corpus striatum (Chang, G.D.) **368,** 134

Tyrosine hydroxylase; Basal ganglion; Immunohistochemistry (Schneider, J.S.) **373,** 258

Saccade; Parkinsonism; Monkey model (Brooks, B.A.) **383,** 402

L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine
Catecholamine; Cerebrospinal fluid; Adrenal gland (Di Paolo, T.) **379,** 286

Monkey; L-3,4-Dihydroxyphenylalanine; Bromocriptine; Supersensitivity (Bédard, P.J.) **379,** 294

***N*-Methylscopolamine**
Multiple muscarinic receptor; Quantitative autoradiography; Gallamine; Pirenzepine; Rat brain (Cortés, R.) **362,** 227

Pirenzepine; Multiple muscarinic receptor; Human brain; Quantitative autoradiography (Cortés, R.) **362,** 239

Autoradiography; Brain homogenate; Brain section; Muscarinic receptor; Receptor binding (Dohanich, G.P.) **366,** 338

Bethanechol; Electromyography; Muscimol; Muscular rigidity; Neostriatum; Substantia nigra (Schwarz, M.) **373,** 365

Methysergide
Retina; Serotonin antagonist; Ketanserin; LY-53857; Ganglion cell; Rabbit (Brunken, W.J.) **384,** 161

Metoprine
Footshock; Histamine; Tele-methylhistamine; Histamine turnover; Pargyline; α-Fluoromethylhistidine (Yoshitomi, I.) **362,** 195

Metorphamide
Opioid peptide; Adrenal medulla; Chromaffin cell; Coexistence; Secretion (Marley, P.D.) **363,** 10

$MgCl_2$ neurotoxicity
L-Dihydroxyphenylalanine; Pargyline; Turning behavior (Parenti, M.) **367,** 8

Mianserin
N-2-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Hot plate; Tail flick; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Mice
Chronic stress; Opioid tolerance; Analgesia; Locomotor activity (Puglisi-Allegra, S.) **380,** 357

Microcephaly
Hippocampal kindling; Antiepileptic drug evaluation; Epileptic afterdischarge; Seizure; Rat (Majkowski, J.) **386,** 325

Microdensitometry
Serotonin; Serotonin-1 receptor; Quantitative autoradiography; Superior colliculus; Deafferentation (Segu, L.) **384,** 205

Microdensitometry of brain enzyme
Quantitative enzyme autoradiography; Angiotensin-converting enzyme inhibitor; Kininase II; Brain nucleus; Brain peptide (Correa, F.M.A.) **375,** 259

Microdissection method
Gastrin-releasing peptide; Somatostatin; Regional distribution; Hypothalamic nucleus; Rabbit (Kita, T.) **398,** 18

Microinjection
Opiate receptor; Spinal reflex; Periaqueductal gray; Medulla; Raphe magnus; Analgesia (Jensen, T.S.) **363,** 99

Collateral sprouting; Sensory axon; Glabrous skin; Sciatic nerve lesion; Wheat germ agglutinin–horseradish peroxidase conjugate; Anterograde transport (Kinnman, E.) **377,** 73

Bradykinin; Calcium indicator quin 2; Calcium mobilization; Calcium blocker; Inositol-trisphosphate; NG108-15 cell (Osugi, T.) **379,** 84

Vasopressinergic neuron; Blood pressure; Vasopressin inhibitor (Benetos, A.) **381,** 322

Motivation; Food intake; Water intake; Opioid; Morphine; Accumbens; Ventral tegmental area (Mucha, R.F.) **397,** 214

Microiontophoresis
Rat; Nucleus basalis; Globus pallidus; Substantia innominata; Cholinergic neuron; Antidromic stimulation; Acetylcholine; Cholinergic agonist (Lamour, Y.) **362,** 122

Hippocampus; Acetylcholine; Electrophysiology; Aging; Rat (Haigler, H.J.) **362,** 157

Rat; Septohippocampal neuron; Cholinergic neuron; Cholinergic agonist; Amygdala; Medial forebrain bundle; Barbiturate (Dutar, P.) **365,** 325

Dopamine; Flupenthixol; Activation (Mintz, I.) **375,** 172

Lateral hypothalamic area; Subfornical organ; Paraventricular nucleus; Connection; Angiotensin II; Saralasin; Atropine (Tanaka, J.) **379,** 200

Microphotometry
Acetylcholinesterase; Animal strain; Basal ganglion; Cholinergic system; Genetic study; Histochemistry (Iacopino, C.) **374,** 402

Microsome
Cytochrome P-450; Mitochondrion; Monooxygenase; Subcellular distribution; Purification (Walther, B.) **375,** 340

Microsphere
Cerebral blood flow; Neural lobe; Arginine vasopressin (Ziedonis, D.M.) **373,** 27

Microstimulation
Medial frontal cortex; Infralimbic cortex; Gastric motility; Rat; Neocortex (Hurley-Gius, K.M.) **365,** 241

Somatosensory cortex; Precision grip; Force coding; Single neuron; Motor cortex; Conscious monkey (Wannier, T.M.J.) **382,** 427

Hemicerebellectomy; Plasticity; Motor cortex; Neonatal; Cerebellum; Forelimb response (O'Donoghue, D.L.) **385,** 311

Microtubule
Axoplasmic transport; In vivo; Calcium ion; Cadmium ion; Tubulin; SH content (Gan, S.-D.) **369,** 75

Tubulin; Axonal transport; Detyrosylation (Burgoyne, R.D.) **381,** 113

Brain; Membranous structure; Tubulin; Cytoskeleton (López, L.A.) **382,** 46

Cerebral ischemia; Dendrite; Gerbil; Immunoelectron microscopy; Transmission electron microscopy (Yamamoto, K.) **384,** 1

Axonal transport; Tubulin; Cytoskeleton (Johnston, K.M.) **385,** 38

Microtubule-associated protein
β,β'-Iminodipropionitrile; Axonal transport; Neurofilament protein; Tubulin; Optic nerve (Parhad, I.M.) **363,** 315

Microtubule-associated protein-2 phosphorylation
Tri-*O*-cresyl phosphate; Neurotoxicity; Tubulin phosphorylation (Suwita, E.) **374,** 199

Microvascular network
Cortical lesion; Regeneration; Quantification method; Rat (De Paermentier, F.) **398,** 419

Microvascular stasis
Spinal cord injury; Photochemical

sensitization; Singlet oxygen; Infarction (Watson, B.D.) **367,** 296

Microvessel
Vasopressin; Binding site; Blood–brain barrier (Kretzschmar, R.) **380,** 325

Endothelium; Cerebrum; Epidermal growth factor; Platelet-derived growth factor (Robinson, R.A.) **384,** 114

Microwave irradiation
Magnetic field; Light microscopy; Electron microscopy; Tissue structural integrity (Ikarashi, Y.) **373,** 182

Micturition
Postural change; Reflex straining; Defecation; Pelvic nerve (Fukuda, H.) **380,** 276

Straining reflex centre; Defecation; Parturition; Kölliker–Fuse nucleus (Fukuda, H.) **380,** 287

Micturition reflex
Rat; Somatovesical reflex; Vesicovesical reflex; Urethane; Bladder voiding (Maggi, C.A.) **380,** 83

Midazolam
Benzodiazepine; γ-Aminobutyric acid; Somatostatin; Neuropeptide; Cell culture; Cerebral; Neuron; Hypothalamus (Stryker, T.D.) **362,** 339

S1 cortex; Receptive field; Benzodiazepine; Ro 15-1788; Flurazepam; Diazepam (Oka, J.-I.) **376,** 194

Midbrain
β_1-Adrenoceptor; α_1-Adrenoceptor; Mouse; Reeler; Forebrain (Goffinet, A.M.) **366,** 193

Auditory; Lesion; Neuron; Gerbil; Deafferentation (Moore, D.R.) **373,** 268

Circadian rhythm; Activity; Raphe nucleus; Serotonin; Rat (Levine, J.D.) **384,** 240

Tail flick modulation; Graded heating; Medulla; Pons; Tissue temperature (Ness, T.J.) **386,** 41

Enkephalin; Ventromedial hypothalamic nucleus; Central gray matter; Rat; Immunocytochemistry; Projection (Yamano, M.) **398,** 337

Midbrain periaqueductal gray
Dorsal horn neuron; Noxious heat-evoked response; Descending inhibition; Reticular formation; Rat (Carstens, E.) **382,** 266

Midbrain raphe system
Subfornical organ; Angiotensin; Serotonin; Immunohistochemistry; Tract tracing; Double-labeling (Lind, R.W.) **384,** 250

Midbrain reticular formation
Self-injurious behavior; Stereotyped behavior; Nociception; Analgesia; Locomotion; Substantia nigra; Muscimol; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Middle cerebral artery
Cerebral infarction; Plasma catecholamine; Insula; Stroke (Smith, K.E.) **375,** 182

Midline nucleus
Anterior nucleus; Cholinesterase; Intralaminar nucleus; Thalamus (Robertson, R.T.) **368,** 116

MIF-1
Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; Naloxone; Analgesia; Activity; Opiate antagonist; Stress; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Migration
Cell suspension; Transplantation; Cross-species; Horseradish peroxidase; Septal nucleus; Hippocampus; Differentiation (Wells, J.) **383,** 333

Millipore diffusion chamber
Wallerian degeneration; Mouse sciatic nerve (Scheidt, P.) **379,** 380

Mineralocorticoid hormone
Brain angiotensin II receptor; Deoxycorticosterone acetate; Aldosterone; Drinking; Blood pressure; Neuronal cell culture (Wilson, K.M.) **382,** 87

Miniature endplate potential
2-(4-Phenylpiperidino)cyclohexanol; Acetylcholine transport inhibitor; Synaptic vesicle; Evoked release; Mouse phrenic nerve (Whitton, P.S.) **385,** 189

Mitochondrial function
Oxygen delivery to tissue; Dinitrophenol; Bioenergetics; Phosphorus nuclear magnetic resonance; Isolated perfused head (Kariman, K.) **366,** 300

Mitochondrion
Ganglioside; ATPase, $(Na^+ + K^+)$-; Hippocampus (Bianchi, R.) **364,** 400

Myelin; Non-myelinated axon; Undernourishment; Recovery (Wiggins, R.C.) **368,** 277

Cytochrome P-450; Microsome; Monooxygenase; Subcellular distribution; Purification (Walther, B.) **375,** 340

Calcium; Hippocampus; Long-term potentiation (Stanton, P.K.) **382,** 185

Mitotic inhibitor
Optic nerve; Gliogenesis; Axon; Myelination; Development (Black, J.A.) **380,** 122

Mobility
Sciatic nerve; Sodium channel; Monoclonal antibody; Immunofluorescence; Eel electroplax (Meiri, H.) **368,** 188

Modification of neuronal activity
Lateral reticular nucleus region; Noxious spinal and trigeminal input; Rabbit (Sotgiu, M.L.) **375,** 168

Modulation
Motor unit activity; Ia afferent; Spindle group II afferent; Spectral analysis; Coherence; Cat (Christakos, C.N.) **367,** 52

Phe-Met-Arg-Phe-NH_2 (FMRFamide); Small cardioactive peptide B; Arginine vasotocin; Mollusc; Neuromuscular junction; Immunocytochemistry (Richmond, J.E.) **370,** 159

Aplysia; Cyclic adenosine monophosphate; Learning; Sensory neuron; Sensitization (Ocorr, K.A.) **371,** 190

Noradrenaline; Aging; Climbing fiber; Electrophysiology; Cerebellum (Bickford, P.C.) **385,** 405

Modulation of vascular permeability
Electrical resistance of microvessels; Blood–brain barrier opening; Blood–brain barrier in hypoxia; Inhibition of endothelial metabolism; Glycolysis (Olesen, S.-P.) **368,** 24

Modulator
Cholecystokinin; Dopamine; Glutamate; Serotonin; Nucleus accumbens (Wang, R.Y.) **380,** 363

Molecular anatomy
Virus system; Ribonucleic acid; Protein (Blount, P.) **382,** 257

Molecular form
Adrenocorticotropic hormone; Immunoreactive β-endorphin; Brain concentration; Immunoreaction; Developmental aging; Pro-opiomelanocortin; Regulation; Chromatography (Kapcala, L.P.) **364,** 350

Polyarthritic rat; Axonal transport; Acetylcholinesterase (Tavitian, B.) **375,** 391

Immunoreactivity of a pituitary protein '7B2'; Central nervous system; Subcellular organization (Marcinkiewicz, M.) **380,** 349

Mollusc
Phe-Met-Arg-Phe-NH_2 (FMRFamide); Small cardioactive peptide B; Arginine vasotocin; Modulation; Neuromuscular junction; Immunocytochemistry (Richmond, J.E.) **370,** 159

Aging; Identified neuron; Electrical coupling (Janse, C.) **376,** 208

Mollusc neuron
Adenosine monophosphate, cyclic; Voltage clamp; Stationary current (Kononenko, N.I.) **376,** 239

Molluscan cardioexcitatory peptide (FMRFamide)
Neuropeptide; Gonadotropin-releasing hormone; Enkephalin; Retinal ganglion cell; Terminal nerve (Walker, S.E.) **384,** 262

Molluscan neuron
Acetylcholine; Cholinoreceptor; Cholinergic antagonist; Voltage-clamp; Ion channel (Furukawa, Y.) **374,** 227

Molybdate
Glucocorticoid receptor; Rat brain; Receptor measurement (Mitchell, J.) **383,** 373

Monensin
Calcium independent release; Noradrenaline; Pheochromocytoma cell; Quin 2 (Takahashi, M.) **382,** 332

Monkey
Enkephalin, Met-; Immunohistochemistry; Substantia nigra; Electron microscopy (Inagaki, S.) **362,** 171

γ-Aminobutyric acid neuron; γ-Aminobutyric acid terminal; Focal epilepsy; Motor cortex (Ribak, C.E.) **363,** 78

Optokinetic nystagmus; Nucleus of the optic tract (Kato, I.) **364,** 12

Medial terminal nucleus; Accessory optic system; Ventral midbrain tegmentum; Autoradiography (Weber, J.T.) **365,** 164

Lateral hypothalamus; Single neuron activity; Electrophoresis; Morphine; Naloxone; Reward (Oomura, Y.) **365,** 335

Parkinsonism; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-(1-methylpyrrol-2-yl)-4-piperidinol; DuP 701; Substantia nigra (Wilkening, D.) **368,** 239

Dopamine; Iontophoresis; Visual reaction time task; Dorsolateral prefrontal cortex (Sawaguchi, T.) **371,** 404

Single neuron activity; Visual response; Learning; Feeding behavior; Lateral hypothalamic area (Fukuda, M.) **374,** 249

Premotor cortex; Local cooling; Visually initiated hand movement; Visuo-motor integration (Sasaki, K.) **374,** 278

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Parkinson's disease; Binding site; Monoamine oxidase; Monoamine oxidase inhibitor (Del Zompo, M.) **378,** 320

Retina; Selective degeneration; Color-opponent neuron; Neurofilamentous axonopathy; Horseradish peroxidase transport; Cytochrome oxidase (Eskin, T.A.) **378,** 379

L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; L-3,4-Dihydroxyphenylalanine; Bromocriptine; Supersensitivity (Bédard, P.J.) **379,** 294

Global vision; Pattern recognition; Motion selectivity; Corticotectal; Superior colliculus; Receptive-field (Bender, D.B.) **381,** 372

Prefrontal cortex; Premotor cortex; Single unit activity; Meaning of the stimulus; Delayed conditional Go/No-go discrimination (Watanabe, M.) **382,** 1

Prefrontal cortex; Premotor cortex; Single unit activity; Behavioral inhibition; Go/No-go discrimination (Watanabe, M.) **382,** 15

Epilepsy; Cerebral cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Immunocytochemistry; Morphology; Electroencephalography (Houser, C.R.) **383,** 129

Amygdala; Single neuron activity; Glucose; Morphine; Feeding behavior (Nakano, Y.) **399,** 167

Monkey model
Saccade; Parkinsonism; *N*-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (Brooks, B.A.) **383,** 402

Monoamine
Epilepsy; γ-Aminobutyric acid; Photosensitivity; *Papio papio*; Cerebrospinal fluid; Taurine; Amino acid (Lloyd, K.G.) **363,** 390

Estrogen (Renner, K.) **366,** 64

Monoamine oxidase
Monoamine oxidase -containing unmyelinated axon; Postganglionic sympathetic fiber; Rat; Sciatic nerve; Histochemistry (Matsubayashi, K.) **368,** 30

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Parkinson's disease; Monkey; Binding site; Monoamine oxidase inhibitor (Del Zompo, M.) **378,** 320

Serotonin; Pargyline; Central nervous system; Squid (Youdim, M.B.H.) **381,** 300

Monoamine oxidase -containing unmyelinated axon
Monoamine oxidase; Postganglionic sympathetic fiber; Rat; Sciatic nerve; Histochemistry (Matsubayashi, K.) **368,** 30

Monoamine oxidase inhibitor
1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Parkinson's disease; Monkey; Binding site; Monoamine oxidase (Del Zompo, M.) **378,** 320

Monoamine transporter
Tetrabenazine binding; Serotonin; Dopamine; Noradrenaline; Mouse; Binding site regionalization (Scherman, D.) **370,** 176

Monoaminergic neuron
Regeneration; Medial forebrain bundle; Nerve graft (Dum, R.P.) **372,** 198

Monoaminergic neurotransmission
Methylxanthine; Anesthesia; Barbiturate; Arousal (Louie, G.L.) **383,** 377

Monoclonal antibody
Cerebellum; Purkinje cell; Development; Focal axonal swelling (Gravel, C.) **363,** 325

Angiotensinogen; Cell culture; Neuroblastoma; Astroglioma (Clemens, D.L.) **364,** 205

Sciatic nerve; Sodium channel; Immunofluorescence; Mobility; Eel electroplax (Meiri, H.) **368,** 188

Habenula; Immunocytochemistry (Plioplys, A.V.) **375,** 1

Synaptic vesicle; Immunohistochemistry; Immunoelectron microscopy; Immunoblot analysis; Cerebellum (Obata, K.) **375,** 37

Neurofilament protein; Gymnotid fish Purkinje cell (Maler, L.) **378,** 337

Brain microvasculature; Endothelium; Blood–brain barrier; Kidney proximal tubule; Bile canaliculus (Michalak, T.) **379,** 320

Development; Retina; Immunocytochemistry; Monolayer culture; Rat (Akagawa, K.) **383,** 110

Progesterone receptor; Immunohistochemistry; Central nervous system; Guinea pig (Warembourg, M.) **384,** 121

Sodium channel; Sciatic nerve; Abnormal myelination; Dystrophic mouse (Meiri, H.) **384,** 355

Glycolipid; Sulfated glucuronyl paragloboside; Myelin-associated glycoprotein; Immunoglobulin-M paraprotein; Polyneuropathy; Epitope (Ilyas, A.A.) **385,** 1

Monocular deprivation
Critical period; Plasticity; Visual cortex; Cat; Dark-rearing (Ramachandran, V.S.) **367,** 309

Penicillin; Epileptiform activity; Visual cortex; Kitten (Videen, T.O.) **371,** 1

Tree shrew; Lateral geniculate nucleus; Striate cortex; Horseradish peroxidase (Florence, S.L.) **374,** 179

Tectofugal visual system; Cell size; Ectostriatum; Plasticity; Bird (Herrmann, K.) **379,** 143

γ-Aminobutyric acid; Visual cortex; Ocular dominance; Inhibition; Amblyopia (Mower, G.D.) **380,** 253

Monocular suture
Geniculocortical afferent; Layer I; Reverse suture; Visual cortex; Plasticity; Kitten (Kato, N.) **386,** 393

Monocyte
Beige murine mutant; Receptor, Fc-; Myelin; Peripheral nerve; Silica; Wallerian degeneration (Beuche, W.) **378,** 97

Monolayer culture
Development; Retina; Monoclonal antibody; Immunocytochemistry; Rat (Akagawa, K.) **383,** 110

Monooxygenase
Cytochrome P-450; Mitochondrion; Microsome; Subcellular distribution; Purification (Walther, B.) **375,** 340

Monosialoganglioside GM1
Hippocampus; Evoked activity; In vitro (Wieraszko, A.) **371,** 305

Monosodium glutamate
Growth hormone; Growth hormone-releasing factor; Sex difference (Wakabayashi, I.) **372,** 361

Hypothalamus; Insulin; Hyperphagia; Obesity; Bipiperidyl mustard; Lesion; Feeding (Scallet, A.C.) **374,** 380

Immunocytochemistry; Deafferentation (Merchenthaler, I.) **378,** 297

Monosynaptic reflex
Locus coeruleus; Facilitation; Noradrenergic neurotransmission; Rat (Chan, J.Y.H.) **369,** 103

Mormyridae
Electric fish; Efference copy; Plasticity (Bell, C.C.) **369,** 29

Morphine
Luteinizing hormone surge; Estrogen; Catechol turnover (Akabori, A.) **362,** 221

Vasopressin; Thyrotropin-releasing hormone; Non-opiate antinociception; Endogenous opiate antagonist (Watkins, L.R.) **362,** 308

Pain; Tonic; Rat; Analgesic test; Capsaicin (Otsuki, T.) **365,** 235

Lateral hypothalamus; Single neuron activity; Monkey; Electrophoresis; Naloxone; Reward (Oomura, Y.) **365,** 335

Analgesia; Nucleus raphe magnus; Tail flick reflex; Rat (Barbaro, N.M.) **366,** 203

Cholecystokinin radioimmunoassay; Hypothalamus; Tolerance; In vivo (Faris, P.L.) **367,** 405

Stress analgesia; Tolerance; Cross-tolerance; Opioid; Non-opioid (Terman, G.W.) **368,** 101

Analgesia; Regional cerebral metabolism; Deoxyglucose; Autoradiography; Pain (Levy, R.M.) **368,** 170

Norepinephrine; Antinociception; Nucleus reticularis paragigantocellularis; 6-Hydroxydopamine; Spinal cord (Pang, I.-H.) **371,** 171

Opioid peptide; Opiate receptor; Ethanol; Analgesia; Fetal ethanol exposure; Prenatal ethanol exposure (Nelson, L.R.) **372,** 234

Opioid peptide; Stress; Natural killer cell; Tolerance; Cross-tolerance (Shavit, Y.) **372,** 382

Hypothermia; Adrenocorticotropin(1–24); Adrenocorticotropin(4–10); Guinea pig (Milanés, M.V.) **375,** 13

Nucleus raphe magnus; Tail flick reflex; Rat; Analgesia; Periaqueductal gray (Cheng, Z.-F.) **375,** 57

Cerebral artery; Peripheral artery; Vasomotor response; Calcium (Recio, L.) **376,** 262

Substance P; Norepinephrine; γ-Aminobutyric acid; Serotonin; Potassium-stimulated release (Pang, I.-H.) **376,** 268

Analgesia; Serotonin (Romandini, S.) **377,** 351

Periaqueductal gray; Medial hypothalamus; Aversion; Escape; Choice; Discrimination (Jenck, F.) **378,** 274

β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin; Plasma catecholamine; Paraventricular nucleus; Nucleus of the solitary tract; Central sympathetic outflow; Heart rate; Mean arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Pain; Inhibitory control; Counter-irritation (Kraus, E.) **379,** 151

Analgesia; Activity; Magnetic field; Morphine-induced analgesia; Opiate antagonist; Calcium ion (Kavaliers, M.) **379,** 30

Opiate receptor; Restraint stress; Naloxone; Rat brain; Etorphine radioligand binding assay; Receptor down-regulation (Hnatowich, M.R.) **380,** 107

Electroacupuncture; Enkephalin; Analgesia; Naloxone; Thiorphan; Bestatin; Nucleus accumbens (Jin, W.-Q.) **380,** 317

Tuberoinfundibular neuron; Dopamine turnover; Median eminence; Prolactin; Biphasic effect (Callahan, P.) **381,** 106

Capsaicin; Opioid; Spinal cord; Substance P; Withdrawal (Bell, J.A.) **382,** 299

Thalamus; 4,5,6,7-Tetrahydroisoxazolo-(5,4-c)pyridin-3-ol; γ-Aminobutyric acid; Antinociception (Reyes-Vazquez, C.) **383,** 177

Opiate; Pain; Hypoalgesia; Periaqueductal gray; Trigeminal nucleus; Analgesia (Kasman, G.S.) **383,** 271

Dermorphin; Tolerance; Analgesia; Amphibian (Stevens, C.W.) **385,** 300

Interferon; Cyclosporine; Irradiation; Antinociception; Tolerance (Dougherty, P.M.) **385,** 401

Swim stress; Analgesia; Mouse line; Naloxone (Panocka, I.) **397,** 156

Motivation; Food intake; Water intake; Opioid; Accumbens; Ventral tegmental area; Microinjection (Mucha, R.F.) **397,** 214

Electrochemical detection; Cat spinal cord; Serotonergic system; Nucleus raphe magnus (Suzuki, Y.) **398,** 413

Amygdala; Single neuron activity; Glucose; Feeding behavior; Monkey (Nakano, Y.) **399,** 167

Feeding; Ventral tegmental area; Periaqueductal gray; Lateral hypothalamus (Jenck, F.) **399,** 24

Morphine analgesia
Pain; Dorsal horn convergent neuron; Bulbo-spinal control; Dorsolateral funiculus (Chitour, D.) **377,** 397

Morphine tolerance
Arthritic rat; Naloxone; Pain threshold (Kayser, V.) **371,** 37

Morphine withdrawal
Time action; Naloxone; Half-life; 2-Deoxyglucose (Geary II, W.A.) **399,** 181

Morphine-induced analgesia
Analgesia; Activity; Magnetic field; Morphine; Opiate antagonist; Calcium ion (Kavaliers, M.) **379,** 30

Morphological diversity
Neostriatum; Medium spiny striatonigral neuron; Large aspiny striatonigral neuron; Connectivity and Golgi neuronal marker (Fisher, R.S.) **397,** 173

Morphology
Dorsal root ganglion; Primary afferent; Sensory modality; Somatotopy; Action potential (Cameron, A.A.) **362,** 1

Amacrine cell; Japanese dace; Dopamine; Ethidium bromide; Intracellular response (Chino, Y.M.) **372,** 323

Cerebral ischemia; Hippocampus; Pyramidal cell (CA-1) protection; Colchicine degranulation; Glutamate (Johansen, F.F.) **377,** 344

Monkey; Epilepsy; Cerebral cortex; Glutamic acid decarboxylase; γ-Aminobutyric acid; Immunocytochemistry; Electroencephalography (Houser, C.R.) **383,** 129

Morphometrics
Sexually dimorphic nucleus; Suprachiasmatic nucleus; Three-dimensional reconstruction; Sexual differentiation; Preoptic area (Robinson, S.M.) **371,** 380

Morphometry
Synaptic plasticity; Aging; EPTA stained synapse; Hippocampus; Aging of synaptic membranes (Bertoni-Freddari, C.) **366,** 187

Immunohistochemistry; Cholinergic neuron; AF64A; Degeneration; In vitro study (Tonnaer, J.A.D.J6.) **370,** 200

Basal ganglion; Pallidal segment; Dendrite; Golgi method (Dvergsten, C.L.) **375,** 395

Mossy fiber
Cerebellum; Purkinje cell; Climbing fiber enhancement; Noradrenaline; 6-Hydroxydopamine; Somatosensory stimulus (McElligott, J.G.) **397,** 245

Mossy fiber rosette
Cerebellar glomerulus; Bovine cerebellar vermis; Acetylcholine; Choline uptake; Hemicholinium-3 (Terrian, D.M.) **366,** 401

Motion selectivity
Global vision; Pattern recognition; Corticotectal; Superior colliculus; Receptive-field; Monkey (Bender, D.B.) **381,** 372

Motivation
Angiotensin II; Lateral hypothalamus; Prefrontal cortex; Septal region; Subfornical organ; Zona incerta (Swanson, L.W.) **379,** 399

Food intake; Water intake; Opioid; Morphine; Accumbens; Ventral tegmental area; Microinjection (Mucha, R.F.) **397,** 214

Motoneuron
Axonal swelling; Ephaptic transmission; Glial cell; β,β′-Iminodipropionitrile; Neurofilament; Paranodal demyelination; Synapse (Gold, B.G.) **362,** 205

Dorsal root ganglion; Lumbar sympathetic chain; Horseradish peroxidase; Neuronal labeling; Neuronal dysfunction (Peyronnard, J.M.) **364,** 137

Leech; Inhibition; Membrane potential; Oscillation; Neuron ablation; Photoinactivation (Granzow, B.) **369,** 321

Squid; Brain; Chromatophore; Horseradish peroxidase labeling (Dubas, F.) **374,** 21

Development; Impulse activity; Synaptic connection; Spinal cord; Spindle afferent fiber; Specificity (Frank, E.) **378,** 147

γ-Aminobutyric acid; Spinal cord; Dorsal root reflex; Primary afferent depolarization; Benzodiazepine (Duchen, M.R.) **379,** 182

Ventral horn neuron; Muscarinic agonist; Presynaptic inhibition (Jiang, Z.G.) **381,** 182

Abducens nucleus; Internuclear neuron; Ocular fixation (Gómez, C.) **381,** 401

Neuronal hypertrophy; Retrograde degeneration; Choline acetyltransferase; Immunohistochemistry; Oculomotor nerve (Pearson, R.C.A.) **382,** 189

Spinal cord; Soma size; Histochemistry; Oxidative enzyme; Succinate dehydrogenase; Stimulation (chronic); Spinalization (hemi-) (Donselaar, Y.) **385,** 22

Rapid axonal transport; Experimental neuropathy; *p*-Bromophenylacetylurea; Peripheral neurotoxicology (Nagata, H.) **385,** 136

Reticular formation; Nucleus reticularis gigantocellularis; Spinal cord; Inhibitory postsynaptic potential; Sleep; Wakefulness; Active sleep; Quiet sleep (Chase, M.H.) **386,** 237

α-Motoneuron
Cytochrome oxidase; Double-labeling; [^{3}H]Wheat germ agglutinin; Spinal cord (Mjaatvedt, A.E.) **368,** 178

Motor activity
Ethyl 5-benzyloxy-4-methoxymethyl β-carboline-3-carboxylate (ZK 91296); β-Carboline; Anxiety; Exploration; Rat (Pellow, S.) **363,** 174

Noradrenaline; Complex environment; Isolated environment; 6-Hydroxydopamine; Desipramine; Neurochemistry; Rat; Behavior (Mohammed, A.K.) **398,** 6

Motor control
Gait perturbation; Leg muscle electromyogram response; Ballistic movement; Triphasic pattern (Dietz, V.) **362,** 355

Vocalization; Glutamate; Chemical brain stimulation; Squirrel monkey (Jürgens, U.) **373,** 349

Leg muscle electromyogram; Gait perturbation; Spinal reflex; Stumbling reaction; Man (Dietz, V.) **384,** 166

Motor cortex
Ventrolateral nucleus; Fast pyramidal tract neuron; Synaptic linkage; Electron microscopy (Liu, X.) **362,** 189

Spinothalamic tract; Thalamus (motor); Direct relay of afferent input (Greenan, T.J.) **362,** 384

γ-Aminobutyric acid neuron; γ-Aminobutyric acid terminal; Focal epilepsy; Monkey (Ribak, C.E.) **363,** 78

Hemiplegia; γ-Aminobutyric acid; Phenytoin (Brailowsky, S.) **376,** 71

Corticospinal tract; Phrenic nucleus; Anterograde tracing; Cat (Rikard-Bell, G.C.) **379,** 75

Thalamocortical projection; Area 3a; Retrograde fluorescence tracer (Zheng, Z.-H.) **380,** 389

Supplementary motor cortex; Premotor cortex; Somatosensory cortex; Receptive field; Rat (Sievert, C.F.) **381,** 15

Somatosensory cortex; Precision grip; Force coding; Single neuron; Microstimulation; Conscious monkey (Wannier, T.M.J.) **382,** 427

Microstimulation; Hemicerebellectomy; Plasticity; Neonatal; Cerebellum; Forelimb response (O'Donoghue, D.L.) **385,** 311

Motor homunculus
Bereitschaftspotential; Readiness potential; Voluntary movement; Lower extremity; Precentral gyrus (Boschert, J.) **376,** 175

Motor learning
Conditioned response; Climbing fiber; Nictitating membrane (Türker, K.S.) **363,** 376

Motor nerve
2,5-Hexanedione; Retrograde axonal transport; Anterograde axonal transport; Peripheral neuropathy; Sensory nerve; Distal axonopathy (Brændgaard, H.) **378,** 1

Motor nucleus
Spinal cord; Horseradish peroxidase; Pectoral muscle (Krogh, J.E.) **369,** 331

Trigeminal nerve; Facial nerve; Jaw muscle; Hagfish; Retrograde horseradish peroxidase transport (Kishida, R.) **385,** 263

Motor performance
Dopamine; Striatum; Aging; Senescence; Nomifensine; Bupropion (Marshall, J.F.) **379,** 112

Motor preparatory process
Parkinsonian akinesia; Reaction time; H-reflex (Chan, C.W.Y.) **386,** 183

Motor program
Sensory feedback; Chordotonal organ; Myochordotonal organ; Crustacean Notvest, R.R.) **380,** 235

Motor supply
Rat hindlimb; Horseradish peroxidase; Dorsal root ganglion; Sympathetic innervation; Rat skeletal muscle; Neuronal labelling (Peyronnard, J.M.) **373,** 288

Motor unit
Fatigue; Muscle spindle afferent; Information on motor unit contraction; Afferent gain increase (Christakos, C.N.) **365,** 388

Voluntary force exertion; Ballistic contraction; Ramp contraction; Isometric force; Threshold force; Force rate (Yoneda, T.) **372,** 89

Golgi tendon organ; Concurrent stimulation (Stauffer, E.K.) **375,** 157

Motor-unit fatigue; Muscle-afferent feedback; Reflex connection to motoneuron; Gain change (Windhorst, U.) **398,** 181

Motor unit activity
Ia afferent; Spindle group II afferent; Spectral analysis; Coherence; Modulation; Cat (Christakos, C.N.) **367,** 52

Motor unit fatigue
Motor unit; Muscle-afferent feedback; Reflex connection to motoneuron; Gain change (Windhorst, U.) **398,** 181

Mouse
β_1-Adrenoceptor; α_1-Adrenoceptor; Reeler; Forebrain; Midbrain (Goffinet, A.M.) **366,** 193

Seizure; Footshock; Analgesia; Electroconvulsive shock; Opioid (Pavone, F.) **366,** 326

Neuronal grafting; Dopamine neuron; 6-Hydroxydopamine; Striatum; Turning behavior; Amphetamine (Brundin, P.) **366,** 346

Asialoglycoprotein; Retrograde axonal transport; Endocytosis; Receptor; Endogenous lectin; Trigeminal neuron; Dorsal root ganglia neuron (Gustafsson, M.) **367,** 14

Aggressive behavior; Testosterone uptake; Regional brain distribution; Castration (Davanzo, J.P.) **369,** 224

Choline acetyltransferase; Immunohistochemistry; Cholinergic; Horseradish peroxidase; Superior colliculus (Mufson, E.J.) **370,** 144

Tetrabenazine binding; Monoamine transporter; Serotonin; Dopamine; Noradrenaline; Binding site regionalization (Scherman, D.) **370,** 176

Haloperidol; Lateral septum; High-affinity choline uptake; Hippocampus; CA1 pyramidal cell excitability; Extinction behavior (Durkin, T.) **376,** 420

Membrane fluidity; Lipid; Regeneration; Development; Aging; Tissue culture; Fluorescence photobleaching recovery; Dorsal root ganglion; Neuron (Horie, H.) **377,** 246

Cerebellum; Cell migration; Automatic image analysis; Cell adhesion molecule; Glycosaminoglycans; Ganglioside (Lindner, J.) **377,** 298

Benzodiazepine; Lorazepam; Rat; Convulsion; Pentylenetetrazole; Tolerance; Withdrawal (Lister, R.G.) **379,** 364

Electrical stimulation; Neurointermediate lobe; Melanocyte-stimulating hormone; Calcium dependence; Tetrodotoxin (Taraskevich, P.S.) **379,** 390

Analgesic; Capsaicin; Pain; Scratch; Spinal cord; Substance P; Substance P antagonist (Piercey, M.F.) **385,** 74

Gonadotropin-releasing hormone; Olfactory system; Nervus terminalis; Immunohistochemistry; Retrograde transport (Jennes, L.) **386,** 351

Olfactory receptor cell; Electrophysiology (Sicard, G.) **397,** 405

Conditioned suppression of motility; Dopamine; Opioid; Stress (Nabeshima, T.) **398,** 354

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Striatum; Dopamine; Serotonergic neuron; Decortication; Kainate lesion (Melamed, E.) **399,** 178

Secretion; Neurosecretion; Facilitation; Calcium; Cooperativity; Arginine vasopressin; Neurohypophysis (Wolfe, S.A.) **399,** 190

Audiogenic seizure; Chloride ion; Age; γ-Aminobutyric acid receptor; Benzodiazepine receptor; Glutamate receptor (Yu, O.) **399,** 374

Mouse barrel field
Anti-GABA serum; Immunocytochemistry (Chmielowska, J.) **368,** 371

Mouse brain
Prostaglandin D_2; Blood–brain barrier; Radioimmunoassay; Intravenous administration (Suzuki, F.) **385,** 321

Mouse line
Swim stress; Analgesia; Selection (Panocka, I.) **397,** 152

Swim stress; Analgesia; Naloxone; Morphine (Panocka, I.) **397,** 156

Mouse nervous system
Thymopoietin; Neuromuscular junction (Brown, R.H.) **381,** 237

Mouse phrenic nerve
2-(4-Phenylpiperidino)cyclohexanol; Miniature endplate potential; Acetylcholine transport inhibitor; Synaptic vesicle; Evoked release (Whitton, P.S.) **385,** 189

Mouse sciatic nerve
Wallerian degeneration; Millipore diffusion chamber (Scheidt, P.) **379,** 380

Mouse striatum
Nicotine; Dopamine metabolism; Body temperature (Haikala, H.) **375,** 313

Movement direction
Wrist muscle; Step-tracking movement; Agonist; Antagonist; Electromyographic activity (Hoffman, D.S.) **367,** 287

Movement directionality
Human evoked potential; Saccade; Fast phase optokinetic nystagmus; Cortical laterality (Ignocheck, A.) **384,** 94

Movement-related activity
Neuronal response; Stimulus-related activity; Statistical method (Commenges, D.) **383,** 350

Movement-related cortical potential
Cerebellar motor control; Cerebellar dentate lesion (Shibasaki, H.) **368,** 361

Mr 2266
Ethylketocyclazocine; Receptor, β-; Naltrexone; Phencyclidine; Stereotyped behavior (Nabeshima, T.) **378,** 234

Mu opioid receptor ligand
Opiate receptor; Delta opioid receptor ligand; Periaqueductal gray; Medullary reticular formation; Antinociception (Jensen, T.S.) **372,** 301

Mucopeptide synthesis
Rat duodenum; Brunner's gland cell; Endocrine cell; Receptosome; Lysosome; Adrenocorticotropin; Electron microscopy (Wolter, H.J.) **367,** 141

Mudpuppy
Neurotensin; Retina; Synaptic transmission; Cobalt block (Zalutsky, R.A.) **371,** 360

Müller glia
Neonatal retinal ganglion cell; Survival (Raju, T.R.) **383,** 165

Multiple binding site
Phencyclidine; Thienyl-phencyclidine; σ-Opioid; Autoradiographic localization; Biochemical regionalization; Cerebellum (Vignon, J.) **378,** 133

Multiple innervation
Neuromuscular synapse; Aging; Muscle; Nerve regeneration; Sprouting (Hopkins, W.G.) **372,** 163

Multiple label
Fluoro-gold; Retrograde tracer; Fluorescent dye (Schmued, L.C.) **377,** 147

Multiple muscarinic receptor
N-Methylscopolamine; Quantitative autoradiography; Gallamine; Pirenzepine; Rat brain (Cortés, R.) **362,** 227

N-Methylscopolamine; Pirenzepine; Human brain; Quantitative autoradiography (Cortés, R.) **362,** 239

Multiple opioid receptor
Opioid peptide; Leumorphin (dynorphin B-29); Dynorphin (dynorphin A); β-Endorphin; Hypothalamus; Sexual behavior (lordosis); Estrous cycle (Suda, M.) **374,** 236

Multiple receptor site
Taste response; Magnesium; Sodium; Receptor protein; Glossopharyngeal nerve; Frog (Kitada, Y.) **380,** 172

Multiple retrograde labeling
Corticofugal projection; Corticocortical afferent; Corticostriatal afferent; Axonal collateralization; Commissural pathway; Decussated pathway (Fisher, R.S.) **384,** 395

Multiple unit activity
Subarachnoid hemorrhage; Hypothalamus; Arrhythmia (Lacy, P.S.) **373,** 146

Multisensory interaction
Sensorimotor integration; Sensory map; Superior colliculus (Meredith, M.A.) **365,** 350

Muricide
Brain laterality; Hemispheric difference; Unilateral neocortical lesion; Early experience; Rat; Split brain; Early social experience (Denenberg, V.H.) **397,** 327

Murine cerebellar mutant
Ganglioside; Glycolipid; Astrocyte; Gliosis (Levine, S.M.) **374,** 260

Muscarinic
Axonal transport; Receptor; Opiate; Diabetes; Streptozocin (Laduron, P.M.) **380,** 359

Neuroblastoma; Nicotinic; Acetylcholine; Patch clamp; Single channel current (Takeda, K.) **398,** 75

Muscarinic acetylcholine receptor
Hippocampal pyramidal cell; Desensitization; Phosphoinositide (Lippa, A.S.) **366,** 98

Receptor subtype; Somatostatin; Rat brain; Receptor binding assay (Miyoshi, R.) **377,** 348

Muscarinic agonist
Ventral horn neuron; Motoneuron; Presynaptic inhibition (Jiang, Z.G.) **381,** 182

Muscarinic binding
Lymphocyte; Atropine; Strain; Age (Shenkman, L.) **380,** 303

Muscarinic cholinergic receptor
Corticotropin-releasing factor receptor; Acetylcholine; Atropine treatment; Adenylate cyclase activity; Alzheimer's disease (De Souza, E.B.) **397,** 401

Muscarinic receptor
Astrocyte; Inositol phospholipid; Cyclic adenosine monophosphate; Agonist; Antagonist; Cell culture (Murphy, S.) **364,** 177

Autoradiography; Brain homogenate; Brain section; *N*-Methyl scopolamine; Receptor binding (Dohanich, G.P.) **366,** 338

Carotid body; Neurotransmission; Autoradiography; Acetylcholine (Dinger, B.G.) **367,** 328

Acetylcholine release; Aged rat; Oxotremorine; Striatum; Hippocampus; Cortex (Consolo, S.) **374,** 212

Autoradiography; Pirenzepine; Gut; Sympathetic ganglion; Salivary gland (Buckley, N.J.) **375,** 83

Sympathetic neuron; Slow depolarization; Acetylcholine; Membrane conductance (Mochida, S.) **383,** 299

Muscarinic synapse
Vestibular compensation; Acetylcholine; Plasticity; Isolated brain (Kasik, P.) **363,** 188

Muscimol
γ-Aminobutyric acid; Nipecotic acid; Uptake blocker; Hippocampus (Dalkara, T.) **366,** 314

Self-injurious behavior; Stereotyped behavior; Nociception; Analgesia; Locomotion; Substantia nigra; Midbrain reticular formation; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Bethanechol; Electromyography; Muscular rigidity; Neostriatum; *N*-Methylscopolamine; Substantia nigra (Schwarz, M.) **373,** 365

Anterior hypothalamus; Medial basal hypothalamus; Growth hormone; Prolactin; γ-Aminobutyric acid (Willoughby, J.O.) **374,** 119

γ-Aminobutyric acid; Prolactin; Arcuate; Hypothalamus; *N*-Methyl aspartate (Ondo, J.G.) **381,** 43

Anterior thalamus; Generalized seizure; Pentylenetetrazol; γ-Vinyl-γ-aminobutyric acid (Mirski, M.A.) **399,** 212

Muscle
Neuromuscular synapse; Aging; Nerve regeneration; Sprouting; Multiple innervation (Hopkins, W.G.) **372,** 163

Muscle afferent
Antiserum; Exercise; Reflex cardiovascular control; Spinal cord (Kaufman, M.P.) **377,** 199

Exercise; Blood pressure control; Opiate receptor; Spinal cord (Pomeroy, G.) **381,** 385

Muscle afferent feedback
Motor unit; Motor-unit fatigue; Reflex connection to motoneuron; Gain change (Windhorst, U.) **398,** 181

Muscle block
Diisopropyl fluorophosphate; D-Tubocurarine; Compound action potential (Bradley, R.J.) **377,** 194

Muscle cell culture
α-Bungarotoxin; Acetylcholine; Nicotinic receptor; Endogenous factor (Quik, M.) **374,** 395

Muscle contraction
Compound action potential; Organophosphate; Neomycin (Bradley, R.J.) **381,** 397

Muscle disuse
Neuromuscular junction; Nerve terminal; Synaptic plasticity; Muscle innervation; Neuromuscular remodelling (Fahim, M.A.) **383,** 353

Muscle innervation
Neuromuscular junction; Nerve terminal; Synaptic plasticity; Muscle disuse; Neuromuscular remodelling (Fahim, M.A.) **383,** 353

Muscle spindle afferent
Motor unit; Fatigue; Information on motor unit contraction; Afferent gain increase (Christakos, C.N.) **365,** 388

Muscle spindle receptor
Kinesthesia; Position sense; Sensory information (Wei, J.Y.) **370,** 108

Sensory ending; Sensory receptor classification; Kinesthetic sensibility (Wei, J.Y.) **370,** 119

Muscle tone
Tizanidine; Yohimbine; Prazosin; Basa ganglion; Genetically spastic rat (Turski, L.) **379,** 367

Muscular rigidity
Bethanechol; Electromyography; Muscimol; Neostriatum; *N*-Methylscopolamine; Substantia nigra (Schwarz, M.) **373,** 365

Mutant mouse
Cerebellum; γ-Aminobutyric acid; Purkinje cell; Deep cerebellar nucleus; Immunocytochemistry (Wassef, M.) **399,** 125

Mutant mouse lurcher
Spontaneous alternation; Habituation; Cerebellum (Lalonde, R.) **362,** 161

Mutation
Albinism; Pigmentation; Auditory system (Conlee, J.W.) **363,** 28

Myelin
Macrophage; Plasminogen activator; Complement; Phospholipase (Cammer, W.) **364,** 91

Mitochondrion; Non-myelinated axon; Undernourishment; Recovery (Wiggins, R.C.) **368,** 277

Transferrin; Neuroglia; Oligodendrocyte; Immunohistochemistry; Iron (O'Connor, J.R.) **368,** 319

Shiverer; Jimpy; Mammalian genetics (Billings-Gagliardi, S.) **374,** 54

Central nervous system transplantation; Myelin basic protein; Shiverer; Neurofilament protein; Glial fibrillary acidic protein (Friedman, E.) **378,** 142

Beige murine mutant; Receptor, Fc-; Monocyte; Peripheral nerve; Silica; Wallerian degeneration (Beuche, W.) **378,** 97

Basic protein; Proteolipid; Freeze-fracture; Intramembrane particle; Liposome (Garcia-Segura, L.M.) **380,** 261

Myelin basic protein
Human myelin; Human brain; Myelination; Protein degradation; Myelin lipid; Myelin protein; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Martinez, M.) **364,** 220

Transplantation; Oligodendrocyte; Myelination; Shiverer mutant mouse; Major dense line (Kohsaka, S.) **372,** 137

Proteolipid; 2′,3′-Cyclic nucleotide phosphohydrolase; Myelination; Immunoblotting (Kerner, A.-L.) **374,** 45

Central nervous system transplantation; Myelin; Shiverer; Neurofilament protein; Glial fibrillary acidic protein (Friedman, E.) **378,** 142

Myelin damage
Phospholipase A_2; Conduction block; Sciatic nerve; Lysophospholipid; Fatty acid (Kasckow, J.W.) **373,** 384

Myelin lipid
Human myelin; Human brain; Myelination; Myelin basic protein; Protein degradation; Myelin protein; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Martinez, M.) **364,** 220

Fish myelin; P_o myelin protein; Myelin proteolipid protein; Hydroxy fatty acid; Phylogeny; *Polypterus*; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Matthieu, J.-M.) **379,** 137

Myelin lipid biosynthesis
Chick neural cell culture; Hormonal effect (Kanamoto, Y.) **371,** 201

Myelin protein
Human myelin; Human brain; Myelination; Myelin basic protein; Protein degradation; Myelin lipid; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Martinez, M.) **364,** 220

Myelin proteolipid protein
Fish myelin; P_o myelin protein; Hydroxy fatty acid; Myelin lipid; Phylogeny; *Polypterus*; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Matthieu, J.-M.) **379,** 137

Myelin synthesizing enzyme
Schwann cell; Cell culture; Electrophoresis, two-dimensional; Schwann cell protein; Inherited neuropathy; Trembler mouse (White, F.V.) **381,** 85

Myelin-associated glycoprotein
Neuronal adhesion protein; Neurite-promoting substrate-attached molecule (Riopelle, R.J.) **367,** 20

Glycolipid; Sulfated glucuronyl paragloboside; Immunoglobulin-M paraprotein; Monoclonal antibody; Polyneuropathy; Epitope (Ilyas, A.A.) **385,** 1

Adhesion molecule; Glycoprotein; Glycolipid; L2 monoclonal antibody; Neural cell adhesion molecule (Noronha, A.B.) **385,** 237

Myelinated axon
Nerve regeneration; Nerve transplant; Sciatic nerve; Unmyelinated axon (Jenq, C.-B.) **364,** 45

Axonal transport; Rapid freezing; Freeze substitution; Serial section; Node of Ranvier (Okamura, Y.) **383,** 146

Myelination
Schwann cell; Galactocerebroside; Cyclic adenosine monophosphate; Neuroglial proliferation (Sobue, G.) **362,** 23

Human myelin; Human brain; Myelin basic protein; Protein degradation; Myelin lipid; Myelin protein; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Martinez, M.) **364,** 220

Transplantation; Oligodendrocyte; Shiverer mutant mouse; Myelin basic protein; Major dense line (Kohsaka, S.) **372,** 137

Myelin basic protein; Proteolipid; 2′,3′-Cyclic nucleotide phosphohydrolase; Immunoblotting (Kerner, A.-L.) **374,** 45

Optic nerve; Gliogenesis; Axon; Mitotic inhibitor; Development (Black, J.A.) **380,** 122

Myenteric ganglion
Vasoactive intestinal polypeptide; Stomach; Celiac ganglion; Projection; Retrograde tracer; Immunocytochemistry (Lee, Y.) **382,** 392

Myenteric plexus
β-Endorphin; Rat duodenum; Receptosome; Lysosome; Immunoelectron microscopy (Wolter, H.J.) **381,** 121

Myo-inositol-1-phosphatase
Lithium; Myo-inositol-1-phosphate; Manic depressive illness (Renshaw, P.F.) **380,** 401

Myo-inositol-1-phosphate
Lithium; Myo-inositol-1-phosphatase; Manic depressive illness (Renshaw, P.F.) **380,** 401

Myochordotonal organ
Sensory feedback; Motor program; Chordotonal organ; Crustacean (Notvest, R.R.) **380,** 235

Myoclonus
Serotonergic-myoclonic syndrome; Serotonin neurotoxin; Behavioral supersensitivity; Locomotor activity; 5,7-Dihydroxytryptamine; *p*-Chloroamphetamine; Fenfluramine (Pranzatelli, M.R.) **364,** 67

Cysteamine; Kindling; Seizure (Cottrell, G.A.) **365,** 393

N

NADPH diaphorase
Retina; Amacrine cell; Rabbit (Sagar, S.M.) **373,** 153

Naloxone
Luteinizing hormone surge; Prolactin surge; Estrogen; Progesterone (Akabori, A.) **362,** 55

Stress-induced analgesia; Diazepam; Human (Willer, J.C.) **362,** 398

Lateral hypothalamus; Single neuron activity; Monkey; Electrophoresis; Morphine; Reward (Oomura, Y.) **365,** 335

Analgesia; Placebo; Pain (Levine, J.D.) **365,** 377

Pimozide; Feeding; Eating; Opioid (Wise, R.A.) **368,** 62

Oxytocin; Novelty-induced grooming; Haloperidol; Peripheral administration (Drago, F.) **368,** 287

Periaqueductal gray; Nucleus raphe dorsalis; Viscerointercostal reflex; Galvanic skin reflex; Dorsolateral funiculus; Cat (Sonoda, H.) **369,** 91

Opioid peptide; Food intake; Dynorphin A; Enkephalin, D-Ala^2,D-Leu^5; β-Endorphin; Localization; Paraventricular nucleus (Gosnell, B.A.) **369,** 177

Analgesia; Histamine; Cimetidine; H_2-receptor (Gogas, K.R.) **370,** 370

Arthritic rat; Morphine tolerance; Pain threshold (Kayser, V.) **371,** 37

Self-stimulation; Ventral tegmental area; Footshock stress; Methamphetamine (Kamata, K.) **371,** 197

Periaqueductal gray stimulation; Pain; Analgesic brain stimulation (Baskin, D.S.) **371,** 231

Dermorphin; Nociceptive reflex; Spinal cord; Human (Sandrini, G.) **371,** 364

Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; MIF-1; Analgesia; Activity; Opiate antagonist; Stress; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Pimozide; Feeding; Eating; Opioid; Hypothalamus (Jenck, F.) **375,** 331

Opiate receptor; Restraint stress; Morphine; Rat brain; Etorphine radioligand binding assay; Receptor down-regulation (Hnatowich, M.R.) **380,** 107

Electroacupuncture; Morphine; Enkephalin; Analgesia; Thiorphan; Bestatin; Nucleus accumbens (Jin, W.-Q.) **380,** 317

β-Endorphin; Dynorphin; Arcuate nucleus; Diurnal rhythm; Food intake; Water intake; Deprivation (Millan, M.J.) **381,** 29

Cerebral blood flow; Cerebral blood volume; Cerebral blood flow autoregulation; Opioid peptide; β-Endorphin (Sándor, P.) **386,** 122

Swim stress; Analgesia; Mouse line; Morphine (Panocka, I.) **397,** 156

Footshock; Histamine; Tele-methylhistamine; Histamine turnover; Brain (Yoshitomi, I.) **398,** 57

Time action; Half-life; Morphine withdrawal; 2-Deoxyglucose (Geary II, W.A.) **399,** 181

Naltrexone
Stress analgesia; Cold water swim; Opioid; Non-opioid (Terman, G.W.) **372,** 167

Restraint stress; High-affinity choline uptake; Hippocampus; Frontal cortex (Lai, H.) **372,** 366

Ethylketocyclazocine; Receptor, β-; Mr 2266; Phencyclidine; Stereotyped behavior (Nabeshima, T.) **378,** 234

Arcuate nucleus; β-Endorphin; Lesion; Non-opioid analgesia; Opioid analgesia; Stress-induced analgesia; Time-dependent (Kelsey, J.E.) **382,** 278

Narrow band control
Hypothalamic slice; Thermosensitive neuron; Threshold temperature; Wide band control; Thermostat; Thermosensor (Kobayashi, S.) **362,** 132

Nasoincisor duct
Nucleus tractus solitarii; Gustatory response; Rat; Convergence; Anterior tongue; Sucrose; Sodium chloride (Travers, S.P.) **365,** 305

Natural killer cell
Opioid peptide; Stress; Morphine; Tolerance; Cross-tolerance (Shavit, Y.) **372,** 382

Natural quisqualate
Synthetic quisqualate; Glutamate; Locust nerve–muscle junction; Amino acid receptor; Glutamate synapse (Boden, P.) **385,** 205

Neck afferent input
Tonic neck reflex; Directional sensitivity; Cervical and lumbar interneurons (Suzuki, I.) **367,** 356

Neck reflex
Labyrinth reflex; Reflex excitability; Elbow joint afferent; Decerebrate cat (Baxendale, R.H.) **377,** 41

Neocortex
Medial frontal cortex; Infralimbic cortex; Gastric motility; Rat; Microstimulation (Hurley-Gius, K.M.) **365,** 241

Calcium action potential; Calcium current; Voltage clamp; Caesium (Franz, P.) **366,** 262

Epilepsy; Magnetoencephalography; Penicillin; Interictal spike; Cellular electrophysiology (Barth, D.S.) **368,** 36

Inhibition; Late hyperpolarization; Slice (Avoli, M.) **370,** 165

Neocortical afferent
Divergent axonal collateral; Basal nucleus of Meynert; Globus pallidus (Boylan, M.K.) **375,** 176

Basal forebrain; Divergent axon collateral; Basal nucleus of Meynert (Adams, C.E.) **397,** 365

Neomycin
Aminoglycoside; Mechanoreceptor; SA I-receptor; Skin; Touch (Baumann, K.I.) **377,** 160

Compound action potential; Muscle contraction; Organophosphate (Bradley, R.J.) **381,** 397

Neonatal
Axon regeneration; Somatotopical organization; Adult; Facial motor nucleus; Retrograde axonal transport; Horseradish peroxidase (Aldskogius, H.) **375,** 126

Microstimulation; Hemicerebellectomy; Plasticity; Motor cortex; Cerebellum; Forelimb response (O'Donoghue, D.L.) **385,** 311

Neonatal 6-hydroxydopamine
Locus ceruleus lesion; Central nervous system protein; Two-dimensional gel electrophoresis; Noradrenaline; Scanning densitometry (Heydorn, W.E.) **367,** 31

Neonatal brain
Physiological neuronal death; Fink–Heimer method (Yamamoto, T.) **374,** 419

Neonatal brain lesion
Central nervous system reorganization; Neural plasticity; Sprouting; Hemispherectomy; Dorsal column nuclei; Spinal cord (Gómez-Pinilla, F.) **385,** 343

Neonatal lesion
Decorticate; Development; Fluorescent tracer (Kolb, B.) **397,** 315

Neonatal rat
Calcitonin gene-related peptide; Substance P; Capsaicin; Cerebral artery; Iris; Immunohistochemistry (Matsuyama, T.) **373,** 205

Neonatal retinal ganglion cell
Survival; Müller glia (Raju, T.R.) **383,** 165

Neostigmine
Pyridostigmine; Acetylcholine receptor; *Aplysia*; Desensitization (Slater, N.T.) **375,** 407

Neostriatal spiny neuron
Neostriatum; Basal ganglia; Corticostriatal pathway; Corticostriatal neuron (Wilson, C.J.) **367,** 201

Neostriatum
D-Amphetamine; Ascorbic acid; Dopamine; In vivo voltammetry; Long-term treatment (Kamata, K.) **362,** 331

In vivo dialysis; Transplantation; Dopamine; Release (Zetterström, T.) **362,** 344

Dopamine; Acetylcholine; γ-Aminobutyric acid; Behavior; Rat (Vrijmoed-De Vries, M.C.) **364,** 77

Histidine decarboxylase; Histaminergic axon; Immunocytochemistry; Ultrastructure; Cerebral cortex (Takagi, H.) **364,** 114

Cerebral cortex; Striatal heterogeneity; Corticostriatal projection; Opiate receptor (Donoghue, J.P.) **365,** 397

Basal ganglia; Corticostriatal pathway; Neostriatal spiny neuron; Corticostriatal neuron (Wilson, C.J.) **367,** 201

Interaction; Tyrosine hydroxylase; Enkephalin; Electron microscopy; Rat (Kubota, Y.) **367,** 374

Amphetamine; Ascorbic acid; Crus cerebri; In vivo voltammetry; Picrotoxin; Substantia nigra (Wilson, R.L.) **370,** 393

^{125}I-Lysergic acid diethylamide (^{125}I-LSD); Frontal cortex; Serotonin receptor; Autoradiography; Receptor binding (Altar, C.A.) **372,** 130

ethanechol; Electromyography; luscimol; Muscular rigidity; -Methylscopolamine; Substantia nigra chwarz, M.) **373,** 365

-Aminobutyric acid; Dopamine; In vo voltammetry; Long-term eatment; Haloperidol (Kamata, K.) **30,** 1

eterogeneity; Methamphetamine; eserpine; Dopamine; Fluorescence istochemistry (Fukui, K.) **382,** 81

mphetamine; Ascorbic acid; aloperidol; In vivo voltammetry; ubstantia nigra; Unit activity Wilson, R.L.) **384,** 342

Medium spiny striatonigral neuron; Large aspiny striatonigral neuron; onnectivity and Golgi neuronal larker; Morphological diversity Fisher, R.S.) **397,** 173

triatonigral axon; γ-Aminobutyric cid; Glutamic acid decarboxylase; Medium spiny cell; Neuronal orphology; Neuronal ultrastructure; ombined immunoperoxidase and ansport labeling (Fisher, R.S.) **98,** 148

eosurugatoxin
icotine antinociception; Nicotine inding; Mecamylamine; Pempidine Yamada, S.) **375,** 360

eovascularization
xonal guidance (Politis, M.J.) **64,** 369

erve crush
erve repair; Axonal transport; egeneration rate; Rabbit hypoglossal erve (Danielsen, N.) **376,** 125

erve freeze
onditioning lesion; Axonal egeneration; Nerve transection; Sciatic erve; Rat (Bondoux-Jahan, M.) **82,** 39

erve graft
egeneration; Medial forebrain undle; Monoaminergic neuron Dum, R.P.) **372,** 198

erve growth factor
ysautonomia; Neuronotropic; ibroblast; Tissue culture; Sensory euron (Wrathall, J.R.) **364,** 23

euronotropic factor; Sciatic nerve; holinergic neuron; Neuronal survival; iliary ganglion (Manthorpe, M.) **67,** 282

eptum; Cholinergic neuron; riiodothyronine; Thyroid hormone; lzheimer's disease (Hefti, F.) **375,** 413

entral cholinergic neuron; eptohippocampal pathway; ornix–fimbria lesion; Cholinergic egeneration; Hippocampus; Septum Gasser, U.E.) **376,** 351

etrograde axonal transport; Diabetes; Rat; Autonomic neuropathy (Schmidt, R.E.) **378,** 325

Sensory neuron; Catecholamine; Tyrosine hydroxylase; Transmitter regulation; Transmitter phenotype (Katz, D.M.) **385,** 68

Tropic factor; Neurite-promoting factor; Regeneration; Peripheral nerve; Schwann cell (Windebank, A.J.) **385,** 197

Sodium–potassium pump; Ciliary neuronotropic factor; Phorbol ester; Ganglionic neuron (Skaper, S.D.) **386,** 130

Hippocampus; Medial septum; Neurotropic factor; Radial maze learning; Septal graft; Spontaneous alternation; Sympathetic neuron (Pallage, V.) **386,** 197

Nucleus basalis; Ibotenic acid lesion; Choline acetyltransferase; Acetylcholinesterase; Cortex; Rat (Haroutunian, V.) **386,** 397

Entorhinal lesion; Hippocampal slices; Conditioned medium (Crutcher, K.A.) **399,** 383

Nerve injury
Non-myelinated nerve fiber; Reinnervation (Brenan, A.) **385,** 152

Nerve ischemia
Peripheral nerve; Blood vessel; Capillary; Perineurium; Adrenergic; Neuropathy; Blood–nerve barrier (Rechthand, E.) **374,** 185

Nerve membrane
Node of Ranvier; Voltage clamp; Potassium channel; Sodium channel; Snake toxin (Benoit, E.) **377,** 374

γ-Aminobutyric acid; Chloride permeability; Pentobarbitone (Hydén, H.) **379,** 167

Nerve regeneration
Nerve transplant; Sciatic nerve; Myelinated axon; Unmyelinated axon (Jenq, C.-B.) **364,** 45

Neuromuscular synapse; Aging; Muscle; Sprouting; Multiple innervation (Hopkins, W.G.) **372,** 163

Basal lamina; Meissner corpuscle; Lamellar cell; Schwann cell; Freezing (Ide, C.) **384,** 311

Nerve repair
Central plasticity; Peripheral injury; Regeneration; Sensory recovery; Somatosensory cortex; Touch (Wall, J.T.) **372,** 400

Nerve crush; Axonal transport; Regeneration rate; Rabbit hypoglossal nerve (Danielsen, N.) **376,** 125

Nerve terminal
Neuromuscular junction; Synaptic plasticity; Muscle disuse; Muscle innervation; Neuromuscular remodelling (Fahim, M.A.) **383,** 353

Nerve transection
Conditioning lesion; Axonal regeneration; Nerve freeze; Sciatic nerve; Rat (Bondoux-Jahan, M.) **382,** 39

Nerve transplant
Nerve regeneration; Sciatic nerve; Myelinated axon; Unmyelinated axon (Jenq, C.-B.) **364,** 45

Nervi nervorum
Peripheral; Autonomic; Optic-nerve; Adrenergic; Vasa nervorum (Dhital, K.) **367,** 39

Nervous system
Crayfish; Ethyl gallate; Osmium; Silver impregnation (Leise, E.M.) **367,** 265

Met-enkephalin; Opioid; Neuropeptide; Radioimmunoassay; Insect (Davenport, A.P.) **383,** 319

Nervus terminalis
Retinopetal projection; Ganglion cell; Cobaltic lysine; Anabantoid fish; Dwarf gourami (Oka, Y.) **367,** 341

Nucleus olfactoretinalis; Cytoarchitecture; Synaptic organization; Fiber connection; Electron microscopy; Teleost (Matsutani, S.) **373,** 126

Gonadotropin-releasing hormone; Olfactory system; Immunohistochemistry; Retrograde transport; Mouse (Jennes, L.) **386,** 351

Neural cell adhesion molecule
Adhesion molecule; Glycoprotein; Glycolipid; L2 monoclonal antibody; Myelin-associated glycoprotein (Noronha, A.B.) **385,** 237

Neural graft
Dopaminergic graft; Nucleus accumbens; Hoarding (Herman, J.P.) **372,** 210

Neural lobe
Cerebral blood flow; Microsphere; Arginine vasopressin (Ziedonis, D.M.) **373,** 27

Neural plasticity
Olfactory bulb development; Early experience; 2-Deoxyglucose; Norway rats (Coopersmith, R.) **371,** 400

Central nervous system reorganization; Sprouting; Neonatal brain lesion; Hemispherectomy; Dorsal column nuclei; Spinal cord (Gómez-Pinilla, F.) **385,** 343

Neural tissue culture
Anti-axolemma antibody; Anti-axon antibody; Axolemma (Bourdette, D.N.) **366,** 333

Neural transplant
Acetylcholine; Acetylcholinesterase; Cortex; Hippocampus; Septum; Nucleus basalis magnocellularis; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.)

378, 357

Cell suspension; Brainstem; Locus coeruleus; Lumbar spinal cord; Catecholamine reinnervation; 6-Hydroxydopamine; Hindlimb flexion reflex (Buchanan, J.T.) **381,** 225

Adrenal medulla; Chromaffin cell; Analgesia; Nociception; Opioid peptide (Sagen, J.) **384,** 189

Neural transplantation
Serotonin; Raphe nucleus; Immunocytochemistry; Hippocampus; Ultrastructure (Anderson, K.J.) **369,** 21

Vasopressin; Neurohypophysectomy; Diabetes insipidus; Median eminence; Neurosecretory; Fluid regulation (Marciano, F.F.) **370,** 338

Neurite
Superior cervical ganglion; Cell culture; Potassium; Depolarization; Retraction; Degeneration (Campenot, R.B.) **399,** 357

Neurite outgrowth
Protease; Protease inhibitor; Soybean trypsin inhibitor; Trypsin; Thrombin; Urokinase (Hawkins, R.L.) **398,** 63

Neurite-promoting factor
Nerve growth factor; Tropic factor; Regeneration; Peripheral nerve; Schwann cell (Windebank, A.J.) **385,** 197

Neurite-promoting substrate-attached molecule
Neuronal adhesion protein; Myelin-associated glycoprotein (Riopelle, R.J.) **367,** 20

Neuroanatomical method
Organotypic culture; Hippocampus; Rat; Neuronal connection; Axonal tracing; Horseradish peroxidase; Detergent (Keller, F.) **380,** 191

Neuroanatomical technique
Golgi technique; Electron microscopy; Retina (Zimmerman, R.P.) **383,** 287

Neuroanatomical tracing
Bodian stain; Fluorescent dye; Counterstaining method; Horseradish peroxidase (Sripanidkulchai, K.) **397,** 117

Neuroanatomy
Acetylcholine; Autoradiography; Brain; M1 muscarinic receptor subtype; M2 muscarinic receptor subtype; Rat (Spencer, D.G.) **380,** 59

Sympathetic nervous system; Facial nerve; Trigeminal nerve; Greater superficial petrosal nerve; Auricular branch of vagus nerve (Matthews, B.) **382,** 55

Neuroblastoma
Angiotensinogen; Cell culture; Astroglioma; Monoclonal antibody (Clemens, D.L.) **364,** 205

Nicotinic; Muscarinic; Acetylcholine; Patch clamp; Single channel current (Takeda, K.) **398,** 75

Neuroblastoma cell line
Dopamine; Noradrenaline; Catecholamine; Uptake; Catechol-*O*-methyl metabolite (Richards, M.L.) **384,** 132

Neurochemical asymmetry
Aminopeptidase; Cortex (Alba, F.) **368,** 158

Neurochemistry
Cholinotoxin; Interpeduncular nucleus; Ultrastructure (Villani, L.) **379,** 223

Noradrenaline; Complex environment; Isolated environment; 6-Hydroxydopamine; Desipramine; Motor activity; Rat; Behavior (Mohammed, A.K.) **398,** 6

Neuroendocrine function
Stress; Brain biogenic amine; β-Endorphin; Foot-shock analgesia (Rosecrans, J.A.) **382,** 71

Neurofibrillary degeneration
Immunocytochemistry; Neurofilament antigen; Aluminum intoxication (Troncoso, J.C.) **364,** 295

Neurofilament
Axonal swelling; Ephaptic transmission; Glial cell; β,β'-Iminodipropionitrile; Motoneuron; Paranodal demyelination; Synapse (Gold, B.G.) **362,** 205

Acrylamide neuropathy; Axonal cytoskeleton; Phosphorylation (Howland, R.D.) **363,** 333

Axon specificity; Phosphorylation; Peripheral nerve; Regeneration; Laminin (Bignami, A.) **375,** 73

Auditory system; Cochlea; Primary afferent; RT-97; Sensory neuron (Berglund, A.M.) **383,** 327

Neurofilament antigen
Immunocytochemistry; Neurofibrillary degeneration; Aluminum intoxication (Troncoso, J.C.) **364,** 295

Neurofilament monoclonal antibody
Cerebral cortex; ELISA; Immunohistochemistry; In vitro; Oxygen tension; Regeneration; Tissue culture (Kaplan, F.S.) **384,** 199

Neurofilament protein
β,β'-Iminodipropionitrile; Axonal transport; Tubulin; Optic nerve; Microtubule associated protein (Parhad, I.M.) **363,** 315

Central nervous system transplantation; Myelin; Myelin basic protein; Shiverer; Glial fibrillary acidic protein (Friedman, E.) **378,** 142

Monoclonal antibody; Gymnotid fish; Purkinje cell (Maler, L.) **378,** 337

Neurofilamentous axonopathy
Retina; Selective degeneration; Color-opponent neuron; Horseradish peroxidase transport; Cytochrome oxidase; Monkey (Eskin, T.A.) **378,** 379

Neurogenic inflammation
Antidromic plasma extravasation; Nociceptor; C-fiber; Sensitization (Reeh, P.W.) **384,** 42

Neuroglia
Iodothyronine; Thyroxine; Triiodothyronine; Deiodinase; Astrocyte; Oligodendrocyte (Cavalieri, R.R.) **364,** 382

Transferrin; Oligodendrocyte; Immunohistochemistry; Iron; Myelin (Connor, J.R.) **368,** 319

Choline; Cholinotoxin; Ethylcholine aziridinium; Neuron; Cell culture; Neurotoxin; Glial cell (Davies, D.L.) **378,** 251

Neuroglial proliferation
Schwann cell; Galactocerebroside; Cyclic adenosine monophosphate; Myelination (Sobue, G.) **362,** 23

Neurohypophysectomy
Vasopressin; Neural transplantation; Diabetes insipidus; Median eminence; Neurosecretory; Fluid regulation (Marciano, F.F.) **370,** 338

Neurohypophysis
Opioid receptor; Autoradiography; Kappa; Dynorphin (Herkenham, M.) **382,** 365

Secretion; Neurosecretion; Facilitation; Calcium; Cooperativity; Arginine vasopressin; Mouse (Wolfe, S.A.) **399,** 190

Neurointermediate lobe
Electrical stimulation; Melanocyte-stimulating hormone; Calcium dependence; Tetrodotoxin; Mouse (Taraskevich, P.S.) **379,** 390

Neurokinin A
Substance P; Substance K; Eledoisin; Physalaemin; Tail-flick test; Intrathecal administration; Nociception (Cridland, R.A.) **381,** 93

Neuropeptide K; Neurokinin B; Substance P-tachykinin; Distribution; Brain; Spinal cord (Arai, H.) **399,** 240

Neurokinin B
Neuropeptide K; Neurokinin A; Substance P-tachykinin; Distribution; Brain; Spinal cord (Arai, H.) **399,** 240

Neuroleptic
Decortication; Corticostriatal pathway; Nigrostriatal pathway; Striatum; Acetylcholine; Apomorphine; Choline; Bromocriptine; Rat (Consolo, S.) **363,** 128

In vivo voltammetry; Prefrontal cortex; 3,4-Dihydroxyphenylacetic acid; Rat (Serrano, A.) **378,** 191

Time-dependent sensitization;

atalepsy; Haloperidol; Fluphenazine; ress (Antelman, S.M.) **385,** 58

euroma
at sciatic nerve; Node of Ranvier; oltage clamp; Electron microscopy rismar, T.) **378,** 347

euromedin K
ubstance P; Substance K; Striatum; ubstantia nigra; Knife cut; igh-performance liquid romatography (Lee, J.-M.) **371,** 152

ubstance P; Substance K; et-enkephalin; Leu-enkephalin; entral tegmental area; Footshock ess (Bannon, M.J.) **381,** 393

euromodulation
opamine; Striatum; ectrophysiology; Iontophoresis hiodo, L.A.) **375,** 198

euromodulator
Pipecolic acid; arbiturate-enhancement; Aminobutyric acid binding eigenbaum, P.) **372,** 176

euromuscular adaptation
ompensatory overload; Hypertrophy; ecruitment; Locomotion ardiner, P.) **380,** 114

euromuscular junction
olchicine; Sprouting; Pigeon ahlman, C.S.) **363,** 156

ne-Met-Arg-Phe-NH_2 (FMRFamide); nall cardioactive peptide B; Arginine sotocin; Mollusc; Modulation; mmunocytochemistry ichmond, J.E.) **370,** 159

atecholamine; Insulin; drenocorticothyrotropic hormone; uantal size; Frog (Van der Kloot, W.) **6,** 378

ymopoietin; Mouse nervous system rown, R.H.) **381,** 237

erve terminal; Synaptic plasticity; uscle disuse; Muscle innervation; euromuscular remodelling ahim, M.A.) **383,** 353

euromuscular remodeling
euromuscular junction; Nerve rminal; Synaptic plasticity; Muscle suse; Muscle innervation ahim, M.A.) **383,** 353

euromuscular synapse
ging; Muscle; Nerve regeneration; prouting; Multiple innervation opkins, W.G.) **372,** 163

lutamate receptor; Presynaptic ceptor; Potassium channel; Joro ider toxin (Miwa, A.) **385,** 161

euromuscular transmission
on-quantal transmitter release; cetylcholine release; Tropic regulation muscle (Stanley, E.F.) **365,** 289

euron
enzodiazepine; Midazolam; γ-Aminobutyric acid; Somatostatin; Neuropeptide; Cell culture; Cerebral; Hypothalamus (Stryker, T.D.) **362,** 339

Astroglia; Co-cultivation; Glial fibrillary acidic protein; Neuron-specific enolase; Primary brain culture (Hansson, E.) **366,** 159

Hypothalamic culture; Aromatase; 5α-Reductase; Kainic acid (Canick, J.A.) **372,** 277

Auditory; Lesion; Midbrain; Gerbil; Deafferentation (Moore, D.R.) **373,** 268

Membrane fluidity; Lipid; Regeneration; Development; Aging; Tissue culture; Fluorescence photobleaching recovery; Dorsal root ganglion; Mouse (Horie, H.) **377,** 246

Choline; Cholinotoxin; Ethylcholine aziridinium; Cell culture; Neurotoxin; Glial cell; Neuroglia (Davies, D.L.) **378,** 251

Primary culture; Astrocyte; Nuclear T_3 receptor; Ontogenesis (Luo, M.) **381,** 275

Cryopreservation; Tissue culture (Kawamoto, J.C.) **384,** 84

Maturation; Aging; Fibronectin receptor; Tissue culture; Dorsal root ganglion; Cytofluorometry (Kawasaki, Y.) **397,** 185

Immunohistochemistry; Growth hormone-releasing factor; Tyrosine hydroxylase; Colocalization; Hypothalamus; Rat (Daikoku, S.) **399,** 250

Cell culture; Adrenergic receptor; Hypertension; Brainstem; Neurotransmitter; Peptide (Miura, M.) **399,** 352

Neuron ablation
Leech; Motor neuron; Inhibition; Membrane potential; Oscillation; Photoinactivation (Granzow, B.) **369,** 321

Neuron caudal ventrolateral medulla
Paraventricular nucleus; Baroreceptor; Vagus nerve; Clonidine; Electrophysiology; Rat (Kannan, H.) **376,** 342

Neuron R15
Input 1 excitatory postsynaptic potential; Calcium power function; Steady-state facilitation; Stimulation frequency (Carlson, C.G.) **376,** 204

Neuron-specific enolase
Immunocytochemistry; Cyclic adenosine monophosphate-dependent protein kinase; Immunoblotting (Löffner, F.) **363,** 205

Astroglia; Co-cultivation; Glial fibrillary acidic protein; Neuron; Primary brain culture (Hansson, E.) **366,** 159

Neuronal acetylcholine receptor
Ciliary ganglion neuron; Nicotinic; Bromoacetylcholine (Stollberg, J.) **378,** 179

Neuronal activation
Blood pressure control; Angiotensin II; Median preoptic area (Gambino, M.C.) **375,** 230

Neuronal activity
Proenkephalin; Enkephalin; Synthesis (Glass, J.) **372,** 180

Septum; θ-Rhythm; Pentobarbital; Anticholinergic drug (Brazhnik, E.S.) **380,** 94

Rapid eye movement sleep; Brainstem; Acetylcholine; Reticular formation (Shiromani, P.J.) **386,** 20

Nucleus raphe dorsalis; Sleep–waking cycle; Pontogeniculo-occipital wave; Somatic stimulation; Serotonin (Shima, K.) **399,** 317

Neuronal adaptation
Difluoromethylornithine; Ornithine decarboxylase; Chlordecone; *p,p'*-DDT; Tremor (Tilson, H.A.) **379,** 147

Neuronal adhesion protein
Neurite-promoting substrate-attached molecule; Myelin-associated glycoprotein (Riopelle, R.J.) **367,** 20

Neuronal cell culture
Brain; Angiotensin II; Receptor; Sodium; Cation; Spontaneously hypertensive rat (Feldstein, J.B.) **370,** 265

Brain angiotensin II receptor; Mineralocorticoid hormone; Deoxycorticosterone acetate; Aldosterone; Drinking; Blood pressure (Wilson, K.M.) **382,** 87

Neuronal connection
Organotypic culture; Hippocampus; Rat; Axonal tracing; Horseradish peroxidase; Detergent; Neuroanatomical method (Keller, F.) **380,** 191

Neuronal culture
Insulin; Noradrenaline; Maprotiline; Catecholamine uptake; Insulin receptor (Boyd, F.T.) **398,** 1

Neuronal cytoskeleton
Alzheimer's disease; Granular inclusion; Hippocampus; Tubulin (Price, D.L.) **385,** 305

Neuronal degeneration
Brain reorganization; Functional recovery; Thalamus morphology; Hemispherectomy (Villablanca, J.R.) **368,** 211

Neuronal dysfunction
Dorsal root ganglion; Lumbar sympathetic chain; Horseradish peroxidase; Neuronal labeling;

Motoneuron (Peyronnard, J.M.) **364,** 137

Neuronal electrical and secretory activity
Cyclic adenosine 3′,5′-monophosphate; Exocytosis; Caudo-dorsal cell; *Lymnaea stagnalis* (Buma, P.) **380,** 26

Neuronal excitability
Hippocampal slice; Extracellular electric field (Bawin, S.M.) **362,** 350

Valproate; Hippocampus; Rat; Extracellular potassium concentration; Extracellular calcium concentration; Spontaneous epileptiform activity (Franceschetti, S.) **386,** 1

Neuronal grafting
Dopamine neuron; 6-Hydroxydopamine; Striatum; Turning behavior; Amphetamine; Mouse (Brundin, P.) **366,** 346

Neuronal hypertrophy
Basal nucleus; Cholinergic neuron; Immunohistochemistry; Kainic acid (Pearson, R.C.A.) **382,** 149

Retrograde degeneration; Choline acetyltransferase; Immunohistochemistry; Oculomotor nerve; Motor neuron (Pearson, R.C.A.) **382,** 189

Neuronal interaction
Adrenaline neuron; Locus ceruleus; Noradrenaline neuron; Phenylethanolamine-*N*-methyltransferase; Rat brainstem; Tyrosine hydroxylase (Astier, B.) **397,** 333

Neuronal labeling
Dorsal root ganglion; Lumbar sympathetic chain; Horseradish peroxidase; Motoneuron; Neuronal dysfunction (Peyronnard, J.M.) **364,** 137

Rat hindlimb; Horseradish peroxidase; Dorsal root ganglion; Sympathetic innervation; Motor supply; Rat skeletal muscle (Peyronnard, J.M.) **373,** 288

Neuronal marker
Calcineurin; Peroxidase–anti-peroxidase method; Human brain tumor; Rat brain; Immunohistochemistry (Goto, S.) **371,** 237

Neuronal membrane protein
Thy-1; Surface antigen (Sinclair, C.M.) **398,** 91

Neuronal morphology
Neostriatum; Striatonigral axon; γ-Aminobutyric acid; Glutamic acid decarboxylase; Medium spiny cell; Neuronal ultrastructure; Combined immunoperoxidase and transport labeling (Fisher, R.S.) **398,** 148

Neuronal nicotinic receptor
Toxin F; Bungarotoxin 3.1; α-Bungarotoxin; *Bungarus multicinctus* venom; Amino acid sequence; Nicotinic antagonist (Loring, R.H.) **385,** 30

Neuronal plasticity
Arcuate nucleus; Synapse; Estrogen; Estradiol valerate; Rat (Garcia-Segura, L.M.) **366,** 131

Sympathetic ingrowth; Hippocampal formation; Guinea pig (Booze, R.M.) **375,** 251

Long-term potentiation; Hippocampal slice; S-100 (Lewis, D.) **383,** 159

Neuronal response
Sheep; Lateral hypothalamus; Zona incerta; Sight of food; Food approach; Food preference; Learning; Satiation (Kendrick, K.M.) **375,** 322

Stimulus-related activity; Movement-related activity; Statistical method (Commenges, D.) **383,** 350

Neuronal subpopulation
Lectin; Dorsal root ganglion; Nociceptive afferent; Spinal cord (Mori, K.) **365,** 404

Neuronal survival
Nerve growth factor; Neuronotropic factor; Sciatic nerve; Cholinergic neuron; Ciliary ganglion (Manthorpe, M.) **367,** 282

Ciliary ganglion; Central nervous system injury; Neurotrophic factor; Rhizotomy; Sciatic nerve; Sciatic transection; Spinal cord (Millaruelo, A.I.) **374,** 12

Neuronal synchronization
Seizure; Seizure inhibition; Field effect (Durand, D.) **382,** 139

Neuronal transmission
Dentate gyrus; Brainstem influence (Dahl, D.) **377,** 391

Neuronal ultrastructure
Neostriatum; Striatonigral axon; γ-Aminobutyric acid; Glutamic acid decarboxylase; Medium spiny cell; Neuronal morphology; Combined immunoperoxidase and transport labeling (Fisher, R.S.) **398,** 148

Neuronotropic
Dysautonomia; Fibroblast; Nerve growth factor; Tissue culture; Sensory neuron (Wrathall, J.R.) **364,** 23

Neuronotropic factor
Nerve growth factor; Sciatic nerve; Cholinergic neuron; Neuronal survival; Ciliary ganglion (Manthorpe, M.) **367,** 282

Neuropathological lesion
Scrapie; Rat; Inoculation route; Electroencephalographic alteration (Bassant, M.-H.) **383,** 397

Neuropathology
Trimethyltin; Seizure; Epileptic brain damage; Epilepsy; Hippocampus; Rat (Sloviter, R.S.) **367,** 169

Neuropathy
Acrylamide; *bis*-Acrylamide; Glutathione-*S*-transferase; Glutathion Dopamine receptor; Neurotoxicity; Neurotoxin; Axonopathy (Srivastava, S.P.) **371,** 319

Peripheral nerve; Blood vessel; Capillary; Perineurium; Nerve ischemia; Adrenergic; Blood–nerve barrier (Rechthand, E.) **374,** 185

Neuropeptide
Arg-vasopressin; Convulsion; Vasopressor antagonist (Burnard, D.M.) **362,** 40

Benzodiazepine; Midazolam; γ-Aminobutyric acid; Somatostatin; Cell culture; Cerebral; Neuron; Hypothalamus (Stryker, T.D.) **362,** 33

Neurotransmitter; Hypothalamic nucleus; Cyclic adenosine monophosphate; Vasoactive intestinal peptide; Noradrenaline; Synergism (Redgate, E.S.) **365,** 61

Colocalization; Neurotensin; Substanc P; Retina (Li, H.-B.) **366,** 307

Substance P receptor; Genetic hypertension; Cerebellum; Tachykinin (Shigematsu, K.) **370,** 383

Egg-laying behavior; *Aplysia californica*; Gene expression; Recombinant deoxyribonucleic acid (Shyamala, M.) **371,** 49

Axotomy; Immunohistochemistry; Vasoactive intestinal polypeptide; Spinal cord (Shehab, S.A.S.) **372,** 37

Substance P; Trigeminal sensory neuron; Nucleus of the solitary tract; Cranial nerve (South, E.H.) **372,** 283

Vasoactive intestinal peptide; Neuropeptide Y; Olfactory bulb; Immunocytochemistry (Gall, C.) **374,** 389

Calcitonin gene-related peptide; Vasoactive intestinal peptide; Sympathetic neuron; Immunocytochemistry; Sweat gland; Coexistence of neurotransmitters (Landis, S.C.) **377,** 177

Cholecystokinin; Respiratory rate; Chronic intracerebroventricular infusion; Rapid eye movement sleep (Demesquita, S.) **378,** 127

Neurotensin; Open-field; Locomotor activity (Elliott, P.J.) **381,** 259

Met-enkephalin; Opioid; Radioimmunoassay; Insect; Nervous system (Davenport, A.P.) **383,** 319

Gonadotropin-releasing hormone; Enkephalin; Molluscan cardioexcitato peptide (FMRFamide); Retinal ganglion cell; Terminal nerve (Walker, S.E.) **384,** 262

utoradiography; Tachykinin receptor; ubstance P; Eledoisin; Brain receptor Danks, J.A.) **385,** 273

europeptide inactivation
eurotensin; Thermoregulation; hiorphan; Captopril; Bestatin Coquerel, A.) **398,** 386

europeptide K
eurokinin A; Neurokinin B; ubstance P-tachykinin; Distribution; rain; Spinal cord (Arai, H.) **399,** 240

europeptide tyrosine nerve
arotid body; Rat (Kondo, H.) **72,** 353

europeptide Y
-Glutamate; Hypothalamus Kerkérian, L.) **369,** 388

enile dementia of Alzheimer's type; enile plaque; Somatostatin Nakamura, S.) **370,** 11

triatum; Basal ganglion; Primate; Cat; mmunohistochemistry; Somatostatin Smith, Y.) **372,** 241

alcitonin gene-related peptide; iamidino yellow; Enkephalin; mmunocytochemistry; ntermediolateral nucleus; Onuf's ucleus; Pudendal nerve; Retrograde acing; Rhodamine-labelled acrylic icrosphere; Somatostatin; True blue Katagiri, T.) **372,** 313

asoactive intestinal peptide; Olfactory ulb; Neuropeptide; mmunocytochemistry (Gall, C.) **74,** 389

omatostatin; Striatum; Basal ganglion; erebral cortex (Beal, M.F.) **377,** 240

eceptor; Localization; Lower rainstem; Autoradiography; Binding Nakajima, T.) **380,** 144

europeptide Y-containing neuron
eart; Tissue culture; Autonomic ervous system; Intracardiac neuron; asoactive intestinal olypeptide-containing neuron Hassall, C.J.S.) **364,** 102

europhysin
low cytometry; Fluorescence-activated ell sorting; Paraventricular nucleus; upraoptic nucleus (Paden, C.M.) **76,** 310

asopressin; Glycopeptide; mmunocytochemistry; Bed nucleus of he stria terminalis; Locus coeruleus; Hypothalamus; Brattleboro rat (Van eeuwen, F.W.) **379,** 171

europhysiology
mygdala efferent; Entorhinal cortex; entate gyrus; Rat; Intracellular ecording (Finch, D.M.) **370,** 273

cute lithium; Field potential; ippocampal slice; CA1 region Rinaldi, P.C.) **375,** 302

uprachiasmatic nucleus; Photic stimulation; Circadian rhythm; Luminance coding (Meijer, J.H.) **382,** 109

Subicular efferent; Hippocampal efferent; Entorhinal cortex; Rat; Intracellular recording (Finch, D.M.) **397,** 205

Neurosecretion
Action potential; Neurosecretory terminal; Sinus gland; Ionic mechanism; Isopod (Chiang, R.G.) **377,** 83

Supraoptic nucleus; Noradrenaline; Catecholamine; Hypothalamus; Brain slice (Ogata, N.) **385,** 122

Secretion; Facilitation; Calcium; Cooperativity; Arginine vasopressin; Neurohypophysis; Mouse (Wolfe, S.A.) **399,** 190

Neurosecretory
Vasopressin; Neurohypophysectomy; Neural transplantation; Diabetes insipidus; Median eminence; Fluid regulation (Marciano, F.F.) **370,** 338

Neurosecretory cell
X-organ-sinus gland; Horseradish peroxidase; Intracellular injection; Peptidergic neuron (Nagano, M.) **362,** 379

Insect; Electrical coupling; Dye coupling; Gap junction; Freeze fracture (Orchard, I.) **397,** 359

Neurosecretory neuron
Kainic acid; Rat (Rheinert, C.) **373,** 57

Neurosecretory terminal
Action potential; Sinus gland; Ionic mechanism; Neurosecretion; Isopod (Chiang, R.G.) **377,** 83

Neurotensin
Arcuate nucleus; Synaptic inhibition; Brain slice; Single unit (Herbison, A.E.) **364,** 391

Neuropeptide; Colocalization; Substance P; Retina (Li, H.-B.) **366,** 307

Cold adaptation; Hypothermia (Merritt, W.D.) **369,** 136

Retina; Synaptic transmission; Cobalt block; Mudpuppy (Zalutsky, R.A.) **371,** 360

Gastrin-releasing peptide; γ-Butyrolacton-γ-carbonyl-1-histidyl-1-prolinamide citrate; Dopamine; Norepinephrine; Rat hypothalamus (Kabayama, Y.) **372,** 394

Human; Hippocampus; Subiculum; Fornix; Mammillary body (Sakamoto, N.) **375,** 353

Rat; Subiculum; Mammillary body (Kiyama, H.) **375,** 357

Brain dopamine; Stress ulcer (Hernandez, D.E.) **381,** 159

Neuropeptide; Open-field; Locomotor activity (Elliott, P.J.) **381,** 259

Respiratory related neuron; Nucleus tractus solitarii; Phrenic nerve activity; Iontophoresis; Pressure injection (Morin-Surun, M.P.) **384,** 106

Immunocytochemistry; Human; Infant; Striatum; Septum; Amygdala; Cerebral cortex (Michel, J.-P.) **397,** 93

Enkephalin; Striatum; Caudate nucleus; Putamen; Immunohistochemistry; Coexistence; Cat (Sugimoto, T.) **398,** 195

Thermoregulation; Neuropeptide inactivation; Thiorphan; Captopril; Bestatin (Coquerel, A.) **398,** 386

Neurotoxicity
Methylamphetamine; Catecholamine; Serotonin; Somatosensory cortex; Rat (Commins, D.L.) **365,** 15

Diethyldithiocarbamate; Cadmium; Synapsin I; Glial fibrillary acidic protein; Metal; Brain damage (O'Callaghan, J.P.) **370,** 354

Acrylamide; *bis*-Acrylamide; Glutathione-*S*-transferase; Glutathione; Dopamine receptor; Neuropathy; Neurotoxin; Axonopathy (Srivastava, S.P.) **371,** 319

Tri-*O*-cresyl phosphate; Tubulin phosphorylation; Microtubule-associated protein-2 phosphorylation (Suwita, E.) **374,** 199

Dopamine; Substantia nigra; Striatum; Parkinson's disease (Ricaurte, G.A.) **376,** 117

Neurotoxin
Substance P; Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Colocalization (Towle, A.C.) **363,** 38

Acrylamide; *bis*-Acrylamide; Glutathione-*S*-transferase; Glutathione; Dopamine receptor; Neurotoxicity; Neuropathy; Axonopathy (Srivastava, S.P.) **371,** 319

Choline; Cholinotoxin; Ethylcholine aziridinium; Neuron; Cell culture; Glial cell; Neuroglia (Davies, D.L.) **378,** 251

Neurotracer
Claustrum; Visual thalamus; Tree shrew; Reciprocal connection (Carey, R.G.) **386,** 155

Neurotransmission
Muscarinic receptor; Carotid body; Autoradiography; Acetylcholine (Dinger, B.G.) **367,** 328

Hippocampal slice; Ruthenium red; Sialic acid (Wieraszko, A.) **378,** 120

Retinal neuron; Dopamine; Acetylcholine; Retina–muscle coculture; Receptor, D_1-dopamine- (Tsai, W.H.) **380,** 375

Neurotransmitter
Neuropeptide; Hypothalamic nucleus; Cyclic adenosine monophosphate; Vasoactive intestinal peptide; Noradrenaline; Synergism (Redgate, E.S.) **365,** 61

Retina; γ-Aminobutyric acid; Cone; Bipolar cell; Membrane conductance; Receptive field (Wu, S.M.) **365,** 70

Parasympathetic neuron; Noradrenaline; Catecholamine; Autonomic ganglion; Slow-hyperpolarizing synaptic potential; Synaptic transmission (Akasu, T.) **365,** 365

Glial cell; Amino acid; Energy parameter; Energetics; Ion; Ion gradient (Erecinska, M.) **369,** 193

Amino acid; Glial cell; Astrocyte; Aspartate transport (Erecinska, M.) **369,** 203

Aplysia; Receptor; Cerebral ganglion (Gaillard, W.D.) **373,** 303

Aplysia; Synapse; Cerebrum; Ganglion (Gaillard, W.D.) **373,** 311

Honeybee; Insect visual system; Lamina; Tangential fiber; 5-Hydroxytryptamine-like-immunoreactivity; γ-Aminobutyric acid-like immunoreactivity (Schäfer, S.) **380,** 368

Amino acid; Horizontal cell; Voltage clamp (O'Dell, T.) **381,** 359

Brain dialysis; Hippocampus; Amino acid; Extracellular fluid (Lerma, J.) **384,** 145

Somatostatin; Cerebral cortex; Carbachol; Slice; Release (Boakes, R.J.) **397,** 197

Cell culture; Adrenergic receptor; Hypertension; Brainstem; Neuron; Peptide (Miura, M.) **399,** 352

Neurotransmitter receptor
Retina; Retinal receptor; Receptor autoradiography (Zarbin, M.A.) **374,** 75

Neurotransmitter receptor binding
Benzodiazepine receptor; Adrenalectomy; Glucocorticoid; Adrenocorticotropic hormone; Corticotropin-releasing factor; Dexamethasone (De Souza, E.B.) **381,** 176

Neurotransmitter release
Slow motor unit; Fast motor unit; Synaptic transmission; Tetanic potentiation; Post-tetanic potentiation (Lev-Tov, A.) **363,** 379

Tryptamine; Calcium; Glutamate; γ-Aminobutyric acid (Friedman, R.N.) **364,** 172

Aspartate; Glutamate; Cerebellum; Climbing fiber; Parallel fiber; Mass fragmentography (Sekiguchi, M.) **378,** 174

Synaptic activity; Progesterone; Steroid hormone (Meiri, H.) **385,** 193

Neurotropic factor
Cholinergic; Gliosis; Chick ciliary ganglion; Methotrexate (Heacock, A.M.) **363,** 299

Ciliary ganglion; Central nervous system injury; Neuronal survival; Rhizotomy; Sciatic nerve; Sciatic transection; Spinal cord (Millaruelo, A.I.) **374,** 12

Hippocampus; Medial septum; Nerve growth factor; Radial maze learning; Septal graft; Spontaneous alternation; Sympathetic neuron (Pallage, V.) **386,** 197

Neurotropic virus
Herpes virus suis; Receptor; Retrograde axonal transport (Marchand, C.F.) **383,** 262

Newborn monkey
Brainstem; Blood flow; Seizure; Bicuculline; Autoradiography (Fujikawa, D.G.) **397,** 61

NG108-15 cell
Bradykinin; Calcium indicator quin 2; Calcium mobilization; Calcium blocker; Inositol-trisphosphate; Microinjection (Osugi, T.) **379,** 84

Nicotinamide-adenine dinucleotide
Gerbil; Ischemia; Redox state mapping; Flavoprotein; Frozen brain; Brain circulation (Mayevsky, A.) **367,** 63

Nicotine
Dopamine metabolism; Body temperature; Mouse striatum (Haikala, H.) **375,** 313

Nicotine antinociception
Neosurugatoxin; Nicotine binding; Mecamylamine; Pempidine (Yamada, S.) **375,** 360

Nicotine binding
Neosurugatoxin; Nicotine antinociception; Mecamylamine; Pempidine (Yamada, S.) **375,** 360

Nicotinic
Neuronal acetylcholine receptor; Ciliary ganglion neuron; Bromoacetylcholine (Stollberg, J.) **378,** 179

Neuroblastoma; Muscarinic; Acetylcholine; Patch clamp; Single channel current (Takeda, K.) **398,** 75

Nicotinic antagonist
Toxin F; Bungarotoxin 3.1; α-Bungarotoxin; Neuronal nicotinic receptor; *Bungarus multicinctus* venom; Amino acid sequence (Loring, R.H.) **385,** 30

Nicotinic cholinergic receptor
Acetylcholine; Alzheimer's disease; Choline acetyltransferase (Whitehouse, P.J.) **371,** 146

Nicotinic receptor
α-Bungarotoxin; Acetylcholine receptor; Cholinergic receptor; Optic tectum; Retinotectal projection (Henley, J.M.) **364,** 405

α-Bungarotoxin; Chromaffin cell culture; Endogenous ligand; Adrenal medulla (Quik, M.) **372,** 11

α-Bungarotoxin; Acetylcholine; Endogenous factor; Muscle cell cultur (Quik, M.) **374,** 395

Nicotinic transmission
Substance P; Inferior mesenteric ganglion (Jiang, Z.G.) **363,** 196

Nictitating membrane
Conditioned response; Motor learning Climbing fiber (Türker, K.S.) **363,** 37

Nictitating membrane response
Retractor bulbus; Autoradiography; Blink reflex; Conditioning; Eye protection (Holstege, G.) **374,** 321

Nigra
Voltammetry; Striatum; Homovanillic acid; Taurine; γ-Aminobutyric acid; Taurine antagonist (O'Neill, R.D.) **382,** 28

Nigrostriatal pathway
Decortication; Corticostriatal pathway Striatum; Acetylcholine; Apomorphin Choline; Bromocriptine; Neuroleptic Rat (Consolo, S.) **363,** 128

In vivo superfusion; Subthalamic nucleus stimulation; Dopamine releas (Mintz, I.) **376,** 406

Nigrostriatal system
Circling behavior; Locus ceruleus; Dorsolateral pontine tegmentum; Dopamine receptor; Noradrenaline (Matsuoka, S.) **398,** 253

Nigrostriatum
Ganglioside; Asymmetric rotation; Na^+,K^+-Adenosinetriphosphatase; GM1 ganglioside (Li, Y.S.) **377,** 292

Nimodipine
Dihydropyridine; Bay K 8644; Synaptosome; Calcium entry; Dopamine release (Woodward, J.J.) **370,** 397

Seizure; Calcium channel blocker; Dihydropyridine; Phenytoin (Meyer, F.B.) **384,** 180

Nipecotic acid
γ-Aminobutyric acid; Muscimol; Uptake blocker; Hippocampus (Dalkara, T.) **366,** 314

γ-Aminobutyric acid; Amino acid uptake; Retrograde transport; Olivocochlear efferent system (Ryan, A.F.) **399,** 399

Nitrendipine
Phylogeny; Dihydropyridine binding site; Peripheral binding site

(Bolger, G.T.) **368,** 351

Dihydropyridine; Calcium channel antagonist; Parkinson's disease; Human brain (Nishino, N.) **377,** 186

Nitrobenzylthioinosine
Nucleoside transport site; Adenosine receptor; Cyclohexyladenosine; Striatum; Superior colliculus (Geiger, J.D.) **363,** 404

Nociception
Self-injurious behavior; Stereotyped behavior; Analgesia; Locomotion; Substantia nigra; Midbrain reticular formation; Muscimol; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Awake rat; Dorsal column lesion; Stimulation of dorsal column nucleus; Tail immersion test; Formalin test (Saadé, N.E.) **369,** 307

Lamina I; Serotonin; Immunocytochemistry; Spinomesencephalic tract cell; Spinothalamic tract cell; Spinal cord (Hylden, J.L.K.) **370,** 401

Calcitonin; Brainstem microinjection; Dorsal horn neuron; Descending inhibition (Morton, C.R.) **372,** 149

Substance P; Neurokinin A; Substance K; Eledoisin; Physalaemin; Tail-flick test; Intrathecal administration (Cridland, R.A.) **381,** 93

Neural transplant; Adrenal medulla; Chromaffin cell; Analgesia; Opioid peptide (Sagen, J.) **384,** 189

Trigeminal nucleus; Face-rub response; Arousal; Organization; Syringobulbia (Broton, J.G.) **397,** 1

Second somatosensory cortex; Tooth pulp; Evoked potential; Escape behavior; Aδ nerve fiber (Chudler, E.H.) **397,** 47

Cutaneous afferent C-fiber; Primary somatosensory cortex; Pain (Schouenborg, J.) **397,** 86

Nociceptive afferent
Lectin; Dorsal root ganglion; Neuronal subpopulation; Spinal cord (Mori, K.) **365,** 404

Nociceptive neuron
Cholecystokinin; Edinger–Westphal nucleus; Rat (Innis, R.B.) **363,** 230

Dorsal horn; Noxious heat; Stimulus detection; Pain (Maixner, W.) **374,** 385

Nociceptive primary afferent fiber
Glutamate; Dorsal horn; Pain (Schouenborg, J.) **379,** 394

Nociceptive reflex
Dermorphin; Naloxone; Spinal cord; Human (Sandrini, G.) **371,** 364

Nociceptive stimulus
Substance P; Dorsal horn; Axoplasmic transport; Electrical activity; Formaldehyde (Kantner, R.M.) **385,** 282

Nociceptive threshold
μ Opiate receptor; δ Opiate receptor; Intracerebral injection; Seizure activity; Thalamus; Catalepsy (Walker, G.E.) **383,** 1

Nociceptor
Sympathetic nerve; Afferent fibre; Skin; Mechanoreceptor (Barasi, S.) **378,** 21

Neurogenic inflammation; Antidromic plasma extravasation; C-fiber; Sensitization (Reeh, P.W.) **384,** 42

Peptide; Cornea; Tympanic membrane (Colin, S.) **398,** 199

Node of Ranvier
Nerve membrane; Voltage clamp; Potassium channel; Sodium channel; Snake toxin (Benoit, E.) **377,** 374

Rat sciatic nerve; Neuroma; Voltage clamp; Electron microscopy (Brismar, T.) **378,** 347

Axonal transport; Myelinated axon; Rapid freezing; Freeze substitution; Serial section (Okamura, Y.) **383,** 146

Nodose ganglion
Acetylcholine; Amino acid; α-Aminoisobutyric acid; Uptake; ATPase, (Ca^{2+},Mg^{2+})-; Glia maturation factor; Rat (Ando, M.) **373,** 359

Nomifensine
Endogenous dopamine release; Endogenous noradrenaline release; Dopamine; Noradrenaline; Striatum; Hypothalamus; Calcium; Rat (Okuma, Y.) **363,** 47

Serotonin sulfate; Dopamine sulfate; Norepinephrine sulfate; Amphetamine; Potassium ion depolarization (Tyce, G.M.) **372,** 269

Dopamine; Striatum; Aging; Senescence; Bupropion; Motor performance (Marshall, J.F.) **379,** 112

Non-bursting neuron
Calcium; Current; Potassium; Tetraethylammonium; *Aplysia* (Jones, L.S.) **385,** 46

Non-linear summation
Aplysia californica (Guthrie, P.B.) **386,** 364

Non-myelinated axon
Mitochondrion; Myelin; Undernourishment; Recovery (Wiggins, R.C.) **368,** 277

Non-myelinated nerve fiber
Nerve injury; Reinnervation (Brenan, A.) **385,** 152

Non-neuronal cell proliferation
Axonal regeneration; Rat neocortex; Cytosine arabinoside; Tissue culture (Oorschot, D.E.) **368,** 49

Non-opiate antinociception
Vasopressin; Thyrotropin-releasing hormone; Morphine; Endogenous opiate antagonist (Watkins, L.R.) **362,** 308

Non-opioid
Stress analgesia; Tolerance; Cross-tolerance; Opioid; Morphine (Terman, G.W.) **368,** 101

Stress analgesia; Cold water swim; Naltrexone; Opioid (Terman, G.W.) **372,** 167

Non-opioid analgesia
Arcuate nucleus; β-Endorphin; Lesion; Naltrexone; Opioid analgesia; Stress-induced analgesia; Time-dependent (Kelsey, J.E.) **382,** 278

Non-opioid antitussive
Epilepsy; Dextromethorphan; Carbetapentane; Diphenylhydantoin; Anticonvulsant (Tortella, F.C.) **383,** 314

Non-quantal transmitter release
Acetylcholine release; Neuromuscular transmission; Tropic regulation of muscle (Stanley, E.F.) **365,** 289

Non-rapid eye movement sleep control
Sleep mechanism; Basal forebrain neuronal activity; Sleep–wake cycle; Acetylcholine (Szymusiak, R.) **370,** 82

Non-steroidal anti-inflammatory agent
Pain; Hyperalgesia; Analgesia; Prostaglandin; Central nervous system (Taiwo, Y.O.) **373,** 81

Noradrenaline
Freely moving rat; Locus ceruleus; Immobilization stress; Clonidine; Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid (Quintin, L.) **362,** 366

Sympathetic preganglionic neuron; Afterpotential; Calcium current; Repetitive firing (Yoshimura, M.) **362,** 370

N-2-Chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Tail flick; Shock-titration; Serotonin; Interaction (Post, C.) **363,** 18

Endogenous dopamine release; Endogenous noradrenaline release; Dopamine; Striatum; Hypothalamus; Nomifensine; Calcium; Rat (Okuma, Y.) **363,** 47

Ventral tegmental area; Locus ceruleus; A10 cell group; Dopamine; 3-Methoxy-4-hydroxyphenolglycol (Deutch, A.Y.) **363,** 307

Superior cervical ganglion; Growth hormone; Prolactin; α-Adrenoceptor; β-Adrenoceptor; Degeneration activity (Cardinali, D.P.) **363,** 350

Glutaraldehyde; Antibody; Rat brain; Locus ceruleus; Enzyme-linked immunosorbent assay; Immunocytochemistry (Geffard, M.) **363,** 395

Serotonin; Bombesin; Deermouse; *Peromyscus*; Thermoregulation; Hypothalamus (Lin, L.-H.) **364,** 212

Neuropeptide; Neurotransmitter; Hypothalamic nucleus; Cyclic adenosine monophosphate; Vasoactive intestinal peptide; Synergism (Redgate, E.S.) **365,** 61

Supraoptic nucleus; Vasopressin; α_1-Receptor (Armstrong, W.E.) **365,** 192

Vasopressin; Supraoptic nucleus; Spontaneously hypertensive rat; Catecholamine histofluorescence; Immunocytochemistry (Sladek, J.R.) **365,** 293

Parasympathetic neuron; Catecholamine; Autonomic ganglion; Slow-hyperpolarizing synaptic potential; Neurotransmitter; Synaptic transmission (Akasu, T.) **365,** 365

Cerebellum; Dystonic (McKeon, T.W.) **366,** 89

Diazepam; Release; Benzodiazepine receptor; α-Receptor (Kellogg, C.K.) **366,** 137

Locus ceruleus lesion; Neonatal 6-hydroxydopamine; Central nervous system protein; Two-dimensional gel electrophoresis; Scanning densitometry (Heydorn, W.E.) **367,** 31

Stress; 5-Hydroxyindoleacetic acid; 5-Hydroxytryptophan; Dopamine; Adrenaline; Dihydroxyphenylalanine; Corticosterone (De Souza, E.B.) **367,** 77

Uptake; 6-Hydroxydopamine; Hippocampus; Electrophysiology (Yasuda, R.P.) **367,** 121

Electroconvulsive shock; Antinociception; Opiate receptor; Spinopetal pathway; Serotonin (Furui, T.) **367,** 162

Dopamine; Carotid body; Guanethidine; Sympathectomy; High-pressure liquid chromatography (Pequignot, J.M.) **367,** 238

Striatum; Transmitter; Dopamine metabolism; Serotonin metabolism; Histamine; Adrenaline (Widmann, R.) **367,** 244

Sympathectomy; Guanethidine; Cerebrospinal fluid; Blood–brain barrier; Adrenaline; Catecholamine; Adrenal medullectomy (Peskind, E.R.) **367,** 258

Amygdala; Adrenaline; Inhibitory avoidance; Memory; Propranolol; Retention (Liang, K.C.) **368,** 125

Corticosterone; Gastric ulceration; Immobilization; Restraint; Stress (Bakke, H.K.) **368,** 256

Pineal; Electrophysiology; Intracellular recording; Patch-clamp; Voltage-clamp (Freschi, J.E.) **368,** 366

α-Receptor; β-Receptor; Supraoptic neuron; Periventricular neuron (Inenaga, K.) **369,** 37

Ventromedial hypothalamus; Obesity; Brown adipose tissue; Chronic infusion; Fatty acid synthesis (Shimazu, T.) **369,** 215

Genetic hypertension; Brain catecholamine; L-Dihydroxyphenylalanine accumulation; 4-Dihydroxyphenylacetic acid; Dopamine (Koulu, M.) **369,** 361

A5 nucleus; Pain; Analgesia; Lesion; Brainstem; Spinal cord (Sagen, J.) **370,** 93

Tetrabenazine binding; Monoamine transporter; Serotonin; Dopamine; Mouse; Binding site regionalization (Scherman, D.) **370,** 176

α_1-Receptor; Inositol phosphate; Lateral geniculate nucleus (Kemp, J.A.) **371,** 314

Morphine; Antinociception; Nucleus reticularis paragigantocellularis; 6-Hydroxydopamine; Spinal cord (Pang, I.-H.) **371,** 171

Tryptamine; Tryptophan; Dopamine; Substantia nigra; Electrolytic lesion; Pargyline; Striatum; Hypothalamus (Juorio, A.V.) **371,** 385

Visual cortex; Superior colliculus; D-Aspartate uptake; Glutamate decarboxylase; Plasticity; Rat (Fosse, V.M.) **372,** 189

Gastrin-releasing peptide; Neurotensin; γ-Butyrolacton-γ-carbonyl-1-histidyl-1-prolinamide citrate; Dopamine; Rat hypothalamus (Kabayama, Y.) **372,** 394

Angiotensin-induced thirst; Anteroventral third ventricle; Catecholamine; Angiotensin II; 6-Hydroxydopamine (McRae-Degueurce, A.) **374,** 162

Uric acid; High-pressure liquid chromatography with electrochemical detection; Spinal cord; Arthritic rat; Pain (Weil-Fugazza, J.) **374,** 190

Locus coeruleus; Antidromic impulse; Unit recording; Collateral inhibition; Self-inhibition; Dorsal noradrenergic bundle (Ennis, M.) **374,** 299

Antidepressant; Calcium; α_2-Adrenoceptor; Synaptosome; Release (Campbell, I.C.) **372,** 253

Freely moving rat; Locus coeruleus; Adrenoceptor; Yohimbine; Piperoxan Clonidine; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Differential pulse voltammetry (Quintin, L.) **375,** 235

Cyclic adenosine monophosphate; Estradiol; Estrous cycle; Hypothalamus; Progesterone (Etgen, A.M.) **375,** 385

Dopamine; Serotonin; Acetylcholine; Immunocytochemistry; Rat brain (McRae-Degueurce, A.) **376,** 217

Serotonin; Sexual behavior; *N*-2-Choloethyl-*N*-ethyl-2-bromo-benzylaline; 5-Methoxy-*N,N*-dimethyltryptamine; Lisuride; Ejaculation (Fernandez-Guasti, A.) **377,** 112

Substance P; γ-Aminobutyric acid; Serotonin; Morphine; Potassium-stimulated release (Pang, I.-H.) **376,** 268

Locus coeruleus; Spinal trigeminal nucleus; β-Adrenergic receptor (Sasa, M.) **377,** 337

Descending inhibition; Stimulation-produced analgesia; Brainstem; Spinal cord; Glycine; Pain (García-Arrarás, J.E.) **379,** 188

Stress; Sensitization; Hypothalamus; Hippocampus (Irwin, J.) **379,** 98

Parkinson's disease; Lumbar spinal cord; Dopamine; Serotonin; Homovanillic acid (Scatton, B.) **380,** 181

Tyrosine hydroxylase; 3,4-Dihydroxyphenylalanine decarboxylase; High-affinity noradrenaline uptake; Aging cerebral cortex (Harik, S.I.) **381,** 125

Monensin; Calcium independent release; Pheochromocytoma cell; Qui 2 (Takahashi, M.) **382,** 332

Locus coeruleus; Subarachnoid hemorrhage (McCormack, B.M.) **382,** 395

Dopamine; Neuroblastoma cell line; Catecholamine; Uptake; Catechol-*O*-methyl metabolite (Richards, M.L.) **384,** 132

Circadian rhythm; Pineal; Serotonin; Superior cervical ganglion; Sympathet (Cassone, V.M.) **384,** 334

Supraoptic nucleus; Catecholamine; Hypothalamus; Brain slice; Neurosecretion (Ogata, N.) **385,** 122

Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Prader–Willi syndrom Bulimia nervosa; Carbohydrate appetite; Obesity; Stress-induced

feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Modulation; Aging; Climbing fiber; Electrophysiology; Cerebellum (Bickford, P.C.) **385,** 405

Nucleus tractus solitarii; Swallowing; Pressure microinjection; Dopamine; Medullary polysynaptic reflex; Rat (Kessler, J.P.) **386,** 69

A_5 cell group; Nucleus tractus solitarii; Intermediolateral cell column; Blood pressure regulation (Loewy, A.D.) **386,** 313

Acetylcholine; Amphetamine; Hippocampus; Ventral noradrenergic bundle (Robinson, S.E.) **397,** 181

Cerebellum; Purkinje cell; Climbing fiber enhancement; Mossy fiber; 6-Hydroxydopamine; Somatosensory stimulus (McElligott, J.G.) **397,** 245

Circadian rhythm; Cosine fitting; Serotonin; Locus ceruleus; Dorsal raphe nucleus; Rat (Agren, H.) **397,** 353

Insulin; Neuronal culture; Maprotiline; Catecholamine uptake; Insulin receptor (Boyd, F.T.) **398,** 1

Complex environment; Isolated environment; 6-Hydroxydopamine; Desipramine; Motor activity; Neurochemistry; Rat; Behavior (Mohammed, A.K.) **398,** 6

Circling behavior; Locus ceruleus; Dorsolateral pontine tegmentum; Nigrostriatal system; Dopamine receptor (Matsuoka, S.) **398,** 253

Corticotropin-releasing factor; Autonomic nervous system; Site of action (Brown, M.) **399,** 10

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Caudate nucleus; Dopamine; Serotonin (Sirinathsinghji, D.J.S.) **399,** 339

Vasopressin; Magnocellular; α_2-Adrenoceptor; α_1-Adrenoceptor; Supraoptic nucleus (Mitchell, L.D.) **399,** 346

Noradrenaline depletion
Neural transplant; Acetylcholine; Acetylcholinesterase; Cortex; Hippocampus; Septum; Nucleus basalis magnocellularis; Fimbria-fornix; Environmental enrichment; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Noradrenaline interaction
Substance P; Cingulate cortex; Adrenergic agonist; Adrenergic antagonist; Iontophoresis (Jones, R.S.G.) **367,** 151

Noradrenaline release
Ethanol; Calcium uptake; Endogenous norepinephrine; Synaptosome (Daniell, L.C.) **377,** 18

Noradrenaline sulfate
Serotonin sulfate; Dopamine sulfate; Amphetamine; Potassium ion depolarization; Nomifensine (Tyce, G.M.) **372,** 269

Noradrenaline uptake
Plasticity; Locus ceruleus; Induction; Pruning; High-pressure liquid chromatography (Haring, J.H.) **368,** 233

Hypoxia; Brain development; Ornithine decarboxylase; Protein synthesis (Slotkin, T.A.) **374,** 63

Noradrenergic activity
Glucose homeostasis; α_2-Receptor binding; Paraventricular nucleus; Medial hypothalamus; Feeding (Chafetz, M.D.) **384,** 404

Noradrenergic mechanism
[$Asu^{1,7}$]Eel calcitonin; Lateral hypothalamus; Glucose-sensitive neuron; Feeding behavior; Serotonergic mechanism; Cyclic adenosine monophosphate (Shimizu, N.) **367,** 128

Noradrenergic neuron
Locus ceruleus; Antipsychotic drug; Haloperidol; Clozapine; Amphetamine; Rat (Ramirez, O.A.) **362,** 165

Serotonergic neuron; Dopaminergic neuron; Substantia nigra; Locus coeruleus; Single unit activity; Behaving cat; Sensory stimulus; Habituation (Rasmussen, K.) **369,** 336

Locus coeruleus; Freely moving cat; Behavior; Sensory stimulation (Rasmussen, K.) **371,** 324

Locus coeruleus; Freely moving cat; Aversive conditioning; Appetitive conditioning; Diazepam; Yohimbine; Anxiety (Rasmussen, K.) **371,** 335

Adenylate cyclase; α_2-Adrenoceptor; Hyperpolarization; Locus coeruleus; Opiate receptor; Pertussis toxin (Aghajanian, G.K.) **371,** 390

Antinociception; Pain; Cholinergic neuron; Nucleus raphe magnus; Spinal cord (Brodie, M.S.) **371,** 70

Locus coeruleus; Sympathetic system; Chronic unit recording; Cat (Reiner, P.B.) **378,** 86

Locus ceruleus; D-Amphetamine; Subsensitivity; α_2-Adrenoceptor; Autoreceptor; Clonidine (Ramirez, O.A.) **385,** 415

Adrenaline neuron; Locus ceruleus; Neuronal interaction; Phenylethanolamine-*N*-methyltransferase; Rat brainstem; Tyrosine hydroxylase (Astier, B.) **397,** 333

Locus ceruleus; Serotonergic neuron; Dorsal raphe; Cardiac cycle; Blood volume (Morilak, D.A.) **399,** 262

Noradrenergic neurotransmission
Locus coeruleus; Facilitation; Monosynaptic reflex; Rat (Chan, J.Y.H.) **369,** 103

Noradrenergic transmission
Estrogen action; Progestin receptor; Prazosin; Hypothalamus; Lordosis behavior; Guinea pig (Thornton, J.E.) **377,** 155

α_1-Noradrenoceptor
Adrenalectomy; α_2-Noradrenoceptor; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus; Extra-hypothalamic area; Feeding behavior (Jhanwar-Uniyal, M.) **368,** 404

α_2-Noradrenoceptor
Adrenalectomy; α_1-Noradrenoceptor; Hypothalamus; Paraventricular nucleus; Supraoptic nucleus; Extra-hypothalamic area; Feeding behavior (Jhanwar-Uniyal, M.) **368,** 404

Norharman
Kindling; β-Carboline; Benzodiazepine receptor; Ro 15-1788 (Morin, A.M.) **397,** 259

Norway rats
Olfactory bulb development; Early experience; Neural plasticity; 2-Deoxyglucose (Coopersmith, R.) **371,** 400

Novelty-induced grooming
Oxytocin; Haloperidol; Naloxone; Peripheral administration (Drago, F.) **368,** 287

Noxious heat
Opiate; Pain; Dorsal horn; Perceived intensity (Oliveras, J.-L.) **371,** 368

Nociceptive neuron; Dorsal horn; Stimulus detection; Pain (Maixner, W.) **374,** 385

Noxious heat-evoked response
Dorsal horn neuron; Descending inhibition; Midbrain periaqueductal gray; Reticular formation; Rat (Carstens, E.) **382,** 266

Noxious spinal and trigeminal input
Lateral reticular nucleus region; Modification of neuronal activity; Rabbit (Sotgiu, M.L.) **375,** 168

Noxious stimulation
Glucose utilization; Spinal cord; Pain; 2-Deoxyglucose (Abram, S.E.) **385,** 143

Noxious stimulus
Ventrobasal thalamus; Rat; Agonist specific opioid receptor (Benoist, J.M.) **398,** 49

Noxious test
Pain pathway; Vocalization;

Anterolateral quadrant; Spinal cord (Peschanski, M.) **376,** 164

Nuclear T_3 receptor
Primary culture; Astrocyte; Neuron; Ontogenesis (Luo, M.) **381,** 275

Nuclear yellow
Retinal ganglion cell; Recrossed retinotectal projection; Horseradish peroxidase; Fast blue; Rat (Jen, L.S.) **377,** 368

Nucleoplasm
Ribonucleoprotein; Interchromatin granule; Chromatin; Facial neuron; Development (Jones, K.J.) **377,** 119

Nucleoside transport site
Nitrobenzylthioinosine; Adenosine receptor; Cyclohexyladenosine; Striatum; Superior colliculus (Geiger, J.D.) **363,** 404

5′-Nucleotide
Taste response; Chorda tympani; Amino acid synergism (Yoshii, K.) **367,** 45

Nucleus accumbens
[pGlu^5,MePhe^8,Sar^9]Substance P; Substance P; Dopamine neuron; Ventral tegmental area; Footshock stress; Dopamine metabolite; Prefrontal cortex (Elliott, P.J.) **363,** 145

Ventromedial mesencephalic tegmentum; Excitation; Inhibition; Dopamine; Haloperidol; Sulpiride (Le Douarin, C.) **363,** 290

Brain slice; In vitro recording; γ-Aminobutyric acidergic inhibition (Chang, H.T.) **366,** 392

Intracellular recording; Conditioning ventral tegmental area stimulation; Dopamine modulation (Yim, C.Y.) **369,** 347

Sexual behavior; Apomorphine; Dopamine; Medial preoptic area; Caudate-putamen; Lateral septum (Hull, E.M.) **370,** 73

Dopaminergic graft; Neural graft; Hoarding (Herman, J.P.) **372,** 210

Electroacupuncture; Morphine; Enkephalin; Analgesia; Naloxone; Thiorphan; Bestatin (Jin, W.-Q.) **380,** 317

Cholecystokinin; Dopamine; Glutamate; Serotonin; Modulator (Wang, R.Y.) **380,** 363

Dopamine receptor; Lead; Striatum (Govoni, S.) **381,** 138

κ-Opiate; Locomotion; Dopamine; Deoxyglucose; Local cerebral glucose utilization (Beck, T.) **381,** 327

Substance P; Immunoneutralization; Dopamine; Dihydroxyphenylacetic acid; Locomotor activity; Amphetamine; Dopamine release (Elliott, P.J.) **385,** 379

Cholecystokinin; Dopamine release; Depolarization block; Peptide-monoamine coexistence; In vivo electrochemistry (Lane, R.F.) **397,** 200

Dopaminergic neuron; In vivo voltammetry; Free moving animal; Tail-pinch; Social interaction (Louilot, A.) **397,** 395

Nucleus accumbens neuron
Dopamine; D_1 receptor; D_2 receptor; Haloperidol; Sulpiride; Dopamine uptake blocker; Schizophrenia (Uchimura, N.) **375,** 368

Nucleus anterior tuberis
Nucleus preglomerulosus; Torus semicircularis; Horseradish peroxidase; Homology (Murakami, T.) **382,** 97

Nucleus basalis
Rat; Globus pallidus; Substantia innominata; Cholinergic neuron; Antidromic stimulation; Microiontophoresis; Acetylcholine; Cholinergic agonist (Lamour, Y.) **362,** 122

Cholinergic projection; Tetramethylbenzidine; Horseradish peroxidase; Choline acetyltransferase (Mesulam, M.-M.) **367,** 301

Choline acetyltransferase; Somatostatin; Ibotenic acid; Rat cerebral cortex (Epelbaum, J.) **371,** 376

Nerve growth factor; Ibotenic acid lesion; Choline acetyltransferase; Acetylcholinesterase; Cortex; Rat (Haroutunian, V.) **386,** 397

Anatomy; Avian; Auditory; Trigeminal; Lateral lemniscus; Cochlear nucleus; Pigeon (Arends, J.J.A.) **398,** 375

Nucleus basalis magnocellularis
Horseradish peroxidase; Dorsolateral frontal cortex; Subcortical nucleus; Rat (Haring, J.H.) **366,** 152

Globus pallidus; Choline acetyltransferase; Learning (Thompson, R.) **367,** 402

Neural transplant; Acetylcholine; Acetylcholinesterase; Cortex; Hippocampus; Septum; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Nucleus basalis of Meynert
Ethylcholine aziridinium ion; Acetylcholine; Alzheimer's disease (Kozlowski, M.R.) **372,** 45

Delayed response task; Basal forebrain cholinergic system; Memory; Reward (Richardson, R.T.) **399,** 364

Nucleus cuneiformis
Pain; Acetylcholine (Behbehani, M.M.) **369,** 110

Nucleus interfascicularis hypoglos
Thyrotropin releasing hormone; Ventral medullary lesion; Intermediolateral cell column; 5,7-Dihydroxytryptamine; Thyrotropin-releasing hormone radioimmunoassay; Substance P; Nucleus paragigantocellularis lateralis (Helke, C.J.) **381,** 1

Nucleus intermedius
Nucleus pretectalis superficialis; Optic tectum; Fiber connection; Horseradish peroxidase; Fish; Homology (Murakami, T.) **373,** 213

Nucleus of dorsolateral funiculus
Fluorescent double label; Paleospinothalamic tract; Spinothalamic collateral; Periaqueductal gray; Intralaminar thalamic nucleus; Spinal projection neuron; Intermediate gray (Liu, R.P.C.) **365,** 145

Nucleus of the optic tract
Optokinetic nystagmus; Monkey (Kato, I.) **364,** 12

Nucleus of the solitary tract
Substance P; Trigeminal sensory neuron; Cranial nerve; Neuropeptide (South, E.H.) **372,** 283

Thyrotropin-releasing hormone; Dorsa vagal nucleus; Raphe nucleus; Immunohistochemistry; Medullary transection (Palkovits, M.) **373,** 246

β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephali Morphine; Plasma catecholamine; Paraventricular nucleus; Central sympathetic outflow; Heart rate; Me arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Nucleus olfactoretinalis
Nervus terminalis; Cytoarchitecture; Synaptic organization; Fiber connection; Electron microscopy; Teleost (Matsutani, S.) **373,** 126

Nucleus paragigantocellularis lateralis
Vasoconstrictor neuron; Ventrolateral medulla; Carotid chemoreceptor; Hypothalamic defence area (Dean, C **377,** 279

Thyrotropin releasing hormone; Ventral medullary lesion; Intermediolateral cell column; 5,7-Dihydroxytryptamine; Thyrotropin-releasing hormone radioimmunoassay; Substance P; Nucleus interfascicularis hypoglossi (Helke, C.J.) **381,** 1

Ventral surface of the medulla; Respiratory activity; Arterial pressure L-Glutamic acid; Lateral reticular nucleus; Glycine-sensitive area (Gatti, P.J.) **381,** 281

Nucleus preglomerulosus
Nucleus anterior tuberis; Torus

semicircularis; Horseradish peroxidase; Homology (Murakami, T.) **382,** 97

Nucleus pretectalis superficialis
Nucleus intermedius; Optic tectum; Fiber connection; Horseradish peroxidase; Fish; Homology (Murakami, T.) **373,** 213

Nucleus raphe centralis
Tryptophan hydroxylase; Serotonergic cell body; Serotonergic terminal; Nucleus raphe dorsalis; Hypothalamus; Postnatal development; Rat brain (Park, D.H.) **378,** 183

Nucleus raphe dorsalis
Periaqueductal gray; Viscerointercostal reflex; Galvanic skin reflex; Dorsolateral funiculus; Naloxone; Cat (Sonoda, H.) **369,** 91

Tryptophan hydroxylase; Serotonergic cell body; Serotonergic terminal; Nucleus raphe centralis; Hypothalamus; Postnatal development; Rat brain (Park, D.H.) **378,** 183

Sleep–waking cycle; Neuronal activity; Pontogeniculo-occipital wave; Somatic stimulation; Serotonin (Shima, K.) **399,** 317

Nucleus raphe magnus
Morphine; Analgesia; Tail flick reflex; Rat (Barbaro, N.M.) **366,** 203

Antinociception; Pain; Cholinergic neuron; Noradrenergic neuron; Spinal cord (Brodie, M.S.) **371,** 70

Tail flick reflex; Rat; Analgesia; Morphine; Periaqueductal gray (Cheng, Z.-F.) **375,** 57

γ-Aminobutyric acid; Periaqueductal gray; Tail-flick test; Analgesia; Rat (Moreau, J.-L.) **397,** 37

Electrochemical detection; Cat spinal cord; Serotonergic system; Morphine (Suzuki, Y.) **398,** 413

Nucleus raphe pontis
Rigidity; Catatonia; Alfentanil; Methylnaloxonium; Caudate nucleus; Electromyography (Blasco, T.A.) **386,** 280

Catatonia; Methylnaloxonium; Alfentanil; Rat; Opiate; Caudate nucleus (Amalric, M.) **386,** 287

Nucleus reticularis gigantocellularis
Reticular formation; Spinal cord; Motoneuron; Inhibitory postsynaptic potential; Sleep; Wakefulness; Active sleep; Quiet sleep (Chase, M.H.) **386,** 237

Nucleus reticularis paragigantocellularis
Norepinephrine; Morphine; Antinociception; 6-Hydroxydopamine; Spinal cord (Pang, I.-H.) **371,** 171

Nucleus tractus solitarii
Cholecystokinin; Receptor; Area postrema; Autoradiography (Moran, T.H.) **362,** 175

Pressor response; Vasopressin antagonist; Vasopressin; Electrolytic lesion (Kubo, T.) **363,** 183

Angiotensin II; Atropine; Blood pressure; Heart rate; Saralasin (Rettig, R.) **364,** 233

Gustatory response; Rat; Convergence; Anterior tongue; Nasoincisor duct; Sucrose; Sodium chloride (Travers, S.P.) **365,** 305

Baroreflex; Blood pressure; Sinoaortic denervation; Stress; Plasma catecholamine; Plasma renin activity (Buchholz, R.A.) **365,** 360

Inspiratory neuron; Control of respiration; Antidromic latency technique; Lung inflation; Vagal pulmonary afferents; Medulla; Cat (Davies, R.O.) **366,** 22

Aurothioglucose; Obesity; Ventromedial hypothalamus; Dorsal motor nucleus of the vagus; Hypoglossal nucleus (Powley, T.L.) **367,** 192

Ventrolateral medulla; Aortic depressor nerve; Carotid sinus nerve; Cardiovascular reflex pathway; Central regulation of circulation (Ciriello, J.) **367,** 273

Gastric distention; 2-Deoxyglucose; Vagus nerve; Rat (Gonzalez, M.F.) **369,** 395

Respiratory neuron; Vagal afferent; Spinal projection (Jiang, C.) **377,** 190

β-Endorphin; α-Melanocyte-stimulating hormone; Medulla oblongata; Post-translational processing; Acetylation; Mammalian central nervous system (Dores, R.M.) **377,** 251

Neurotensin; Respiratory related neuron; Phrenic nerve activity; Iontophoresis; Pressure injection (Morin-Surun, M.P.) **384,** 106

Substance P; L-Glutamate; Acetylcholine; Arterial pressure; Gastric motility (Spencer, S.E.) **385,** 371

Swallowing; Pressure microinjection; Noradrenaline; Dopamine; Medullary polysynaptic reflex; Rat (Kessler, J.P.) **386,** 69

A_5 cell group; Intermediolateral cell column; Blood pressure regulation; Noradrenaline (Loewy, A.D.) **386,** 313

Nucleus β
Inferior olive; Optic nerve; Pretectum; Dorsal cap; Medial accessory olive; Rat (Akaike, T.) **368,** 183

O

Catechol-O-methyltransferase
High performance liquid chromatography; Immunocytochemistry; Cerebromicrovascular culture; Endothelium; Smooth muscle cell (Spatz, M.) **381,** 363

Obesity
Vagus; Subdiaphragmatic vagotomy; Body weight; Hibernation; Circannual rhythm; Ground squirrel (Powley, T.L.) **364,** 159

Aurothioglucose; Ventromedial hypothalamus; Dorsal motor nucleus of the vagus; Nucleus tractus solitarii; Hypoglossal nucleus (Powley, T.L.) **367,** 192

Ventromedial hypothalamus; Brown adipose tissue; Noradrenaline; Chronic infusion; Fatty acid synthesis (Shimazu, T.) **369,** 215

Hypothalamus; Insulin; Hyperphagia; Monosodium glutamate; Bipiperidyl mustard; Lesion; Feeding (Scallet, A.C.) **374,** 380

Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Carbohydrate appetite; Stress-induced feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Occipital lobe
Corpus callosum; Rhesus monkey (Rockland, K.S.) **365,** 174

Octadecaneuropeptide
Diazepam binding inhibitor; Aggression; Analgesia; Defeat; Benzodiazepine; γ-Aminobutyric acid; Social conflict; Ro 15-1788 (Kavaliers, M.) **383,** 343

Octopamine
Leydig cell; Leech; Identified neuron (Belanger, J.H.) **382,** 387

Octopaminergic control
Visceral muscle; Adenosine monophosphate, cyclic; Insect; Locust (Lange, A.B.) **363,** 340

Octopus
Pallial nerve; Central connection; Horseradish peroxidase nerve staining; Cobalt nerve staining (Saidel, W.M.) **374,** 30

Ocular dominance
Dark rearing; Visual cortex; Geniculate afferent; Conduction failure; Dark-reared cat (Swindale, N.V.) **362,** 281

γ-Aminobutyric acid; Visual cortex; Monocular deprivation; Inhibition;

Amblyopia (Mower, G.D.) **380,** 253

Ocular fixation
Abducens nucleus; Motoneuron; Internuclear neuron (Gómez, C.) **381,** 401

Oculomotor nerve
Neuronal hypertrophy; Retrograde degeneration; Choline acetyltransferase; Immunohistochemistry; Motor neuron (Pearson, R.C.A.) **382,** 189

Oculomotor nucleus
Floccular inhibition; Group y nucleus; Cat (Yamamoto, F.) **371,** 350

2-Deoxyglucose; Vestibular compensation; Labyrinthectomy; Vestibular nucleus (Luyten, W.H.M.W6.) **373,** 68

Oculomotor system
Adaptive gain control; Vestibulo-ocular reflex; Goldfish; Optokinetic (Schairer, J.O.) **373,** 164

Vestibulo-ocular reflex; Optokinetic reflex; Eye movement; Goldfish; Vestibulo-ocular reflex gain (Schairer, J.O.) **373,** 177

Odor
Trigeminal receptor; Olfactory receptor; Smell; Alcohol; Chemoreception (Silver, W.L.) **376,** 221

Odor imprinting
Olfactory bulb development; Olfactory granule cell; Ferret (Rehn, B.) **373,** 114

Odor response map
Septal organ; Organ of Masera; Electroolfactogram; Olfactory epithelium; Olfactory receptor; Mammalian nasochemoreception (Marshall, D.A.) **366,** 329

Old-World monkey
Retinal ganglion cell; Ganglion cell dendritic orientation; Human visual orientation perception; Orientation specificity (Schall, J.D.) **368,** 18

Oleate
Protein kinase C; Long-term potentiation; Hippocampus (Linden, D.J.) **379,** 358

Olfaction
Electrophysiology; Salamander; Supporting cell; Intracellular recording (Trotier, D.) **374,** 205

Receptor, prostaglandin D_2-; Olfactory bulb neuron; Dendrodendritic synapse (Watanabe, Y.) **378,** 216

Cell renewal; Chemoreceptor cell; Thymidine; Autoradiography; Gastropod mollusc (Chase, R.) **384,** 232

Olfactory bulb
Vasoactive intestinal peptide; Neuropeptide Y; Neuropeptide; Immunocytochemistry (Gall, C.) **374,** 389

Frontal cortex; Insular cortex; Olfactory cortex; Piriform cortex; Endopiriform nucleus; Solitary nucleus; Periaqueductal gray; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

α-Adrenoceptor; β-Adrenoceptor; Cyclic adenosine monophosphate; Central nervous system; α-Potentiation effect (Stone, E.A.) **384,** 401

D-2-Amino-5-phosphonovaleric acid; Brain dialysis; Kynurenate; In vivo (Jacobson, I.) **386,** 389

Pilocarpine seizure; Anticonvulsant (Millan, M.H.) **398,** 204

Olfactory bulb development
Early experience; Neural plasticity; 2-Deoxyglucose; Norway rats (Coopersmith, R.) **371,** 400

Olfactory granule cell; Odour imprinting; Ferret (Rehn, B.) **373,** 114

Olfactory bulb neuron
Receptor, prostaglandin D_2-; Olfaction; Dendrodendritic synapse (Watanabe, Y.) **378,** 216

Olfactory bulbectomy
Short photoperiod; Anestrus (Pieper, D.R.) **380,** 54

Olfactory cell line
Differentiation; Dibutyryl cyclic monophosphate; 12-*O*-Tetradecanoylphorbol-13-acetate; Benzodiazepine; Ro5-4864 (Goldstein, N.I.) **370,** 205

Olfactory cilia
Sensory neuron; Glycoprotein immunofluorescence; Immunoblotting; Lectin; Cytoskeletal protein; Tubulin (Chen, Z.) **368,** 329

Olfactory cortex
Glutamate; Aspartate; Prepyriform cortex; Amino acid receptor; Desensitization; Brain slice (Braitman, D.J.) **364,** 199

Excitatory amino acid; Receptor (Collins, G.G.S.) **371,** 9

Frontal cortex; Insular cortex; Piriform cortex; Endopiriform nucleus; Solitary nucleus; Olfactory bulb; Periaqueductal gray; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

Olfactory epithelium
Septal organ; Organ of Masera; Electroolfactogram; Olfactory receptor; Odor response map; Mammalian nasochemoreception (Marshall, D.A.) **366,** 329

Olfactory granule cell
Olfactory bulb development; Odour imprinting; Ferret (Rehn, B.) **373,** 114

Olfactory receptor
Septal organ; Organ of Masera; Electroolfactogram; Olfactory epithelium; Odor response map; Mammalian nasochemoreception (Marshall, D.A.) **366,** 329

Trigeminal receptor; Smell; Alcohol; Odor; Chemoreception (Silver, W.L.) **376,** 221

Olfactory receptor cell
Electrophysiology; Mouse (Sicard, G.) **397,** 405

Olfactory system
Gonadotropin-releasing hormone; Nervus terminalis; Immunohistochemistry; Retrograde transport; Mouse (Jennes, L.) **386,** 351

Olfactory tubercle
Δ^9-Tetrahydrocannabinol; Cocaine; Dopamine; Homovanillic acid; Prefrontal cortex (Bowers, M.B.) **366,** 405

Oligodendrocyte
Iodothyronine; Thyroxine; Triiodothyronine; Deiodinase; Astrocyte; Neuroglia (Cavalieri, R.R.) **364,** 382

Transferrin; Neuroglia; Immunohistochemistry; Iron; Myelin (Connor, J.R.) **368,** 319

γ-Aminobutyric acid; D-Aspartate; Amino acid uptake; Astrocyte; Tissue culture; Autoradiography; Immunocytochemistry (Reynolds, R.) **371,** 253

Transplantation; Myelination; Shiverer mutant mouse; Myelin basic protein; Major dense line (Kohsaka, S.) **372,** 137

Olivocerebellar fiber
Cerebellum; Inferior olive; Lobule IV; Lobule V; Squirrel monkey; Horseradish peroxidase (Whitworth, R.H.) **372,** 55

Cerebello-olivary fiber; Interposed nucleus; Wheat germ agglutinin-horseradish peroxidase; Implantation technique (Dietrichs, E.) **373,** 373

Olivocochlear
γ-Aminobutyric acid; Immunocytochemistry; Cochlea; Efferent neuron; Video enhanced microscopy (Fex, J.) **366,** 106

Olivocochlear bundle
γ-Aminobutyric acid; Cochlear efferent; Primate (Thompson, G.C.) **372,** 72

Olivocochlear efferent system
Nipecotic acid; γ-Aminobutyric acid; Amino acid uptake; Retrograde transport (Ryan, A.F.) **399,** 399

Ontogenesis
Serotonin binding site; Serotonin-1c receptor; Choroid plexus (Zilles, K.) **380,** 201

Primary culture; Astrocyte; Neuron; Nuclear T_3 receptor (Luo, M.) **381,** 27

Ontogeny
Vasoactive intestinal polypeptide; Somatostatin; Substance P; Cerebral cortex; Primate (Hayashi, M.) **364,** 360

Onuf's nucleus
Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Open channel blocker
Glutamate; Glutamate inhibitor; Crayfish neuromuscular junction (Shinozaki, H.) **372,** 260

Open-field
Rat; γ-Aminobutyric acid; Picrotoxin; Intracerebral microinjection; Periaqueductal gray matter; Aggressive behavior; Defense; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Neurotensin; Neuropeptide; Locomotor activity (Elliott, P.J.) **381,** 259

Serotonin; Dopamine; Stress; Depression; Behaviour; 5-Methoxy-*N,N*-dimethyltryptamine; Sex difference (Kennett, G.A.) **382,** 416

Opiate
Pain; Noxious heat; Dorsal horn; Perceived intensity (Oliveras, J.-L.) **371,** 368

Axonal transport; Receptor; Muscarinic; Diabetes; Streptozocin (Laduron, P.M.) **380,** 359

Pain; Hypoalgesia; Periaqueductal gray; Trigeminal nucleus; Morphine; Analgesia (Kasman, G.S.) **383,** 271

Catatonia; Methylnaloxonium; Alfentanil; Rat; Caudate nucleus; Nucleus raphe pontis (Amalric, M.) **386,** 287

Chronic naltrexone; Cerebral blood flow; Regional cerebral oxygen consumption (Buchweitz, E.) **397,** 308

κ-Opiate
Nucleus accumbens; Locomotion; Dopamine; Deoxyglucose; Local cerebral glucose utilization (Beck, T.) **381,** 327

Opiate antagonist
Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; MIF-1; Naloxone; Analgesia; Activity; Stress; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Analgesia; Activity; Magnetic field; Morphine; Morphine-induced analgesia; Calcium ion (Kavaliers, M.) **379,** 30

Opiate binding
Stroke; $Dynorphin_{1-13}$; Dopamine; γ-Aminobutyric acid (Kuroda, H.) **379,** 68

δ-Opiate ligand
Brain thyrotropin-releasing hormone receptors; [^{3}H-3-MeHis^2]TRH; Interactions; μ-Opiate ligand; κ-Opiate ligand; σ-Opiate ligand (Bhargava, H.N.) **368,** 262

κ-Opiate ligand
Brain thyrotropin-releasing hormone receptors; [^{3}H-3-MeHis^2]TRH; Interactions; μ-Opiate ligand; δ-Opiate ligand; σ-Opiate ligand (Bhargava, H.N.) **368,** 262

μ-Opiate ligand
Brain thyrotropin-releasing hormone receptors; [^{3}H-3-MeHis^2]TRH; Interactions; δ-Opiate ligand; κ-Opiate ligand; σ-Opiate ligand (Bhargava, H.N.) **368,** 262

σ-Opiate ligand
Brain thyrotropin-releasing hormone receptors; [^{3}H-3-MeHis^2]TRH; Interactions; μ-Opiate ligand; δ-Opiate ligand; κ-Opiate ligand (Bhargava, H.N.) **368,** 262

Opiate receptor
Microinjection; Spinal reflex; Periaqueductal gray; Medulla; Raphe magnus; Analgesia (Jensen, T.S.) **363,** 99

Neostriatum; Cerebral cortex; Striatal heterogeneity; Corticostriatal projection (Donoghue, J.P.) **365,** 397

Electroconvulsive shock; Antinociception; Spinopetal pathway; Noradrenaline; Serotonin (Furui, T.) **367,** 162

Dynorphin; Substantia nigra; Basal ganglion (Lavin, A.) **369,** 298

Dehydration; Autoradiography; Trigeminal system; Solitary nucleus (Hwang, B.H.) **371,** 345

Adenylate cyclase; α_2-Adrenoceptor; Hyperpolarization; Locus coeruleus; Noradrenergic neuron; Pertussis toxin (Aghajanian, G.K.) **371,** 390

Opioid peptide; Morphine; Ethanol; Analgesia; Fetal ethanol exposure; Prenatal ethanol exposure (Nelson, L.R.) **372,** 234

Mu opioid receptor ligand; Delta opioid receptor ligand; Periaqueductal gray; Medullary reticular formation; Antinociception (Jensen, T.S.) **372,** 301

Autoradiography; μ-Receptor; δ-Receptor; Telencephalon; Diencephalon (McLean, S.) **378,** 49

Restraint stress; Morphine; Naloxone; Rat brain; Etorphine radioligand binding assay; Receptor down-regulation (Hnatowich, M.R.) **380,** 107

Exercise; Blood pressure control; Spinal cord; Muscle afferent (Pomeroy, G.) **381,** 385

δ-Opiate receptor
μ Opiate receptor; Nociceptive threshold; Intracerebral injection; Seizure activity; Thalamus; Catalepsy (Walker, G.E.) **383,** 1

μ-Opiate receptor
δ Opiate receptor; Nociceptive threshold; Intracerebral injection; Seizure activity; Thalamus; Catalepsy (Walker, G.E.) **383,** 1

Opioid
Seizure; Footshock; Analgesia; Electroconvulsive shock; Mouse (Pavone, F.) **366,** 326

Stress analgesia; Tolerance; Cross-tolerance; Non-opioid; Morphine (Terman, G.W.) **368,** 101

Naloxone; Pimozide; Feeding; Eating (Wise, R.A.) **368,** 62

Stress analgesia; Cold water swim; Naltrexone; Non-opioid (Terman, G.W.) **372,** 167

Naloxone; Pimozide; Feeding; Eating; Hypothalamus (Jenck, F.) **375,** 331

Capsaicin; Morphine; Spinal cord; Substance P; Withdrawal (Bell, J.A.) **382,** 299

Met-enkephalin; Neuropeptide; Radioimmunoassay; Insect; Nervous system (Davenport, A.P.) **383,** 319

Lateral reticular nucleus; Antinociception; Descending inhibition; Tail flick reflex; Hot plate test; Cholinergic; α-Adrenergic (Ossipov, M.H.) **384,** 282

Motivation; Food intake; Water intake; Morphine; Accumbens; Ventral tegmental area; Microinjection (Mucha, R.F.) **397,** 214

Conditioned suppression of motility; Dopamine; Stress; Mouse (Nabeshima, T.) **398,** 354

Enkephalin; Hippocampus; Dentate gyrus; Field potential; Population spike; Perforant path (Wiesner, J.B.) **399,** 404

σ-Opioid
Phencyclidine; Thienyl-phencyclidine; Multiple binding site; Autoradiographic localization; Biochemical regionalization; Cerebellum (Vignon, J.) **378,** 133

Opioid analgesia
Arcuate nucleus; β-Endorphin; Lesion; Naltrexone; Non-opioid analgesia; Stress-induced analgesia; Time-dependent (Kelsey, J.E.) **382,** 278

Opioid binding
Dihydromorphine; Hibernation; Euthermia; Hippocampus; Cortex; Autoradiography; Ground squirrel

(Beckman, A.L.) **386,** 223

Opioid peptide
Metorphamide; Adrenal medulla; Chromaffin cell; Coexistence; Secretion (Marley, P.D.) **363,** 10

Food intake; Naloxone; Dynorphin A; Enkephalin, D-Ala^2,D-Leu^5; β-Endorphin; Localization; Paraventricular nucleus (Gosnell, B.A.) **369,** 177

Basal ganglion; Huntington's disease; Immunocytochemistry; Postmortem human brain; Radioimmunoassay (Dawbarn, D.) **372,** 155

Opiate receptor; Morphine; Ethanol; Analgesia; Fetal ethanol exposure; Prenatal ethanol exposure (Nelson, L.R.) **372,** 234

Stress; Morphine; Natural killer cell; Tolerance; Cross-tolerance (Shavit, Y.) **372,** 382

Cerebral dopaminergic transmission; Stria medullaris; Habenular nucleus; Fasciculus retroflexus; Raphe nucleus; Acetylcholine; Substance P (Nishikawa, T.) **373,** 324

Leumorphin (dynorphin B-29); Dynorphin (dynorphin A); β-Endorphin; Hypothalamus; Multiple opioid receptor; Sexual behavior (lordosis); Estrous cycle (Suda, M.) **374,** 236

Stress; Restraint; Analgesia; Body temperature; Stress-induced change (Appelbaum, B.D.) **377,** 330

Prodynorphin system; Proenkephalin system; Dynorphin A_{1-8}; Met-enkephalin-Arg^6-Gly^7-Leu^8; Human brain; Basal ganglia; Huntington's disease (Seizinger, B.R.) **378,** 405

Oxytocin; Vasopressin; Pregnancy; Parturition (Hartman, R.D.) **382,** 352

Glucocorticoid; Corticosterone; Hippocampus; Brain slice; Population spike; γ-Aminobutyric acid (Vidal, C.) **383,** 54

Neural transplant; Adrenal medulla; Chromaffin cell; Analgesia; Nociception (Sagen, J.) **384,** 189

Cerebral blood flow; Cerebral blood volume; Cerebral blood flow autoregulation; β-Endorphin; Naloxone (Sándor, P.) **386,** 122

Preoptic area; Sexual dimorphism; Gonadal steroid (Watson, R.E.) **398,** 157

Opioid receptor
Seizure; Gerbil; Autoradiography; Epilepsy (Lee, R.J.) **380,** 76

Neurohypophysis; Autoradiography; Kappa; Dynorphin (Herkenham, M.) **382,** 365

Food deprivation; Dynorphin A_{1-8}; Zucker rat (Tsujii, S.) **399,** 200

Opioid receptor, expression in neuroblastoma line
Delta opioid binding site; D-Ala-D-Leu-enkephalin; Human neuroblastoma cell; IMR-32, NMB, SK-N-SH neuroblastoma line (Hochhaus, G.) **382,** 327

Opioid tolerance
Cyclic adenosine monophosphate; Adenylate cyclase; Spinal cord culture; Dorsal-horn network (Crain, S.M.) **370,** 61

Chronic stress; Analgesia; Locomotor activity; Mice (Puglisi-Allegra, S.) **380,** 357

Arthritic rat (Kayser, V.) **383,** 392

δ-Opioid receptor
μ-Opioid receptor; κ-Opioid receptor; Autoradiography; Tyr-D-Ala-Gly-MePhe-Gly-ol; 2-D-Penicillamine-5-D-penicillamine-enkephalin; Bremazocine (Mansour, A.) **399,** 69

κ-Opioid receptor
μ-Opioid receptor; δ-Opioid receptor; Autoradiography; Tyr-D-Ala-Gly-MePhe-Gly-ol; 2-D-Penicillamine-5-D-penicillamine-enkephalin; Bremazocine (Mansour, A.) **399,** 69

μ-Opioid receptor
δ-Opioid receptor; κ-Opioid receptor; Autoradiography; Tyr-D-Ala-Gly-MePhe-Gly-ol; 2-D-Penicillamine-5-D-penicillamine-enkephalin; Bremazocine (Mansour, A.) **399,** 69

Optic chiasm latency
Cat; X-cell; Y-cell; Retinogeniculate system; Conduction velocity; Perisynaptic delay; Synchrony (Schroeder, C.E.) **381,** 143

Optic lobe
Insect; Color vision; Medulla; Interneuron; Color-opponency (Ichikawa, T.) **397,** 381

Optic nerve
β,β′-Iminodipropionitrile; Axonal transport; Neurofilament protein; Tubulin; Microtubule associated protein (Parhad, I.M.) **363,** 315

Peripheral; Autonomic; Adrenergic; Vasa nervorum; Nervi nervorum (Dhital, K.) **367,** 39

Inferior olive; Pretectum; Dorsal cap; Nucleus β; Medial accessory olive; Rat (Akaike, T.) **368,** 183

Gliogenesis; Axon; Mitotic inhibitor; Myelination; Development (Black, J.A.) **380,** 122

4-Aminopyridine; Action potential repolarization; Potassium channel (Kocsis, J.D.) **383,** 357

Axonal transport; Demyelination; Semliki Forest Virus; Virus infection (Tansey, E.M.) **397,** 9

Optic nerve regeneration
Cholinergic; Retinotectal; Choline acetyltransferase; Goldfish (Ross, C.D.) **373,** 49

Optic tectum
Radial glia; Cell birth; In vitro; Thymidine autoradiography; Goldfish (Henken, D.B.) **364,** 186

α-Bungarotoxin; Acetylcholine receptor; Nicotinic receptor; Cholinergic receptor; Retinotectal projection (Henley, J.M.) **364,** 405

Synaptic transmission; Excitatory postsynaptic potential; Retinal afferen (Leresche, N.) **365,** 138

Tongue-muscle motoneuron; Hypoglossal motoneuron; Glossopharyngeal nerve; Excitatory interneuron; Prey-catching behavior; Rejecting behavior; Toad (Matsushima, T.) **365,** 198

Inhibitory postsynaptic potential; Synaptic organization; Retinal afferent (Leresche, N.) **365,** 383

Choline acetyltransferase; Enucleation Goldfish; Immunocytochemistry; Interneuron; Type XIV cell (Tumosa, N.) **370,** 365

Colchicine; Axonal transport; Axonal competition; Lumicolchicine; Classical conditioning; Optic tectum; Synaptogenesis; Goldfish (Schlumpf, B.E.) **386,** 305

Nucleus pretectalis superficialis; Nucleus intermedius; Fiber connection Horseradish peroxidase; Fish; Homology (Murakami, T.) **373,** 213

Colchicine; Axonal transport; Axonal competition; Lumicolchicine; Classical conditioning; Optic nerve regeneration Synaptogenesis; Goldfish (Schlumpf, B.E.) **386,** 305

Optic tract
Diencephalon; Horseradish peroxidase histochemistry; *Ictalurus punctatus*; Retinal topography (Fraley, S.M.) **385,** 179

Optokinetic
Adaptive gain control; Vestibulo-ocula reflex; Oculomotor system; Goldfish (Schairer, J.O.) **373,** 164

Optokinetic nystagmus
Nucleus of the optic tract; Monkey (Kato, I.) **364,** 12

Eye movement; Scotopic vision; Central scotoma; Fovea; Peripheral retina (Van Die, G.C.) **383,** 185

Optokinetic reflex
Vestibulo-ocular reflex; Vestibulo-ocular reflex plasticity (Harrison, R.E.W.) **371,** 162

Vestibulo-ocular reflex; Eye movement; Goldfish; Vestibulo-ocular reflex gain; Oculomotor system (Schairer, J.O.) **373,** 177

Orbicularis oculi muscle
Facial nucleus; Blink reflex; Emotional facial innervation; Voluntary facial innervation; Medullary lateral tegmental field; Pretectum; Red nucleus (Holstege, G.) **374,** 306

Organ culture
Suprachiasmatic nucleus; Circadian oscillator; Vasopressin (Earnest, D.J.) **382,** 129

Organ of Masera
Septal organ; Electroolfactogram; Olfactory epithelium; Olfactory receptor; Odor response map; Mammalian nasochemoreception (Marshall, D.A.) **366,** 329

Organelle transport
Axoplasm; Axoplasmic transport; Mauthner neuron; Axon; Goldfish (Koenig, E.) **398,** 288

Organization
Trigeminal nucleus; Face-rub response; Nociception; Arousal; Syringobulbia (Broton, J.G.) **397,** 1

Organolead
Triethyl lead; Dopamine; Amphetamine; Apomorphine; Locomotor activity (Walsh, T.J.) **363,** 222

Organophosphate
Compound action potential; Muscle contraction; Neomycin (Bradley, R.J.) **381,** 397

Organotypic culture
Serotonin; Visual cortex; Development; Synaptogenesis; Electrical activity; Rat (Chubakov, A.R.) **369,** 285

Hippocampus; Rat; Neuronal connection; Axonal tracing; Horseradish peroxidase; Detergent; Neuroanatomical method (Keller, F.) **380,** 191

Organotypic explant
Hyperexcitability; Hippocampal explant; Hippocampal stimulation (Fowler, J.) **378,** 398

Organum vasculosum of the lamina terminalis
Receptor; Autoradiography; Angiotensin II; Subfornical organ; Medulla; Hypothalamus (McKinley, M.J.) **375,** 373

Orientation specificity
Old-World monkey; Retinal ganglion cell; Ganglion cell dendritic orientation; Human visual orientation perception (Schall, J.D.) **368,** 18

Ornithine decarboxylase
Calcium; D-Aspartate; γ-Aminobutyric acid; Difluoromethylornithine; Synaptosomal fraction (Bondy, S.C.) **371,** 96

Hypoxia; Brain development; Norepinephrine uptake; Protein synthesis (Slotkin, T.A.) **374,** 63

Difluoromethylornithine; Chlordecone; p,p'-DDT; Tremor; Neuronal adaptation (Tilson, H.A.) **379,** 147

Polyamine; Axonal transport; Regeneration (Kanje, M.) **381,** 24

Orofacial pain
Spinal trigeminal complex; Lesion; Rat; Hypoalgesia; Intranuclear projection (Pickoff-Matuk, J.F.) **382,** 291

Oscillation
Leech; Motor neuron; Inhibition; Membrane potential; Neuron ablation; Photoinactivation (Granzow, B.) **369,** 321

Osmium
Crayfish; Ethyl gallate; Nervous system; Silver impregnation (Leise, E.M.) **367,** 265

Osmotic minipump
Thyrotrophin-releasing hormone; Thyrotrophin-releasing hormone analogue, CG 3509; Antibody infusion (i.c.v.); Pentobarbital anaesthesia (Lighton, C.) **378,** 385

Otolith organ
Vestibular afferent; Innervation pattern; Bullfrog; Lucifer yellow (Baird, R.A.) **369,** 48

Ouabain
Astrocyte; Coupling ratio; Furosemide; Glial cell; Sodium-potassium pump; Potassium homeostasis; Sodium ion (Walz, W.) **368,** 226

Ovariectomy
β-Adrenoceptor; Cerebral cortex; Hypothalamus; Rhinencephalon; Estrous cycle (Bedran De Castro, J.C.) **384,** 11

Cholecystokinin binding; Paraventricular nucleus; Supraoptic nucleus (Akesson, T.R.) **385,** 165

Oxidative enzyme
Motoneuron; Spinal cord; Soma size; Histochemistry; Succinate dehydrogenase; Stimulation (chronic); Spinalization (hemi-) (Donselaar, Y.) **385,** 22

Oxotremorine
Muscarinic receptor; Acetylcholine release; Aged rat; Striatum; Hippocampus; Cortex (Consolo, S.) **374,** 212

Oxygen
Oxygen at high pressure; Inhibitory transmission; γ-Aminobutyric acid; Transmitter release (Colton, C.A.) **364,** 151

Oxygen at high pressure
Oxygen; Inhibitory transmission; γ-Aminobutyric acid; Transmitter release (Colton, C.A.) **364,** 151

Oxygen delivery to tissue
Mitochondrial function; Dinitrophenol; Bioenergetics; Phosphorus nuclear magnetic resonance; Isolated perfused head (Kariman, K.) **366,** 300

Oxygen supplementation
Experimental diabetic neuropathy; Endoneurial hypoxia; Endoneurial lipid biosynthesis (Yao, J.K.) **362,** 362

Oxygen tension
Cerebral cortex; ELISA; Immunohistochemistry; In vitro; Neurofilament monoclonal antibody; Regeneration; Tissue culture (Kaplan, F.S.) **384,** 199

Oxytocin
Novelty-induced grooming; Haloperidol; Naloxone; Peripheral administration (Drago, F.) **368,** 287

Vasopressin; Septal nucleus; Hippocampus; Amygdala; Locus coeruleus; Bed nucleus of the stria terminalis (Fliers, E.) **375,** 363

Vasopressin; Behavioral performance; Radioimmunoassay; Septum/striatum; Hippocampus (Ermisch, A.) **379,** 24

α-Melanocyte-stimulating hormone; Immunocytochemistry; Binding site; Brattleboro rat; Accurel (Ravid, R.) **379,** 404

Vasopressin; Opioid peptide; Pregnancy; Parturition (Hartman, R.D.) **382,** 352

Ion channel; Vasopressin; Hormone secretion; Rat neurohypophysis; Patch clamp (Mason, W.T.) **383,** 279

Ibotenic acid; Magnocellular neuron; Paraventricular nucleus; Parvicellular neuron; Vasopressin (Herman, J.P.) **383,** 367

Vasopressin; Hippocampus; Phosphorylation (Hinko, A.) **384,** 156

Fever; Pyrogen; Arginine vasopressin; Ventral septal area; Endogenous antipyresis (Naylor, A.M.) **385,** 156

Vasopressin; Paraventricular nucleus; Hippocampus; Yawning; Penile erection (Melis, M.R.) **398,** 259

Vasopressin; Lateral septum; Bed nucleus of the stria terminalis; Paraventricular nucleus; Estrogen; Androgen; Testosterone (De Vries, G.J.) **399,** 296

P

Pacinian corpuscle
Glans penis; Sensory innervation; Pain; Free nerve ending; Genital end bulb; Simple corpuscle; Ruffini corpuscle (Halata, Z.) **371,** 205

Pain
Tonic; Rat; Analgesic test; Capsaicin; Morphine (Otsuki, T.) **365,** 235

Naloxone; Analgesia; Placebo (Levine, J.D.) **365,** 377

Morphine; Analgesia; Regional cerebral metabolism; Deoxyglucose; Autoradiography (Levy, R.M.) **368,** 170

Nucleus cuneiformis; Acetylcholine (Behbehani, M.M.) **369,** 110

Norepinephrine; A5 nucleus; Analgesia; Lesion; Brainstem; Spinal cord (Sagen, J.) **370,** 93

Arthritic rat; Writhing behavior; Endogenous opioid system; Counter irritation (Calvino, B.) **370,** 191

Glans penis; Sensory innervation; Free nerve ending; Genital end bulb; Simple corpuscle; Pacinian corpuscle; Ruffini corpuscle (Halata, Z.) **371,** 205

Periaqueductal gray stimulation; Naloxone; Analgesic brain stimulation (Baskin, D.S.) **371,** 231

Opiate; Noxious heat; Dorsal horn; Perceived intensity (Oliveras, J.-L.) **371,** 368

Antinociception; Cholinergic neuron; Noradrenergic neuron; Nucleus raphe magnus; Spinal cord (Brodie, M.S.) **371,** 70

Pregnancy; Endogenous analgesia; Endogenous opioid (Dahl, J.L.) **373,** 316

Hyperalgesia; Analgesia; Prostaglandin; Non-steroidal anti-inflammatory agent; Central nervous system (Taiwo, Y.O.) **373,** 81

Norepinephrine; Uric acid; High-pressure liquid chromatography with electrochemical detection; Spinal cord; Arthritic rat (Weil-Fugazza, J.) **374,** 190

Nociceptive neuron; Dorsal horn; Noxious heat; Stimulus detection (Maixner, W.) **374,** 385

Analgesia; Medial thalamus; Periaqueductal gray; Cerebral cortex; Intracellular recording (Andersen, E.) **375,** 30

Morphine analgesia; Dorsal horn convergent neuron; Bulbo-spinal control; Dorsolateral funiculus (Chitour, D.) **377,** 397

Morphine; Inhibitory control; Counter-irritation (Kraus, E.) **379,** 151

Descending inhibition; Stimulation-produced analgesia; Brainstem; Spinal cord; Noradrenaline; Glycine (García-Arrarás, J.E.) **379,** 188

Tooth pulp; Jaw-opening reflex; Raphe magnus; Periaqueductal gray region (Mason, P.) **379,** 232

Dura; Blood vessel; Trigeminal nucleus; Periaqueductal gray region; Electrophysiology (Strassman, A.) **379,** 242

Glutamate; Nociceptive primary afferent fiber; Dorsal horn (Schouenborg, J.) **379,** 394

Opiate; Hypoalgesia; Periaqueductal gray; Trigeminal nucleus; Morphine; Analgesia (Kasman, G.S.) **383,** 271

Spinoreticular tract; Ventral lateral funiculus; Cordotomy; Horseradish peroxidase (Nahin, R.L.) **384,** 367

Glucose utilization; Spinal cord; Noxious stimulation; 2-Deoxyglucose (Abram, S.E.) **385,** 143

Analgesic; Capsaicin; Mouse; Scratch; Spinal cord; Substance P; Substance P antagonist (Piercey, M.F.) **385,** 74

Cutaneous afferent C-fiber; Nociception; Primary somatosensory cortex (Schouenborg, J.) **397,** 86

Lissauer's tract; Aδ primary afferent; C-fiber primary afferent; Spinal cord (Traub, R.J.) **399,** 185

Pain pathway
Noxious test; Vocalization; Anterolateral quadrant; Spinal cord (Peschanski, M.) **376,** 164

Pain stress
Glutamate; Aspartate; Cerebral cortex; Hypothalamic nucleus; Brainstem nucleus; Amphetamine (Palkovits, M.) **373,** 252

Pain threshold
Arthritic rat; Morphine tolerance; Naloxone (Kayser, V.) **371,** 37

Paired helical filament
Isolation; Solubility; Alzheimer disease/senile dementia of the Alzheimer type; Polyacrylamide gel electrophoresis; Immunoblot (Rubenstein, R.) **372,** 80

Paired-pulse
Facilitation; Depression; Entorhinal cortex; Septum; Dentate gyrus (Robinson, G.B.) **379,** 63

Paleospinothalamic tract
Fluorescent double label; Spinothalamic collateral; Periaqueductal gray; Intralaminar thalamic nucleus; Spinal projection neuron; Intermediate gray; Nucleus of dorsolateral funiculus (Liu, R.P.C.) **365,** 145

Pallial nerve
Octopus; Central connection; Horseradish peroxidase nerve staining; Cobalt nerve staining (Saidel, W.M.) **374,** 30

Pallidal pathway
Calcineurin; Immunohistochemistry; Enzyme immunoassay; Cerebral hemitransection; Striatonigral pathway (Goto, S.) **397,** 161

Pallidal segment
Basal ganglion; Dendrite; Morphometry; Golgi method (Dvergsten, C.L.) **375,** 395

Pallidum
Thalamus; Cortex; Cerebellum; Intracellular recording; Identified neuron; Horseradish peroxidase (Gazzara, R.A.) **397,** 225

Papio papio
Epilepsy; γ-Aminobutyric acid; Photosensitivity; Cerebrospinal fluid; Taurine; Amino acid; Monoamine (Lloyd, K.G.) **363,** 390

Parabigeminal
Pretectum; Superior colliculus; Lateral geniculate nucleus (Harting, J.K.) **366,** 358

Parabrachial nucleus
Vasopressin; Locus coeruleus; Blood pressure; Pons; Brainstem (Sved, A.F.) **369,** 143

Paracellular pathway
Endoneurial capillary; Sciatic nerve; Sucrose; Permeability; Blood–nerve barrier; Frog; Perineurium (Weerasuriya, A.) **375,** 150

Paradoxical sleep
Somatostatin; Cysteamine; Intracerebroventricular infusion (Danguir, J.) **367,** 26

Parallel fiber
Aspartate; Glutamate; Cerebellum; Climbing fiber; Neurotransmitter release; Mass fragmentography (Sekiguchi, M.) **378,** 174

Parallel pathway
Lateral geniculate nucleus; Interlaminar zone; Primate vision; W-like pathway (Irvin, G.E.) **362,** 254

Paramagnetic resonance
Synaptic plasma membrane; Phase transition; Fluidity; Epilepsy (Nelson, L.) **386,** 32

Parametric
Selective lesion; Cobalt; Fiber-of-passage; Reversible inactivation; Lateral geniculate nucleus (Lee, C.) **364,** 396

Paranodal demyelination
Axonal swelling; Ephaptic transmission; Glial cell; β,β′-Iminodipropionitrile; Motoneuron

Neurofilament; Synapse (Gold, B.G.) **362,** 205

Paraplegia
Central nervous system transplant; Vasoactive intestinal polypeptide neuron; Regeneration; Immunohistochemistry (Connor, J.R.) **367,** 214

Central nervous system transplant; Spinal cord; Somatostatin; Regeneration; Immunohistochemistry (Bernstein, J.J.) **374,** 147

Paraquat
Tyrosine hydroxylation; 1-Methyl-4-phenylpyridinium ion; Pyridinium salt; *N*-Methylisoquinolinium ion; Striatum; Rat (Hirata, Y.) **397,** 341

Parasympathetic ganglion
Calcitonin; Calcitonin gene-related peptide; Calcium-dependent potential (Nohmi, M.) **367,** 346

Parasympathetic nervous system
Baroreflex; Anterior hypothalamic area; Ventromedial nucleus of the hypothalamus; Heart rate (Pardini, B.J.) **384,** 274

Parasympathetic neuron
Noradrenaline; Catecholamine; Autonomic ganglion; Slow-hyperpolarizing synaptic potential; Neurotransmitter; Synaptic transmission (Akasu, T.) **365,** 365

Choline acetyltransferase; Survival; Development; Lung (Wallace, T.L.) **375,** 92

Paraventricular hypothalamus
Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Carbohydrate appetite; Obesity; Stress-induced feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Paraventricular nucleus
Phasic firing; Lucifer yellow CH; Immunocytochemistry; Hypothalamus (Cobbett, P.) **362,** 7

Preoptic area; Hypothalamus; Vasopressin; Water balance (Carithers, J.) **366,** 118

Adrenalectomy; α_1-Noradrenoceptor; α_2-Noradrenoceptor; Hypothalamus; Supraoptic nucleus; Extra-hypothalamic area; Feeding behavior (Jhanwar-Uniyal, M.) **368,** 404

Opioid peptide; Food intake; Naloxone; Dynorphin A; Enkephalin, D-Ala^2,D-Leu^5; β-Endorphin; Localization (Gosnell, B.A.) **369,** 177

Catecholamine; 6-Hydroxydopamine; Plasticity; Synaptogenesis (Hwang, B.H.) **369,** 267

Substance P; Arginine vasopressin; Synapse; Electron microscopic immunocytochemistry; Rat (Heike, Y.) **369,** 341

Suprachiasmatic nucleus; Photoperiodism; Pineal gland; Rhythm (Inouye, S.-I.T.) **370,** 102

Extracellular recording; Hypothalamic slice; Growth hormone releasing factor; Phasic activity (Poulain, P.) **371,** 355

Ventromedial nucleus; Subdivision; Hypothyroidism; Karyometry; Male mouse (Ferres-Torres, R.) **374,** 93

Cardiovascular region; Magnocellular region; Parvocellular region; Baroreflex; Rat (Porter, J.P.) **375,** 20

Flow cytometry; Fluorescence-activated cell sorting; Neurophysin; Supraoptic nucleus (Paden, C.M.) **376,** 310

Neuron caudal ventrolateral medulla; Baroreceptor; Vagus nerve; Clonidine; Electrophysiology; Rat (Kannan, H.) **376,** 342

β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin; Morphine; Plasma catecholamine; Nucleus of the solitary tract; Central sympathetic outflow; Heart rate; Mean arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Lateral hypothalamic area; Subfornical organ; Connection; Angiotensin II; Microiontophoresis; Saralasin; Atropine (Tanaka, J.) **379,** 200

Ibotenic acid; Magnocellular neuron; Oxytocin; Parvicellular neuron; Vasopressin (Herman, J.P.) **383,** 367

Glucose homeostasis; α_2-Receptor binding; Medial hypothalamus; Noradrenergic activity; Feeding (Chafetz, M.D.) **384,** 404

Cholecystokinin binding; Supraoptic nucleus; Ovariectomy (Akesson, T.R.) **385,** 165

Oxytocin; Vasopressin; Hippocampus; Yawning; Penile erection (Melis, M.R.) **398,** 259

Vasopressin; Oxytocin; Lateral septum; Bed nucleus of the stria terminalis; Estrogen; Androgen; Testosterone (De Vries, G.J.) **399,** 296

Pargyline
Footshock; Histamine; Tele-methylhistamine; Histamine turnover; α-Fluoromethylhistidine; Metoprine (Yoshitomi, I.) **362,** 195

$MgCl_2$ neurotoxicity; L-Dihydroxyphenylalanine; Turning behavior (Parenti, M.) **367,** 8

Tryptamine; Tryptophan; Dopamine; Noradrenaline; Substantia nigra; Electrolytic lesion; Striatum; Hypothalamus (Juorio, A.V.) **371,** 385

Genetic hypertension; 5-Hydroxyindoleacetic acid; 5-Hydroxytryptophan; Serotonin; Central cardiovascular control (Koulu, M.) **379,** 257

Serotonin; Monoamine oxidase; Central nervous system; Squid (Youdim, M.B.H.) **381,** 300

Parkinson's disease
Adrenergic receptor; Subcellular fractionation; Locus coeruleus; Cerebral cortex (Cash, R.) **370,** 127

Dopamine; Neurotoxicity; Substantia nigra; Striatum (Ricaurte, G.A.) **376,** 117

Nitrendipine; Dihydropyridine; Calcium channel antagonist; Human brain (Nishino, N.) **377,** 186

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Monkey; Binding site; Monoamine oxidase; Monoamine oxidase inhibitor (Del Zompo, M.) **378,** 320

Lumbar spinal cord; Dopamine; Noradrenaline; Serotonin; Homovanillic acid (Scatton, B.) **380,** 181

Cingulate cortex; Substantia nigra pars compacta; Schizophrenia; Dopamine; Retrograde double-labeling (Takada, M.) **380,** 331

Brain graft; Rat; Human; Cultured neuron (Kamo, H.) **397,** 372

Alzheimer's disease; Dementia; Somatostatin; Human; Cortex (Beal, M.F.) **397,** 386

Parkinsonian akinesia
Motor preparatory process; Reaction time; H-reflex (Chan, C.W.Y.) **386,** 183

Parkinsonism
Dementia; Acetylcholinesterase; Butyrylcholinesterase; Cerebrospinal fluid; Human brain (Ruberg, M.) **362,** 83

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; *N*-Methylphenylpyridine; Dopamine; 3,4 dihydroxyphenylacetic acid; Corpus striatum (Chang, G.D.) **368,** 134

Monkey; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-(1-methylpyrrol-2-yl)-4-piperidinol; DuP 701; Substantia nigra (Wilkening, D.) **368,** 239

Saccade; *N*-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Monkey model (Brooks, B.A.) **383,** 402

Partial fimbrial lesion
Cholinergic neuron; Septohippocampal pathway; Hippocampus; Recovery of cholinergic enzyme; Compensatory collateral sprouting; Homotypic reinnervation; Adult rat (Gasser, U.E.) **367,** 368

Partially denervated hippocampus
GM_1 ganglioside; Cholinergic system;

Serotoninergic system; Recovery (Gradkowska, M.) **375,** 417

Parturition
Straining reflex centre; Defecation; Micturition; Kölliker–Fuse nucleus (Fukuda, H.) **380,** 287

Oxytocin; Vasopressin; Opioid peptide; Pregnancy (Hartman, R.D.) **382,** 352

Parvicellular neuron
Ibotenic acid; Magnocellular neuron; Oxytocin; Paraventricular nucleus; Vasopressin (Herman, J.P.) **383,** 367

Parvicellular region
Red nucleus; Magnocellular region; Wheatgerm agglutinin horseradish peroxidase (Kennedy, P.R.) **364,** 124

Parvocellular paraventricular nucleus
Corticotropin releasing hormone neuron; Vasopressin neuron; Ventral noradrenergic ascending bundle; 6-Hydroxydopamine; Rat (Alonso, G.) **397,** 297

Parvocellular region
Paraventricular nucleus; Cardiovascular region; Magnocellular region; Baroreflex; Rat (Porter, J.P.) **375,** 20

Passive avoidance
Cysteamine; Somatostatin; Locomotor activity; Rat (Bakhit, C.) **365,** 159

Passive avoidance behavior
Vasopressin; Active fragment; Limbic structure; Selective effect (Kovács, G.L.) **371,** 17

N-Amino-*N,N*-dimethylaminoethanol; False precursor; Cholinergic false transmitter; Animal model; Cholinergic dysfunction (Newton, M.W.) **373,** 197

Passive head rotation
Man; Vestibulo-ocular reflex inhibition; Eye–head coordination; Gaze position encoding (Pelisson, D.) **380,** 397

Patch
Superior colliculus; Rat; Intralaminar thalamus; Projection neuron; Double labeling; Autoradiography (Yamasaki, D.S.G.) **378,** 223

Patch clamp
Excitatory amino acid; Chick spinal cord neuron; Tissue culture (Vyklický, L.) **363,** 148

Pineal; Electrophysiology; Intracellular recording; Voltage-clamp; Noradrenaline (Freschi, J.E.) **368,** 366

Ion channel; Single channel; Potassium channel; Inward rectification; Horizontal cell (Shingai, R.) **369,** 65

Ion channel; Vasopressin; Oxytocin; Hormone secretion; Rat neurohypophysis (Mason, W.T.) **383,** 279

Neuroblastoma; Nicotinic; Muscarinic; Acetylcholine; Single channel current (Takeda, K.) **398,** 75

Pattern recognition
Global vision; Motion selectivity; Corticotectal; Superior colliculus; Receptive-field; Monkey (Bender, D.B.) **381,** 372

PC12 cell
Chronic depolarization; Voltage-dependent calcium channel (Delorme, E.M.) **397,** 189

Pectoral fin adductor motoneuron
Giant fiber; Mauthner fiber; Gap junction; Lucifer yellow; Hatchetfish (Gilat, E.) **365,** 96

Pectoral muscle
Spinal cord; Motor nucleus; Horseradish peroxidase (Krogh, J.E.) **369,** 331

Pedicle
Development; Spherule; Synaptic ribbon; Extracellular space (Maslim, J.) **373,** 35

Pelvic nerve
Postural change; Reflex straining; Defecation; Micturition (Fukuda, H.) **380,** 276

Pempidine
Neosurugatoxin; Nicotine antinociception; Nicotine binding; Mecamylamine (Yamada, S.) **375,** 360

2-D-Penicillamine-5-D-penicillamine-enkephalin
μ-Opioid receptor; δ-Opioid receptor; κ-Opioid receptor; Autoradiography; Tyr-D-Ala-Gly-MePhe-Gly-ol; Bremazocine (Mansour, A.) **399,** 69

Penicillin
Epilepsy; Magnetoencephalography; Interictal spike; Cellular electrophysiology; Neocortex (Barth, D.S.) **368,** 36

Epileptiform activity; Monocular deprivation; Visual cortex; Kitten (Videen, T.O.) **371,** 1

Epilepsy; Hippocampal slice; Synchrony; Synaptic potential; Burst discharge (Schneiderman, J.H.) **398,** 231

Hippocampal slice; Epilepsy; Electric field (Bawin, S.M.) **399,** 194

Penile erection
Oxytocin; Vasopressin; Paraventricular nucleus; Hippocampus; Yawning (Melis, M.R.) **398,** 259

Pentobarbital
Cerebellum; Cyclic guanosine monophosphate; Locomotor activity; Swimming performance; Behavior (McCaslin, P.P.) **374,** 367

Anesthetic; Excitatory amino acid; Kainate; L-Aspartate; Voltage-dependent block (Miljkovic, Z.) **376,** 396

Septum; θ-Rhythm; Neuronal activity; Anticholinergic drug (Brazhnik, E.S.) **380,** 94

Halothane; Anesthesia; Membrane potential; Hyperpolarization (Whitney, J.F.) **381,** 199

Sex dimorphism; Acetylcholine rhythm; Estrous cycle; Critical period (Egozi, Y.) **383,** 310

Corticotropin-releasing factor; Corticotropin-releasing factor antagonist; Hypothermia (Imaki, T.) **383,** 323

Pentobarbital anaesthesia
Thyrotrophin-releasing hormone; Thyrotrophin-releasing hormone analogue, CG 3509; Antibody infusion (i.c.v.); Osmotic minipump (Lighton, C.) **378,** 385

Pentobarbitone
Nerve membrane; γ-Aminobutyric acid; Chloride permeability (Hydén, H.) **379,** 167

Pentylenetetrazol
Anterior thalamus; Substantia nigra; Maximal electroshock; Generalized seizure (Mirski, M.A.) **397,** 377

Anterior thalamus; Generalized seizure; Muscimol; γ-Vinyl-γ-aminobutyric acid (Mirski, M.A.) **399,** 212

Pentylenetetrazole
Phosphorylation; Bursting activity; Calcium ionophore; Calmodulin; Snail neuron; Seizure; Protein (Onozuka, M.) **362,** 23

Benzodiazepine; Lorazepam; Rat; Mouse; Convulsion; Tolerance; Withdrawal (Lister, R.G.) **379,** 364

Pentylenetetrazole-induced seizure
Differential pulse voltammetry; 3,4-Dihydroxyphenylacetic acid; Freely moving rat; Immobilized rat; Electroencephalogram (Yokoi, I.) **385,** 212

Peptidase
Acetylcholinesterase; Chromogranin; Hydrolysis; Enkephalin generation (Ismael, Z.) **376,** 230

Peptide
Spinal cord; Cardiovascular system; Kidney (Riphagen, C.L.) **374,** 371

Embryology; Evolution; Enkephalin; Immunocytochemistry; Inhibition; Radioimmunoassay; Spinal cord (Maderdrut, J.L.) **377,** 29

Nociceptor; Cornea; Tympanic membrane (Colin, S.) **398,** 199

Cell culture; Adrenergic receptor; Hypertension; Brainstem; Neuron; Neurotransmitter (Miura, M.) **399,** 352

Peptide biosynthesis
Vasopressin; Body fluid balance; Forebrain; Circumventricular organ (Gruber, K.A.) **378,** 115

Peptide feedback
Development; α-Melanotropin; Prolactin; Dopamine neuron; α-Melanotropin antiserum (Lichtensteiger, W.) **368,** 205

Peptide receptor
Corticotropin releasing factor; Adenylate cyclase; Brain (Chen, F.M.) **381,** 49

Peptide, 16K
Pro-opiomelanocortin; β-Endorphin; α-Melanocyte-stimulating hormone; Adrenocorticotrophic hormone; Spinal cord; Descending fiber; Rat (Tsou, K.) **378,** 28

Peptide-monoamine coexistence
Cholecystokinin; Nucleus accumbens; Dopamine release; Depolarization block; In vivo electrochemistry (Lane, R.F.) **397,** 200

Peptidergic neuron
X-organ-sinus gland; Horseradish peroxidase; Intracellular injection; Neurosecretory cell (Nagano, M.) **362,** 379

Perceived intensity
Opiate; Pain; Noxious heat; Dorsal horn (Oliveras, J.-L.) **371,** 368

Percoll
Synaptosome isolation; Biochemical marker; Electron microscopy; Viability (Dunkley, P.R.) **372,** 115

Perforant path
Long-term potentiation; Protein phosphorylation; Protein kinase C; Intact hippocampus; Dentate gyrus; Synaptic plasticity; Protein F_1 (Lovinger, D.M.) **399,** 205

Opioid; Enkephalin; Hippocampus; Dentate gyrus; Field potential; Population spike (Wiesner, J.B.) **399,** 404

Perfusion
Thiamin; Blood–brain barrier; Transport; 2,4-Dinitrophenol (Greenwood, J.) **399,** 148

Periaqueductal gray
Microinjection; Opiate receptor; Spinal reflex; Medulla; Raphe magnus; Analgesia (Jensen, T.S.) **363,** 99

Fluorescent double label; Paleospinothalamic tract; Spinothalamic collateral; Intralaminar thalamic nucleus; Spinal projection neuron; Intermediate gray; Nucleus of dorsolateral funiculus (Liu, R.P.C.) **365,** 145

Nucleus raphe dorsalis; Viscerointercostal reflex; Galvanic skin reflex; Dorsolateral funiculus; Naloxone; Cat (Sonoda, H.) **369,** 91

Opiate receptor; Mu opioid receptor ligand; Delta opioid receptor ligand; Medullary reticular formation; Antinociception (Jensen, T.S.) **372,** 301

Pain; Analgesia; Medial thalamus; Cerebral cortex; Intracellular recording (Andersen, E.) **375,** 30

Nucleus raphe magnus; Tail flick reflex; Rat; Analgesia; Morphine (Cheng, Z.-F.) **375,** 57

Frontal cortex; Insular cortex; Olfactory cortex; Piriform cortex; Endopiriform nucleus; Solitary nucleus; Olfactory bulb; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

Medial hypothalamus; Aversion; Escape; Morphine; Choice; Discrimination (Jenck, F.) **378,** 274

Opiate; Pain; Hypoalgesia; Trigeminal nucleus; Morphine; Analgesia (Kasman, G.S.) **383,** 271

Aversion; Brain stimulation; Escape behavior; Local neuronal circuitry; Mesencephalon; Rat; Unit activity (Sandner, G.) **386,** 53

γ-Aminobutyric acid; Nucleus raphe magnus; Tail-flick test; Analgesia; Rat (Moreau, J.-L.) **397,** 37

Morphine; Feeding; Ventral tegmental area; Lateral hypothalamus (Jenck, F.) **399,** 24

Periaqueductal gray matter
Rat; γ-Aminobutyric acid; Picrotoxin; Intracerebral microinjection; Aggressive behavior; Defense; Open-field; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Periaqueductal gray region
Pain; Tooth pulp; Jaw-opening reflex; Raphe magnus (Mason, P.) **379,** 232

Dura; Blood vessel; Trigeminal nucleus; Pain; Electrophysiology (Strassman, A.) **379,** 242

Periaqueductal gray stimulation
Pain; Naloxone; Analgesic brain stimulation (Baskin, D.S.) **371,** 231

Periaxonal space
Sodium channel; Squid axon; Pyrethroid; Sodium current; Sodium inactivation (De Weille, J.R.) **386,** 169

Perifusion
Periventricular lesion; Growth hormone; Somatostatin; Rat (Kaler, L.W.) **386,** 175

Growth hormone; Prolactin; Somatostatin; Growth hormone-releasing factor; Preoptic-medial basal hypothalamus (Critchlow, V.) **398,** 347

Perineurium
Peripheral nerve; Blood vessel; Capillary; Nerve ischemia; Adrenergic; Neuropathy; Blood–nerve barrier (Rechthand, E.) **374,** 185

Endoneurial capillary; Sciatic nerve; Sucrose; Permeability; Paracellular pathway; Blood–nerve barrier; Frog (Weerasuriya, A.) **375,** 150

Peripheral
Autonomic; Optic-nerve; Adrenergic; Vasa nervorum; Nervi nervorum (Dhital, K.) **367,** 39

Peripheral administration
Oxytocin; Novelty-induced grooming; Haloperidol; Naloxone (Drago, F.) **368,** 287

Peripheral artery
Morphine; Cerebral artery; Vasomotor response; Calcium (Recio, L.) **376,** 262

Peripheral axotomy
Vasoactive intestinal polypeptide; Dorsal root ganglion; Sciatic nerve; Retrograde transport; Fluorescence microscopy; Immunohistochemistry (Shehab, S.A.S.) **376,** 180

Peripheral binding site
Phylogeny; Nitrendipine; Dihydropyridine binding site (Bolger, G.T.) **368,** 351

Peripheral injury
Central plasticity; Nerve repair; Regeneration; Sensory recovery; Somatosensory cortex; Touch (Wall, J.T.) **372,** 400

Peripheral nerve
Demyelination; 4-Aminopyridine; Lysophosphatidylcholine (Targ, E.F.) **363,** 1

Substance P; Axotomy regeneration; Reinnervation (Bisby, M.A.) **365,** 85

Cutaneous mechanoreceptor; Sensory modality (Roberts, W.J.) **370,** 149

Blood vessel; Capillary; Perineurium; Nerve ischemia; Adrenergic; Neuropathy; Blood–nerve barrier (Rechthand, E.) **374,** 185

Neurofilament; Axon specificity; Phosphorylation; Regeneration; Laminin (Bignami, A.) **375,** 73

Beige murine mutant; Receptor, Fc-; Monocyte; Myelin; Silica; Wallerian degeneration (Beuche, W.) **378,** 97

Nerve growth factor; Tropic factor; Neurite-promoting factor; Regeneration; Schwann cell (Windebank, A.J.) **385,** 197

Peripheral nerve implant
Retina repair; Eye lesion (Turner, J.E.) **376,** 246

Peripheral nerve injury
Cell loss; Transganglionic degeneration; Primary sensory neuron (Arvidsson, J.) **373,** 15

Peripheral nerve transection
Primary sensory neuron; Capsaicin (Arvidsson, J.) **397,** 130

Peripheral nervous system graft
Regeneration; Cat (Sceats, D.J.) **362,** 149

Peripheral nervous system nerve transplant
Retina; Central nervous system regeneration; Hamster (So, K.-F.) **377,** 168

Peripheral neuropathy
2,5-Hexanedione; Retrograde axonal transport; Anterograde axonal transport; Sensory nerve; Motor nerve; Distal axonopathy (Brændgaard, H.) **378,** 1

Peripheral neurotoxicology
Motor neuron; Rapid axonal transport; Experimental neuropathy; *p*-Bromophenylacetylurea (Nagata, H.) **385,** 136

Peripheral retina
Optokinetic nystagmus; Eye movement; Scotopic vision; Central scotoma; Fovea (Van Die, G.C.) **383,** 185

Peristimulus time histogram
Spike train analysis; Fourier transform (Schild, D.) **369,** 353

Perisynaptic delay
Cat; X-cell; Y-cell; Retinogeniculate system; Conduction velocity; Optic chiasm latency; Synchrony (Schroeder, C.E.) **381,** 143

Periventricular hypothalamic nucleus
Growth hormone; Electrical stimulation; Basolateral amygdala; Lesion; Stria terminalis (Koibuchi, N.) **382,** 104

Periventricular lesion
Growth hormone; Somatostatin; Perifusion; Rat (Kałer, L.W.) **386,** 175

Periventricular neuron
Noradrenaline; α-Receptor; β-Receptor; Supraoptic neuron (Inenaga, K.) **369,** 37

Permeability
Endoneurial capillary; Sciatic nerve; Sucrose; Paracellular pathway; Blood–nerve barrier; Frog; Perineurium (Weerasuriya, A.) **375,** 150

Blood–brain barrier; Calcium; Transport; Capillary; Cerebrospinal fluid; Brain (Tai, C.-Y.) **385,** 227

Peromyscus
Noradrenaline; Serotonin; Bombesin; Deermouse; Thermoregulation; Hypothalamus (Lin, L.-H.) **364,** 212

Peroxidase–antiperoxidase
Electron microscopy; γ-Aminobutyric acid; Hippocampus; Immunoreactivity (Gamrani, H.) **364,** 30

Double label immunocytochemistry; Colloidal gold; Tyrosine hydroxylase; Glutamic acid decarboxylase; Synaptic interaction; Rhesus hypothalamus (Thind, K.K.) **383,** 215

Peroxidase–anti peroxidase method
Visual cortex; Vasoactive intestinal polypeptide; Adult; Postnatal development; Rabbit (Y Cajal-Agüeras, S.R.) **370,** 333

Calcineurin; Human brain tumor; Rat brain; Neuronal marker; Immunohistochemistry (Goto, S.) **371,** 237

Peroxidation
Iron; Seizure; Tocopherol (Willmore, L.J.) **382,** 422

Persistent slow inward calcium current
Substance P; Spinal dorsal horn neuron; Rat slice (Murase, K.) **365,** 369

***Pertussis* toxin**
Adenylate cyclase; α_2-Adrenoceptor; Hyperpolarization; Locus coeruleus; Opiate receptor; Noradrenergic neuron (Aghajanian, G.K.) **371,** 390

Aging; Cerebral cortex; Adrenoreceptor, α_2-; Guanosine triphosphate binding protein; Adenylate cyclase; Cholera toxin (Nomura, Y.) **379,** 118

Perturbation
Human arm movement; Electromyography (Brown, S.H.) **377,** 311

Pharynx
Calcitonin gene-related peptide; Capsaicin; Epiglottis; Retrograde tracing; Tongue (Terenghi, G.) **365,** 1

Efferent neuron; Afferent neuron; Dog; Horseradish peroxidase (Hudson, L.C.) **374,** 413

Phase shift
Brain slice; Circadian rhythm; Hypothalamus-neuronal oscillator; Single unit; Suprachiasmatic nucleus (Gillette, M.U.) **375,** 176

Phase transition
Synaptic plasma membrane; Fluidity; Paramagnetic resonance; Epilepsy (Nelson, L.) **386,** 32

***Phaseolus vulgaris* leucoagglutinin**
Basal nucleus of Meynert; Cholinergic cell group Ch4; Globus pallidus; Striatum (Grove, E.A.) **367,** 379

Thalamus; Anterograde tracing; Immunohistochemistry; Striatum (Carlsen, J.) **374,** 375

Phasic activity
Extracellular recording; Hypothalamic slice; Growth hormone releasing factor; Paraventricular nucleus (Poulain, P.) **371,** 355

Phasic firing
Lucifer yellow CH; Immunocytochemistry; Hypothalamus; Paraventricular nucleus (Cobbett, P.) **362,** 7

Phe-Met-Arg-Phe-NH_2 (FMRFamide)
Small cardioactive peptide B; Arginine vasotocin; Mollusc; Modulation; Neuromuscular junction; Immunocytochemistry (Richmond, J.E.) **370,** 159

Pro-Leu-Gly-NH_2; MIF-1; Naloxone; Analgesia; Activity; Opiate antagonist; Stress; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Phencyclidine
σ-Agonist; Local cerebral glucose utilization; Schizophrenia (Kozlowski, M.R.) **376,** 190

Thienyl-phencyclidine; σ-Opioid; Multiple binding site; Autoradiographic localization; Biochemical regionalization; Cerebellum (Vignon, J.) **378,** 133

Ethylketocyclazocine; Receptor, β-; Mr 2266; Naltrexone; Stereotyped behavior (Nabeshima, T.) **378,** 234

TCP; Quantitative autoradiography; Receptor binding site; Lesion; Central nervous system; Psychotomimetic (Gundlach, A.L.) **386,** 266

D-Phenmetrazine
Dopamine; Voltammetry; Electrical stimulation; Mazindol; β-Phenylethylamine; Striatum (Stamford, J.A.) **366,** 350

Phenylethanolamine *N*-methyltransferase
Immunochemical titration; Strain difference; Dot blot hybridization; Adrenal gland; Medulla oblongata; Messenger ribonucleic acid (Park, D.H.) **372,** 185

Adrenaline neuron; Locus ceruleus; Neuronal interaction; Noradrenaline neuron; Rat brainstem; Tyrosine hydroxylase (Astier, B.) **397,** 333

2-(4-Phenylpiperidino)cyclohexanol
Miniature endplate potential; Acetylcholine transport inhibitor; Synaptic vesicle; Evoked release; Mouse phrenic nerve (Whitton, P.S.) **385,** 189

Phenytoin
Lamprey; Spinal cord; Axon; Action potential; Frequency dependence; Potassium (Adler, E.M.) **362,** 271

Hemiplegia; γ-Aminobutyric acid; Motor cortex (Brailowsky, S.) **376,** 71

Seizure; Calcium channel blocker; Nimodipine; Dihydropyridine (Meyer, F.B.) **384,** 180

Synaptosome; Acetylcholine release (Pincus, J.H.) **397,** 103

β-Phenylethylamine
Dopamine; Voltammetry; Electrical stimulation; Mazindol; D-Phenmetrazine; Striatum

(Stamford, J.A.) **366,** 350

Pheochromocytoma cell
Monensin; Calcium independent release; Noradrenaline; Quin 2 (Takahashi, M.) **382,** 332

Phorbol ester
Protein kinase C; Synaptic plasticity; Memory (Routtenberg, A.) **378,** 374

Postmortem human brain; Phosphorylation; Phosphatidylserine; Calmodulin (Saitoh, T.) **379,** 196

Protein kinase C; Hippocampus; Phosphatidyl inositol (Zatz, M.) **385,** 174

Sodium–potassium pump; Nerve growth factor; Ciliary neuronotropic factor; Ganglionic neuron (Skaper, S.D.) **386,** 130

Astrocyte; Protein kinase C; Astrocyte culture; Cyclic adenosine monophosphate; Differentiation (Mobley, P.L.) **398,** 366

Phosphate
Amino acid antagonist; *N*-Methyl-D-aspartate (Stone, T.W.) **381,** 195

Phosphatidyl inositol
Protein kinase C; Hippocampus; Phorbol ester (Zatz, M.) **385,** 174

Phosphatidylserine
Postmortem human brain; Phosphorylation; Phorbol ester; Calmodulin (Saitoh, T.) **379,** 196

Phosphoinositide
Muscarinic acetylcholine receptor; Hippocampal pyramidal cell; Desensitization (Lippa, A.S.) **366,** 98

Phospholine iodide
Frog endplate; Acetylcholine iontophoresis; Pyridostigmine; Desensitization (Bradley, R.J.) **376,** 199

Phospholipase
Myelin; Macrophage; Plasminogen activator; Complement (Cammer, W.) **364,** 91

Vitamin E; Fluorescent probe; ESR spin probe; Synaptic membrane; Membrane potential (Erin, A.N.) **398,** 85

Phospholipase A_2
Conduction block; Myelin damage; Sciatic nerve; Lysophospholipid; Fatty acid (Kasckow, J.W.) **373,** 384

Sciatic nerve; Saxitoxin binding; High energy phosphate; Phospholipid (Kasckow, J.W.) **373,** 392

Phospholipid
Phospholipase A_2; Sciatic nerve; Saxitoxin binding; High energy phosphate (Kasckow, J.W.) **373,** 392

Phosphoprotein B-50
Immunocytochemical localization; Development; Rat brain; Growth cone (Oestreicher, A.B.) **375,** 267

Phosphorus nuclear magnetic resonance
Oxygen delivery to tissue; Mitochondrial function; Dinitrophenol; Bioenergetics; Isolated perfused head (Kariman, K.) **366,** 300

Phosphorylation
Bursting activity; Pentylenetetrazole; Calcium ionophore; Calmodulin; Snail neuron; Seizure; Protein (Onozuka, M.) **362,** 23

Acrylamide neuropathy; Axonal cytoskeleton; Neurofilament (Howland, R.D.) **363,** 333

Neurofilament; Axon specificity; Peripheral nerve; Regeneration; Laminin (Bignami, A.) **375,** 73

Calmodulin; Calmodulin kinase II; Kindling; Epilepsy (Goldenring, J.R.) **377,** 47

Postmortem human brain; Phorbol ester; Phosphatidylserine; Calmodulin (Saitoh, T.) **379,** 196

Oxytocin; Vasopressin; Hippocampus (Hinko, A.) **384,** 156

Protein kinase; Chick brain; Heat-stable modulator (Sparkman, D.R.) **385,** 51

Kindling; Synaptic membrane; Glycoprotein; Hippocampus (Bank, B.) **399,** 390

Phosphorylation inhibition
Synaptic vesicle kinase; Central nervous system; Lupus erythematosus (Moskowitz, N.) **370,** 38

Photic stimulation
Suprachiasmatic nucleus; Circadian rhythm; Neurophysiology; Luminance coding (Meijer, J.H.) **382,** 109

Photochemical sensitization
Spinal cord injury; Singlet oxygen; Microvascular stasis; Infarction (Watson, B.D.) **367,** 296

Photoinactivation
Leech; Motor neuron; Inhibition; Membrane potential; Oscillation; Neuron ablation (Granzow, B.) **369,** 321

Photoperiod
Rat; Pineal; *N*-Acetyltransferase; Circadian rhythm (Illnerová, H.) **362,** 403

Photoperiodism
Paraventricular nucleus; Suprachiasmatic nucleus; Pineal gland; Rhythm (Inouye, S.-I.T.) **370,** 102

Photosensitivity
Epilepsy; γ-Aminobutyric acid; *Papio papio*; Cerebrospinal fluid; Taurine; Amino acid; Monoamine (Lloyd, K.G.) **363,** 390

Phrenic motoneuron
Renshaw cell; Recurrent inhibitory postsynaptic potential; Respiration; Central command; Cat (Hilaire, G.) **376,** 133

Carbon dioxide; Intercostal motoneuron; Cat (Jodkowski, J.S.) **386,** 296

Phrenic nerve activity
Raphe obscurus; Central nervous system; Control of respiration; Cat (Holtman, J.R.) **362,** 214

Baclofen; γ-Aminobutyric acid; Medullary respiratory neuron (Lalley, P.M.) **376,** 392

Neurotensin; Respiratory related neuron; Nucleus tractus solitarii; Iontophoresis; Pressure injection (Morin-Surun, M.P.) **384,** 106

Phrenic nucleus
Motor cortex; Corticospinal tract; Anterograde tracing; Cat (Rikard-Bell, G.C.) **379,** 75

Phylogeny
Nitrendipine; Dihydropyridine binding site; Peripheral binding site (Bolger, G.T.) **368,** 351

Fish myelin; P_o myelin protein; Myelin proteolipid protein; Hydroxy fatty acid; Myelin lipid; *Polypterus*; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Matthieu, J.-M.) **379,** 137

Physalaemin
Substance P; Neurokinin A; Substance K; Eledoisin; Tail-flick test; Intrathecal administration; Nociception (Cridland, R.A.) **381,** 93

Physiological neuronal death
Fink–Heimer method; Neonatal brain (Yamamoto, T.) **374,** 419

Physiology
Rat; Hippocampus; CA3; Septotemporal; Potassium; Bursting; Epilepsy (Bragdon, A.C.) **378,** 169

Physostigmine
Hemicholinium-3; Choline uptake; Acetylcholine (Swann, A.C.) **363,** 401

Cholinergic muscarinic receptor; Lidocaine; Rostral ventrolateral medulla; Scopolamine; Tetrodotoxin (Punnen, S.) **382,** 178

Pial vessel
Vesicle; Rapid freeze; Meninges; Frog; Capillary; Endothelium (Latker, C.H.) **375,** 186

Picrotoxin
Rat; γ-Aminobutyric acid; Intracerebral microinjection; Periaqueductal gray matter; Aggressive behavior; Defense; Open-field; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Amphetamine; Ascorbic acid; Crus cerebri; In vivo voltammetry;

Neostriatum; Substantia nigra (Wilson, R.L.) **370,** 393

Pigeon
Colchicine; Sprouting; Neuromuscular junction (Fahlman, C.S.) **363,** 156

Central osmoreceptor; Preoptic area; Lateral hypothalamus; Drinking; Angiotensin II (Thornton, S.N.) **377,** 96

Subfornical organ; Drinking behavior; Tachykinin; Bombesin; Angiotensin; Hypovolemic thirst; Hyperosmotic thirst (Massi, M.) **381,** 289

Anatomy; Avian; Auditory; Trigeminal; Nucleus basalis; Lateral lemniscus; Cochlear nucleus (Arends, J.J.A.) **398,** 375

Pigmentation
Albinism; Mutation; Auditory system (Conlee, J.W.) **363,** 28

Pilocarpine
γ-Vinyl-γ-aminobutyric acid; Isoniazid; Substantia nigra; Striatum; Seizure; Brain damage; Temporal lobe epilepsy; Rat (Turski, L.) **370,** 294

Scopolamine; Diazepam; Seizure; L-Glutamic acid decarboxylase; Brain damage; Epilepsy (Turski, L.) **398,** 37

Pilocarpine seizure
Olfactory bulb; Anticonvulsant (Millan, M.H.) **398,** 204

Pimozide
Naloxone; Feeding; Eating; Opioid (Wise, R.A.) **368,** 62

Naloxone; Feeding; Eating; Opioid; Hypothalamus (Jenck, F.) **375,** 331

Place conditioning; Cocaine; Intracerebroventricular microinjection; Procaine; Bromocriptine; Dopamine; Reward (Morency, M.A.) **399,** 33

Pineal
Rat; *N*-Acetyltransferase; Circadian rhythm; Photoperiod (Illnerová, H.) **362,** 403

Electrophysiology; Intracellular recording; Patch-clamp; Voltage-clamp; Noradrenaline (Freschi, J.E.) **368,** 366

Circadian rhythm; Noradrenaline; Serotonin; Superior cervical ganglion; Sympathetic (Cassone, V.M.) **384,** 334

Pineal gland
Horseradish peroxidase–wheat germ agglutinin; Anterograde transport; Tetramethylbenzidine; Sympathetic innervation; Iris; Vascular innervation (Marfurt, C.F.) **366,** 373

Circadian rhythm; Entrainment; Suprachiasmatic nucleus (Duncan, M.J.) **369,** 326

Hamster; Magnetic field; Melatonin; Rat (Olcese, J.) **369,** 365

Paraventricular nucleus; Suprachiasmatic nucleus; Photoperiodism; Rhythm (Inouye, S.-I.T.) **370,** 102

Hippocampus; Cerebellum; Striatum; Spiperone; Dopamine receptor (Bruinink, A.) **386,** 78

Aging; β-Adrenoceptor; Quantitative autoradiography; Hypothalamus (Weiland, N.G.) **398,** 305

γ-Aminobutyric acid; Melatonin; Cerebellum; Hypothalamus; Cerebral cortex (Rosenstein, R.E.) **398,** 403

L-Pipecolic acid
Barbiturate-enhancement; γ-Aminobutyric acid binding; Neuromodulator (Feigenbaum, P.) **372,** 176

Piperoxane
Freely moving rat; Locus coeruleus; Adrenoceptor; Yohimbine; Clonidine; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Pirenzepine
N-Methylscopolamine; Multiple muscarinic receptor; Quantitative autoradiography; Gallamine; Rat brain (Cortés, R.) **362,** 227

N-Methylscopolamine; Multiple muscarinic receptor; Human brain; Quantitative autoradiography (Cortés, R.) **362,** 239

Muscarinic receptor; Autoradiography; Gut; Sympathetic ganglion; Salivary gland (Buckley, N.J.) **375,** 83

Pituicyte
Guinea pig; Autoradiography; Immunocytochemistry; Dihydrotestosterone; Gonadotroe; Thyrotroe (Herbert, D.C.) **362,** 318

Pituitary
Ethanol; β-Endorphin; Corticotropin; Corticotropin-releasing factor; Vasopressin; Calcium; Corticosterone (Keith, L.D.) **367,** 222

Progestin receptor; Progesterone; Sexual behavior; Ferret (Baum, M.J.) **368,** 296

Ethanol dependence; β-Endorphin; Brain; Withdrawal; α-Melanotropin; Adrenocorticotropin; Corticosterone (Wilkinson, C.W.) **378,** 107

Lithium; Luteinizing hormone surge; Proestrus; Follicle stimulating hormone; Plasma; Estrous cycle (Banerji, T.K.) **380,** 176

Immunoreactive; α-Melanocyte stimulating hormone; Suckling; Hypothalamus; Median eminence; Prolactin (Khorram, O.) **398,** 361

Pituitary gland
γ-Aminobutyric acud A-receptor; γ-Aminobutyric acid B-receptor (Anderson, R.A.) **365,** 78

Serotonin; Innervation; Immunohistochemistry (Saland, L.C.) **368,** 310

γ-Endorphin; α-Endorphin; Schizophrenia; Amino acid composition; Pro-opiomelanocortin Messenger ribonucleic acid; Primer extension technique; Pro-opiomelanocortin cDNA (Bovenberg, R.A.L.) **376,** 29

Place conditioning
Cocaine; Pimozide; Intracerebroventricular microinjection; Procaine; Bromocriptine; Dopamine; Reward (Morency, M.A.) **399,** 33

Placebo
Naloxone; Analgesia; Pain (Levine, J.D.) **365,** 377

Plantar cushion
Spinal cord; Dorsal horn; Dendrite; Axon collateral; Receptive field (Egger, M.D.) **383,** 68

Plasma
Lithium; Luteinizing hormone surge; Proestrus; Follicle stimulating hormone; Pituitary; Estrous cycle (Banerji, T.K.) **380,** 176

Plasma catecholamine
Baroreflex; Blood pressure; Nucleus tractus solitarii; Sinoaortic denervation Stress; Plasma renin activity (Buchholz, R.A.) **365,** 360

Middle cerebral artery; Cerebral infarction; Insula; Stroke (Smith, K.E. **375,** 182

β-Endorphin; [D-Ala^2,NMe-Phe^4,Gly-ol^5]Enkephalin Morphine; Paraventricular nucleus; Nucleus of the solitary tract; Central sympathetic outflow; Heart rate; Mean arterial blood pressure; Intracisternal administration (Appel, N.M.) **378,** 8

Plasma membrane
Harmaline; 3-Acetylpyridine; Freeze-fracture; Filipin; Cholesterol; Purkinje cell; Climbing fiber; Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Plasma renin activity
Baroreflex; Blood pressure; Nucleus tractus solitarii; Sinoaortic denervation Stress; Plasma catecholamine (Buchholz, R.A.) **365,** 360

Plasma renin concentration
Dehydration; Anteroventral third ventricle; Ablation (McKinley, M.J.) **376,** 416

Plasma testosterone
Sexually dimorphic nucleus of the preoptic area; Prenatal stress; Sexual behavior; Gonadotrophin regulation; Medial preoptic area of the hypothalamus (Anderson, R.H.) **370,**

Plasma zinc level
Amygdala kindling; Cat; Dietary zinc content (Sterman, M.B.) **383,** 382

Plasminogen activator
Myelin; Macrophage; Complement; Phospholipase (Cammer, W.) **364,** 91

Plasticity
Vestibular compensation; Acetylcholine; Muscarinic synapse; Isolated brain (Kasik, P.) **363,** 188

Vestibular compensation; Visual deprivation (Smith, P.F.) **364,** 195

Critical period; Monocular deprivation; Visual cortex; Cat; Dark-rearing (Ramachandran, V.S.) **367,** 309

Locus ceruleus; Induction; Pruning; High-pressure liquid chromatography; Noradrenaline uptake (Haring, J.H.) **368,** 233

Catecholamine; 6-Hydroxydopamine; Synaptogenesis; Paraventricular nucleus (Hwang, B.H.) **369,** 267

Electric fish; Efference copy; Mormyridae (Bell, C.C.) **369,** 29

Hemicerebellectomy; Cerebellar efferent; Axonal sprouting; Axonal branching; Rat; Fluorescent tracing (Molinari, M.) **372,** 1

Visual cortex; Superior colliculus; D-Aspartate uptake; Glutamate decarboxylase; Noradrenaline; Rat (Fosse, V.M.) **372,** 189

Rat; Hippocampus; Lesion; Behavior; Reversal learning; Receptor; Corticosteroid (De Ronde, F.S.W.) **374,** 219

Long-term potentiation; Goldfish; Tectum (Lewis, D.) **375,** 246

Tectofugal visual system; Monocular deprivation; Cell size; Ectostriatum; Bird (Herrmann, K.) **379,** 143

Aging; Cerebellum; Purkinje cell; Dendrite; Learning (Greenough, W.T.) **380,** 136

3-Acetylpyridine; Golgi; Purkinje cell; Image analysis (Anderson, W.A.) **382,** 228

Deafferentation; Golgi; Purkinje cell; Image analysis (Anderson, W.A.) **383,** 245

Microstimulation; Hemicerebellectomy; Motor cortex; Neonatal; Cerebellum; Forelimb response (O'Donoghue, D.L.) **385,** 311

Geniculocortical afferent; Layer I; Monocular suture; Reverse suture; Visual cortex; Kitten (Kato, N.) **386,** 393

Plasticity of the CNS
Rat hippocampus; Memory and learning; Goldfish brain protein; Behavioral plasticity; Immunohistofluorescence staining; Embryonic glycoprotein; Pyramidal cell culture (Schmidt, R.) **386,** 245

Platelet-derived growth factor
Astrocyte proliferation; Brain injury; Gliosis; Trapidil (Takamiya, Y.) **383,** 305

Endothelium; Cerebrum; Microvessel; Epidermal growth factor (Robinson, R.A.) **384,** 114

Podarcis
Septum; γ-Aminobutyric acid; Acetylcholinesterase; Golgi; Lizard (Schwerdtfeger, W.K.) **384,** 184

Polyacrylamide gel electrophoresis
Brain protein; Sexual differentiation; Tubulin; Development (Stanley, H.F.) **370,** 215

Messenger ribonucleic acid; Sexual differentiation; Brain protein; Tubulin (Stanley, H.F.) **370,** 223

Paired helical filament; Isolation; Solubility; Alzheimer disease/senile dementia of the Alzheimer type; Immunoblot (Rubenstein, R.) **372,** 80

Polyamine
Ornithine decarboxylase; Axonal transport; Regeneration (Kanje, M.) **381,** 24

Polyarthritic rat
Axonal transport; Acetylcholinesterase; Molecular form (Tavitian, B.) **375,** 391

Polyethylene glycol
Axonal severance; Reconnection; Crayfish (Bittner, G.D.) **367,** 351

Angiotensin II; Drinking; Hypertonic saline; Isoproterenol; Sinoaortic baroreceptor deafferentation; Water deprivation (Rettig, R.) **370,** 29

Polymodal nociceptor
Substance P; Somatostatin; Spinal cord; C-afferent; Intrathecal; Thermosensitive C-afferent (Wiesenfeld-Hallin, Z.) **372,** 172

Polyneuropathy
Glycolipid; Sulfated glucuronyl paragloboside; Myelin-associated glycoprotein; Immunoglobulin-M paraprotein; Monoclonal antibody; Epitope (Ilyas, A.A.) **385,** 1

Polypterus
Fish myelin; P_o myelin protein; Myelin proteolipid protein; Hydroxy fatty acid; Myelin lipid; Phylogeny; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Matthieu, J.-M.) **379,** 137

Polypeptide
Lamprey retina; Immunohistofluorescence; Retinal cell; Serotonin (Negishi, K.) **362,** 389

Pons
Fast blue; Wheatgerm agglutinin–horseradish peroxidase; Fast blue labelling collateral; Fast blue fibre labelling; WGA-HRP fibre labelling; Pontine pyramidal collateral; Diamidino yellow retrograde neuronal labelling (Ugolini, G.) **365,** 211

Vasopressin; Parabrachial nucleus; Locus coeruleus; Blood pressure; Brainstem (Sved, A.F.) **369,** 143

Blood pressure; A5 Noradrenergic nucleus; Electrical stimulation; Rabbit (Woodruff, M.L.) **379,** 10

Tail flick modulation; Graded heating; Midbrain; Medulla; Tissue temperature (Ness, T.J.) **386,** 41

Pontine lesion
Thermoregulation; Brainstem (Amini-Sereshki, L.) **384,** 23

Pontine pyramidal collateral
Fast blue; Wheatgerm agglutinin–horseradish peroxidase; Fast blue labelling collateral; Fast blue fibre labelling; WGA-HRP fibre labelling; Pons; Diamidino yellow retrograde neuronal labelling (Ugolini, G.) **365,** 211

Pontogeniculo-occipital spike
Rapid eye movement sleep duration; Atropine; Auditory stimulation (Arankowsky-Sandoval, G.) **375,** 377

Pontogeniculo-occipital wave
Nucleus raphe dorsalis; Sleep–waking cycle; Neuronal activity; Somatic stimulation; Serotonin (Shima, K.) **399,** 317

Population spike
Glucocorticoid; Corticosterone; Hippocampus; Brain slice; γ-Aminobutyric acid; Opioid peptide (Vidal, C.) **383,** 54

Opioid; Enkephalin; Hippocampus; Dentate gyrus; Field potential; Perforant path (Wiesner, J.B.) **399,** 404

Porcine intestinal peptide
Choroid plexus; Vasoactive intestinal peptide; Cyclic adenosine 3′,5′-monophosphate; Receptor (Crook, R.B.) **384,** 138

Position sense
Kinesthesia; Sensory information; Muscle spindle receptor (Wei, J.Y.) **370,** 108

Post-clonidine infusion
Spontaneously hypertensive rat; Body temperature; Clonidine infusion (Lewis, S.J.) **385,** 383

Post-tetanic potentiation
Slow motor unit; Fast motor unit; Synaptic transmission; Neurotransmitter release; Tetanic potentiation (Lev-Tov, A.) **363,** 379

Post-translational processing
β-Endorphin; α-Melanocyte-stimulating hormone; Medulla oblongata; Nucleus tractus solitarius; Acetylation; Mammalian central nervous system (Dores, R.M.) **377,** 251

Posterior communicating artery
Gerbil; Immunohistochemistry; Regional cerebral ischemia (Yamamoto, K.) **371,** 244

Posterior pituitary
Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Carbohydrate appetite; Obesity; Stress-induced feeding (Aravich, P.F.) **385,** 245

Prolactin secretion; Dopamine; Anterior pituitary; In vivo electrochemistry (Mulchahey, J.J.) **386,** 332

Posteromedial ventral nucleus
Thalamus; Cerebral cortex; Infralimbic cortex; Cat; Wheat germ agglutinin–horseradish peroxidase (Yasui, Y.) **368,** 384

Postganglionic sympathetic fiber
Monoamine oxidase; Monoamine oxidase -containing unmyelinated axon; Rat; Sciatic nerve; Histochemistry (Matsubayashi, K.) **368,** 30

Postictal depression
Protein malnutrition; Hippocampal kindling; Dorsal hippocampus; Seizure behavior; Kindling threshold; Afterdischarge duration (Bronzino, J.D.) **384,** 348

Postmortem brain
Suicide; Serotonin (Owen, F.) **362,** 185

Postmortem human brain
Basal ganglion; Huntington's disease; Immunocytochemistry; Opioid peptide; Radioimmunoassay (Dawbarn, D.) **372,** 155

Phosphorylation; Phorbol ester; Phosphatidylserine; Calmodulin (Saitoh, T.) **379,** 196

Postnatal development
Visual cortex; Vasoactive intestinal polypeptide; Peroxidase-antiperoxidase method; Adult; Rabbit (Y Cajal-Agüeras, S.R.) **370,** 333

Tryptophan hydroxylase; Serotonergic cell body; Serotonergic terminal; Nucleus raphe dorsalis; Nucleus raphe centralis; Hypothalamus; Rat brain (Park, D.H.) **378,** 183

Luteinizing hormone-releasing hormone; Catecholamine; Sexual maturation; Immunocytochemistry; Rat (Wray, S.) **399,** 327

Postsynaptic dorsal column system
Spinal cord; Cat; Horseradish peroxidase; Intracellular staining; Electron microscopy; Spinocervical tract (Maxwell, D.J.) **363,** 199

Postsynaptic flux
Adenosine; Hippocampus; Calcium flux; Presynaptic flux; Receptor, A_1 (Schubert, P.) **376,** 382

Postural change
Reflex straining; Defecation; Micturition; Pelvic nerve (Fukuda, H.) **380,** 276

Posture
Balance; Stroke; Reflex; Electromyogram (Di Fabio, R.P.) **363,** 257

Postwithdrawal recovery
Ethanol withdrawal syndrome; 2-Deoxyglucose (Eckardt, M.J.) **366,** 1

Potassium
Phenytoin; Lamprey; Spinal cord; Axon; Action potential; Frequency dependence (Adler, E.M.) **362,** 271

Atomic absorption spectroscopy; Spinal cord injury; Calcium; Weight drop contusion (Young, W.) **365,** 42

Extracellular accumulation; Hippocampus (Aitken, P.G.) **369,** 163

Calcium; Hippocampus; Brain slice; Input/output curve (Balestrino, M.) **377,** 229

Rat; Hippocampus; CA3; Physiology; Septotemporal; Bursting; Epilepsy (Bragdon, A.C.) **378,** 169

Brain cortex; Glutamate; Veratridine; Apamin; Creatine (Lackington, I.) **378,** 390

Calcium; Current; Non-bursting neuron; Tetraethylammonium; *Aplysia* (Jones, L.S.) **385,** 46

Superior cervical ganglion; Cell culture; Neurite; Depolarization; Retraction; Degeneration (Campenot, R.B.) **399,** 357

Potassium channel
Ion channel; Single channel; Inward rectification; Horizontal cell; Patch clamp (Shingai, R.) **369,** 65

Nerve membrane; Node of Ranvier; Voltage clamp; Sodium channel; Snake toxin (Benoit, E.) **377,** 374

Optic nerve; 4-Aminopyridine; Action potential repolarization (Kocsis, J.D.) **383,** 357

Glutamate receptor; Presynaptic receptor; Neuromuscular synapse; Joro spider toxin (Miwa, A.) **385,** 161

Potassium channel, calcium-dependent
Apamin; Quantitative autoradiography; Rat brain; Septal area; Hippocampus; Cerebellum; Limbic system (Mourre, C.) **382,** 239

Potassium chloride
Locus coeruleus; Brain tissue culture; Tyrosine hydroxylase; Depolarizing agent; Veratridine; Tyrosine hydroxylase regulation; Brain noradrenergic neuron (Dreyfus, C.F.) **379,** 216

Potassium depolarization
Angiotensin II; Hypothalamo-neurohypophysial system; Renin-angiotensin system; Vasopressin (Schiavone, M.T.) **397,** 193

Potassium distribution mode
Hippocampal slice; Ion-selective microelectrode; pO_2-Dependency of K^+-distribution rate (Lipinski, H.-G.) **380,** 267

Potassium homeostasis
Astrocyte; Coupling ratio; Furosemide; Glial cell; Sodium-potassium pump; Ouabain; Sodium ion (Walz, W.) **368,** 226

Potassium ion
Third ventricle choroid plexus; Cerebrospinal fluid; Sodium; Acidosis; Ion homeostasis; Tela choroidea (Harbut, R.E.) **374,** 137

Potassium ion depolarization
Serotonin sulfate; Dopamine sulfate; Norepinephrine sulfate; Amphetamine; Nomifensine (Tyce, G.M.) **372,** 269

Potassium-stimulated release
Substance P; Norepinephrine; γ-Aminobutyric acid; Serotonin; Morphine (Pang, I.-H.) **376,** 268

Potentiation
Zinc; Hippocampal formation (Khulusi, S.S.) **363,** 152

P_o myelin protein
Fish myelin; Myelin proteolipid protein; Hydroxy fatty acid; Myelin lipid; Phylogeny; *Polypterus*; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Matthieu, J.-M.) **379,** 137

α-Potentiation effect
α-Adrenoceptor; β-Adrenoceptor; Cyclic adenosine monophosphate; Olfactory bulb; Central nervous system (Stone, E.A.) **384,** 401

Prader–Willi syndrome
Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Bulimia nervosa; Carbohydrate appetite; Obesity; Stress-induced feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Prazosin
Freely moving rat; Locus coeruleus; Adrenoceptor; Yohimbine; Piperoxane; Clonidine; Guanfacine; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Estrogen action; Progestin receptor; Noradrenergic transmission; Hypothalamus; Lordosis behavior; Guinea pig (Thornton, J.E.) **377,** 155

Tizanidine; Yohimbine; Basal ganglion; Muscle tone; Genetically spastic rat (Turski, L.) **379,** 367

Experimental autoimmune encephalomyelitis; Glial fibrillary acidic protein; Reactive astrocyte; α_1-Adrenoceptor; Vimentin (Goldmuntz, E.A.) **397,** 16

Precentral gyrus
Bereitschaftspotential; Readiness potential; Voluntary movement; Lower extremity; Motor homunculus (Boschert, J.) **376,** 175

Precision grip
Somatosensory cortex; Force coding; Single neuron; Motor cortex; Microstimulation; Conscious monkey (Wannier, T.M.J.) **382,** 427

Prednisolone
Bullfrog; Primary afferent neuron; γ-Aminobutyric acid-A receptor sensitivity; Hydrocortisone; Glucocorticoid (Ariyoshi, M.) **367,** 332

Prefrontal cortex
[pGlu^5,MePhe^8,Sar^9]Substance P; Substance P; Dopamine neuron; Ventral tegmental area; Footshock stress; Dopamine metabolite; Nucleus accumbens (Elliott, P.J.) **363,** 145

Δ^9-Tetrahydrocannabinol; Cocaine; Dopamine; Homovanillic acid; Olfactory tubercle (Bowers, M.B.) **366,** 405

In vivo voltammetry; 3,4-Dihydroxyphenylacetic acid; Neuroleptic; Rat (Serrano, A.) **378,** 191

Angiotensin II; Lateral hypothalamus; Motivation; Septal region; Subfornical organ; Zona incerta (Swanson, L.W.) **379,** 399

Premotor cortex; Single unit activity; Meaning of the stimulus; Delayed conditional Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 1

Premotor cortex; Single unit activity; Behavioral inhibition; Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 15

Preganglionic sympathetic neuron
Catecholamine; Synapse; Horseradish peroxidase; 5-Hydroxydopamine; Rat (Chiba, T.) **380,** 405

Pregnancy
Pain; Endogenous analgesia; Endogenous opioid (Dahl, J.L.) **373,** 316

Oxytocin; Vasopressin; Opioid peptide; Parturition (Hartman, R.D.) **382,** 352

Premammillary region
Histamine; Immunohistochemistry; Fluorescent retrograde labeling; Caudate–putamen complex (Steinbusch, H.W.M.) **368,** 389

Premotor cortex
Local cooling; Visually initiated hand movement; Visuo-motor integration; Monkey (Sasaki, K.) **374,** 278

Motor cortex; Supplementary motor cortex; Somatosensory cortex; Receptive field; Rat (Sievert, C.F.) **381,** 15

Prefrontal cortex; Single unit activity; Meaning of the stimulus; Delayed conditional Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 1

Prefrontal cortex; Single unit activity; Behavioral inhibition; Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 15

Prenatal ethanol exposure
Opioid peptide; Opiate receptor; Morphine; Ethanol; Analgesia; Fetal ethanol exposure (Nelson, L.R.) **372,** 234

Prenatal stress
Sexually dimorphic nucleus of the preoptic area; Sexual behavior; Gonadotrophin regulation; Plasma testosterone; Medial preoptic area of the hypothalamus (Anderson, R.H.) **370,** 1

Preoptic area
Sexual dimorphism; Anterior hypothalamic area; Hypothalamus; Ferret; Image analysis (Tobet, S.A.) **364,** 249

Hypothalamus; Paraventricular nucleus; Vasopressin; Water balance (Carithers, J.) **366,** 118

Sexual dimorphism; Testosterone metabolism; Aromatase; Japanese quail; Sexual behavior; Hypothalamus (Schumacher, M.) **370,** 285

Sexually dimorphic nucleus; Suprachiasmatic nucleus; Morphometrics; Three-dimensional reconstruction; Sexual differentiation (Robinson, S.M.) **371,** 380

Aromatase; Hypothalamus; Testosterone; Metabolism of testosterone; Reproductive behavior; Brain differentiation; Sexual differentiation (Schumacher, M.) **377,** 63

Central osmoreceptor; Lateral hypothalamus; Drinking; Pigeon; Angiotensin II (Thornton, S.N.) **377,** 96

Raphe-spinal neuron; Afferent projection; Anterior hypothalamus (Lumb, B.M.) **380,** 162

Estrogen receptor; Estrogen binding; Aging; Age-associated; Hypothalamus; Anterior pituitary; Estrous cyclicity (Rubin, B.S.) **383,** 60

Sexual dimorphism; Opioid peptide; Gonadal steroid (Watson, R.E.) **398,** 157

Preoptic-anterior hypothalamus
Fever; Acute-phase reaction; Interleukin-1; Prostaglandin; Leukotriene (Mashburn, T.A.) **376,** 285

Preoptic-anterior hypothalamic area
Cold afferent; Trigeminal subnucleus caudalis; Medial ventroposterior nucleus; Dual pathway; Cold sensation; Temperature regulation (Kawahara, K.) **378,** 61

Preoptic-medial basal hypothalamus
Growth hormone; Prolactin; Somatostatin; Growth hormone-releasing factor; Perifusion (Critchlow, V.) **398,** 347

Preprocholecystokinin
C-terminal flanking peptide; Radioimmunoassay; Rat brain (Varro, A.) **376,** 213

Prepyriform cortex
Glutamate; Aspartate; Olfactory cortex; Amino acid receptor; Desensitization; Brain slice (Braitman, D.J.) **364,** 199

Prepyriform cortex slice
2-Amino-4-phosphonobutyrate; Kynurenic acid; Excitatory amino acid; Lateral olfactory tract; Synaptic antagonist (Hearn, T.J.) **379,** 372

Pressor response
Nucleus tractus solitarii; Vasopressin antagonist; Vasopressin; Electrolytic lesion (Kubo, T.) **363,** 183

Ventral root afferent; Unmyelinated fiber; Ascending spinal pathway; Spinal cord; Spinal lesion (Kim, J.) **377,** 182

Pressure injection
Neurotensin; Respiratory related neuron; Nucleus tractus solitarii; Phrenic nerve activity; Iontophoresis (Morin-Surun, M.P.) **384,** 106

Pressure microinjection
Nucleus tractus solitarii; Swallowing; Noradrenaline; Dopamine; Medullary polysynaptic reflex; Rat (Kessler, J.P.) **386,** 69

Presynaptic flux
Adenosine; Hippocampus; Calcium flux; Postsynaptic flux; Receptor, A_1 (Schubert, P.) **376,** 382

Presynaptic inhibition
Ventral horn neuron; Motoneuron; Muscarinic agonist (Jiang, Z.G.) **381,** 182

Presynaptic receptor
Glutamate receptor; Potassium channel; Neuromuscular synapse; Joro spider toxin (Miwa, A.) **385,** 161

Pretectal complex
Pulvinar nucleus; Cat; Wheatgerm agglutinin–horseradish peroxidase (Weber, J.T.) **397,** 389

Pretectum
Ventral lateral geniculate nucleus; Superior colliculus; Antidromic activation; Receptive field property; Single unit; Cat (Hada, J.) **363,** 165

Parabigeminal; Superior colliculus; Lateral geniculate nucleus (Harting, J.K.) **366,** 358

Inferior olive; Optic nerve; Dorsal cap; Nucleus β; Medial accessory olive; Rat (Akaike, T.) **368,** 183

Facial nucleus; Orbicularis oculi muscle; Blink reflex; Emotional facial innervation; Voluntary facial innervation; Medullary lateral tegmental field; Red nucleus (Holstege, G.) **374,** 306

Prey-catching behavior
Tongue-muscle motoneuron; Hypoglossal motoneuron; Glossopharyngeal nerve; Optic tectum; Excitatory interneuron; Rejecting behavior; Toad (Matsushima, T.) **365,** 198

Primary afferent
Dorsal root ganglion; Sensory modality; Somatotopy; Action potential; Morphology (Cameron, A.A.) **362,** 1

Acid phosphatase; Glomerulus; Substantia gelatinosa; Rat (Ribeiro-da-Silva, A.) **377,** 323

Auditory system; Cochlea; Neurofilament; RT-97; Sensory neuron (Berglund, A.M.) **383,** 327

Primary afferent depolarization
γ-Aminobutyric acid; Spinal cord; Dorsal root reflex; Motoneuron; Benzodiazepine (Duchen, M.R.) **379,** 182

Primary afferent neuron
Bullfrog; γ-Aminobutyric acid-A receptor sensitivity; Prednisolone; Hydrocortisone; Glucocorticoid (Ariyoshi, M.) **367,** 332

Primary brain culture
Astroglia; Co-cultivation; Glial fibrillary acidic protein; Neuron; Neuron-specific enolase (Hansson, E.) **366,** 159

Primary culture
Astrocyte; Neuron; Nuclear T_3 receptor; Ontogenesis (Luo, M.) **381,** 275

Astrocyte; Ammonia; Isoproterenol; Cyclic adenosine monophosphate; Hepatic encephalopathy (Liskowsky, D.R.) **386,** 386

Primary sensory neuron
Cell loss; Transganglionic degeneration; Peripheral nerve injury (Arvidsson, J.) **373,** 15

Capsaicin; Peripheral nerve transection (Arvidsson, J.) **397,** 130

Primary somatosensory cortex
Cutaneous afferent C-fiber; Nociception; Pain (Schouenborg, J.) **397,** 86

Primary tooth
Somatotopy; Trigeminal nucleus; Horseradish peroxidase–wheat germ agglutinin–polyacrylamide gel (Ishidori, H.) **370,** 153

Primate
Limbic system; Allometry; Thalamus; Human evolution (Armstrong, E.) **362,** 394

Vasoactive intestinal polypeptide; Somatostatin; Substance P; Cerebral cortex; Ontogeny (Hayashi, M.) **364,** 360

γ-Aminobutyric acid; Olivocochlear bundle; Cochlear efferent (Thompson, G.C.) **372,** 72

Neuropeptide Y; Striatum; Basal ganglion; Cat; Immunohistochemistry; Somatostatin (Smith, Y.) **372,** 241

Spiroperidol; Mazindol; Caudate nucleus; Putamen; Dopamine denervation (Joyce, J.N.) **382,** 360

Transsynaptic transport; Wheat germ agglutinin; Hippocampus; Rodent (Itaya, S.K.) **398,** 397

Primate sexual behavior
Hypothalamus; Proceptivity; Receptivity; 17β-Estradiol; Marmoset (Kendrick, K.M.) **375,** 221

Primate vision
Parallel pathway; Lateral geniculate nucleus; Interlaminar zone; W-like pathway (Irvin, G.E.) **362,** 254

Primer extension technique
γ-Endorphin; α-Endorphin; Pituitary gland; Schizophrenia; Amino acid composition; Pro-opiomelanocortin Messenger ribonucleic acid; Pro-opiomelanocortin cDNA (Bovenberg, R.A.L.) **376,** 29

Pro-opiomelanocortin
Adrenocorticotropic hormone; Immunoreactive β-endorphin; Brain concentration; Molecular form; Immunoreaction; Developmental aging; Regulation; Chromatography (Kapcala, L.P.) **364,** 350

β-Endorphin; α-Melanocyte-stimulating hormone; Adrenocorticotrophic hormone; Peptide, 16K; Spinal cord; Descending fiber; Rat (Tsou, K.) **378,** 28

Pro-opiomelanocortin cDNA
γ-Endorphin; α-Endorphin; Pituitary gland; Schizophrenia; Amino acid composition; Pro-opiomelanocortin Messenger ribonucleic acid; Primer extension technique (Bovenberg, R.A.L.) **376,** 29

Pro-opiomelanocortin messenger ribonucleic acid
γ-Endorphin; α-Endorphin; Pituitary gland; Schizophrenia; Amino acid composition; Primer extension technique; Pro-opiomelanocortin cDNA (Bovenberg, R.A.L.) **376,** 29

Procaine
Place conditioning; Cocaine; Pimozide; Intracerebroventricular microinjection; Bromocriptine; Dopamine; Reward (Morency, M.A.) **399,** 33

Proceptivity
Hypothalamus; Primate sexual behavior; Receptivity; 17β-Estradiol; Marmoset (Kendrick, K.M.) **375,** 221

Prodynorphin system
Opioid peptide; Proenkephalin system; Dynorphin A_{1-8}; Met-enkephalin-Arg^6-Gly^7-Leu^8; Human brain; Basal ganglia; Huntington's disease (Seizinger, B.R.) **378,** 405

Proenkephalin
Cerebrospinal fluid; β-Endorphin; Dynorphin; Enkephalin (Nyberg, F.) **371,** 278

Enkephalin; Synthesis; Neuronal activity (Glass, J.) **372,** 180

Proenkephalin system
Opioid peptide; Prodynorphin system; Dynorphin A_{1-8}; Met-enkephalin-Arg^6-Gly^7-Leu^8; Human brain; Basal ganglia; Huntington's disease (Seizinger, B.R.) **378,** 405

Proestrus
Lithium; Luteinizing hormone surge; Follicle stimulating hormone; Plasma; Pituitary; Estrous cycle (Banerji, T.K.) **380,** 176

Progesterone
Naloxone; Luteinizing hormone surge Prolactin surge; Estrogen (Akabori, A.) **362,** 55

Progestin receptor; Sexual behavior; Ferret; Pituitary (Baum, M.J.) **368,** 29

RU 486; Antiprogesterone; Progestin receptor; Heat duration; Sexual behavior; Lordosis; Guinea pig (Brown, T.J.) **373,** 103

Rat; Feminine sexual receptivity; Cholinergic; RU 38486; Estrogen (Richmond, G.) **373,** 159

Cyclic adenosine monophosphate; Estradiol; Estrous cycle; Hypothalamus; Norepinephrine (Etgen, A.M.) **375,** 385

Immunocytochemistry; Gonadotropin-releasing hormone; Ewe Brain; Estradiol (Glass, J.D.) **381,** 336

Neurotransmitter release; Synaptic activity; Steroid hormone (Meiri, H.) **385,** 193

Progesterone receptor
Immunohistochemistry; Monoclonal antibody; Central nervous system; Guinea pig (Warembourg, M.) **384,** 12

Progestin receptor
Progesterone; Sexual behavior; Ferret; Pituitary (Baum, M.J.) **368,** 296

RU 486; Antiprogesterone; Heat duration; Sexual behavior; Lordosis; Progesterone; Guinea pig (Brown, T.J.) **373,** 103

Estrogen action; Noradrenergic transmission; Prazosin; Hypothalamus; Lordosis behavior; Guinea pig (Thornton, J.E.) **377,** 155

Projection
Vasoactive intestinal polypeptide; Stomach; Myenteric ganglion; Celiac ganglion; Retrograde tracer; Immunocytochemistry (Lee, Y.) **382,** 392

Enkephalin; Ventromedial hypothalamic nucleus; Midbrain; Central gray matter; Rat; Immunocytochemistry (Yamano, M.) **398,** 337

Projection field
Spinocerebellar tract; Anterior lobe; Horseradish peroxidase; Cat (Yaginuma, H.) **365,** 345

Projection neuron
Tectum; Retina; Centrifugal visual system; Horseradish peroxidase; Golgi-like staining; Teleost (Uchiyama, H.) **369,** 260

Superior colliculus; Rat; Intralaminar thalamus; Patch; Double labeling; Autoradiography (Yamasaki, D.S.G.) **378,** 223

Prolactin
Superior cervical ganglion; Growth hormone; Noradrenaline; α-Adrenoceptor; β-Adrenoceptor; Degeneration activity (Cardinali, D.P.) **363,** 350

Development; α-Melanotropin; Dopamine neuron; Peptide feedback; α-Melanotropin antiserum (Lichtensteiger, W.) **368,** 205

Bromocriptine; GH_3 pituitary cell; Deoxyribonucleic acid synthesis (Melmed, S.) **369,** 83

$GABA_A$ receptor; Benzodizapine; Barbiturate (Anderson, R.A.) **371,** 287

Amygdala; Hippocampus; Afterdischarge (Sperling, M.R.) **371,** 293

Anterior hypothalamus; Medial basal hypothalamus; Growth hormone; γ-Aminobutyric acid; Muscimol (Willoughby, J.O.) **374,** 119

Morphine; Tuberoinfundibular neuron; Dopamine turnover; Median eminence; Biphasic effect (Callahan, P.) **381,** 106

γ-Aminobutyric acid; Muscimol; Arcuate; Hypothalamus; *N*-Methyl aspartate (Ondo, J.G.) **381,** 43

Growth hormone; Somatostatin; Growth hormone-releasing factor; Perifusion; Preoptic-medial basal hypothalamus (Critchlow, V.) **398,** 347

Immunoreactive; α-Melanocyte stimulating hormone; Suckling; Hypothalamus; Median eminence; Pituitary (Khorram, O.) **398,** 361

Prolactin secretion
Dopamine; Anterior pituitary; Posterior pituitary; In vivo electrochemistry (Mulchahey, J.J.) **386,** 332

Prolactin surge
Naloxone; Luteinizing hormone surge; Estrogen; Progesterone (Akabori, A.) **362,** 55

Pro-Leu-Gly-NH_2
Phe-Met-Arg-Phe-NH_2 FMRFamide; MIF-1; Naloxone; Analgesia; Activity; Opiate antagonist; Stress; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Propranolol
Locus ceruleus; Cardiac output; Cerebral blood flow; Hypercapnia (Ramana Reddy, S.V.) **365,** 278

Amygdala; Adrenaline; Inhibitory avoidance; Memory; Noradrenaline; Retention (Liang, K.C.) **368,** 125

[*Propionyl*-^{3}H]Propionylated cholecystokinin octapeptide
Cholecystokinin binding site; In vitro autoradiography; Distribution; Characterization; Species difference (Sekiguchi, R.) **399,** 271

Propriospinal neuron
Spinoreticulocerebellar pathway; Fictitious locomotion (Arshavsky, Y.I.) **363,** 354

Forelimb movement; Transneuronal transport; Wheat germ agglutinin; Horseradish peroxidase (Alstermark, B.) **376,** 387

Propriospinal pathway
Forelimb afferent; Flexor reflex afferent; Hindlimb motoneuron (Schomburg, E.D.) **375,** 280

***N*-*n*-Propylnorapomorphine**
Receptor autoradiography; Dopamine; Human brain; Caudate nucleus (Camus, A.) **375,** 135

Propylthiouracil
Thyroid deficiency; Corpus striatum; Visual cortex; Synaptic biochemistry; Spiroperidol (Kalaria, R.N.) **364,** 268

Prostaglandin
Serotonin receptor; Messenger ribonucleic acid; *Xenopus* oocyte; Cyclic adenosine monophosphate (Sakai, Y.) **362,** 199

Pain; Hyperalgesia; Analgesia; Non-steroidal anti-inflammatory agent; Central nervous system (Taiwo, Y.O.) **373,** 81

Fever; Acute-phase reaction; Interleukin-1; Leukotriene; Preoptic-anterior hypothalamus (Mashburn, T.A.) **376,** 285

Prostaglandin D_2
Prostaglandin D_2 analogue; Binding specificity; Synaptic membrane fraction; Rat brain (Tokumoto, H.) **362,** 114

Blood–brain barrier; Radioimmunoassay; Intravenous administration; Mouse brain (Suzuki, F.) **385,** 321

Prostaglandin D_2 analogue
Prostaglandin D_2; Binding specificity; Synaptic membrane fraction; Rat brain (Tokumoto, H.) **362,** 114

Prostaglandin E_2
Cardiovascular; Sympathetic metabolism; Body temperature (Hoffman, W.E.) **367,** 73

Luteinizing hormone-releasing hormone release; Median eminence; Metal; Copper (Barnea, A.) **384,** 101

Cyclic adenosine monophosphate; Luteinizing hormone-releasing hormone release; Hypothalamus (Kim, K.) **386,** 258

Protease
Protease inhibitor; Neurite outgrowth; Soybean trypsin inhibitor; Trypsin; Thrombin; Urokinase (Hawkins, R.L.) **398,** 63

Protease activity
Calcium ion; Axonal transport (Zalewska, T.) **381,** 58

Protease inhibitor
Protease; Neurite outgrowth; Soybean trypsin inhibitor; Trypsin; Thrombin; Urokinase (Hawkins, R.L.) **398,** 63

Protein
Phosphorylation; Bursting activity; Pentylenetetrazole; Calcium ionophore; Calmodulin; Snail neuron; Seizure (Onozuka, M.) **362,** 23

Molecular anatomy; Virus system; Ribonucleic acid (Blount, P.) **382,** 257

Protein blotting
Bungarotoxin binding site; Lower vertebrate central nervous system (Hawrot, E.) **373,** 227

Protein degradation
Human myelin; Human brain; Myelination; Myelin basic protein; Myelin lipid; Myelin protein; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Martinez, M.) **364,** 220

Protein F_1
Long-term potentiation; Protein phosphorylation; Protein kinase C; Intact hippocampus; Perforant path; Dentate gyrus; Synaptic plasticity (Lovinger, D.M.) **399,** 205

Protein kinase
Chick brain; Phosphorylation; Heat-stable modulator (Sparkman, D.R.) **385,** 51

Cortex; Intracellular response; Cyclic guanosine monophosphate (Woody, C.D.) **386,** 379

Protein kinase C
Phorbol ester; Synaptic plasticity; Memory (Routtenberg, A.) **378,** 374

Oleate; Long-term potentiation; Hippocampus (Linden, D.J.) **379,** 358

Hippocampus; Phorbol ester; Phosphatidyl inositol (Zatz, M.) **385,** 174

Astrocyte; Protein phosphorylation; Calcium (Neary, J.T.) **385,** 420

Astrocyte; Phorbol ester; Astrocyte culture; Cyclic adenosine monophosphate; Differentiation (Mobley, P.L.) **398,** 366

Long-term potentiation; Protein phosphorylation; Intact hippocampus; Perforant path; Dentate gyrus; Synaptic plasticity; Protein F_1 (Lovinger, D.M.) **399,** 205

Protein malnutrition
Hippocampal kindling; Dorsal hippocampus; Seizure behavior; Kindling threshold; Afterdischarge duration; Postictal depression (Bronzino, J.D.) **384,** 348

Protein phosphorylation
Dopamine; Striatal slice; Cyclic adenosine monophosphate (Laurier, L.G.) **385,** 361

Astrocyte; Protein kinase C; Calcium (Neary, J.T.) **385,** 420

Long-term potentiation; Protein kinase C; Intact hippocampus; Perforant path; Dentate gyrus; Synaptic plasticity; Protein F_1 (Lovinger, D.M.) **399,** 205

Protein synthesis
Hypoxia; Brain development; Ornithine decarboxylase; Norepinephrine uptake (Slotkin, T.A.) **374,** 63

Trimethyltin; Glycoprotein synthesis; Axonal transport; Visual system (Toews, A.D.) **398,** 298

Proteolipid
Myelin basic protein; 2′,3′-Cyclic nucleotide phosphohydrolase; Myelination; Immunoblotting (Kerner, A.-L.) **374,** 45

Basic protein; Myelin; Freeze-fracture; Intramembrane particle; Liposome (Garcia-Segura, L.M.) **380,** 261

Protocerebrum
Descending neuron; Mating dance; Sexual pheromone odor; Silkworm moth; Wing vibration (Kanzaki, R.) **377,** 378

Pruning
Plasticity; Locus ceruleus; Induction; High-pressure liquid chromatography; Noradrenaline uptake (Haring, J.H.) **368,** 233

Psychotomimetic
Phencyclidine; TCP; Quantitative autoradiography; Receptor binding site; Lesion; Central nervous system (Gundlach, A.L.) **386,** 266

Pudendal nerve
Axial muscle; Reticular formation; Lordosis; Electroencephalogram; Electromyogram (Sullivan, J.M.) **368,** 197

Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Pulsatile secretion
Luteinizing hormone; Frequency; Estrogen; Dopamine (Tadokoro, Y.) **380,** 69

Pulvinar nucleus
Pretectal complex; Cat; Wheatgerm agglutinin–horseradish peroxidase (Weber, J.T.) **397,** 389

Punished behavior
Corticotropin releasing factor; Corticotropin releasing factor antagonist; Locomotor activation (Britton, K.T.) **369,** 303

Purification
Cytochrome P-450; Mitochondrion; Microsome; Monooxygenase; Subcellular distribution (Walther, B.) **375,** 340

Purine
Benzodiazepine; Benzodiazepine antagonist; Ro 15-1788; Adenosine; Hippocampus (Stone, T.W.) **380,** 379

Purkinje cell
Monoclonal antibody; Cerebellum; Development; Focal axonal swelling (Gravel, C.) **363,** 325

Cerebellum; Cerebellar cortex; Climbing fiber; Corticonuclear system; Analytical technique (Lou, J.S.) **365,** 340

Harmaline; 3-Acetylpyridine; Freeze-fracture; Filipin; Cholesterol; Climbing fiber; Plasma membrane; Cerebellum; Synapse (Garcia-Segura, L.M.) **372,** 390

Neurofilament protein; Monoclonal antibody; Gymnotid fish (Maler, L.) **378,** 337

Aging; Cerebellum; Dendrite; Plasticity; Learning (Greenough, W.T.) **380,** 136

3-Acetylpyridine; Golgi; Plasticity; Image analysis (Anderson, W.A.) **382,** 228

Deafferentation; Golgi; Plasticity; Image analysis (Anderson, W.A.) **383,** 245

Rat cerebellum; Electron microscopy; Immunohistochemistry; Western blotting; Gel electrophoresis; Climbing fiber; Synaptic connection (Pasteels, J.L.) **384,** 294

Cerebellum; Climbing fiber enhancement; Mossy fiber; Noradrenaline; 6-Hydroxydopamine; Somatosensory stimulus (McElligott, J.G.) **397,** 245

Cerebellum; Mutant mouse; γ-Aminobutyric acid; Deep cerebellar nucleus; Immunocytochemistry (Wassef, M.) **399,** 125

Push–pull cannula
Corticosterone release; Central amygdala; Medial hypothalamus; Rat (Dietl, H.) **369,** 373

Vasopressin; Septum; Hemorrhage; Hypertonic stimulation; Magnocellular system (Demotes-Mainard, J.) **381,** 314

Push–pull perfusion
Hypothalamus; Cholecystokinin release; Satiety; Feeding (Schick, R.R.) **370,** 349

Putamen
Spiroperidol; Mazindol; Caudate nucleus; Dopamine denervation; Primate (Joyce, J.N.) **382,** 360

Neurotensin; Enkephalin; Striatum; Caudate nucleus; Immunohistochemistry; Coexistence; Cat (Sugimoto, T.) **398,** 195

Pyramidal cell
Intracellular free calcium ion; Hippocampus; Calcium microelectrode (Krnjevic, K.) **374,** 1

Dopamine; Calcium-activated potassium conductance; Afterhyperpolarization; Hippocampus; Receptor, β-adrenergic- (Malenka, R.C.) **379,** 210

Pyramidal cell (CA-1) protection
Cerebral ischemia; Hippocampus; Colchicine degranulation; Morphology; Glutamate (Johansen, F.F.) **377,** 344

Pyramidal cell culture
Rat hippocampus; Memory and learning; Goldfish brain protein; Behavioral plasticity; Immunohistofluorescence staining; Embryonic glycoprotein; Plasticity of the CNS (Schmidt, R.) **386,** 245

Pyrethroid
Sodium channel; Tetramethrin; Ion permeation; Ion selectivity (Yamamoto, D.) **372,** 193

Sodium channel; Periaxonal space; Squid axon; Sodium current; Sodium inactivation (De Weille, J.R.) **386,** 169

Pyridinium salt
Tyrosine hydroxylation; 1-Methyl-4-phenylpyridinium ion; *N*-Methylisoquinolinium ion; Paraquat; Striatum; Rat (Hirata, Y.) **397,** 341

Pyridostigmine
Neostigmine; Acetylcholine receptor; *Aplysia*; Desensitization (Slater, N.T.) **375,** 407

Frog endplate; Acetylcholine iontophoresis; Phospholine iodide;

Desensitization (Bradley, R.J.) **376,** 199

Pyriform cortex
Amygdala; Seizure; Aggressive behavior; Affective defense; Quiet attack; Electrical stimulation (Brutus, M.) **366,** 53

Frontal cortex; Insular cortex; Olfactory cortex; Endopiriform nucleus; Solitary nucleus; Olfactory bulb; Periaqueductal gray; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

Pyrogen
Fever; Arginine vasopressin; Oxytocin; Ventral septal area; Endogenous antipyresis (Naylor, A.M.) **385,** 156

Pyroglutamate aminopeptidase
Thyrotropin-releasing hormone metabolism; Human cerebrospinal fluid (Prasad, C.) **364,** 331

Q

Q-current
Kainate; Voltage-clamp; Hippocampal slice; M-current; C-current (Gho, M.) **385,** 411

Quaking mutant
Epilepsy; Locus coruleus lesion (Maurin, Y.) **366,** 379

Quantal size
Catecholamine; Insulin; Adrenocorticothyrotropic hormone; Frog; Neuromuscular junction (Van der Kloot, W.) **376,** 378

Quantification method
Microvascular network; Cortical lesion; Regeneration; Rat (De Paermentier, F.) **398,** 419

Quantitation
Image processing; Computer; Retinal explant (Ford-Holevinski, T.S.) **368,** 339

Quantitative autoradiography
N-Methylscopolamine; Multiple muscarinic receptor; Gallamine; Pirenzepine; Rat brain (Cortés, R.) **362,** 227

N-Methylscopolamine; Pirenzepine; Multiple muscarinic receptor; Human brain (Cortés, R.) **362,** 239

Experimental allergic encephalomyelitis; Regional cerebral blood flow; Iodoantipyrine; Spatial resolution (Juhler, M.) **363,** 272

Tryptamine binding site; Serotonin-1 binding site; Ketanserin binding site; Rat brain; Serotonin-2 binding site (Kaulen, P.) **366,** 72

Senescence; Spiroperidol; Caudate-putamen; Striatum; Aging; Receptor, D_2- (Joyce, J.N.) **378,** 158

Potassium channel, calcium-dependent; Apamin; Rat brain; Septal area; Hippocampus; Cerebellum; Limbic system (Mourre, C.) **382,** 239

Spiroperidol; Dopamine receptor; Guanine nucleotide (Richfield, E.K.) **383,** 121

Serotonin; Serotonin-1 receptor; Microdensitometry; Superior colliculus; Deafferentation (Segu, L.) **384,** 205

Phencyclidine; TCP; Receptor binding site; Lesion; Central nervous system; Psychotomimetic (Gundlach, A.L.) **386,** 266

Aging; β-Adrenoceptor; Hypothalamus; Pineal gland (Weiland, N.G.) **398,** 305

Quantitative enzyme autoradiography
Angiotensin-converting enzyme inhibitor; Kininase II; Brain nucleus; Microdensitometry of brain enzyme; Brain peptide (Correa, F.M.A.) **375,** 259

Quantitative receptor autoradiography
D_1 receptor; Regional distribution; SCH 23390; Rat brain; Dopaminergic system (Savasta, M.) **375,** 291

Quaternary naloxone
Antinociception; Tail-flick; Stress; Footshock; Endorphin; Analgesia (Chance, W.T.) **380,** 394

Quiet attack
Amygdala; Pyriform cortex; Seizure; Aggressive behavior; Affective defense; Electrical stimulation (Brutus, M.) **366,** 53

Quiet sleep
Reticular formation; Nucleus reticularis gigantocellularis; Spinal cord; Motoneuron; Inhibitory postsynaptic potential; Sleep; Wakefulness; Active sleep (Chase, M.H.) **386,** 237

Quin 2
Monensin; Calcium independent release; Noradrenaline; Pheochromocytoma cell (Takahashi, M.) **382,** 332

Quinolinate
Superior colliculus; Glutamate; Kainate; Folate; Rat (Fosse, V.M.) **383,** 28

Quinolinic acid
Excitotoxin; Glial fibrillary acidic protein; Astrocyte; Gliosis; Huntington's disease (Björklund, H.) **371,** 267

Retina; Horizontal cell; Kynurenic acid; Amino acid neurotransmitter (Hankins, M.W.) **380,** 297

Dopamine; Huntington's disease; Basal ganglion (Mazzari, S.) **380,** 309

Quipazine
N-2-Chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Tail flick; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Quisqualate
D-Aspartate; γ-Aminobutyric acid; Horizontal cell; L-Glutamate; L-Aspartate; Kainate (Cha, J.-H.) **376,** 140

Kynurenic acid; Kainic acid; Retina; Acidic amino acid; Antagonist (Coleman, P.A.) **381,** 172

Hippocampal slice; Synaptic field potential; Glutamate analogue; Excitatory amino acid; Extracellular recording; 2-Amino-4-phosphonobutanoate; Sensitization (Robinson, M.B.) **381,** 187

Glutamate binding; *N*-Methyl-D-aspartic acid; Sodium ion; Adrenal medulla (Yoneda, Y.) **383,** 387

Glutamate binding; Sodium-dependent binding; Sodium-independent binding; Dissociation of ligand; D-Aspartate; Sulphhydryl-reagent (Ogita, K.) **397,** 137

Glutamate; Acromelic acid; Domoic acid; Kainate; Excitatory amino acid; Crayfish (Shinozaki, H.) **399,** 395

R

Rabbit
Serotonin; Cell; Retinal culture (Osborne, N.N.) **362,** 287

Visual cortex; Vasoactive intestinal polypeptide; Peroxidase-antiperoxidase method; Adult; Postnatal development (Y Cajal-Agüeras, S.R.) **370,** 333

NADPH diaphorase; Retina; Amacrine cell (Sagar, S.M.) **373,** 153

Amygdala central nucleus; Corneo-retinal potential; Differential Pavlovian conditioning; Heart rate; Horseradish peroxidase; Medial geniculate (Jarrell, T.W.) **374,** 126

Lateral reticular nucleus region; Noxious spinal and trigeminal input; Modification of neuronal activity (Sotgiu, M.L.) **375,** 168

Superior colliculus; Lateral geniculate; Tecto-geniculate influence (Molotchnikoff, S.) **375,** 66

Blood pressure; A5 Noradrenergic nucleus; Pons; Electrical stimulation (Woodruff, M.L.) **379,** 10

Baroreceptor reflex; Bradycardia; Differential pavlovian conditioning; Sinoaortic denervation (Jarrell, T.W.) **381,** 251

Differential pavlovian conditioning; Heart rate; Medial geniculate nucleus (Jarrell, T.W.) **382,** 199

Retina; Serotonin antagonist; Ketanserin; LY-53857; Methysergide; Ganglion cell (Brunken, W.J.) **384,** 161

Dendritic organization; Sympathetic preganglionic neuron; Intermediolateral nucleus; Dendritic bundle; Vegetative network (Vera, P.L.) **386,** 84

Gastrin-releasing peptide; Somatostatin; Regional distribution; Microdissection method; Hypothalamic nucleus (Kita, T.) **398,** 18

Adenosine; Adenine nucleotide; Uptake; Release; Retina; In vitro (Perez, M.T.R.) **398,** 106

Intrahypothalamic noradrenaline; Estradiol; Hypothalamic gonadotropin-releasing hormone; Luteinizing hormone; Follicle stimulating hormone (Francis Pau, K.-Y.) **399,** 15

Rabbit hypoglossal nerve
Nerve repair; Nerve crush; Axonal transport; Regeneration rate (Danielsen, N.) **376,** 125

Rabbit retina
D_1-dopamine receptor; Acetylcholine release; SKF 38398; SKF 82526; SCH 23390 (Hensler, J.G.) **398,** 407

Rabies virus
Electroencephalogram; Sleep; Spectral analysis; Immunofluorescence (Gourmelon, P.) **398,** 128

Radial arm maze
Hippocampus; Colchicine; Locomotor activity; Dentate gyrus; Cognitive behavior; Granule cell; Learning and memory (Walsh, T.J.) **398,** 23

Radial glia
Cell birth; In vitro; Optic tectum; Thymidine autoradiography; Goldfish (Henken, D.B.) **364,** 186

Barrel field cortex; Cortical development; Glial fibrillary acidic protein immunocytochemistry; Glial fibrillary acidic protein; Astrocyte; Ephemeral cortical pattern; Cortical pattern development; Radial glia associated topography (Cooper, N.G.F.) **380,** 341

Radial glia associated topography
Barrel field cortex; Cortical development; Glial fibrillary acidic protein immunocytochemistry; Glial fibrillary acidic protein; Radial glia; Astrocyte; Ephemeral cortical pattern; Cortical pattern development (Cooper, N.G.F.) **380,** 341

Radial maze learning
Hippocampus; Medial septum; Nerve growth factor; Neurotropic factor; Septal graft; Spontaneous alternation; Sympathetic neuron (Pallage, V.) **386,** 197

Radioamino acid incorporation into protein
Subfornical organ; Two-dimensional gel electrophoresis; Salt loading; Water deprivation; Autofluorography; Computerized scanning densitometry; Fluid homeostasis (Santer, D.M.) **372,** 107

Radioimmunoassay
Atrial natriuretic peptide; Rat brain nucleus anteroventral third ventricle; Fluid balance; Electrolyte balance (Zamir, N.) **365,** 105

Melanocyte-stimulating hormone; Immunofluorescence; High-performance liquid chromatography; Frog hypothalamus (Benyamina, M.) **366,** 230

Somatostatin; Immunocytochemistry; Gel filtration chromatography; Spinal cord; Sensory neuron; Cat (Tessler, A.) **370,** 232

Basal ganglion; Huntington's disease; Immunocytochemistry; Opioid peptide; Postmortem human brain (Dawbarn, D.) **372,** 155

Melanin-concentrating hormone; Rat brain nucleus (Zamir, N.) **373,** 240

Preprocholecystokinin; C-terminal flanking peptide; Rat brain (Varro, A.) **376,** 213

Embryology; Evolution; Enkephalin; Immunocytochemistry; Inhibition; Peptide; Spinal cord (Maderdrut, J.L.) **377,** 29

Vasopressin; Oxytocin; Behavioral performance; Septum/striatum; Hippocampus (Ermisch, A.) **379,** 24

Met-enkephalin; Opioid; Neuropeptide; Insect; Nervous system (Davenport, A.P.) **383,** 319

Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Immunocytochemistry; High performance liquid chromatography; Dorsal horn; Rat spinal cord (Harkness, D.H.) **384,** 323

Amphetamine; Calcium; Calmodulin; Dopamine; Sensitization; Striatum (Roberts-Lewis, J.M.) **384,** 383

Prostaglandin D_2; Blood–brain barrier; Intravenous administration; Mouse brain (Suzuki, F.) **385,** 321

Vasoactive intestinal polypeptide; Wistar–Kyoto rat; Spontaneously hypertensive rat; Brain (Lewis, S.J.) **399,** 173

Radioreceptor assay
Cholecystokinin; Receptor; High-pressure liquid chromatography; Cholecystokinin-4; Amygdala; Hypothalamus; Cortex (Beresford, I.J.M.) **398,** 313

Ramp contraction
Voluntary force exertion; Ballistic contraction; Isometric force; Motor unit; Threshold force; Force rate (Yoneda, T.) **372,** 89

Raphe
Serotonin; Transplant (Segal, M.) **364,** 162

Raphe discharge
Development; Sleep cycle; Serotonin (Adrien, J.) **366,** 10

Raphe magnus
Bulbospinal pathway; α-Adrenoceptor; Spinal reflex; Analgesia; Serotonin (Jensen, T.S.) **363,** 114

Microinjection; Opiate receptor; Spinal reflex; Periaqueductal gray; Medulla; Analgesia (Jensen, T.S.) **363,** 99

Pain; Tooth pulp; Jaw-opening reflex; Periaqueductal gray region (Mason, P.) **379,** 232

Raphe nucleus
Enkephalin; Serotonin; Coexistence; Cat (Léger, L.) **362,** 63

Serotonin; Neural transplantation; Immunocytochemistry; Hippocampus; Ultrastructure (Anderson, K.J.) **369,** 21

Locus coeruleus; Genetic hypertension; Serotonin formation; Biogenic amine (Koulu, M.) **371,** 177

Thyrotropin-releasing hormone; Nucleus of the solitary tract; Dorsal vagal nucleus; Immunohistochemistry; Medullary transection (Palkovits, M.) **373,** 246

Cerebral dopaminergic transmission; Stria medullaris; Habenular nucleus; Fasciculus retroflexus; Acetylcholine; Opioid peptide; Substance P (Nishikawa, T.) **373,** 324

Homotypic sprouting; Serotonin; Hippocampus; Immunocytochemistry; 5,7-Dihydroxytryptamine; Fasciola cinerea (Zhou, F.C.) **373,** 337

Circadian rhythm; Activity; Midbrain; Serotonin; Rat (Levine, J.D.) **384,** 240

Raphe obscurus
Phrenic nerve activity; Central nervous system; Control of respiration; Cat (Holtman, J.R.) **362,** 214

Raphe-spinal neuron
Afferent projection; Anterior hypothalamus; Preoptic area (Lumb, B.M.) **380,** 162

Rapid axonal transport
Motor neuron; Experimental neuropathy; *p*-Bromophenylacetylurea; Peripheral neurotoxicology (Nagata, H.) **385,** 136

Rapid eye movement
Sleep; Carbachol; Brainstem; Reticular formation; Rat (Gnadt, J.W.) **384,** 29

Rapid eye movement sleep
Sleep; Metabolism; Deoxyglucose; Autoradiography (Ramm, P.) **365,** 112

Neuropeptide; Cholecystokinin; Respiratory rate; Chronic intracerebroventricular infusion (Demesquita, S.) **378,** 127

Vasoactive intestinal polypeptide; Cerebrospinal fluid; Sleep deprivation (Prospéro-Garcia, O.) **385,** 169

Brainstem; Acetylcholine; Neuronal activity; Reticular formation (Shiromani, P.J.) **386,** 20

Rapid eye movement sleep duration
Pontogeniculo-occipital spike; Atropine; Auditory stimulation (Arankowsky-Sandoval, G.) **375,** 377

Rapid freeze
Vesicle; Pial vessel; Meninges; Frog; Capillary; Endothelium (Latker, C.H.) **375,** 186

Rapid freezing
Axonal transport; Myelinated axon; Freeze substitution; Serial section; Node of Ranvier (Okamura, Y.) **383,** 146

Rat
Nucleus basalis; Globus pallidus; Substantia innominata; Cholinergic neuron; Antidromic stimulation; Microiontophoresis; Acetylcholine; Cholinergic agonist (Lamour, Y.) **362,** 122

Hippocampus; Microiontophoresis; Acetylcholine; Electrophysiology; Aging (Haigler, H.J.) **362,** 157

Noradrenaline neuron; Locus ceruleus; Antipsychotic drug; Haloperidol; Clozapine; Amphetamine (Ramirez, O.A.) **362,** 165

Cerebellar efferent; Axon collateral; Brachium conjunctivum; Fluorescent tracer (Bentivoglio, M.) **362,** 180

Sodium sulfide; Synaptic vesicle; Telencephalon; Trace metal; Zinc; Zinc release (Pérez-Clausell, J.) **362,** 358

Pineal; *N*-Acetyltransferase; Circadian rhythm; Photoperiod (Illnerová, H.) **362,** 403

Decortication; Corticostriatal pathway; Nigrostriatal pathway; Striatum; Acetylcholine; Apomorphine; Choline; Bromocriptine; Neuroleptic (Consolo, S.) **363,** 128

Lateral hypothalamic area; Stimulation; Lesion; Adrenal catecholamine secretion (Katafuchi, T.) **363,** 141

Ethyl 5-benzyloxy-4-methoxymethyl β-carboline-3-carboxylate (ZK 91296); β-Carboline; Anxiety; Exploration; Motor activity (Pellow, S.) **363,** 174

Cholecystokinin; Nociceptive neuron; Edinger–Westphal nucleus (Innis, R.B.) **363,** 230

Fetal implant; Hippocampus; Maze performance; Behavioral recovery (Kimble, D.P.) **363,** 358

Endogenous dopamine release; Endogenous noradrenaline release; Dopamine; Noradrenaline; Striatum; Hypothalamus; Nomifensine; Calcium (Okuma, Y.) **363,** 47

Neostriatum; Dopamine; Acetylcholine; γ-Aminobutyric acid; Behavior (Vrijmoed-De Vries, M.C.) **364,** 77

Methylamphetamine; Catecholamine; Serotonin; Neurotoxicity; Somatosensory cortex (Commins, D.L.) **365,** 15

Cysteamine; Somatostatin; Locomotor activity; Passive avoidance (Bakhit, C.) **365,** 159

Shock-induced analgesia; 5-Methoxy-*N*,*N*-dimethyltryptamine; Tail-flick; Hot-plate; Intrathecal 6-Hydroxydopamine; Intrathecal yohimbine; Antagonism (Danysz, W.) **365,** 169

Pain; Tonic; Analgesic test; Capsaicin; Morphine (Otsuki, T.) **365,** 235

Medial frontal cortex; Infralimbic cortex; Gastric motility; Neocortex; Microstimulation (Hurley-Gius, K.M.) **365,** 241

Striatum; Kainate; Transplantation; Rewarded alternation; Hyperactivity; Stereotypy (Deckel, A.W.) **365,** 249

Nucleus tractus solitarii; Gustatory response; Convergence; Anterior tongue; Nasoincisor duct; Sucrose; Sodium chloride (Travers, S.P.) **365,** 305

Septohippocampal neuron; Cholinergic neuron; Microiontophoresis; Cholinergic agonist; Amygdala; Medial forebrain bundle; Barbiturate (Dutar, P.) **365,** 325

Arcuate nucleus; Synapse; Neuronal plasticity; Estrogen; Estradiol valerate (Garcia-Segura, L.M.) **366,** 131

Nucleus basalis magnocellularis; Horseradish peroxidase; Dorsolateral frontal cortex; Subcortical nucleus (Haring, J.H.) **366,** 152

Morphine; Analgesia; Nucleus raphe magnus; Tail flick reflex (Barbaro, N.M.) **366,** 203

GM_1 ganglioside; Serotonin; 5-Hydroxyindoleacetic acid; Spinal cord; Transverse hemisection; Catecholamine (Hadjiconstantinou, M.) **366,** 343

γ-Aminobutyric acid; Picrotoxin; Intracerebral microinjection; Periaqueductal gray matter; Aggressive behavior; Defense; Open-field; Sensorimotor asymmetry (Depaulis, A.) **367,** 87

Trimethyltin; Neuropathology; Seizure; Epileptic brain damage; Epilepsy; Hippocampus (Sloviter, R.S.) **367,** 169

Interaction; Tyrosine hydroxylase; Enkephalin; Neostriatum; Electron microscopy (Kubota, Y.) **367,** 374

Ventrolateral medulla; Medullo-spinal sympathoexcitatory neuron; Clonidine; Single-unit recording (Sun, M.-K.) **368,** 1

Monoamine oxidase; Monoamine oxidase -containing unmyelinated axon; Postganglionic sympathetic fiber; Sciatic nerve; Histochemistry (Matsubayashi, K.) **368,** 30

Inferior olive; Optic nerve; Pretectum; Dorsal cap; Nucleus β; Medial accessory olive (Akaike, T.) **368,** 183

Regional cerebral metabolic rate for glucose; Deoxyglucose; Correlation matrix; Functional system; Brain (Soncrant, T.T.) **369,** 1

Locus coeruleus; Facilitation; Monosynaptic reflex; Noradrenergic neurotransmission (Chan, J.Y.H.) **369,** 103

Serotonin; Visual cortex; Organotypic culture; Development; Synaptogenesis; Electrical activity (Chubakov, A.R.) **369,** 285

Substance P; Arginine vasopressin; Paraventricular nucleus; Synapse; Electron microscopic immunocytochemistry (Heike, Y.) **369,** 341

Hamster; Magnetic field; Melatonin; Pineal gland (Olcese, J.) **369,** 365

Corticosterone release; Push–pull cannula; Central amygdala; Medial hypothalamus (Dietl, H.) **369,** 373

N-Methyl-D,L-aspartic acid; Excitotoxin; Lesion; Basal forebrain; Cholineacetyltransferase; Immunohistochemistry (Stewart, G.R.) **369,** 377

Nucleus tractus solitarius; Gastric distention; 2-Deoxyglucose; Vagus nerve (Gonzalez, M.F.) **369,** 395

Feminine sexual behavior; Medial preoptic lesion (Hennessey, A.C.) **370,** 21

Arcuate nucleus; Median eminence; Immunocytochemistry; Growth hormone-releasing factor; Electron

microscopy (Ibata, Y.) **370,** 136

Combined immunocytochemistry and radioautography; γ-Aminobutyric acid; Serotonin; Supraependymal fiber; Epithalamus (Harandi, M.) **370,** 241

Amygdala efferent; Entorhinal cortex; Neurophysiology; Dentate gyrus; Intracellular recording (Finch, D.M.) **370,** 273

Pilocarpine; γ-Vinyl-γ-aminobutyric acid; Isoniazid; Substantia nigra; Striatum; Seizure; Brain damage; Temporal lobe epilepsy (Turski, L.) **370,** 294

Electron microscopy; Double-immunogold labeling; Corticoliberin; Met-Enk-8; Coexistence; Median eminence (Hisano, S.) **370,** 321

Seizure; Epilepsy; Convulsion; Kindling; Substantia nigra; Catecholamine; Amygdala (Albala, B.J.) **370,** 388

Thiamine-deficient encephalopathy; Magnesium deficiency; Guanidine administration (Goto, I.) **372,** 31

Hemicerebellectomy; Cerebellar efferent; Axonal sprouting; Axonal branching; Plasticity; Fluorescent tracing (Molinari, M.) **372,** 1

Substantia nigra compacta neuron; Slice preparation; Intracellular recording; Membrane property (Kita, T.) **372,** 21

Amygdala; Mammillary body; Conflict behavior (Shibata, K.) **372,** 159

Visual cortex; Superior colliculus; D-Aspartate uptake; Glutamate decarboxylase; Noradrenaline; Plasticity (Fosse, V.M.) **372,** 189

Neuropeptide tyrosine nerve; Carotid body (Kondo, H.) **372,** 353

Kainic acid; Neurosecretory neuron (Rheinert, C.) **373,** 57

Feminine sexual receptivity; Cholinergic; Progesterone; RU 38486; Estrogen (Richmond, G.) **373,** 159

Acetylcholine; Amino acid; α-Aminoisobutyric acid; Uptake; ATPase, (Ca^{2+},Mg^{2+})-; Glia maturation factor; Nodose ganglion (Ando, M.) **373,** 359

Hippocampus; Lesion; Behavior; Reversal learning; Receptor; Corticosteroid; Plasticity (De Ronde, F.S.W.) **374,** 219

Paraventricular nucleus; Cardiovascular region; Magnocellular region; Parvocellular region; Baroreflex (Porter, J.P.) **375,** 20

Locomotor activity; Rearing; Hypothalamic-preoptic area; Cholinergic system; Carbachol; Atropine (Brudzynski, S.M.) **376,** 38

Nucleus raphe magnus; Tail flick reflex; Analgesia; Morphine; Periaqueductal gray (Cheng, Z.-F.) **375,** 57

Neurotensin; Subiculum; Mammillary body (Kiyama, H.) **375,** 357

Serotonin; Spinal cord; Autonomic nervous system; Immunohistochemistry (Newton, B.W.) **376,** 155

Locomotor activity; Amphetamine-induced activity; Hypothalamic/preoptic area; Cholinergic system; Carbachol; Mesencephalic locomotor region; Extracellular unit recording (Brudzynski, S.M.) **376,** 47

Vestibulothalamic connection; Wheat germ agglutinin; Horseradish peroxidase (Nagata, S.) **376,** 57

Neuron caudal ventrolateral medulla; Paraventricular nucleus; Baroreceptor; Vagus nerve; Clonidine; Electrophysiology (Kannan, H.) **376,** 342

Discrimination; Slow potential; Single unit; Frontal cortex (Rucker, H.K.) **376,** 368

Frontal cortex; Insular cortex; Olfactory cortex; Piriform cortex; Endopiriform nucleus; Solitary nucleus; Olfactory bulb; Periaqueductal gray; Superior colliculus (Neafsey, E.J.) **377,** 261

Acid phosphatase; Glomerulus; Primary afferent; Substantia gelatinosa (Ribeiro-da-Silva, A.) **377,** 323

Retinal ganglion cell; Recrossed retinotectal projection; Horseradish peroxidase; Fast blue; Nuclear yellow (Jen, L.S.) **377,** 368

Pro-opiomelanocortin; β-Endorphin; α-Melanocyte-stimulating hormone; Adrenocorticotrophic hormone; Peptide, 16K; Spinal cord; Descending fiber (Tsou, K.) **378,** 28

Hippocampus; CA3; Physiology; Septotemporal; Potassium; Bursting; Epilepsy (Bragdon, A.C.) **378,** 169

Cerebellum; Superior colliculus; Inferior olive; Crus II (Akaike, T.) **378,** 186

In vivo voltammetry; Prefrontal cortex; 3,4-Dihydroxyphenylacetic acid; Neuroleptic (Serrano, A.) **378,** 191

Superior colliculus; Intralaminar thalamus; Projection neuron; Patch; Double labeling; Autoradiography (Yamasaki, D.S.G.) **378,** 223

Choline; Bungarotoxin; Brain nicotinic receptor (Morley, B.J.) **378,** 315

Retrograde axonal transport; Nerve growth factor; Diabetes; Autonomic neuropathy (Schmidt, R.E.) **378,** 325

Glucoreceptive neuron; Ventromedial hypothalamic nucleus; Enkephalin; Immunohistochemistry; Ultrastructure (Inagaki, S.) **378,** 420

Medullospinal liquor contacting neuron; Methionine-enkephalin-Arg^6-Gly^7-Leu^8; Immunohistochemistry (Shimosegawa, T.) **379,** 1

Taste; Gustatory cortex; Cytoarchitecture; Agranular insular cortex (Kosar, E.) **379,** 329

Taste; Gustatory cortex; Cytoarchitecture; Autoradiography; Thalamocortical projection; Medial parvicellular component of the nucleus ventralis posteromedialis; Agranular insular cortex (Kosar, E.) **379,** 342

Benzodiazepine; Lorazepam; Mouse; Convulsion; Pentylenetetrazole; Tolerance; Withdrawal (Lister, R.G.) **379,** 364

Intercollicular fiber; Superior colliculus; Wheat germ agglutinin–horseradish peroxidase (Jen, L.S.) **379,** 385

Acetylcholine; Autoradiography; Brain; M1 muscarinic receptor subtype; M2 muscarinic receptor subtype; Neuroanatomy (Spencer, D.G.) **380,** 5

Micturition reflex; Somatovesical reflex; Vesicovesical reflex; Urethane; Bladder voiding (Maggi, C.A.) **380,** 8

Organotypic culture; Hippocampus; Neuronal connection; Axonal tracing; Horseradish peroxidase; Detergent; Neuroanatomical method (Keller, F.) **380,** 191

Catecholamine; Preganglionic sympathetic neuron; Synapse; Horseradish peroxidase; 5-Hydroxydopamine (Chiba, T.) **380,** 405

Motor cortex; Supplementary motor cortex; Premotor cortex; Somatosensory cortex; Receptive field (Sievert, C.F.) **381,** 15

Adrenergic receptor; Autoradiography; Cerebral blood vessel; Human (Nakai, K.) **381,** 148

Dopamine release; Amygdaloid complex; Substantia nigra (Leviel, V.) **381,** 205

Methylmercury; Axonal transport; Scintillation spectrometry; Autoradiography (Aschner, M.) **381,** 244

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve (Bondoux-Jahan, M.) **382,** 39

Orofacial pain; Spinal trigeminal complex; Lesion; Hypoalgesia; Intranuclear projection (Pickoff-Matuk, J.F.) **382,** 291 Dorsal

orn neuron; Noxious heat-evoked esponse; Descending inhibition; Midbrain periaqueductal gray; eticular formation (Carstens, E.) **82,** 266

uperior colliculus; Glutamate; ainate; Folate; Quinolinate Fosse, V.M.) **383,** 28

evelopment; Retina; Monoclonal ntibody; Immunocytochemistry; Monolayer culture (Akagawa, K.) **83,** 110

crapie; Inoculation route; lectroencephalographic alteration; Neuropathological lesion Bassant, M.-H.) **383,** 397

odium–potassium pump; Hypokalemia; Ventromedial ypothalamic nucleus; Soleus muscle Yoshimatsu, H.) **384,** 17

apid eye movement; Sleep; arbachol; Brainstem; Reticular ormation (Gnadt, J.W.) **384,** 29

ransneuronal transport; Wheat germ gglutinin-horseradish peroxidase; Habenula; Interpeduncular nucleus; Astroglia (Takada, M.) **384,** 77

ircadian rhythm; Activity; Midbrain; aphe nucleus; Serotonin Levine, J.D.) **384,** 240

entrobasal thalamus; Hyperalgesic nflammation; Carrageenin Guilbaud, G.) **385,** 86

eptal preoptic area; Unit activity; astrin; Cholecystokinin; Secretin; asoactive intestinal peptide Akema, T.) **385,** 366

alproate; Hippocampus; Neuronal xcitability; Extracellular potassium oncentration; Extracellular calcium oncentration; Spontaneous pileptiform activity (Franceschetti, S.) **86,** 1

version; Brain stimulation; Escape ehavior; Local neuronal circuitry; esencephalon; Periaqueductal gray; nit activity (Sandner, G.) **386,** 53

eriventricular lesion; Growth ormone; Somatostatin; Perifusion Kaler, L.W.) **386,** 175

atatonia; Methylnaloxonium; lfentanil; Opiate; Caudate nucleus; ucleus raphe pontis (Amalric, M.) **86,** 287

ippocampal kindling; Antiepileptic rug evaluation; Epileptic fterdischarge; Seizure; Microcephaly Majkowski, J.) **386,** 325

erve growth factor; Nucleus basalis; botenic acid lesion; Choline cetyltransferase; Acetylcholinesterase; ortex (Haroutunian, V.) **386,** 397

nferior olive; Superior colliculus; edial accessory olive; Lobule VII; Crus II (Akaike, T.) **386,** 400

Nucleus tractus solitarii; Swallowing; Pressure microinjection; Noradrenaline; Dopamine; Medullary polysynaptic reflex (Kessler, J.P.) **386,** 69

γ-Aminobutyric acid; Periaqueductal gray; Nucleus raphe magnus; Tail-flick test; Analgesia (Moreau, J.-L.) **397,** 37

Intestinal receptor; Bradykinin; Sympathoexcitatory reflex; Capsaicin; Substance P (Stein, R.D.) **397,** 145

Subicular efferent; Hippocampal efferent; Entorhinal cortex; Neurophysiology; Intracellular recording (Finch, D.M.) **397,** 205

Parvocellular paraventricular nucleus; Corticotropin releasing hormone neuron; Vasopressin neuron; Ventral noradrenergic ascending bundle; 6-Hydroxydopamine (Alonso, G.) **397,** 297

Brain laterality; Hemispheric difference; Unilateral neocortical lesion; Early experience; Muricide; Split brain; Early social experience (Denenberg, V.H.) **397,** 327

Tyrosine hydroxylation; 1-Methyl-4-phenylpyridinium ion; Pyridinium salt; *N*-Methylisoquinolinium ion; Paraquat; Striatum (Hirata, Y.) **397,** 341

Circadian rhythm; Cosine fitting; Noradrenaline; Serotonin; Locus ceruleus; Dorsal raphe nucleus (Agren, H.) **397,** 353

Brain graft; Parkinson's disease; Human; Cultured neuron (Kamo, H.) **397,** 372

Noradrenaline; Complex environment; Isolated environment; 6-Hydroxydopamine; Desipramine; Motor activity; Neurochemistry; Behavior (Mohammed, A.K.) **398,** 6

Ventrobasal thalamus; Noxious stimulus; Agonist specific opioid receptor (Benoist, J.M.) **398,** 49

Enkephalin; Ventromedial hypothalamic nucleus; Midbrain; Central gray matter; Immunocytochemistry; Projection (Yamano, M.) **398,** 337

Microvascular network; Cortical lesion; Regeneration; Quantification method (De Paermentier, F.) **398,** 419

Thalamic reticular nucleus; γ-Aminobutyric acid; Immunocytochemistry; Electron microscopy; Immunogold staining (De Biasi, S.) **399,** 143

Immunohistochemistry; Growth hormone-releasing factor; Tyrosine hydroxylase; Colocalization; Neuron; Hypothalamus (Daikoku, S.) **399,** 250

Luteinizing hormone-releasing hormone; Catecholamine; Sexual maturation; Immunocytochemistry; Postnatal development (Wray, S.) **399,** 327

Rat brain

Prostaglandin D_2; Prostaglandin D_2 analogue; Binding specificity; Synaptic membrane fraction (Tokumoto, H.) **362,** 114

N-Methylscopolamine; Multiple muscarinic receptor; Quantitative autoradiography; Gallamine; Pirenzepine (Cortés, R.) **362,** 227

Noradrenaline; Glutaraldehyde; Antibody; Locus ceruleus; Enzyme-linked immunosorbent assay; Immunocytochemistry (Geffard, M.) **363,** 395

Tryptamine binding site; Serotonin-1 binding site; Ketanserin binding site; Quantitative autoradiography; Serotonin-2 binding site (Kaulen, P.) **366,** 72

Calcineurin; Peroxidase–anti-peroxidase method; Human brain tumor; Neuronal marker; Immunohistochemistry (Goto, S.) **371,** 237

Glial fibrillary acidic protein; Vimentin; Glial reaction (Schiffer, D.) **374,** 110

Angiotensinogen; Glial fibrillary acidic protein; Immunocytochemistry; Astrocyte (Deschepper, C.F.) **374,** 195

Calcitonin gene-related peptide; Binding; Autoradiography; Human brain (Inagaki, S.) **374,** 287

Immunocytochemical localization; Phosphoprotein B-50; Development; Growth cone (Oestreicher, A.B.) **375,** 267

Quantitative receptor autoradiography; D_1 receptor; Regional distribution; SCH 23390; Dopaminergic system (Savasta, M.) **375,** 291

Preprocholecystokinin; C-terminal flanking peptide; Radioimmunoassay (Varro, A.) **376,** 213

Noradrenaline; Dopamine; Serotonin; Acetylcholine; Immunocytochemistry (McRae-Degueurce, A.) **376,** 217

Muscarinic acetylcholine receptor; Receptor subtype; Somatostatin; Receptor binding assay (Miyoshi, R.) **377,** 348

Tryptophan hydroxylase; Serotonergic cell body; Serotonergic terminal; Nucleus raphe dorsalis; Nucleus raphe centralis; Hypothalamus; Postnatal development (Park, D.H.) **378,** 183

Opiate receptor; Restraint stress; Morphine; Naloxone; Etorphine radioligand binding assay; Receptor down-regulation (Hnatowich, M.R.)

380, 107

Potassium channel, calcium-dependent; Apamin; Quantitative autoradiography; Septal area; Hippocampus; Cerebellum; Limbic system (Mourre, C.) **382,** 239

Glucocorticoid receptor; Receptor measurement; Molybdate (Mitchell, J.) **383,** 373

Rat brain area
Scrapie; Serotonin; 5-Hydroxyindoleacetic acid; 3,4-Dihydroxyphenylethyleneglycol; Dihydroxyphenylacetic acid (Bassant, M.H.) **367,** 360

Rat brain membrane
Solubilization; Substance P binding site; Sodium glycodeoxycholate; Receptor subtype (Maruyama, M.) **370,** 186

Rat brain nucleus
Melanin-concentrating hormone; Radioimmunoassay (Zamir, N.) **373,** 240

Rat brain nucleus anteroventral third ventricle
Atrial natriuretic peptide; Radioimmunoassay; Fluid balance; Electrolyte balance (Zamir, N.) **365,** 105

Rat brainstem
Adrenaline neuron; Locus ceruleus; Neuronal interaction; Noradrenaline neuron; Phenylethanolamine-*N*-methyltransferase; Tyrosine hydroxylase (Astier, B.) **397,** 333

Rat cerebellum
Electron microscopy; Immunohistochemistry; Western blotting; Gel electrophoresis; Purkinje cell; Climbing fiber; Synaptic connection (Pasteels, J.L.) **384,** 294

Rat cerebral cortex
Choline acetyltransferase; Somatostatin; Ibotenic acid; Nucleus basalis (Epelbaum, J.) **371,** 376

Rat duodenum
Brunner's gland cell; Endocrine cell; Receptosome; Lysosome; Mucopeptide synthesis; Adrenocorticotropin; Electron microscopy (Wolter, H.J.) **367,** 141

β-Endorphin; Myenteric plexus; Receptosome; Lyosome; Immunoelectron microscopy (Wolter, H.J.) **381,** 121

Rat hindlimb
Horseradish peroxidase; Dorsal root ganglion; Sympathetic innervation; Motor supply; Rat skeletal muscle; Neuronal labelling (Peyronnard, J.M.) **373,** 288

Rat hippocampus
Memory and learning; Goldfish brain protein; Behavioral plasticity; Immunohistofluorescence staining; Embryonic glycoprotein; Plasticity of the CNS; Pyramidal cell culture (Schmidt, R.) **386,** 245

Rat hypothalamus
Gastrin-releasing peptide; Neurotensin; γ-Butyrolacton-γ-carbonyl-1-histidyl-1-prolinamide citrate; Dopamine; Norepinephrine (Kabayama, Y.) **372,** 394

Serotonin; Cyproheptadine; Reserpine; Corticotropin-releasing factor (Nakagami, Y.) **386,** 232

Rat line
Diurnal cycle; Ligand receptor binding; Choline acetyltransferase activity; Line-dependent cycle (Jenni-Eiermann, S.) **370,** 54

Rat model
Recovery of function; Aging; Hemiplegia; γ-Aminobutyric acid; Cortical inactivation (Brailowsky, S.) **362,** 322

Rat neocortex
Axonal regeneration; Non-neuronal cell proliferation; Cytosine arabinoside; Tissue culture (Oorschot, D.E.) **368,** 49

Rat neostriatum
Tyrosine hydroxylase; Substance P; Immunohistochemistry; Synaptic input (Kubota, Y.) **375,** 163

Rat neurohypophysis
Ion channel; Vasopressin; Oxytocin; Hormone secretion; Patch clamp (Mason, W.T.) **383,** 279

Rat pelvic ganglion
Lucifer yellow; Intracellular recording; Intracellular labelling; Ganglionic transmission (Tabatabai, M.) **382,** 61

Rat sciatic nerve
Neuroma; Node of Ranvier; Voltage clamp; Electron microscopy (Brismar, T.) **378,** 347

Rat skeletal muscle
Rat hindlimb; Horseradish peroxidase; Dorsal root ganglion; Sympathetic innervation; Motor supply; Neuronal labelling (Peyronnard, J.M.) **373,** 288

Rat slice
Persistent slow inward calcium current; Substance P; Spinal dorsal horn neuron (Murase, K.) **365,** 369

Rat spinal cord
Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Immunocytochemistry; Radioimmunoassay; High performance liquid chromatography; Dorsal horn (Harkness, D.H.) **384,** 323

Rat spinal cord slice
Substance P antibody; Slow excitatory transmission; Dorsal horn (Randic, M.) **383,** 15

Rat striatum
Stable adenosine analogue; (*R*)-*N*-(1-Methyl-2-phenylethyl)-adenosine; 5′-Deoxy-5′-(ethylamine)-5′-oxoadenosine; Dopamine synthesis an metabolism (Myers, S.) **375,** 193

Rat synaptosome
AH5183; Acetylcholine storage; Acetylcholine release (Suszkiw, J.B.) **386,** 371

Rat thalamocortical neuron
Intracellular recording; Intracellular labeling; Membrane property; Cortical stimulation-induced response (Kita, H **371,** 80

Reaction time
Parkinsonian akinesia; Motor preparatory process; H-reflex (Chan, C.W.Y.) **386,** 183

Reactive astrocyte
Experimental autoimmune encephalomyelitis; Glial fibrillary acidi protein; Prazosin; α_1-Adrenoceptor; Vimentin (Goldmuntz, E.A.) **397,** 16

Readiness potential
Bereitschaftspotential; Voluntary movement; Lower extremity; Precentral gyrus; Motor homunculus (Boschert, J.) **376,** 175

Rearing
Locomotor activity; Hypothalamic-preoptic area; Cholinergic system; Carbachol; Atropine; Rat (Brudzynski, S.M.) **376,** 38

Receptive field
Neurotransmitter; Retina; γ-Aminobutyric acid; Cone; Bipolar cell; Membrane conductance (Wu, S.M.) **365,** 70

Cerebellum; Climbing fiber; Somatotopic organization (Logan, K.) **372,** 290

Learning; Classical conditioning; Auditory cortex; Single unit (Diamond, D.M.) **372,** 357

S1 cortex; Benzodiazepine; Ro 15-178 Flurazepam; Diazepam; Midazolam (Oka, J.-I.) **376,** 194

Motor cortex; Supplementary motor cortex; Premotor cortex; Somatosensory cortex; Rat (Sievert, C.F.) **381,** 15

Global vision; Pattern recognition; Motion selectivity; Corticotectal; Superior colliculus; Monkey (Bender, D.B.) **381,** 372

Spinal cord; Dorsal horn; Dendrite; Axon collateral; Plantar cushion (Egger, M.D.) **383,** 68

Receptive field property
Ventral lateral geniculate nucleus; Pretectum; Superior colliculus; Antidromic activation; Single unit; Ca

Hada, J.) **363,** 165

Receptivity
Hypothalamus; Primate sexual behavior; Proceptivity; 17β-Estradiol; Marmoset (Kendrick, K.M.) **375,** 221

Receptor
Cholecystokinin; Area postrema; Nucleus tractus solitarii; Autoradiography (Moran, T.H.) **362,** 175

Asialoglycoprotein; Retrograde axonal transport; Endocytosis; Endogenous lectin; Trigeminal neuron; Dorsal root ganglia neuron; Mouse (Gustafsson, M.) **367,** 14

Adenosine; Xanthine; Autoradiography; N-Ethylcarboxamidoadenosine; Cyclohexyladenosine (Lee, K.S.) **368,** 394

Neuronal cell culture; Brain; Angiotensin II; Sodium; Cation; Spontaneously hypertensive rat (Feldstein, J.B.) **370,** 265

Excitatory amino acid; Olfactory cortex (Collins, G.G.S.) **371,** 9

Aplysia; Neurotransmitter; Cerebral ganglion (Gaillard, W.D.) **373,** 303

Rat; Hippocampus; Lesion; Behavior; Reversal learning; Corticosteroid; Plasticity (De Ronde, F.S.W.) **374,** 219

Autoradiography; Angiotensin II; Organum vasculosum of the lamina terminalis; Subfornical organ; Medulla; Hypothalamus (McKinley, M.J.) **375,** 373

Neuropeptide Y; Localization; Lower brainstem; Autoradiography; Binding (Nakajima, T.) **380,** 144

Anoxia; Adenosine; Down regulation; Hippocampus; Cyclohexyladenosine (Lee, K.S.) **380,** 155

Axonal transport; Opiate; Muscarinic; Diabetes; Streptozocin (Laduron, P.M.) **380,** 359

Vasoactive intestinal peptide; Cerebral blood vessel; Autoradiography (Poulin, P.) **381,** 382

3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; N-Methyl-D-aspartate; Glutamate; Hippocampus; Long-term potentiation (Harris, E.W.) **382,** 174

Herpes virus suis; Neurotropic virus; Retrograde axonal transport (Marchand, C.F.) **383,** 262

Choroid plexus; Vasoactive intestinal peptide; Porcine intestinal peptide; Cyclic adenosine 3′,5′-monophosphate (Crook, R.B.) **384,** 138

Cholecystokinin; Radioreceptor assay; High-pressure liquid chromatography; Cholecystokinin-4; Amygdala; Hypothalamus; Cortex (Beresford, I.J.M.) **398,** 313

Steroid; Anxiety; Adrenal; Benzodiazepine; γ-Aminobutyric acid (Crawley, J.N.) **398,** 382

Adenosine; N-Ethylcarboxamidoadenosine; Autoradiography; Striatum; N-Ethylmaleimide (Reddington, M.) **399,** 232

Receptor autoradiography
Retina; Neurotransmitter receptor; Retinal receptor (Zarbin, M.A.) **374,** 75

Dopamine; N-n-Propylnorapomorphine; Human brain; Caudate nucleus (Camus, A.) **375,** 135

Hemicholinium-3; High-affinity binding; Dexamethasone; Corticosteroid (Van Marle, J.) **398,** 191

Receptor binding
Autoradiography; Brain homogenate; Brain section; Muscarinic receptor; N-Methyl scopolamine (Dohanich, G.P.) **366,** 338

^{125}I-Lysergic acid diethylamide (^{125}I-LSD); Neostriatum; Frontal cortex; Serotonin receptor; Autoradiography (Altar, C.A.) **372,** 130

Receptor binding assay
Muscarinic acetylcholine receptor; Receptor subtype; Somatostatin; Rat brain (Miyoshi, R.) **377,** 348

Receptor binding site
Phencyclidine; TCP; Quantitative autoradiography; Lesion; Central nervous system; Psychotomimetic (Gundlach, A.L.) **386,** 266

Receptor down-regulation
Opiate receptor; Restraint stress; Morphine; Naloxone; Rat brain; Etorphine radioligand binding assay (Hnatowich, M.R.) **380,** 107

Receptor measurement
Glucocorticoid receptor; Rat brain; Molybdate (Mitchell, J.) **383,** 373

Receptor protein
Taste response; Magnesium; Sodium; Multiple receptor site; Glossopharyngeal nerve; Frog (Kitada, Y.) **380,** 172

Receptor site
Taste response; Calcium; Sodium; Water fiber; Glossopharyngeal nerve; Frog (Kitada, Y.) **377,** 211

Receptor subtype
Solubilization; Substance P binding site; Sodium glycodeoxycholate; Rat brain membrane (Maruyama, M.) **370,** 186

Muscarinic acetylcholine receptor; Somatostatin; Rat brain; Receptor binding assay (Miyoshi, R.) **377,** 348

Receptor, A_1
Adenosine; Hippocampus; Calcium flux; Presynaptic flux; Postsynaptic flux (Schubert, P.) **376,** 382

Receptor, D_1-dopamine-
Retinal neuron; Neurotransmission; Dopamine; Acetylcholine; Retina–muscle coculture (Tsai, W.H.) **380,** 375

Receptor, D_2-
Senescence; Quantitative autoradiography; Spiroperidol; Caudate-putamen; Striatum; Aging (Joyce, J.N.) **378,** 158

Receptor, Fc-
Beige murine mutant; Monocyte; Myelin; Peripheral nerve; Silica; Wallerian degeneration (Beuche, W.) **378,** 97

Receptor, prostaglandin D_2-
Olfaction; Olfactory bulb neuron; Dendrodendritic synapse (Watanabe, Y.) **378,** 216

Receptosome
Rat duodenum; Brunner's gland cell; Endocrine cell; Lysosome; Mucopeptide synthesis; Adrenocorticotropin; Electron microscopy (Wolter, H.J.) **367,** 141

β-Endorphin; Rat duodenum; Myenteric plexus; Lysosome; Immunoelectron microscopy (Wolter, H.J.) **381,** 121

α-Receptor
Diazepam; Norepinephrine; Release; Benzodiazepine receptor (Kellogg, C.K.) **366,** 137

Noradrenaline; β-Receptor; Supraoptic neuron; Periventricular neuron (Inenaga, K.) **369,** 37

α_1-Receptor
Supraoptic nucleus; Vasopressin; Noradrenaline (Armstrong, W.E.) **365,** 192

Noradrenaline; Inositol phosphate; Lateral geniculate nucleus (Kemp, J.A.) **371,** 314

α_2-Receptor binding
Glucose homeostasis; Paraventricular nucleus; Medial hypothalamus; Noradrenergic activity; Feeding (Chafetz, M.D.) **384,** 404

β-Receptor
Noradrenaline; α-Receptor; Supraoptic neuron; Periventricular neuron (Inenaga, K.) **369,** 37

Ethylketocyclazocine; Mr 2266; Naltrexone; Phencyclidine; Stereotyped behavior (Nabeshima, T.) **378,** 234

Dopamine; Calcium-activated potassium conductance;

Afterhyperpolarization; Hippocampus; Pyramidal cell (Malenka, R.C.) **379,** 210

δ-Receptor
Autoradiography; Opiate receptor; μ-Receptor; Telencephalon; Diencephalon (McLean, S.) **378,** 49

μ-Receptor
Autoradiography; Opiate receptor; δ-Receptor; Telencephalon; Diencephalon (McLean, S.) **378,** 49

Reciprocal connection
Claustrum; Visual thalamus; Tree shrew; Neurotracer (Carey, R.G.) **386,** 155

Reciprocal inhibition
Co-contraction; Maximum voluntary contraction; Electromyogram (Tyler, A.E.) **370,** 171

Recombinant deoxyribonucleic acid
Egg-laying behavior; *Aplysia californica*; Neuropeptide; Gene expression (Shyamala, M.) **371,** 49

Reconnection
Axonal severance; Polyethylene glycol; Crayfish (Bittner, G.D.) **367,** 351

Recovery
Mitochondrion; Myelin; Non-myelinated axon; Undernourishment (Wiggins, R.C.) **368,** 277

GM_1 ganglioside; Partially denervated hippocampus; Cholinergic system; Serotoninergic system (Gradkowska, M.) **375,** 417

Body weight; Cycle; Food intake; Hibernator; Hypothalamus; Lesion (Mrosovsky, N.) **399,** 282

Recovery of cholinergic enzyme
Cholinergic neuron; Septohippocampal pathway; Partial fimbrial lesion; Hippocampus; Compensatory collateral sprouting; Homotypic reinnervation; Adult rat (Gasser, U.E.) **367,** 368

Recovery of function
Aging; Hemiplegia; Rat model; γ-Aminobutyric acid; Cortical inactivation (Brailowsky, S.) **362,** 322

Frontal cortex damage; Benzodiazepine; Sensorimotor; Critical period; Anticonvulsant; Extinction (Schallert, T.) **379,** 104

Recrossed retinotectal projection
Retinal ganglion cell; Horseradish peroxidase; Fast blue; Nuclear yellow; Rat (Jen, L.S.) **377,** 368

Recruitment
Compensatory overload; Hypertrophy; Neuromuscular adaptation; Locomotion (Gardiner, P.) **380,** 114

Recurrent inhibitory postsynaptic potential
Renshaw cell; Phrenic motoneuron; Respiration; Central command; Cat (Hilaire, G.) **376,** 133

Red nucleus
Parvicellular region; Magnocellular region; Wheatgerm agglutinin horseradish peroxidase (Kennedy, P.R.) **364,** 124

Facial nucleus; Orbicularis oculi muscle; Blink reflex; Emotional facial innervation; Voluntary facial innervation; Medullary lateral tegmental field; Pretectum (Holstege, G.) **374,** 306

Redox state
Cytochrome; Electrical activity; Bullfrog brain; Scanning spectrophotometry; Vasoactive intestinal polypeptide (Kanno, T.) **369,** 275

Redox state mapping
Gerbil; Ischemia; Nicotinamide-adenine dinucleotide; Flavoprotein; Frozen brain; Brain circulation (Mayevsky, A.) **367,** 63

5α-Reductase
Hypothalamic culture; Aromatase; Kainic acid; Neuron (Canick, J.A.) **372,** 277

5β-Reductase
Testosterone metabolism; Sexual differentiation; Song system; Zebra finch; 5β-Dihydrotestosterone (Balthazart, J.) **378,** 240

Reeler
β_1-Adrenoceptor; α_1-Adrenoceptor; Mouse; Forebrain; Midbrain (Goffinet, A.M.) **366,** 193

Reference memory
Memory; Single unit recording; Hippocampus; Working memory; Delayed match-to-sample (Wible, C.G.) **399,** 97

Reflex
Balance; Posture; Stroke; Electromyogram (Di Fabio, R.P.) **363,** 257

Reflex cardiovascular control
Antiserum; Exercise; Spinal cord; Muscle afferent (Kaufman, M.P.) **377,** 199

Reflex connection to motoneuron
Motor unit; Motor-unit fatigue; Muscle-afferent feedback; Gain change (Windhorst, U.) **398,** 181

Reflex excitability
Labyrinth reflex; Neck reflex; Elbow joint afferent; Decerebrate cat (Baxendale, R.H.) **377,** 41

Reflex straining
Postural change; Defecation; Micturition; Pelvic nerve (Fukuda, H.) **380,** 276

Refractory period
Brain stimulation reward; Medial forebrain bundle; Self-stimulation; Single unit recording; Lateral hypothalamus; Ventral tegmental area; Forebrain nucleus (Rompré, P.-P.) **364,** 338

Axon threshold; Circling; Brain stimulation; Current–distance relation; Summation (Yeomans, J.) **372,** 95

Regeneration
Peripheral nervous system graft; Cat (Sceats, D.J.) **362,** 149

Central nervous system transplant; Paraplegia; Vasoactive intestinal polypeptide neuron; Immunohistochemistry (Connor, J.R.) **367,** 214

Visual system; Lesion; Retinal axon; Superior colliculus; Glia (Harvey, A.R.) **368,** 141

Medial forebrain bundle; Monoaminergic neuron; Nerve graft (Dum, R.P.) **372,** 198

Central plasticity; Nerve repair; Peripheral injury; Sensory recovery; Somatosensory cortex; Touch (Wall, J.T.) **372,** 400

Central nervous system transplant; Paraplegia; Spinal cord; Somatostatin; Immunohistochemistry (Bernstein, J.J.) **374,** 147

Neurofilament; Axon specificity; Phosphorylation; Peripheral nerve; Laminin (Bignami, A.) **375,** 73

Sympathetic; Retrograde transport; Specificity; Axotomy; Fluorescent dye (Hendry, I.A.) **376,** 292

Membrane fluidity; Lipid; Development; Aging; Tissue culture; Fluorescence photobleaching recovery; Dorsal root ganglion; Mouse; Neuron (Horie, H.) **377,** 246

Spinal cord; Graft; Transplant; Substrate; Histocompatibility; Culture (Bernstein, J.J.) **377,** 403

Ornithine decarboxylase; Polyamine; Axonal transport (Kanje, M.) **381,** 24

Cerebral cortex; ELISA; Immunohistochemistry; In vitro; Neurofilament monoclonal antibody; Oxygen tension; Tissue culture (Kaplan, F.S.) **384,** 199

Nerve growth factor; Tropic factor; Neurite-promoting factor; Peripheral nerve; Schwann cell (Windebank, A.J.) **385,** 197

Microvascular network; Cortical lesion; Quantification method; Rat (De Paermentier, F.) **398,** 419

Regeneration rate
Nerve repair; Nerve crush; Axonal transport; Rabbit hypoglossal nerve (Danielsen, N.) **376,** 125

Regional brain distribution
Aggressive behavior; Testosterone uptake; Castration; Mouse (Davanzo, J.P.) **369,** 224

Regional cerebral blood flow
Experimental allergic encephalomyelitis; Iodoantipyrine; Quantitative autoradiography; Spatial resolution (Juhler, M.) **363,** 272

Electrical stimulation; Centromedian-parafascicular complex (Mraovitch, S.) **380,** 42

Regional cerebral ischemia
Gerbil; Immunohistochemistry; Posterior communicating artery (Yamamoto, K.) **371,** 244

Regional cerebral metabolic rate for glucose
Deoxyglucose; Rat; Correlation matrix; Functional system; Brain (Soncrant, T.T.) **369,** 1

Regional cerebral metabolism
Morphine; Analgesia; Deoxyglucose; Autoradiography; Pain (Levy, R.M.) **368,** 170

Regional cerebral oxygen consumption
Chronic naltrexone; Cerebral blood flow; Opiate (Buchweitz, E.) **397,** 308

Regional distribution
Substance K (neurokinin A); Substance P; Tachykinin (Takano, Y.) **369,** 400

Quantitative receptor autoradiography; D_1 receptor; SCH 23390; Rat brain; Dopaminergic system (Savasta, M.) **375,** 291

Gastrin-releasing peptide; Somatostatin; Microdissection method; Hypothalamic nucleus; Rabbit (Kita, T.) **398,** 18

Regulation
Adrenocorticotropic hormone; Immunoreactive β-endorphin; Brain concentration; Molecular form; Immunoreaction; Developmental aging; Pro-opiomelanocortin; Chromatography (Kapcala, L.P.) **364,** 350

Reilly syndrome
Vagus nucleus; Medulla oblongata; Direct current potential; Trigeminal nerve (Sugaya, E.) **369,** 369

Reinforcement
Caudate; Dopamine; In vivo electrochemistry (Brozoski, T.J.) **364,** 275

Reinnervation
Substance P; Axotomy regeneration; Peripheral nerve (Bisby, M.A.) **365,** 85

Electrical stimulation; Denervated muscle; Contractile property; Endplate morphometry; Isometric twitch tension (Eberstein, A.) **384,** 304

Nerve injury; Non-myelinated nerve fiber (Brenan, A.) **385,** 152

Rejecting behavior
Tongue-muscle motoneuron; Hypoglossal motoneuron; Glossopharyngeal nerve; Optic tectum; Excitatory interneuron; Prey-catching behavior; Toad (Matsushima, T.) **365,** 198

Relative motion sensitivity
Vision; Cat; Striate cortex (Hammond, P.) **386,** 93

Relay cell
Dorsal ventricular ridge; Intrinsic neuron; Local circuit neuron; Reptile; Thalamus (Pritz, M.B.) **376,** 169

Release
In vivo dialysis; Transplantation; Neostriatum; Dopamine (Zetterström, T.) **362,** 344

Diazepam; Norepinephrine; Benzodiazepine receptor; α-Receptor (Kellogg, C.K.) **366,** 137

Somatostatin; Dopamine; Frontal cortex (Thal, L.J.) **372,** 205

Antidepressant; Calcium; α_2-Adrenoceptor; Noradrenaline; Synaptosome (Campbell, I.C.) **372,** 253

Somatostatin; Cholecystokinin octapeptide; Acetylcholine; Dopamine receptor; Caudate nucleus (Arneric, S.P.) **374,** 153

Somatostatin; Cerebral cortex; Neurotransmitter; Carbachol; Slice (Boakes, R.J.) **397,** 197

Adenosine; Adenine nucleotide; Uptake; Retina; Rabbit; In vitro (Perez, M.T.R.) **398,** 106

Renal nerve activity
Arterial pressure; A1 noradrenergic neuron; Tyramine; Kainic acid; Rostral ventrolateral medulla; C1 adrenergic neuron; 6-Hydroxydopamine; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

Renal nerve discharge
Escherichia coli endotoxin; Hypotension; Medullary pressor area; Blood pressure; Heart rate; Sympathetic nerve activity (Koyama, S.) **366,** 217

Renin-angiotensin system
Serotonin; Vasopressin; Subfornical organ; Saralasin (Steardo, L.) **382,** 145

Angiotensin II; Potassium depolarization; Hypothalamo-neurohypophysial system; Vasopressin (Schiavone, M.T.) **397,** 193

Renshaw cell
Recurrent inhibitory postsynaptic potential; Phrenic motoneuron; Respiration; Central command; Cat (Hilaire, G.) **376,** 133

Repetitive firing
Sympathetic preganglionic neuron; Afterpotential; Calcium current; Noradrenaline (Yoshimura, M.) **362,** 370

Reproductive behavior
Aromatase; Hypothalamus; Preoptic area; Testosterone; Metabolism of testosterone; Brain differentiation; Sexual differentiation (Schumacher, M.) **377,** 63

Reptile
Substance P; Dynorphin; Co-occurrence; Striatonigral; Striatopallidal; Basal ganglion; Bird (Reiner, A.) **371,** 155

Dorsal ventricular ridge; Intrinsic neuron; Local circuit neuron; Relay cell; Thalamus (Pritz, M.B.) **376,** 169

Reserpine
Neostriatum; Heterogeneity; Methamphetamine; Dopamine; Fluorescence histochemistry (Fukui, K.) **382,** 81

Serotonin; Cyproheptadine; Corticotropin-releasing factor; Rat hypothalamus (Nakagami, Y.) **386,** 232

Respiration
Renshaw cell; Recurrent inhibitory postsynaptic potential; Phrenic motoneuron; Central command; Cat (Hilaire, G.) **376,** 133

Blood pressure; Heart rate; Amygdala; Central nucleus; Cryoprobe; Conditioning (Zhang, J.-X.) **386,** 136

Respiratory activity
Ventral surface of the medulla; Arterial pressure; L-Glutamic acid; Nucleus paragigantocellularis lateralis; Lateral reticular nucleus; Glycine-sensitive area (Gatti, P.J.) **381,** 281

Respiratory neuron
Nucleus tractus solitarius; Vagal afferent; Spinal projection (Jiang, C.) **377,** 190

Respiratory rate
Neuropeptide; Cholecystokinin; Chronic intracerebroventricular infusion; Rapid eye movement sleep (Demesquita, S.) **378,** 127

Respiratory related neuron
Neurotensin; Nucleus tractus solitarii; Phrenic nerve activity; Iontophoresis; Pressure injection (Morin-Surun, M.P.) **384,** 106

Respiratory timing
Medulla oblongata; Thyrotropin-releasing hormone; 5,7-Dihydroxytryptamine (McCown, T.J.) **373,** 189

Restraint
Noradrenaline; Corticosterone; Gastric

ulceration; Immobilization; Stress (Bakke, H.K.) **368,** 256

Opioid peptide; Stress; Analgesia; Body temperature; Stress-induced change (Appelbaum, B.D.) **377,** 330

Restraint stress
High-affinity choline uptake; Hippocampus; Frontal cortex; Naltrexone (Lai, H.) **372,** 366

Opiate receptor; Morphine; Naloxone; Rat brain; Etorphine radioligand binding assay; Receptor down-regulation (Hnatowich, M.R.) **380,** 107

Retention
Amygdala; Adrenaline; Inhibitory avoidance; Memory; Noradrenaline; Propranolol (Liang, K.C.) **368,** 125

Reticular formation
Axial muscle; Pudendal nerve; Lordosis; Electroencephalogram; Electromyogram (Sullivan, J.M.) **368,** 197

Inferior olive; Horseradish peroxidase; Intracellular staining; Ultrastructure (Bishop, G.A.) **371,** 133

Dorsal horn neuron; Noxious heat-evoked response; Descending inhibition; Midbrain periaqueductal gray; Rat (Carstens, E.) **382,** 266

Rapid eye movement; Sleep; Carbachol; Brainstem; Rat (Gnadt, J.W.) **384,** 29

Rapid eye movement sleep; Brainstem; Acetylcholine; Neuronal activity (Shiromani, P.J.) **386,** 20

Nucleus reticularis gigantocellularis; Spinal cord; Motoneuron; Inhibitory postsynaptic potential; Sleep; Wakefulness; Active sleep; Quiet sleep (Chase, M.H.) **386,** 237

Medulla oblongata; Anterior cingulate cortex; Horseradish peroxidase (Meyer, G.) **398,** 207

Reticular stimulation
Classical conditioning; Cortex; Hippocampal formation; Thalamus; 2-Deoxyglucose; Learning (Gonzalez-Lima, F.) **363,** 239

Retina
Neurotransmitter; γ-Aminobutyric acid; Cone; Bipolar cell; Membrane conductance; Receptive field (Wu, S.M.) **365,** 70

Adenosine; Cyclic adenosine monophosphate; Cyclic nucleotide (Blazynski, C.) **366,** 224

Neuropeptide; Colocalization; Neurotensin; Substance P (Li, H.-B.) **366,** 307

Vision; Y cell; α cell; Head orientation; Superior colliculus; Lateral geniculate nucleus; Antibody (Spear, P.D.) **368,** 154

Dopamine; Melatonin; Serotonin *N*-acetyltransferase (Iuvone, P.M.) **369,** 168

Tectum; Projection neuron; Centrifugal visual system; Horseradish peroxidase; Golgi-like staining; Teleost (Uchiyama, H.) **369,** 260

Neurotensin; Synaptic transmission; Cobalt block; Mudpuppy (Zalutsky, R.A.) **371,** 360

Excitatory amino acid; Horizontal cell; Intracellular recording (Ariel, M.) **372,** 143

NADPH diaphorase; Amacrine cell; Rabbit (Sagar, S.M.) **373,** 153

Neurotransmitter receptor; Retinal receptor; Receptor autoradiography (Zarbin, M.A.) **374,** 75

Peripheral nervous system nerve transplant; Central nervous system regeneration; Hamster (So, K.-F.) **377,** 168

Selective degeneration; Color-opponent neuron; Neurofilamentous axonopathy; Horseradish peroxidase transport; Cytochrome oxidase; Monkey (Eskin, T.A.) **378,** 379

Horizontal cell; Kynurenic acid; Quinolinic acid; Amino acid neurotransmitter (Hankins, M.W.) **380,** 297

Kynurenic acid; Kainic acid; Quisqualate; Acidic amino acid; Antagonist (Coleman, P.A.) **381,** 172

5,7-Dihydroxytryptamine; Serotonin; γ-Aminobutyric acid; Co-occurrence (Osborne, N.N.) **382,** 158

Dopamine; Tyrosine; Substrate availability; Amino acid; Dietary protein (Gibson, C.J.) **382,** 195

Development; Monoclonal antibody; Immunocytochemistry; Monolayer culture; Rat (Akagawa, K.) **383,** 110

Neuroanatomical technique; Golgi technique; Electron microscopy (Zimmerman, R.P.) **383,** 287

Serotonin antagonist; Ketanserin; LY-53857; Methysergide; Ganglion cell; Rabbit (Brunken, W.J.) **384,** 161

Adenosine; Adenine nucleotide; Uptake; Release; Rabbit; In vitro (Perez, M.T.R.) **398,** 106

Glutamate; Aspartate; Kainate; γ-Aminobutyric acid (Moran, J.) **398,** 276

Immunocytochemistry; Choline acetyltransferase; Amacrine cell; Tree shrew (Conley, M.) **399,** 332

Retina repair
Eye lesion; Peripheral nerve implant (Turner, J.E.) **376,** 246

Retina–muscle coculture
Retinal neuron; Neurotransmission; Dopamine; Acetylcholine; Receptor, D_1-dopamine- (Tsai, W.H.) **380,** 375

Retinal afferent
Optic tectum; Synaptic transmission; Excitatory postsynaptic potential (Leresche, N.) **365,** 138

Inhibitory postsynaptic potential; Synaptic organization; Optic tectum (Leresche, N.) **365,** 383

Retinal axon
Visual system; Lesion; Regeneration; Superior colliculus; Glia (Harvey, A.R.) **368,** 141

Retinal cell
Lamprey retina; Immunohistofluorescence; Polypeptide; Serotonin (Negishi, K.) **362,** 389

Retinal culture
Rabbit; Serotonin; Cell (Osborne, N.N.) **362,** 287

Retinal explant
Image processing; Quantitation; Computer (Ford-Holevinski, T.S.) **368,** 339

Retinal ganglion cell
Old-World monkey; Ganglion cell dendritic orientation; Human visual orientation perception; Orientation specificity (Schall, J.D.) **368,** 18

Japanese quail; Cell distribution; Soma size; Axon diameter; Classification; Dendritic pattern (Ikushima, M.) **376,** 320

Recrossed retinotectal projection; Horseradish peroxidase; Fast blue; Nuclear yellow; Rat (Jen, L.S.) **377,** 368

Neuropeptide; Gonadotropin-releasing hormone; Enkephalin; Molluscan cardioexcitatory peptide (FMRFamide); Terminal nerve (Walker, S.E.) **384,** 262

Retinal neuron
Neurotransmission; Dopamine; Acetylcholine; Retina–muscle coculture; Receptor, D_1-dopamine- (Tsai, W.H.) **380,** 375

Retinal receptor
Retina; Neurotransmitter receptor; Receptor autoradiography (Zarbin, M.A.) **374,** 75

Retinal topography
Diencephalon; Horseradish peroxidase histochemistry; *Ictalurus punctatus*; Optic tract (Fraley, S.M.) **385,** 179

Retinogeniculate system
Cat; X-cell; Y-cell; Conduction velocity; Optic chiasm latency; Perisynaptic delay; Synchrony (Schroeder, C.E.) **381,** 143

Retinopetal projection
Ganglion cell; Nervus terminalis;

Cobaltic lysine; Anabantoid fish; Dwarf gourami (Oka, Y.) **367,** 341

Retinotectal
Cholinergic; Choline acetyltransferase; Goldfish; Optic tectum (Ross, C.D.) **373,** 49

Retinotectal projection
α-Bungarotoxin; Acetylcholine receptor; Nicotinic receptor; Cholinergic receptor; Optic tectum (Henley, J.M.) **364,** 405

Retraction
Superior cervical ganglion; Cell culture; Neurite; Potassium; Depolarization; Degeneration (Campenot, R.B.) **399,** 357

Retractor bulbus
Autoradiography; Blink reflex; Nictitating membrane response; Conditioning; Eye protection (Holstege, G.) **374,** 321

Retrofacial expiratory cell
Behavioral control; Active expiration (Orem, J.) **374,** 409

Retrograde axonal transport
Asialoglycoprotein; Endocytosis; Receptor; Endogenous lectin; Trigeminal neuron; Dorsal root ganglia neuron; Mouse (Gustafsson, M.) **367,** 14

Axon regeneration; Somatotopical organization; Adult; Neonatal; Facial motor nucleus; Horseradish peroxidase (Aldskogius, H.) **375,** 126

2,5-Hexanedione; Anterograde axonal transport; Peripheral neuropathy; Sensory nerve; Motor nerve; Distal axonopathy (Brændgaard, H.) **378,** 1

Nerve growth factor; Diabetes; Rat; Autonomic neuropathy (Schmidt, R.E.) **378,** 325

Herpes virus suis; Neurotropic virus; Receptor (Marchand, C.F.) **383,** 262

Retrograde cell degeneration
Basal nucleus; Choline acetyltransferase; Immunocytochemistry; Ganglioside (Cuello, A.C.) **376,** 373

Retrograde degeneration
Neuronal hypertrophy; Choline acetyltransferase; Immunohistochemistry; Oculomotor nerve; Motor neuron (Pearson, R.C.A.) **382,** 189

Septal nucleus; Ganglioside; Immunohistochemistry; Choline acetyltransferase (Sofroniew, M.V.) **398,** 393

Retrograde double-labeling
Cingulate cortex; Substantia nigra pars compacta; Parkinson's disease; Schizophrenia; Dopamine (Takada, M.) **380,** 331

Retrograde fluorescence tracer
Hypothalamic efferent; Fluorescent latex microsphere; Amygdala; Cerebellum; Spinal cord (Dietrichs, E.) **364,** 241

Thalamocortical projection; Motor cortex; Area 3a (Zheng, Z.-H.) **380,** 389

Retrograde fluorescent tracing
Hippocampus; Intracellular injection; Interneuron; Septum (Schwerdtfeger, W.K.) **386,** 146

Retrograde horseradish peroxidase transport
Trigeminal nerve; Facial nerve; Motor nucleus; Jaw muscle; Hagfish (Kishida, R.) **385,** 263

Retrograde tracer
Fluoro-gold; Fluorescent dye; Multiple label (Schmued, L.C.) **377,** 147

Vasoactive intestinal polypeptide; Stomach; Myenteric ganglion; Celiac ganglion; Projection; Immunocytochemistry (Lee, Y.) **382,** 392

Retrograde tracing
Calcitonin gene-related peptide; Capsaicin; Epiglottis; Pharynx; Tongue (Terenghi, G.) **365,** 1

Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Rhodamine-labelled acrylic microsphere; Somatostatin; True blue (Katagiri, T.) **372,** 313

Retrograde transport
Amygdala; Spinal cord; Bead; Cat (Sandrew, B.B.) **373,** 235

Vasoactive intestinal polypeptide; Peripheral axotomy; Dorsal root ganglion; Sciatic nerve; Fluorescence microscopy; Immunohistochemistry (Shehab, S.A.S.) **376,** 180

Sympathetic; Regeneration; Specificity; Axotomy; Fluorescent dye (Hendry, I.A.) **376,** 292

Gonadotropin-releasing hormone; Olfactory system; Nervus terminalis; Immunohistochemistry; Mouse (Jennes, L.) **386,** 351

Nipecotic acid; γ-Aminobutyric acid; Amino acid uptake; Olivocochlear efferent system (Ryan, A.F.) **399,** 399

Trigeminal nucleus; Mesencephalon; Anterograde transport; Lectin conjugate; Cat (Wiberg, M.) **399,** 51

Reversal learning
Rat; Hippocampus; Lesion; Behavior; Receptor; Corticosteroid; Plasticity (De Ronde, F.S.W.) **374,** 219

Reverse suture
Geniculocortical afferent; Layer I; Monocular suture; Visual cortex; Plasticity; Kitten (Kato, N.) **386,** 393

Reversible inactivation
Parametric; Selective lesion; Cobalt; Fiber-of-passage; Lateral geniculate nucleus (Lee, C.) **364,** 396

Reward
Lateral hypothalamus; Single neuron activity; Monkey; Electrophoresis; Morphine; Naloxone (Oomura, Y.) **365,** 335

Place conditioning; Cocaine; Pimozide; Intracerebroventricular microinjection; Procaine; Bromocriptine; Dopamine (Morency, M.A.) **399,** 33

Nucleus basalis of Meynert; Delayed response task; Basal forebrain cholinergic system; Memory (Richardson, R.T.) **399,** 364

Rewarded alternation
Striatum; Kainate; Transplantation; Hyperactivity; Stereotypy; Rat (Deckel, A.W.) **365,** 249

Rhesus hypothalamus
Double label immunocytochemistry; Peroxidase–antiperoxidase; Colloidal gold; Tyrosine hydroxylase; Glutamic acid decarboxylase; Synaptic interaction (Thind, K.K.) **383,** 215

Rhesus monkey
Corpus callosum; Occipital lobe (Rockland, K.S.) **365,** 174

Tyrosine hydroxylase; Immunocytochemistry; Hypothalamus; Catecholamine; Dopamine neuron; Synaptic analysis; Immunogold staining (Thind, K.K.) **366,** 37

Rhinencephalon
β-Adrenoceptor; Cerebral cortex; Hypothalamus; Estrous cycle; Ovariectomy (Bedran De Castro, J.C.) **384,** 11

Rhizotomy
Collateral reinnervation; Trigeminal nerve; Jaw opening reflex; Inferior alveolar nerve; Tooth (Robinson, P.P.) **366,** 397

Ciliary ganglion; Central nervous system injury; Neuronal survival; Neurotrophic factor; Sciatic nerve; Sciatic transection; Spinal cord (Millaruelo, A.I.) **374,** 12

Rhodamine-labeled acrylic microsphere
Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Somatostatin; True blue (Katagiri, T.) **372,** 313

Rhombencephalic auditory nucleus
Cochlear nuclear projection; Commissural connection; Torus

semicircularis; Autoradiographic tracing; Turtle (Künzle, H.) **379,** 307

Rhythm
Paraventricular nucleus; Suprachiasmatic nucleus; Photoperiodism; Pineal gland (Inouye, S.-I.T.) **370,** 102

Rhythmic activity
4-Aminopyridine; Fictive locomotion; Decerebrate cat; Spinal cat; Spinal cord; Chronic spinal rat; Cross-correlation (Dubuc, R.) **369,** 243

Rhythmic slow wave activity
Hippocampus electroencephalogram; Laminar profile; Current–source density; Atropine; Urethane; Dipole (Buzsáki, G.) **365,** 125

Rhythmical slow activity
Serotonin; 5-Hydroxytryptamine; *p*-Chlorophenylalanine; Electrocorticogram; Low voltage fast activity; Dementia (Vanderwolf, C.H.) **374,** 342

Ribonucleic acid
Goldfish optic nerve; Axonal transport; Tetrodotoxin; Adenosine; Uridine; Guanosine; Transcellular transfer (Edwards, D.L.) **364,** 258

Molecular anatomy; Virus system; Protein (Blount, P.) **382,** 257

Ribonucleoprotein
Nucleoplasm; Interchromatin granule; Chromatin; Facial neuron; Development (Jones, K.J.) **377,** 119

Ricin
Wheat germ agglutinin; Suicide transport; Vagus; Hybrid toxin; Immunoperoxidase (Oeltmann, T.N.) **377,** 221

Rigidity
Catatonia; Alfentanil; Methylnaloxonium; Nucleus raphe pontis; Caudate nucleus; Electromyography (Blasco, T.A.) **386,** 280

Ritanserin
5-Hydroxytryptamine-2 antagonist; Slow wave sleep; Human; Serotonin (Idzikowski, C.) **378,** 164

Lysergic acid diethylamide; Mescaline; 2,5-Dimethoxy-4-methylamphetamine; LY 53857; Locus ceruleus; Serotonin-2 receptor (Rasmussen, K.) **385,** 395

Ro 15-1788
S1 cortex; Receptive field; Benzodiazepine; Flurazepam; Diazepam; Midazolam (Oka, J.-I.) **376,** 194

Octadecaneuropeptide; Diazepam binding inhibitor; Aggression; Analgesia; Defeat; Benzodiazepine; γ-Aminobutyric acid; Social conflict (Kavaliers, M.) **383,** 343

Benzodiazepine; Benzodiazepine antagonist; Adenosine; Purine; Hippocampus (Stone, T.W.) **380,** 379

Kindling; Norharman; β-Carboline; Benzodiazepine receptor (Morin, A.M.) **397,** 259

Ro 5-4864
Differentiation; Olfactory cell line; Dibutyryl cyclic monophosphate; 12-*O*-Tetradecanoylphorbol-13-acetate; Benzodiazepine (Goldstein, N.I.) **370,** 205

Rodent
Transsynaptic transport; Wheat germ agglutinin; Hippocampus; Primate (Itaya, S.K.) **398,** 397

Rostral ventrolateral medulla
Arterial pressure; A1 noradrenergic neuron; Tyramine; Kainic acid; Renal nerve activity; C1 adrenergic neuron; 6-Hydroxydopamine; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

Cholinergic muscarinic receptor; Lidocaine; Physostigmine; Scopolamine; Tetrodotoxin (Punnen, S.) **382,** 178

Rostromedial tegmentum
Electrical stimulation; Collision method; Circling; Lateral head movement; Superior colliculus; Medial pons (Tehovnik, E.J.) **385,** 329

Rotational behavior
Intracerebral dialysis; Dopamine release; 6-Hydroxydopamine; Amphetamine; L-Dihydroxyphenylalanine (Zetterström, T.) **376,** 1

Dopamine receptor agonist; D_1 dopamine receptor; D_2 dopamine receptor; SKF 38393A; LY 171555; Bromocriptine (Robertson, G.S.) **384,** 387

RT-97
Auditory system; Cochlea; Neurofilament; Primary afferent; Sensory neuron (Berglund, A.M.) **383,** 327

RU 486
Antiprogesterone; Progestin receptor; Heat duration; Sexual behavior; Lordosis; Progesterone; Guinea pig (Brown, T.J.) **373,** 103

RU 38486
Rat; Feminine sexual receptivity; Cholinergic; Progesterone; Estrogen (Richmond, G.) **373,** 159

Rubral activity
Inferior olive; 3-Acetylpyridine (Billard, J.) **374,** 270

Rubrointerposital fiber
Interpositorubral fiber; Wheatgerm agglutinin–horseradish peroxidase (Walberg, F.) **397,** 73

Ruffini corpuscle
Glans penis; Sensory innervation; Pain; Free nerve ending; Genital end bulb; Simple corpuscle; Pacinian corpuscle (Halata, Z.) **371,** 205

Ruthenium red
Glutamate release; Dentate gyrus; Calcium ion sensitivity; Caffeine (Lynch, M.A.) **369,** 405

Hippocampal slice; Neurotransmission; Sialic acid (Wieraszko, A.) **378,** 120

S

S-100
Long-term potentiation; Hippocampal slice; Neuronal plasticity (Lewis, D.) **383,** 159

S1 cortex
Receptive field; Benzodiazepine; Ro 15-1788; Flurazepam; Diazepam; Midazolam (Oka, J.-I.) **376,** 194

SA I-receptor
Aminoglycoside; Mechanoreceptor; Neomycin; Skin; Touch (Baumann, K.I.) **377,** 160

Saccade
Parkinsonism; *N*-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Monkey model (Brooks, B.A.) **383,** 402

Human evoked potential; Fast phase optokinetic nystagmus; Cortical laterality; Movement directionality (Ignocheck, A.) **384,** 94

Salamander
Olfaction; Electrophysiology; Supporting cell; Intracellular recording (Trotier, D.) **374,** 205

Salivary gland
Muscarinic receptor; Autoradiography; Pirenzepine; Gut; Sympathetic ganglion (Buckley, N.J.) **375,** 83

Salt loading
Subfornical organ; Two-dimensional gel electrophoresis; Radioamino acid incorporation into protein; Water deprivation; Autofluorography; Computerized scanning densitometry; Fluid homeostasis (Santer, D.M.) **372,** 107

Saralasin
Angiotensin II; Atropine; Blood pressure; Heart rate; Nucleus tractus solitarii (Rettig, R.) **364,** 233

Lateral hypothalamic area; Subfornical organ; Paraventricular nucleus; Connection; Angiotensin II; Microiontophoresis; Atropine (Tanaka, J.) **379,** 200

Serotonin; Vasopressin; Renin-angiotensin system; Subfornical organ (Steardo, L.) **382,** 145

Satiation
Sheep; Neuronal response; Lateral hypothalamus; Zona incerta; Sight of food; Food approach; Food preference; Learning (Kendrick, K.M.) **375,** 322

Satiety
Hypothalamus; Sensory-specific satiety; Taste; Hunger; Lateral hypothalamus; Substantia innominata (Rolls, E.T.) **368,** 79

Hypothalamus; Cholecystokinin release; Feeding; Push–pull perfusion (Schick, R.R.) **370,** 349

Saxitoxin binding
Phospholipase A_2; Sciatic nerve; High energy phosphate; Phospholipid (Kasckow, J.W.) **373,** 392

Scanning densitometry
Locus ceruleus lesion; Neonatal 6-hydroxydopamine; Central nervous system protein; Two-dimensional gel electrophoresis; Noradrenaline (Heydorn, W.E.) **367,** 31

Scanning spectrophotometry
Redox state; Cytochrome; Electrical activity; Bullfrog brain; Vasoactive intestinal polypeptide (Kanno, T.) **369,** 275

SCH 23390
Quantitative receptor autoradiography; D_1 receptor; Regional distribution; Rat brain; Dopaminergic system (Savasta, M.) **375,** 291

D_2 dopamine receptor; D_1 dopamine receptor; Cholecystokinin; (–)-Sulpiride; LY-171555; LY-181990; LY-141865 (Martin, J.R.) **397,** 253

D_1-dopamine receptor; Acetylcholine release; Rabbit retina; SKF 38398; SKF 82526 (Hensler, J.G.) **398,** 407

Schizophrenia
Nucleus accumbens neuron; Dopamine; D_1 receptor; D_2 receptor; Haloperidol; Sulpiride; Dopamine uptake blocker (Uchimura, N.) **375,** 368

γ-Endorphin; α-Endorphin; Pituitary gland; Amino acid composition; Pro-opiomelanocortin Messenger ribonucleic acid; Primer extension technique; Pro-opiomelanocortin cDNA (Bovenberg, R.A.L.) **376,** 29

Phencyclidine; σ-Agonist; Local cerebral glucose utilization (Kozlowski, M.R.) **376,** 190

Cingulate cortex; Substantia nigra pars compacta; Parkinson's disease; Dopamine; Retrograde double-labeling (Takada, M.) **380,** 331

Schwann cell
Galactocerebroside; Cyclic adenosine monophosphate; Myelination; Neuroglial proliferation (Sobue, G.) **362,** 23

Cell culture; Myelin synthesizing enzyme; Electrophoresis, two-dimensional; Schwann cell protein; Inherited neuropathy; Trembler mouse (White, F.V.) **381,** 85

Nerve regeneration; Basal lamina; Meissner corpuscle; Lamellar cell; Freezing (Ide, C.) **384,** 311

Nerve growth factor; Tropic factor; Neurite-promoting factor; Regeneration; Peripheral nerve (Windebank, A.J.) **385,** 197

Schwannoma hybrid; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase; Axolemmal fragment (Kreider, B.Q.) **397,** 238

Schwann cell protein
Schwann cell; Cell culture; Myelin synthesizing enzyme; Electrophoresis, two-dimensional; Inherited neuropathy; Trembler mouse (White, F.V.) **381,** 85

Schwannoma hybrid
Schwann cell; 2′,3′-Cyclic nucleotide 3′-phosphohydrolase; Axolemmal fragment (Kreider, B.Q.) **397,** 238

Sciatic nerve
Nerve regeneration; Nerve transplant; Myelinated axon; Unmyelinated axon (Jenq, C.-B.) **364,** 45

Nerve growth factor; Neuronotropic factor; Cholinergic neuron; Neuronal survival; Ciliary ganglion (Manthorpe, M.) **367,** 282

Monoamine oxidase; Monoamine oxidase -containing unmyelinated axon; Postganglionic sympathetic fiber; Rat; Histochemistry (Matsubayashi, K.) **368,** 30

Sodium channel; Monoclonal antibody; Immunofluorescence; Mobility; Eel electroplax (Meiri, H.) **368,** 188

Phospholipase A_2; Conduction block; Myelin damage; Lysophospholipid; Fatty acid (Kasckow, J.W.) **373,** 384

Phospholipase A_2; Saxitoxin binding; High energy phosphate; Phospholipid (Kasckow, J.W.) **373,** 392

Ciliary ganglion; Central nervous system injury; Neuronal survival; Neurotrophic factor; Rhizotomy; Sciatic transection; Spinal cord (Millaruelo, A.I.) **374,** 12

Endoneurial capillary; Sucrose; Permeability; Paracellular pathway; Blood–nerve barrier; Frog; Perineurium (Weerasuriya, A.) **375,** 150

Vasoactive intestinal polypeptide; Peripheral axotomy; Dorsal root ganglion; Retrograde transport; Fluorescence microscopy; Immunohistochemistry (Shehab, S.A.S.) **376,** 180

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Rat (Bondoux-Jahan, M.) **382,** 39

Sodium channel; Monoclonal antibody; Abnormal myelination; Dystrophic mouse (Meiri, H.) **384,** 355

Sciatic nerve lesion
Collateral sprouting; Sensory axon; Glabrous skin; Wheat germ agglutinin–horseradish peroxidase conjugate; Anterograde transport; Microinjection (Kinnman, E.) **377,** 73

Sciatic transection
Ciliary ganglion; Central nervous system injury; Neuronal survival; Neurotrophic factor; Rhizotomy; Sciatic nerve; Spinal cord (Millaruelo, A.I.) **374,** 12

Scintillation spectrometry
Methylmercury; Axonal transport; Rat; Autoradiography (Aschner, M.) **381,** 244

Scopolamine
Cholinergic muscarinic receptor; Lidocaine; Physostigmine; Rostral ventrolateral medulla; Tetrodotoxin (Punnen, S.) **382,** 178

Pilocarpine; Diazepam; Seizure; L-Glutamic acid decarboxylase; Brain damage; Epilepsy (Turski, L.) **398,** 37

Scotopic vision
Optokinetic nystagmus; Eye movement; Central scotoma; Fovea; Peripheral retina (Van Die, G.C.) **383,** 185

Scrapie
Serotonin; 5-Hydroxyindoleacetic acid; 3,4-Dihydroxyphenylethyleneglycol; Dihydroxyphenylacetic acid; Rat brain area (Bassant, M.H.) **367,** 360

Rat; Inoculation route; Electroencephalographic alteration; Neuropathological lesion (Bassant, M.-H.) **383,** 397

Scratch
Analgesic; Capsaicin; Mouse; Pain; Spinal cord; Substance P; Substance P antagonist (Piercey, M.F.) **385,** 74

Season
Hibernation; Vasopressin; Sexual cycle (Buijs, R.M.) **371,** 193

Second somatosensory cortex
Tooth pulp; Evoked potential; Nociception; Escape behavior; Aδ nerve fiber (Chudler, E.H.) **397,** 47

Secretin
Rat; Septal preoptic area; Unit activity; Gastrin; Cholecystokinin; Vasoactive

intestinal peptide (Akema, T.) **385,** 366

Secretion
Metorphamide; Opioid peptide; Adrenal medulla; Chromaffin cell; Coexistence (Marley, P.D.) **363,** 10

Neurosecretion; Facilitation; Calcium; Cooperativity; Arginine vasopressin; Neurohypophysis; Mouse (Wolfe, S.A.) **399,** 190

Seizure
Phosphorylation; Bursting activity; Pentylenetetrazole; Calcium ionophore; Calmodulin; Snail neuron; Protein (Onozuka, M.) **362,** 23

Vasopressin; Barrel rotation; Brain; Central nervous system; Cerebrospinal fluid; Kindling; Behavior (Wurpel, J.N.D.) **365,** 21

Vasopressin; Barrel rotation; Central nervous system; Visual/vestibular system; Antiepileptic (Wurpel, J.N.D.) **365,** 30

Cysteamine; Kindling; Myoclonus (Cottrell, G.A.) **365,** 393

Footshock; Analgesia; Electroconvulsive shock; Opioid; Mouse (Pavone, F.) **366,** 326

Amygdala; Pyriform cortex; Aggressive behavior; Affective defense; Quiet attack; Electrical stimulation (Brutus, M.) **366,** 53

Trimethyltin; Neuropathology; Epileptic brain damage; Epilepsy; Hippocampus; Rat (Sloviter, R.S.) **367,** 169

Pilocarpine; γ-Vinyl-γ-aminobutyric acid; Isoniazid; Substantia nigra; Striatum; Brain damage; Temporal lobe epilepsy; Rat (Turski, L.) **370,** 294

Epilepsy; Convulsion; Kindling; Substantia nigra; Catecholamine; Amygdala; Rat (Albala, B.J.) **370,** 388

Corticotropin-releasing factor; Kindling; Aggression (Weiss, S.R.B.) **372,** 345

γ-Aminobutyric acid; Bicuculline; Acetylcholine; Excitatory amino acid; *n*-Methyl-D-aspartate; Glutamate; 2-Amino-7-phosphonohepatanoic acid (Piredda, S.) **377,** 205

Opioid receptor; Gerbil; Autoradiography; Epilepsy (Lee, R.J.) **380,** 76

Neuronal synchronization; Seizure inhibition; Field effect (Durand, D.) **382,** 139

Substance P; Tachykinin; Substantia nigra; Epilepsy; Maximal electroshock; Bicuculline; Anticonvulsant (Garant, D.S.) **382,** 372

Iron; Peroxidation; Tocopherol (Willmore, L.J.) **382,** 422

Calcium channel blocker; Nimodipine; Dihydropyridine; Phenytoin (Meyer, F.B.) **384,** 180

Hippocampal kindling; Antiepileptic drug evaluation; Epileptic afterdischarge; Microcephaly; Rat (Majkowski, J.) **386,** 325

Brainstem; Blood flow; Bicuculline; Autoradiography; Newborn monkey (Fujikawa, D.G.) **397,** 61

Hippocampal slice; Magnesium-free medium; Ictal event; Interictal event (Anderson, W.W.) **398,** 215

Pilocarpine; Scopolamine; Diazepam; L-Glutamic acid decarboxylase; Brain damage; Epilepsy (Turski, L.) **398,** 37

Seizure activity
μ Opiate receptor; δ Opiate receptor; Nociceptive threshold; Intracerebral injection; Thalamus; Catalepsy (Walker, G.E.) **383,** 1

Seizure behavior
Protein malnutrition; Hippocampal kindling; Dorsal hippocampus; Kindling threshold; Afterdischarge duration; Postictal depression (Bronzino, J.D.) **384,** 348

Seizure inhibition
Neuronal synchronization; Seizure; Field effect (Durand, D.) **382,** 139

Selection
Swim stress; Analgesia; Mouse line (Panocka, I.) **397,** 152

Selective degeneration
Retina; Color-opponent neuron; Neurofilamentous axonopathy; Horseradish peroxidase transport; Cytochrome oxidase; Monkey (Eskin, T.A.) **378,** 379

Selective effect
Vasopressin; Active fragment; Passive avoidance behavior; Limbic structure (Kovács, G.L.) **371,** 17

Selective lesion
Parametric; Cobalt; Fiber-of-passage; Reversible inactivation; Lateral geniculate nucleus (Lee, C.) **364,** 396

Self-inhibition
Locus coeruleus; Norepinephrine; Antidromic impulse; Unit recording; Collateral inhibition; Dorsal noradrenergic bundle (Ennis, M.) **374,** 299

Self-injurious behavior
Stereotyped behavior; Nociception; Analgesia; Locomotion; Substantia nigra; Midbrain reticular formation; Muscimol; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Self-mutilation
Dopamine; Biting behavior; Ventral tegmental area lesion; Lesch–Nyhan syndrome (Goldstein, M.) **367,** 114

Self-stimulation
Refractory period; Brain stimulation reward; Medial forebrain bundle; Single unit recording; Lateral hypothalamus; Ventral tegmental area Forebrain nucleus (Rompré, P.-P.) **364,** 338

Ventral tegmental area; Footshock stress; Naloxone; Methamphetamine (Kamata, K.) **371,** 197

Semliki Forest Virus
Optic nerve; Axonal transport; Demyelination; Virus infection (Tansey, E.M.) **397,** 9

Senescence
Quantitative autoradiography; Spiroperidol; Caudate-putamen; Striatum; Aging; Receptor, D_2- (Joyce, J.N.) **378,** 158

Dopamine; Striatum; Aging; Nomifensine; Bupropion; Motor performance (Marshall, J.F.) **379,** 112

Senile dementia
α-Melanocyte stimulating hormone; Extrahypophyseal distribution; Huma brain; Alzheimer's disease; Enzyme immunoassay (Arai, H.) **377,** 305

Congophilia; Amyloid deposit; Creutzfeldt–Jakob disease; Gerstmann–Sträussler syndrome; Alzheimer's disease; Infectivity of subacute spongiform encephalopathy (Tashima, T.) **399,** 80

Senile dementia of Alzheimer's type
Senile plaque; Somatostatin; Neuropeptide Y (Nakamura, S.) **370,** 11

Senile plaque
Senile dementia of Alzheimer's type; Somatostatin; Neuropeptide Y (Nakamura, S.) **370,** 11

Sensitization
Aplysia; Cyclic adenosine monophosphate; Learning; Modulation; Sensory neuron (Ocorr, K.A.) **371,** 190

Stress; Hypothalamus; Hippocampus; Norepinephrine (Irwin, J.) **379,** 98

Hippocampal slice; Synaptic field potential; Glutamate analogue; Excitatory amino acid; Extracellular recording; Quisqualate; 2-Amino-4-phosphonobutanoate (Robinson, M.B.) **381,** 187

Neurogenic inflammation; Antidromi plasma extravasation; Nociceptor; C-fiber (Reeh, P.W.) **384,** 42

Amphetamine; Calcium; Calmodulin; Dopamine; Striatum; Radioimmunoassay (Roberts-Lewis, J.M.) **384,** 383

Sensorimotor
Frontal cortex damage; Recovery of function; Benzodiazepine; Critical period; Anticonvulsant; Extinction (Schallert, T.) **379,** 104

Sensorimotor asymmetry
Rat; γ-Aminobutyric acid; Picrotoxin; Intracerebral microinjection; Periaqueductal gray matter; Aggressive behavior; Defense; Open-field (Depaulis, A.) **367,** 87

Sensorimotor integration
Multisensory interaction; Sensory map; Superior colliculus (Meredith, M.A.) **365,** 350

Sensory axon
Collateral sprouting; Glabrous skin; Sciatic nerve lesion; Wheat germ agglutinin–horseradish peroxidase conjugate; Anterograde transport; Microinjection (Kinnman, E.) **377,** 73

Sensory ending
Muscle spindle receptor; Sensory receptor classification; Kinesthetic sensibility (Wei, J.Y.) **370,** 119

Sensory feedback
Motor program; Chordotonal organ; Myochordotonal organ; Crustacean (Notvest, R.R.) **380,** 235

Sensory information
Kinesthesia; Position sense; Muscle spindle receptor (Wei, J.Y.) **370,** 108

Sensory innervation
Glans penis; Pain; Free nerve ending; Genital end bulb; Simple corpuscle; Pacinian corpuscle; Ruffini corpuscle (Halata, Z.) **371,** 205

Sensory map
Multisensory interaction; Sensorimotor integration; Superior colliculus (Meredith, M.A.) **365,** 350

Sensory modality
Dorsal root ganglion; Primary afferent; Somatotopy; Action potential; Morphology (Cameron, A.A.) **362,** 1

Cutaneous mechanoreceptor; Peripheral nerve (Roberts, W.J.) **370,** 149

Sensory nerve
2,5-Hexanedione; Retrograde axonal transport; Anterograde axonal transport; Peripheral neuropathy; Motor nerve; Distal axonopathy (Brændgaard, H.) **378,** 1

Sensory nerve fiber
Substance P; Ultrastructure; Cerebral blood vessel; Immunohistochemistry (Liu-Chen, L.-Y.) **369,** 12

Sensory neuron
Dysautonomia; Neuronotropic; Fibroblast; Nerve growth factor; Tissue culture (Wrathall, J.R.) **364,** 23

Olfactory cilia; Glycoprotein immunofluorescence; Immunoblotting; Lectin; Cytoskeletal protein; Tubulin (Chen, Z.) **368,** 329

Somatostatin; Radioimmunoassay; Immunocytochemistry; Gel filtration chromatography; Spinal cord; Cat (Tessler, A.) **370,** 232

Aplysia; Cyclic adenosine monophosphate; Learning; Modulation; Sensitization (Ocorr, K.A.) **371,** 190

Capsaicin; Axonal transport; Lectin; Substance P; Brain glycoprotein; Ultrastructural cytochemistry (Streit, W.J.) **377,** 1

Auditory system; Cochlea; Neurofilament; Primary afferent; RT-97 (Berglund, A.M.) **383,** 327

Catecholamine; Tyrosine hydroxylase; Transmitter regulation; Transmitter phenotype; Nerve growth factor (Katz, D.M.) **385,** 68

Sensory receptor classification
Muscle spindle receptor; Sensory ending; Kinesthetic sensibility (Wei, J.Y.) **370,** 119

Sensory recovery
Central plasticity; Nerve repair; Peripheral injury; Regeneration; Somatosensory cortex; Touch (Wall, J.T.) **372,** 400

Sensory stimulation
Locus coeruleus; Noradrenergic neuron; Freely moving cat; Behavior (Rasmussen, K.) **371,** 324

Sensory stimulus
Serotonergic neuron; Dopaminergic neuron; Substantia nigra; Noradrenergic neuron; Locus coeruleus; Single unit activity; Behaving cat; Habituation (Rasmussen, K.) **369,** 336

Sensory-specific satiety
Hypothalamus; Satiety; Taste; Hunger; Lateral hypothalamus; Substantia innominata (Rolls, E.T.) **368,** 79

Septal area
Potassium channel, calcium-dependent; Apamin; Quantitative autoradiography; Rat brain; Hippocampus; Cerebellum; Limbic system (Mourre, C.) **382,** 239

Septal graft
Hippocampus; Medial septum; Nerve growth factor; Neurotropic factor; Radial maze learning; Spontaneous alternation; Sympathetic neuron (Pallage, V.) **386,** 197

Septal lesion
Acetylcholine; Choline; Hippocampus; Veratridine; Subcellular fraction; Choline *O*-acetyltransferase; Acetylcholinesterase (Carroll, P.T.) **383,** 83

Septal nucleus
Vasopressin; Oxytocin; Hippocampus; Amygdala; Locus coeruleus; Bed nucleus of the stria terminalis (Fliers, E.) **375,** 363

Cell suspension; Transplantation; Cross-species; Horseradish peroxidase; Hippocampus; Differentiation; Migration (Wells, J.) **383,** 333

Ganglioside; Immunohistochemistry; Choline acetyltransferase; Retrograde degeneration (Sofroniew, M.V.) **398,** 393

Septal organ
Organ of Masera; Electroolfactogram; Olfactory epithelium; Olfactory receptor; Odor response map; Mammalian nasochemoreception (Marshall, D.A.) **366,** 329

Septal preoptic area
Rat; Unit activity; Gastrin; Cholecystokinin; Secretin; Vasoactive intestinal peptide (Akema, T.) **385,** 366

Septal region
Angiotensin II; Lateral hypothalamus; Motivation; Prefrontal cortex; Subfornical organ; Zona incerta (Swanson, L.W.) **379,** 399

Septohippocampal neuron
Rat; Cholinergic neuron; Microiontophoresis; Cholinergic agonist; Amygdala; Medial forebrain bundle; Barbiturate (Dutar, P.) **365,** 325

Septohippocampal pathway
Cholinergic neuron; Partial fimbrial lesion; Hippocampus; Recovery of cholinergic enzyme; Compensatory collateral sprouting; Homotypic reinnervation; Adult rat (Gasser, U.E.) **367,** 368

Nerve growth factor; Central cholinergic neuron; Fornix–fimbria lesion; Cholinergic degeneration; Hippocampus; Septum (Gasser, U.E.) **376,** 351

Septotemporal
Rat; Hippocampus; CA3; Physiology; Potassium; Bursting; Epilepsy (Bragdon, A.C.) **378,** 169

Septum
Nerve growth factor; Central cholinergic neuron; Septohippocampal pathway; Fornix–fimbria lesion; Cholinergic degeneration; Hippocampus (Gasser, U.E.) **376,** 351

Hippocampus; Retrograde fluorescent tracing; Intracellular injection; Interneuron (Schwerdtfeger, W.K.) **386,** 146

Septum
Kindling; Vasopressin; Brattleboro strain; Hippocampus (Gillis, B.J.) **363,** 386

Cholinergic neuron; Triiodothyronine; Thyroid hormone; Nerve growth factor; Alzheimer's disease (Hefti, F.) **375,** 413

Neural transplant; Acetylcholine; Acetylcholinesterase; Cortex; Hippocampus; Nucleus basalis magnocellularis; Fimbria-fornix; Environmental enrichment; Noradrenaline depletion; 6-Hydroxydopamine (Dunnett, S.B.) **378,** 357

Long-term potentiation; Dentate gyrus; Entorhinal cortex; Cooperativity; Learning and memory (Robinson, G.B.) **379,** 56

Facilitation; Depression; Paired-pulse; Entorhinal cortex; Dentate gyrus (Robinson, G.B.) **379,** 63

θ-Rhythm; Neuronal activity; Pentobarbital; Anticholinergic drug (Brazhnik, E.S.) **380,** 94

Vasopressin; Push-pull cannula; Hemorrhage; Hypertonic stimulation; Magnocellular system (Demotes-Mainard, J.) **381,** 314

Tissue culture; Transplant; Hippocampus; Innervation (Gibbs, R.B.) **382,** 409

γ-Aminobutyric acid; Acetylcholinesterase; Golgi; *Podarcis*; Lizard (Schwerdtfeger, W.K.) **384,** 184

Neurotensin; Immunocytochemistry; Human; Infant; Striatum; Amygdala; Cerebral cortex (Michel, J.-P.) **397,** 93

Septum/striatum
Vasopressin; Oxytocin; Behavioral performance; Radioimmunoassay; Hippocampus (Ermisch, A.) **379,** 24

Serial section
Axonal transport; Myelinated axon; Rapid freezing; Freeze substitution; Node of Ranvier (Okamura, Y.) **383,** 146

Serotonergic cell body
Tryptophan hydroxylase; Serotonergic terminal; Nucleus raphe dorsalis; Nucleus raphe centralis; Hypothalamus; Postnatal development; Rat brain (Park, D.H.) **378,** 183

Serotonergic mechanism
[Asu^{1,7}]Eel calcitonin; Lateral hypothalamus; Glucose-sensitive neuron; Feeding behavior; Noradrenergic mechanism; Cyclic adenosine monophosphate (Shimizu, N.) **367,** 128

Serotonergic myoclonic syndrome
Serotonin-1 binding assay; Serotonin receptor; Serotonin; 5,7-Dihydroxytryptamine; Ascorbate (Pranzatelli, M.R.) **364,** 57

Myoclonus; Serotonin neurotoxin; Behavioral supersensitivity; Locomotor activity; 5,7-Dihydroxytryptamine; *p*-Chloroamphetamine; Fenfluramine (Pranzatelli, M.R.) **364,** 67

Serotonergic neuron
Dopaminergic neuron; Substantia nigra; Noradrenergic neuron; Locus coeruleus; Single unit activity; Behaving cat; Sensory stimulus; Habituation (Rasmussen, K.) **369,** 336

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Striatum; Mouse; Dopamine; Decortication; Kainate lesion (Melamed, E.) **399,** 178

Noradrenergic neuron; Locus ceruleus; Dorsal raphe; Cardiac cycle; Blood volume (Morilak, D.A.) **399,** 262

Serotonergic system
GM_1 ganglioside; Partially denervated hippocampus; Cholinergic system; Recovery (Gradkowska, M.) **375,** 417

Electrochemical detection; Cat spinal cord; Morphine; Nucleus raphe magnus (Suzuki, Y.) **398,** 413

Serotonergic terminal
Arcuate nucleus; Tuberoinfundibular dopamine system (Kiss, J.) **364,** 284

Tryptophan hydroxylase; Serotonergic cell body; Nucleus raphe dorsalis; Nucleus raphe centralis; Hypothalamus; Postnatal development; Rat brain (Park, D.H.) **378,** 183

Serotonin
Enkephalin; Coexistence; Raphe nucleus; Cat (Léger, L.) **362,** 63

Suicide; Postmortem brain (Owen, F.) **362,** 185

Rabbit; Cell; Retinal culture (Osborne, N.N.) **362,** 287

Lamprey retina; Immunohistofluorescence; Retinal cell; Polypeptide (Negishi, K.) **362,** 389

N-2-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Tail flick; Shock-titration; Noradrenaline; Interaction (Post, C.) **363,** 18

Substance P; Thyrotropin-releasing hormone; 5,7-Dihydroxytryptamine; Neurotoxin; Colocalization (Towle, A.C.) **363,** 38

Bulbospinal pathway; α-Adrenoceptor; Raphe magnus; Spinal reflex; Analgesia (Jensen, T.S.) **363,** 114

Raphe; Transplant (Segal, M.) **364,** 162

Noradrenaline; Bombesin; Deermouse; *Peromyscus*; Thermoregulation; Hypothalamus (Lin, L.-H.) **364,** 212

Serotonin-1 binding assay; Serotonin receptor; Serotonergic-myoclonic syndrome; 5,7-Dihydroxytryptamine; Ascorbate (Pranzatelli, M.R.) **364,** 57

Methylamphetamine; Catecholamine; Neurotoxicity; Somatosensory cortex; Rat (Commins, D.L.) **365,** 15

Raphe discharge; Development; Sleep cycle (Adrien, J.) **366,** 10

Intracellular recording; Lamprey; Spinal cord; Afterhyperpolarization (Van Dongen, P.A.M.) **366,** 320

GM_1 ganglioside; 5-Hydroxyindoleacetic acid; Spinal cord; Transverse hemisection; Rat; Catecholamine (Hadjiconstantinou, M.) **366,** 343

Electroconvulsive shock; Antinociception; Opiate receptor; Spinopetal pathway; Noradrenaline (Furui, T.) **367,** 162

Morphine; Analgesia (Romandini, S.) **377,** 351

Scrapie; 5-Hydroxyindoleacetic acid; 3,4-Dihydroxyphenylethyleneglycol; Dihydroxyphenylacetic acid; Rat brain area (Bassant, M.H.) **367,** 360

5,7-Dihydroxytryptamine; Central nervous system protein; Two-dimensional gel electrophoresis; Computerized scanning densitometry (Heydorn, W.E.) **368,** 193

Pituitary gland; Innervation; Immunohistochemistry (Saland, L.C.) **368,** 310

Raphe nucleus; Neural transplantation; Immunocytochemistry; Hippocampus; Ultrastructure (Anderson, K.J.) **369,** 21

Visual cortex; Organotypic culture; Development; Synaptogenesis; Electrical activity; Rat (Chubakov, A.R.) **369,** 285

Tetrabenazine binding; Monoamine transporter; Dopamine; Noradrenaline; Mouse; Binding site regionalization (Scherman, D.) **370,** 176

Combined immunocytochemistry and radioautography; γ-Aminobutyric acid; Supraependymal fiber; Rat; Epithalamus (Harandi, M.) **370,** 241

Lamina I; Immunocytochemistry; Spinomesencephalic tract cell; Nociception; Spinothalamic tract cell; Spinal cord (Hylden, J.L.K.) **370,** 401

Homotypic sprouting; Raphe nucleus; Hippocampus; Immunocytochemistry; 5,7-Dihydroxytryptamine; Fasciola cinerea (Zhou, F.C.) **373,** 337

5-Hydroxytryptamine; *p*-Chlorophenylalanine; Electrocorticogram; Rhythmical slow activity; Low voltage fast activity; Dementia (Vanderwolf, C.H.) **374,** 34

Substance P; Spinal cord; Methenkephalin; Immunocytochemistr (Bowker, R.M.) **375,** 347

Spinal cord; Autonomic nervous system; Rat; Immunohistochemistry (Newton, B.W.) **376,** 155

Noradrenaline; Dopamine; Acetylcholine; Immunocytochemistry; Rat brain (McRae-Degueurce, A.) **376,** 217

Substance P; Norepinephrine; γ-Aminobutyric acid; Morphine; Potassium-stimulated release (Pang, I.-H.) **376,** 268

Noradrenaline; Sexual behavior;

N-2-Choloethyl-*N*-ethyl-2-bromo-benzylaline; 5-Methoxy-*N,N*-dimethyltryptamine; Lisuride; Ejaculation (Fernandez-Guasti, A.) **377,** 112

5-Hydroxytryptamine-2 antagonist; Slow wave sleep; Ritanserin; Human (Idzikowski, C.) **378,** 164

Genetic hypertension; 5-Hydroxyindoleacetic acid; Pargyline; 5-Hydroxytryptophan; Central cardiovascular control (Koulu, M.) **379,** 257

Coexistence; Enkephalin; Superior cervical ganglion; Immunocytochemistry; Guinea pig (Kanagawa, Y.) **379,** 377

Mesulergine; Serotonin-1C-site; Choroid plexus; Adenylate cyclase activity; Guanylnucleotide regulation (Palacios, J.M.) **380,** 151

Parkinson's disease; Lumbar spinal cord; Dopamine; Noradrenaline; Homovanillic acid (Scatton, B.) **380,** 181

Cholecystokinin; Dopamine; Glutamate; Nucleus accumbens; Modulator (Wang, R.Y.) **380,** 363

Monoamine oxidase; Pargyline; Central nervous system; Squid (Youdim, M.B.H.) **381,** 300

Vasopressin; Renin-angiotensin system; Subfornical organ; Saralasin (Steardo, L.) **382,** 145

5,7-Dihydroxytryptamine; γ-Aminobutyric acid; Retina; Co-occurrence (Osborne, N.N.) **382,** 158

Dopamine; Stress; Depression; Open field; Behaviour; 5-Methoxy-*N,N*-dimethyltryptamine; Sex difference (Kennett, G.A.) **382,** 416

Autonomic nerve; Cerebrovascular nerve; Superior cervical ganglion (Cowen, T.) **384,** 51

Serotonin-1 receptor; Quantitative autoradiography; Microdensitometry; Superior colliculus; Deafferentation (Segu, L.) **384,** 205

Circadian rhythm; Activity; Midbrain; Raphe nucleus; Rat (Levine, J.D.) **384,** 240

Subfornical organ; Midbrain raphe system; Angiotensin; Immunohistochemistry; Tract tracing; Double-labeling (Lind, R.W.) **384,** 250

Thyrotropin-releasing hormone; 5,7-Dihydroxytryptamine; Immunocytochemistry; Radioimmunoassay; High performance liquid chromatography; Dorsal horn; Rat spinal cord (Harkness, D.H.) **384,** 323

Circadian rhythm; Noradrenaline; Pineal; Superior cervical ganglion; Sympathetic (Cassone, V.M.) **384,** 334

Cyproheptadine; Reserpine; Corticotropin-releasing factor; Rat hypothalamus (Nakagami, Y.) **386,** 232

Circadian rhythm; Cosine fitting; Noradrenaline; Locus ceruleus; Dorsal raphe nucleus; Rat (Agren, H.) **397,** 353

Nucleus raphe dorsalis; Sleep–waking cycle; Neuronal activity; Pontogeniculo-occipital wave; Somatic stimulation (Shima, K.) **399,** 317

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Caudate nucleus; Dopamine; Noradrenaline (Sirinathsinghji, D.J.S.) **399,** 339

Inferior olive; Double label; Immunohistochemistry (Bishop, G.A.) **399,** 369

Serotonin *N*-acetyltransferase
Retina; Dopamine; Melatonin (Iuvone, P.M.) **369,** 168

Serotonin antagonist
Retina; Ketanserin; LY-53857; Methysergide; Ganglion cell; Rabbit (Brunken, W.J.) **384,** 161

Serotonin binding
Estrous cycle; Cortex (Uphouse, L.) **381,** 376

Serotonin binding site
Serotonin-1c receptor; Ontogenesis; Choroid plexus (Zilles, K.) **380,** 201

Serotonin formation
Raphe nucleus; Locus coeruleus; Genetic hypertension; Biogenic amine (Koulu, M.) **371,** 177

Serotonin metabolism
Striatum; Transmitter; Dopamine metabolism; Histamine; Noradrenaline; Adrenaline (Widmann, R.) **367,** 244

Serotonin neurotoxin
Serotonergic-myoclonic syndrome; Myoclonus; Behavioral supersensitivity; Locomotor activity; 5,7-Dihydroxytryptamine; *p*-Chloroamphetamine; Fenfluramine (Pranzatelli, M.R.) **364,** 67

Serotonin receptor
Messenger ribonucleic acid; *Xenopus* oocyte; Cyclic adenosine monophosphate; Prostaglandin (Sakai, Y.) **362,** 199

Human brain; Ketanserin (Biegon, A.) **363,** 91

Serotonin-1 binding assay; Serotonin; Serotonergic-myoclonic syndrome; 5,7-Dihydroxytryptamine; Ascorbate (Pranzatelli, M.R.) **364,** 57

^{125}I-Lysergic acid diethylamide (^{125}I-LSD); Neostriatum; Frontal cortex; Autoradiography; Receptor binding (Altar, C.A.) **372,** 130

Serotonin sulfate
Dopamine sulfate; Norepinephrine sulfate; Amphetamine; Potassium ion depolarization; Nomifensine (Tyce, G.M.) **372,** 269

Serotonin (5-HT_{1A}) receptor subtype serotonin (5-HT_{1B}) receptor subtype serotonin (5-HT_{1C}) receptor subtype
Human brain (Hoyer, D.) **376,** 85

Serotonin-1 binding assay
Serotonin receptor; Serotonin; Serotonergic-myoclonic syndrome; 5,7-Dihydroxytryptamine; Ascorbate (Pranzatelli, M.R.) **364,** 57

Serotonin-1 binding site
Tryptamine binding site; Ketanserin binding site; Quantitative autoradiography; Rat brain; Serotonin-2 binding site (Kaulen, P.) **366,** 72

Serotonin-1 receptor
Serotonin; Quantitative autoradiography; Microdensitometry; Superior colliculus; Deafferentation (Segu, L.) **384,** 205

Serotonin-1C receptor
Serotonin binding site; Ontogenesis; Choroid plexus (Zilles, K.) **380,** 201

Choroid plexus; Tumor; SV40 large T antigen; Lysergic acid dimethylamide; Transgenic mouse (Yagaloff, K.A.) **385,** 389

Serotonin-1C site
Serotonin; Mesulergine; Choroid plexus; Adenylate cyclase activity; Guanylnucleotide regulation (Palacios, J.M.) **380,** 151

Serotonin-2 binding site
Tryptamine binding site; Serotonin-1 binding site; Ketanserin binding site; Quantitative autoradiography; Rat brain (Kaulen, P.) **366,** 72

Serotonin-2 receptor
Lysergic acid diethylamide; Mescaline; 2,5-Dimethoxy-4-methylamphetamine; LY 53857; Ritanserin; Locus ceruleus (Rasmussen, K.) **385,** 395

Sex difference
Monosodium glutamate; Growth hormone; Growth hormone-releasing factor (Wakabayashi, I.) **372,** 361

Serotonin; Dopamine; Stress; Depression; Open field; Behaviour; 5-Methoxy-*N,N*-dimethyltryptamine (Kennett, G.A.) **382,** 416

Sex dimorphism
Acetylcholine rhythm; Pentobarbital; Estrous cycle; Critical period (Egozi, Y.) **383,** 310

Sexual behavior
Progestin receptor; Progesterone;

Ferret; Pituitary (Baum, M.J.) **368,** 296

Sexually dimorphic nucleus of the preoptic area; Prenatal stress; Gonadotrophin regulation; Plasma testosterone; Medial preoptic area of the hypothalamus (Anderson, R.H.) **370,** 1

Sexual dimorphism; Testosterone metabolism; Aromatase; Japanese quail; Preoptic area; Hypothalamus (Schumacher, M.) **370,** 285

Apomorphine; Dopamine; Medial preoptic area; Caudate-putamen; Nucleus accumbens; Lateral septum (Hull, E.M.) **370,** 73

RU 486; Antiprogesterone; Progestin receptor; Heat duration; Lordosis; Progesterone; Guinea pig (Brown, T.J.) **373,** 103

Noradrenaline; Serotonin; *N*-2-Choloethyl-*N*-ethyl-2-bromo-benzylaline; 5-Methoxy-*N,N*-dimethyltryptamine; Lisuride; Ejaculation (Fernandez-Guasti, A.) **377,** 112

Sexual behavior (lordosis)
Opioid peptide; Leumorphin (dynorphin B-29); Dynorphin (dynorphin A); β-Endorphin; Hypothalamus; Multiple opioid receptor; Estrous cycle (Suda, M.) **374,** 236

Sexual cycle
Hibernation; Vasopressin; Season (Buijs, R.M.) **371,** 193

Sexual differentiation
Brain protein; Tubulin; Development; Polyacrylamide gel electrophoresis (Stanley, H.F.) **370,** 215

Messenger ribonucleic acid; Brain protein; Tubulin; Polyacrylamide gel electrophoresis (Stanley, H.F.) **370,** 223

Sexually dimorphic nucleus; Suprachiasmatic nucleus; Morphometrics; Three-dimensional reconstruction; Preoptic area (Robinson, S.M.) **371,** 380

Aromatase; Hypothalamus; Preoptic area; Testosterone; Metabolism of testosterone; Reproductive behavior; Brain differentiation (Schumacher, M.) **377,** 63

Testosterone metabolism; Song system; Zebra finch; 5β-Reductase; 5β-Dihydrotestosterone (Balthazart, J.) **378,** 240

Androgen; Social play; Amygdala; Testosterone (Meaney, M.J.) **398,** 324

Sexual dimorphism
Preoptic area; Anterior hypothalamic area; Hypothalamus; Ferret; Image analysis (Tobet, S.A.) **364,** 249

Medial amygdaloid nucleus; Human brain; Volumetric analysis (Murphy, G.M.) **365,** 321

Testosterone metabolism; Aromatase; Japanese quail; Sexual behavior; Preoptic area; Hypothalamus (Schumacher, M.) **370,** 285

Preoptic area; Opioid peptide; Gonadal steroid (Watson, R.E.) **398,** 157

Sexual maturation
Luteinizing hormone-releasing hormone; Catecholamine; Immunocytochemistry; Postnatal development; Rat (Wray, S.) **399,** 327

Sexual pheromone odor
Descending neuron; Mating dance; Protocerebrum; Silkworm moth; Wing vibration (Kanzaki, R.) **377,** 378

Sexually dimorphic nucleus
Suprachiasmatic nucleus; Morphometrics; Three-dimensional reconstruction; Sexual differentiation; Preoptic area (Robinson, S.M.) **371,** 380

Sexually dimorphic nucleus of the preoptic area
Prenatal stress; Sexual behavior; Gonadotrophin regulation; Plasma testosterone; Medial preoptic area of the hypothalamus (Anderson, R.H.) **370,** 1

SH content
Axoplasmic transport; In vivo; Microtubule; Calcium ion; Cadmium ion; Tubulin (Gan, S.-D.) **369,** 75

Sharp wave
Hippocampus; Electroencephalography; Unit activity; Behavior; Cellular burst; Epileptic transient; Long-term potentiation (Buzsáki, G.) **398,** 242

Sheep
Neuronal response; Lateral hypothalamus; Zona incerta; Sight of food; Food approach; Food preference; Learning; Satiation (Kendrick, K.M.) **375,** 322

Shiverer
Jimpy; Myelin; Mammalian genetics (Billings-Gagliardi, S.) **374,** 54

Central nervous system transplantation; Myelin; Myelin basic protein; Neurofilament protein; Glial fibrillary acidic protein (Friedman, E.) **378,** 142

Shiverer mutant mouse
Transplantation; Oligodendrocyte; Myelination; Myelin basic protein; Major dense line (Kohsaka, S.) **372,** 137

Shock-induced analgesia
5-Methoxy-*N,N*-dimethyltryptamine; Tail-flick; Hot-plate; Intrathecal 6-Hydroxydopamine; Intrathecal yohimbine; Antagonism; Rat (Danysz, W.) **365,** 169

Shock-titration
N-2-Chloroethyl-*N*-ethyl-2-bromo-benzylamine hydrochloride; 5-Methoxy-*N,N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Tail flick; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Short photoperiod
Olfactory bulbectomy; Anestrus (Pieper, D.R.) **380,** 54

Sialic acid
Hippocampal slice; Neurotransmission; Ruthenium red (Wieraszko, A.) **378,** 120

Sight of food
Sheep; Neuronal response; Lateral hypothalamus; Zona incerta; Food approach; Food preference; Learning; Satiation (Kendrick, K.M.) **375,** 322

Silent period
Trigeminal nerve; Masticatory muscle; Electromyography; Blink reflex (Cruccu, G.) **371,** 298

Silica
Beige murine mutant; Receptor, Fc-; Monocyte; Myelin; Peripheral nerve; Wallerian degeneration (Beuche, W.) **378,** 97

Silkworm moth
Descending neuron; Mating dance; Protocerebrum; Sexual pheromone odor; Wing vibration (Kanzaki, R.) **377,** 378

Silver impregnation
Crayfish; Ethyl gallate; Nervous system; Osmium (Leise, E.M.) **367,** 265

Simple corpuscle
Glans penis; Sensory innervation; Pain; Free nerve ending; Genital end bulb; Pacinian corpuscle; Ruffini corpuscle (Halata, Z.) **371,** 205

Simultaneous unitary recording
Superior colliculus; Eye movement (Infante, C.) **381,** 390

Single cell
Cat cortex; γ-Aminobutyric acid; Inhibition; Contrast adaptation (DeBruyn, E.J.) **383,** 339

Single channel
Ion channel; Potassium channel; Inward rectification; Horizontal cell; Patch clamp (Shingai, R.) **369,** 65

Single channel current
Neuroblastoma; Nicotinic; Muscarinic; Acetylcholine; Patch clamp (Takeda, K.) **398,** 75

Single neuron
Somatosensory cortex; Precision grip; Force coding; Motor cortex; Microstimulation; Conscious monkey (Wannier, T.M.J.) **382,** 427

Single neuron activity
Lateral hypothalamus; Monkey; Electrophoresis; Morphine; Naloxone;

Reward (Oomura, Y.) **365,** 335

Visual response; Learning; Feeding behavior; Lateral hypothalamic area; Monkey (Fukuda, M.) **374,** 249

Amygdala; Glucose; Morphine; Feeding behavior; Monkey (Nakano, Y.) **399,** 167

Single unit
Ventral lateral geniculate nucleus; Pretectum; Superior colliculus; Antidromic activation; Receptive field property; Cat (Hada, J.) **363,** 165

Neurotensin; Arcuate nucleus; Synaptic inhibition; Brain slice (Herbison, A.E.) **364,** 391

Learning; Classical conditioning; Auditory cortex; Receptive field (Diamond, D.M.) **372,** 357

Brain slice; Circadian rhythm; Hypothalamus-neuronal oscillator; Phase shift; Suprachiasmatic nucleus (Gillette, M.U.) **375,** 176

Discrimination; Slow potential; Frontal cortex; Rat (Rucker, H.K.) **376,** 368

Anterior ectosylvian sulcus; Auditory response; Cat (Clarey, J.C.) **386,** 12

Single unit activity
Serotonergic neuron; Dopaminergic neuron; Substantia nigra; Noradrenergic neuron; Locus coeruleus; Behaving cat; Sensory stimulus; Habituation (Rasmussen, K.) **369,** 336

Long term recording; Circadian rhythm; Feeding; Lateral hypothalamic area; Freely behaving rat (Ono, T.) **373,** 92

Prefrontal cortex; Premotor cortex; Meaning of the stimulus; Delayed conditional Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 1

Prefrontal cortex; Premotor cortex; Behavioral inhibition; Go/No-go discrimination; Monkey (Watanabe, M.) **382,** 15

Single unit recording
Refractory period; Brain stimulation reward; Medial forebrain bundle; Self-stimulation; Lateral hypothalamus; Ventral tegmental area; Forebrain nucleus (Rompré, P.-P.) **364,** 338

Ventrolateral medulla; Medullo-spinal sympathoexcitatory neuron; Clonidine; Rat (Sun, M.-K.) **368,** 1

Memory; Hippocampus; Working memory; Reference memory; Delayed match-to-sample (Wible, C.G.) **399,** 97

Singlet oxygen
Spinal cord injury; Photochemical sensitization; Microvascular stasis; Infarction (Watson, B.D.) **367,** 296

Sinoaortic baroreceptor deafferentation
Angiotensin II; Drinking; Hypertonic saline; Isoproterenol; Polyethylene glycol; Water deprivation (Rettig, R.) **370,** 29

Sinoaortic denervation
Baroreflex; Blood pressure; Nucleus tractus solitarii; Stress; Plasma catecholamine; Plasma renin activity (Buchholz, R.A.) **365,** 360

Baroreceptor reflex; Bradycardia; Differential pavlovian conditioning; Rabbit (Jarrell, T.W.) **381,** 251

Sinus gland
Action potential; Neurosecretory terminal; Ionic mechanism; Neurosecretion; Isopod (Chiang, R.G.) **377,** 83

Site of action
Corticotropin-releasing factor; Noradrenaline; Autonomic nervous system (Brown, M.) **399,** 10

Skeletal muscle
Blood–brain barrier; Transplantation (Wakai, S.) **386,** 209

SKF 38393A
Dopamine receptor agonist; D_1 dopamine receptor; D_2 dopamine receptor; LY 171555; Bromocriptine; Rotational behavior (Robertson, G.S.) **384,** 387

SKF 38398
D_1-dopamine receptor; Acetylcholine release; Rabbit retina; SKF 82526; SCH 23390 (Hensler, J.G.) **398,** 407

SKF 82526
D_1-dopamine receptor; Acetylcholine release; Rabbit retina; SKF 38398; SCH 23390 (Hensler, J.G.) **398,** 407

Skin
Aminoglycoside; Mechanoreceptor; Neomycin; SA I-receptor; Touch (Baumann, K.I.) **377,** 160

Nociceptor; Sympathetic nerve; Afferent fibre; Mechanoreceptor (Barasi, S.) **378,** 21

Sleep
Rapid-eye-movement sleep; Metabolism; Deoxyglucose; Autoradiography (Ramm, P.) **365,** 112

Mesencephalic reticular formation; Attention; Spike train analysis; Fluctuation, 1/*f* (Yamamoto, M.) **366,** 279

Rapid eye movement; Carbachol; Brainstem; Reticular formation; Rat (Gnadt, J.W.) **384,** 29

Reticular formation; Nucleus reticularis gigantocellularis; Spinal cord; Motoneuron; Inhibitory postsynaptic potential; Wakefulness; Active sleep; Quiet sleep (Chase, M.H.) **386,** 237

Rabies virus; Electroencephalogram; Spectral analysis; Immunofluorescence (Gourmelon, P.) **398,** 128

Sleep cycle
Raphe discharge; Development; Serotonin (Adrien, J.) **366,** 10

Sleep deprivation
Vasoactive intestinal polypeptide; Rapid eye movement sleep; Cerebrospinal fluid (Prospéro-Garcia, O.) **385,** 169

Sleep mechanism
Basal forebrain neuronal activity; Sleep–wake cycle; Non-rapid eye movement sleep control; Acetylcholine (Szymusiak, R.) **370,** 82

Sleep–wake cycle
Sleep mechanism; Basal forebrain neuronal activity; Non-rapid eye movement sleep control; Acetylcholine (Szymusiak, R.) **370,** 82

Sleep–waking cycle
Nucleus raphe dorsalis; Neuronal activity; Pontogeniculo-occipital wave; Somatic stimulation; Serotonin (Shima, K.) **399,** 317

Slice
Inhibition; Neocortex; Late hyperpolarization (Avoli, M.) **370,** 165

Somatostatin; Cerebral cortex; Neurotransmitter; Carbachol; Release (Boakes, R.J.) **397,** 197

Slice preparation
Hippocampus; Hypoxia; Incubation; CA3 neuron (Davis, A.K.) **370,** 44

Rat; Substantia nigra compacta neuron; Intracellular recording; Membrane property (Kita, T.) **372,** 21

Slow depolarization
Sympathetic neuron; Acetylcholine; Membrane conductance; Muscarinic receptor (Mochida, S.) **383,** 299

Slow excitatory transmission
Substance P antibody; Dorsal horn; Rat spinal cord slice (Randic, M.) **383,** 15

Slow motor unit
Fast motor unit; Synaptic transmission; Neurotransmitter release; Tetanic potentiation; Post-tetanic potentiation (Lev-Tov, A.) **363,** 379

Slow muscle fiber
Action potential; Tetrodotoxin; Colchicine; Vincristine; Axonal transport (Siebler, M.) **362,** 299

Slow potential
Discrimination; Single unit; Frontal cortex; Rat (Rucker, H.K.) **376,** 368

Slow wave sleep
5-Hydroxytryptamine-2 antagonist; Ritanserin; Human; Serotonin (Idzikowski, C.) **378,** 164

Slow-hyperpolarizing synaptic potential
Parasympathetic neuron;

Noradrenaline; Catecholamine; Autonomic ganglion; Neurotransmitter; Synaptic transmission (Akasu, T.) **365,** 365

Small cardioactive peptide B
Phe-Met-Arg-Phe-NH_2 (FMRFamide); Arginine vasotocin; Mollusc; Modulation; Neuromuscular junction; Immunocytochemistry (Richmond, J.E.) **370,** 159

Smell
Trigeminal receptor; Olfactory receptor; Alcohol; Odor; Chemoreception (Silver, W.L.) **376,** 221

Smooth muscle cell
Catechol-O-methyltransferase; High performance liquid chromatography; Immunocytochemistry; Cerebromicrovascular culture; Endothelium (Spatz, M.) **381,** 363

Snail ganglia membrane
Kainate; Glutamate; Binding (Pin, J.-P.) **366,** 290

Snail neuron
Phosphorylation; Bursting activity; Pentylenetetrazole; Calcium ionophore; Calmodulin; Seizure; Protein (Onozuka, M.) **362,** 23

Snake toxin
Nerve membrane; Node of Ranvier; Voltage clamp; Potassium channel; Sodium channel (Benoit, E.) **377,** 374

Social behavior
5-Hydroxytryptamine; Dopamine; Turnover; Tryptophan; Cerebrospinal fluid (Sahakian, B.J.) **399,** 162

Social conflict
Octadecaneuropeptide; Diazepam binding inhibitor; Aggression; Analgesia; Defeat; Benzodiazepine; γ-Aminobutyric acid; Ro 15-1788 (Kavaliers, M.) **383,** 343

Social interaction
Dopaminergic neuron; Nucleus accumbens; In vivo voltammetry; Free moving animal; Tail-pinch (Louilot, A.) **397,** 395

Social play
Androgen; Sexual differentiation; Amygdala; Testosterone (Meaney, M.J.) **398,** 324

Sodium
Neuronal cell culture; Brain; Angiotensin II; Receptor; Cation; Spontaneously hypertensive rat (Feldstein, J.B.) **370,** 265

Third ventricle choroid plexus; Cerebrospinal fluid; Potassium ion; Acidosis; Ion homeostasis; Tela choroidea (Harbut, R.E.) **374,** 137

Taste response; Calcium; Receptor site; Water fiber; Glossopharyngeal nerve; Frog (Kitada, Y.) **377,** 211

Taste response; Magnesium; Multiple receptor site; Receptor protein; Glossopharyngeal nerve; Frog (Kitada, Y.) **380,** 172

Sodium balance
Angiotensin II; Area postrema; Sodium intake (Watson, W.E.) **380,** 216

Sodium channel
Sciatic nerve; Monoclonal antibody; Immunofluorescence; Mobility; Eel electroplax (Meiri, H.) **368,** 188

Tetramethrin; Pyrethroid; Ion permeation; Ion selectivity (Yamamoto, D.) **372,** 193

Nerve membrane; Node of Ranvier; Voltage clamp; Potassium channel; Snake toxin (Benoit, E.) **377,** 374

Calcitonin gene-related peptide; Trigeminal ganglion; Cell culture; Veratridine; Local anesthetic (Peterfreund, R.A.) **380,** 159

Monoclonal antibody; Sciatic nerve; Abnormal myelination; Dystrophic mouse (Meiri, H.) **384,** 355

Periaxonal space; Squid axon; Pyrethroid; Sodium current; Sodium inactivation (De Weille, J.R.) **386,** 169

Sodium chloride
Nucleus tractus solitarii; Gustatory response; Rat; Convergence; Anterior tongue; Nasoincisor duct; Sucrose (Travers, S.P.) **365,** 305

Sodium current
Sodium channel; Periaxonal space; Squid axon; Pyrethroid; Sodium inactivation (De Weille, J.R.) **386,** 169

Sodium glycodeoxycholate
Solubilization; Substance P binding site; Rat brain membrane; Receptor subtype (Maruyama, M.) **370,** 186

Sodium inactivation
Sodium channel; Periaxonal space; Squid axon; Pyrethroid; Sodium current (De Weille, J.R.) **386,** 169

Sodium intake
Angiotensin II; Area postrema; Sodium balance (Watson, W.E.) **380,** 216

Sodium ion
Astrocyte; Coupling ratio; Furosemide; Glial cell; Sodium-potassium pump; Ouabain; Potassium homeostasis (Walz, W.) **368,** 226

Glutamate binding; Quisqualic acid; *N*-Methyl-D-aspartic acid; Adrenal medulla (Yoneda, Y.) **383,** 387

Sodium sulfide
Rats; Synaptic vesicle; Telencephalon; Trace metal; Zinc; Zinc release (Pérez-Clausell, J.) **362,** 358

Sodium-dependent binding
Glutamate binding; Sodium-independent binding; Dissociation of ligand; Quisqualic acid; D-Aspartate; Sulphhydryl-reagent (Ogita, K.) **397,** 137

Sodium-independent binding
Glutamate binding; Sodium-dependent binding; Dissociation of ligand; Quisqualic acid; D-Aspartate; Sulphhydryl-reagent (Ogita, K.) **397,** 137

Sodium-potassium pump
Astrocyte; Coupling ratio; Furosemide; Glial cell; Ouabain; Potassium homeostasis; Sodium ion (Walz, W.) **368,** 226

Hypokalemia; Ventromedial hypothalamic nucleus; Soleus muscle; Rat (Yoshimatsu, H.) **384,** 17

Nerve growth factor; Ciliary neuronotropic factor; Phorbol ester; Ganglionic neuron (Skaper, S.D.) **386,** 130

Soleus muscle
Fatigue; Sustained isometric contraction (Kukulka, C.G.) **362,** 47

Sodium–potassium pump; Hypokalemia; Ventromedial hypothalamic nucleus; Rat (Yoshimatsu, H.) **384,** 17

Solitary nucleus
Dehydration; Autoradiography; Opiate receptor; Trigeminal system (Hwang, B.H.) **371,** 345

Bradycardia; Cardioinhibitory area; Inferior olivary nucleus; Dorsal motor nucleus; Ambiguus nucleus; Vagus nerve (Kuo, J.S.) **372,** 217

Baroreceptor reflex; Bradycardia; Tachycardia; Inferior olivary nucleus; Vagus nerve; Dorsal motor nucleus; Gigantocellular reticular nucleus (Kuo, J.S.) **372,** 227

Frontal cortex; Insular cortex; Olfactory cortex; Piriform cortex; Endopiriform nucleus; Olfactory bulb; Periaqueductal gray; Superior colliculus; Rat (Neafsey, E.J.) **377,** 261

Double staining; Electron microscopic study; Substance P; Calcitonin gene-related peptide (Morishima, Y.) **379,** 157

Solitary tract
Dorsomedial medulla oblongata; Catecholamine; Cholecystokinin; Coexistence; Synapse (Kubota, Y.) **370,** 343

Solubility
Paired helical filament; Isolation; Alzheimer disease/senile dementia of the Alzheimer type; Polyacrylamide ge electrophoresis; Immunoblot (Rubenstein, R.) **372,** 80

Solubilization
Substance P binding site; Sodium glycodeoxycholate; Rat brain membrane; Receptor subtype (Maruyama, M.) **370,** 186

Soma size
Japanese quail; Retinal ganglion cell; Cell distribution; Axon diameter; Classification; Dendritic pattern (Ikushima, M.) **376,** 320

Motoneuron; Spinal cord; Histochemistry; Oxidative enzyme; Succinate dehydrogenase; Stimulation (chronic); Spinalization (hemi-) (Donselaar, Y.) **385,** 22

Somatic stimulation
Nucleus raphe dorsalis; Sleep–waking cycle; Neuronal activity; Pontogeniculo-occipital wave; Serotonin (Shima, K.) **399,** 317

Somatomedin-C
Somatostatin; Growth hormone; Aging; Hypothalamus (Sonntag, W.E.) **380,** 229

Somatosensation
Trigeminal nerve; Facial nerve; Facial lobe; Taste; Tactile (Kiyohara, S.) **379,** 353

Somatosensory cortex
Methylamphetamine; Catecholamine; Serotonin; Neurotoxicity; Rat (Commins, D.L.) **365,** 15

Somatotopic representation; Area 3b; Area 1; Squirrel monkey (Cusick, C.G.) **370,** 359

Central plasticity; Nerve repair; Peripheral injury; Regeneration; Sensory recovery; Touch (Wall, J.T.) **372,** 400

Motor cortex; Supplementary motor cortex; Premotor cortex; Receptive field; Rat (Sievert, C.F.) **381,** 15

Precision grip; Force coding; Single neuron; Motor cortex; Microstimulation; Conscious monkey (Wannier, T.M.J.) **382,** 427

Somatosensory neuron
Thalamus; Trigeminal main sensory nucleus; Electroencephalogram (Kanosue, K.) **379,** 90

Somatosensory stimulus
Cerebellum; Purkinje cell; Climbing fiber enhancement; Mossy fiber; Noradrenaline; 6-Hydroxydopamine (McElligott, J.G.) **397,** 245

Somatosensory thalamus
γ-Aminobutyric acid; Interneuron; Dorsal column nucleus (Barbaresi, P.) **382,** 305

Somatostatin
Benzodiazepine; Midazolam; γ-Aminobutyric acid; Neuropeptide; Cell culture; Cerebral; Neuron; Hypothalamus (Stryker, T.D.) **362,** 339

Vasoactive intestinal polypeptide; Substance P; Cerebral cortex; Primate; Ontogeny (Hayashi, M.) **364,** 360

Cysteamine; Locomotor activity; Passive avoidance; Rat (Bakhit, C.) **365,** 159

Paradoxical sleep; Cysteamine; Intracerebroventricular infusion (Danguir, J.) **367,** 26

Cortex; Alzheimer's disease; Somatostatin-28_{1-12} (Beal, M.F.) **368,** 380

Senile dementia of Alzheimer's type; Senile plaque; Neuropeptide Y (Nakamura, S.) **370,** 11

Radioimmunoassay; Immunocytochemistry; Gel filtration chromatography; Spinal cord; Sensory neuron; Cat (Tessler, A.) **370,** 232

Choline acetyltransferase; Ibotenic acid; Nucleus basalis; Rat cerebral cortex (Epelbaum, J.) **371,** 376

Substance P; Spinal cord; C-afferent; Intrathecal; Polymodal nociceptor; Thermosensitive C-afferent (Wiesenfeld-Hallin, Z.) **372,** 172

Dopamine; Frontal cortex; Release (Thal, L.J.) **372,** 205

Neuropeptide Y; Striatum; Basal ganglion; Primate; Cat; Immunohistochemistry (Smith, Y.) **372,** 241

Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; True blue (Katagiri, T.) **372,** 313

Central nervous system transplant; Paraplegia; Spinal cord; Regeneration; Immunohistochemistry (Bernstein, J.J.) **374,** 147

Cholecystokinin octapeptide; Acetylcholine; Dopamine receptor; Caudate nucleus; Release (Arneric, S.P.) **374,** 153

Neuropeptide Y; Striatum; Basal ganglion; Cerebral cortex (Beal, M.F.) **377,** 240

Muscarinic acetylcholine receptor; Receptor subtype; Rat brain; Receptor binding assay (Miyoshi, R.) **377,** 348

Growth hormone; Aging; Hypothalamus; Somatomedin-C (Sonntag, W.E.) **380,** 229

Periventricular lesion; Growth hormone; Perifusion; Rat (Kaler, L.W.) **386,** 175

Cerebral cortex; Neurotransmitter; Carbachol; Slice; Release (Boakes, R.J.) **397,** 197

Parkinson's disease; Alzheimer's disease; Dementia; Human; Cortex (Beal, M.F.) **397,** 386

Gastrin-releasing peptide; Regional distribution; Microdissection method; Hypothalamic nucleus; Rabbit (Kita, T.) **398,** 18

Human brain; Binding site; High affinity; Tritium (Whitford, C.A.) **398,** 141

Growth hormone; Prolactin; Growth hormone-releasing factor; Perifusion; Preoptic-medial basal hypothalamus (Critchlow, V.) **398,** 347

Somatostatin biosynthesis
Arginine vasopressin biosynthesis; Hypothalamus; Hypophysectomy (Wetsel, W.C.) **370,** 315

Somatostatin-28_{1-12}
Somatostatin; Cortex; Alzheimer's disease (Beal, M.F.) **368,** 380

Somatotopic organization
Spinal cord; Forearm and forepaw; Median nerve; Ulnar nerve; Horseradish peroxidase; Dog (Mutai, M.) **371,** 90

Axon regeneration; Adult; Neonatal; Facial motor nucleus; Retrograde axonal transport; Horseradish peroxidase (Aldskogius, H.) **375,** 126

Cerebellum; Climbing fiber; Receptive field (Logan, K.) **372,** 290

Somatotopic representation
Somatosensory cortex; Area 3b; Area 1; Squirrel monkey (Cusick, C.G.) **370,** 359

Somatotopy
Dorsal root ganglion; Primary afferent; Sensory modality; Action potential; Morphology (Cameron, A.A.) **362,** 1

Primary tooth; Trigeminal nucleus; Horseradish peroxidase–wheat germ agglutinin–polyacrylamide gel (Ishidori, H.) **370,** 153

Somatovesical reflex
Rat; Micturition reflex; Vesicovesical reflex; Urethane; Bladder voiding (Maggi, C.A.) **380,** 83

Song system
Testosterone metabolism; Sexual differentiation; Zebra finch; 5β-Reductase; 5β-Dihydrotestosterone (Balthazart, J.) **378,** 240

Soybean trypsin inhibitor
Protease; Protease inhibitor; Neurite outgrowth; Trypsin; Thrombin; Urokinase (Hawkins, R.L.) **398,** 63

Spatial orientation
Weaver mutant mouse; Cerebellum (Lalonde, R.) **398,** 175

Spatial resolution
Experimental allergic encephalomyelitis; Regional cerebral blood flow; Iodoantipyrine; Quantitative autoradiography (Juhler, M.) **363,** 272

Spatial working memory
Weaver mutant mouse; Cerebellum (Lalonde, R.) **398,** 178

Aging; Hippocampal dentate gyrus; Synapse quantitation (Geinisman, Y.) **398,** 266

Species difference
Dorsal column postsynaptic neuron; Heat sensitization (Kamogawa, H.) **364,** 386

Aromatic-L-amino-acid decarboxylase; Charge isozyme; Isoelectric point; Adrenal and brain; Chromatofocusing (Park, D.H.) **370,** 375

Cholecystokinin binding site; [*Propionyl*-^{3}H]Propionylated cholecystokinin octapeptide; In vitro autoradiography; Distribution; Characterization (Sekiguchi, R.) **399,** 271

Species specificity
Guanethidine; Guanacline; Sympathectomy; Fluorescent lipopigment (Johnson, E.M.) **383,** 100

Specificity
Aspartate; Glutaraldehyde; Affinity; Immunocytochemistry; Cerebral cortex (Campistron, G.) **365,** 179

Sympathetic; Regeneration; Retrograde transport; Axotomy; Fluorescent dye (Hendry, I.A.) **376,** 292

Glycine; Glutaraldehyde; Affinity; Immunocytochemistry; Brainstem; Spinal cord (Campistron, G.) **376,** 400

Development; Impulse activity; Synaptic connection; Spinal cord; Spindle afferent fiber; Motoneuron (Frank, E.) **378,** 147

Spectral analysis
Tremor; Human jaw reflex; Biting force (McFarland, D.H.) **366,** 272

Theta rhythm; Hippocampal CA1; Inhibitory postsynaptic potential; Cellular mechanism (Leung, L.-W.S.) **367,** 323

Motor unit activity; Ia afferent; Spindle group II afferent; Coherence; Modulation; Cat (Christakos, C.N.) **367,** 52

Rabies virus; Electroencephalogram; Sleep; Immunofluorescence (Gourmelon, P.) **398,** 128

Spherule
Development; Pedicle; Synaptic ribbon; Extracellular space (Maslim, J.) **373,** 35

Spike morphology
Topographical analysis; Evolution of spike-wave complex; Automated analysis (Lemieux, J.F.) **373,** 275

Spike train analysis
Mesencephalic reticular formation; Sleep; Attention; Fluctuation, 1/*f* (Yamamoto, M.) **366,** 279

Peristimulus time histogram; Fourier transform (Schild, D.) **369,** 353

Spinal border cell
Spinocerebellar tract; Cerebellar cortex; Spinal cord (Yaginuma, H.) **384,** 175

Spinal cat
4-Aminopyridine; Rhythmic activity; Fictive locomotion; Decerebrate cat; Spinal cord; Chronic spinal rat; Cross-correlation (Dubuc, R.) **369,** 243

Spinal cord
Choline acetyltransferase; Immunocytochemistry; Cholinergic neuron (Borges, L.F.) **362,** 140

Phenytoin; Lamprey; Axon; Action potential; Frequency dependence; Potassium (Adler, E.M.) **362,** 271

Cat; Horseradish peroxidase; Intracellular staining; Electron microscopy; Spinocervical tract; Postsynaptic dorsal column system (Maxwell, D.J.) **363,** 199

Hypothalamic efferent; Fluorescent latex microsphere; Retrograde fluorescent tracer; Amygdala; Cerebellum (Dietrichs, E.) **364,** 241

Lectin; Dorsal root ganglion; Neuronal subpopulation; Nociceptive afferent (Mori, K.) **365,** 404

Serotonin; Intracellular recording; Lamprey; Afterhyperpolarization (Van Dongen, P.A.M.) **366,** 320

GM_1 ganglioside; Serotonin; 5-Hydroxyindoleacetic acid; Transverse hemisection; Rat; Catecholamine (Hadjiconstantinou, M.) **366,** 343

Adrenoceptor; α_2-Adrenergic; Cortex (Howe, J.R.) **368,** 87

α-Motoneuron; Cytochrome oxidase; Double-labeling; [^{3}H]Wheat germ agglutinin (Mjaatvedt, A.E.) **368,** 178

Dorsal spinocerebellar tract; Ventral spinocerebellar tract; Cerebellum; Cutaneous input (Kim, J.H.) **369,** 125

4-Aminopyridine; Rhythmic activity; Fictive locomotion; Decerebrate cat; Spinal cat; Chronic spinal rat; Cross-correlation (Dubuc, R.) **369,** 243

Motor nucleus; Horseradish peroxidase; Pectoral muscle (Krogh, J.E.) **369,** 331

Norepinephrine; A5 nucleus; Pain; Analgesia; Lesion; Brainstem (Sagen, J.) **370,** 93

Somatostatin; Radioimmunoassay; Immunocytochemistry; Gel filtration chromatography; Sensory neuron; Cat (Tessler, A.) **370,** 232

Lamina I; Serotonin; Immunocytochemistry; Spinomesencephalic tract cell; Nociception; Spinothalamic tract cell (Hylden, J.L.K.) **370,** 401

Antinociception; Pain; Cholinergic neuron; Noradrenergic neuron; Nucleus raphe magnus (Brodie, M.S.) **371,** 70

Norepinephrine; Morphine; Antinociception; Nucleus reticularis paragigantocellularis; 6-Hydroxydopamine (Pang, I.-H.) **371,** 171

Somatotopic organization; Forearm and forepaw; Median nerve; Ulnar nerve; Horseradish peroxidase; Dog (Mutai, M.) **371,** 90

Dermorphin; Nociceptive reflex; Naloxone; Human (Sandrini, G.) **371,** 364

Axotomy; Immunohistochemistry; Vasoactive intestinal polypeptide; Neuropeptide (Shehab, S.A.S.) **372,** 37

Substance P; Somatostatin; C-afferent; Intrathecal; Polymodal nociceptor; Thermosensitive C-afferent (Wiesenfeld-Hallin, Z.) **372,** 172

Facial nucleus; Inferior olivary nucleus, Spinal trigeminal nucleus (Nakano, K.) **372,** 338

Amygdala; Retrograde transport; Bead; Cat (Sandrew, B.B.) **373,** 235

Ciliary ganglion; Central nervous system injury; Neuronal survival; Neurotrophic factor; Rhizotomy; Sciatic nerve; Sciatic transection (Millaruelo, A.I.) **374,** 12

Central nervous system transplant; Paraplegia; Somatostatin; Regeneration; Immunohistochemistry (Bernstein, J.J.) **374,** 147

Norepinephrine; Uric acid; High-pressure liquid chromatography with electrochemical detection; Arthritic rat; Pain (Weil-Fugazza, J.) **374,** 190

Peptide; Cardiovascular system; Kidney (Riphagen, C.L.) **374,** 371

Serotonin; Substance P; Methenkephalin; Immunocytochemistry (Bowker, R.M.) **375,** 347

Serotonin; Autonomic nervous system; Rat; Immunohistochemistry (Newton, B.W.) **376,** 155

Pain pathway; Noxious test; Vocalization; Anterolateral quadrant (Peschanski, M.) **376,** 164

Catecholamine; Cell culture; Faglu fluorescence; Immunohistochemistry (Mariani, A.P.) **376,** 335

Glycine; Glutaraldehyde; Specificity; Affinity; Immunocytochemistry; Brainstem (Campistron, G.) **376,** 400

Embryology; Evolution; Enkephalin; Immunocytochemistry; Inhibition; Peptide; Radioimmunoassay

(Maderdrut, J.L.) **377,** 29

Ventral root afferent; Pressor response; Unmyelinated fiber; Ascending spinal pathway; Spinal lesion (Kim, J.) **377,** 182

Antiserum; Exercise; Reflex cardiovascular control; Muscle afferent (Kaufman, M.P.) **377,** 199

Graft; Transplant; Regeneration; Substrate; Histocompatibility; Culture (Bernstein, J.J.) **377,** 403

Pro-opiomelanocortin; β-Endorphin; α-Melanocyte-stimulating hormone; Adrenocorticotrophic hormone; Peptide, 16K; Descending fiber; Rat (Tsou, K.) **378,** 28

Development; Impulse activity; Synaptic connection; Spindle afferent fiber; Motoneuron; Specificity (Frank, E.) **378,** 147

γ-Aminobutyric acid; Dorsal root reflex; Primary afferent depolarization; Motoneuron; Benzodiazepine (Duchen, M.R.) **379,** 182

Descending inhibition; Stimulation-produced analgesia; Brainstem; Noradrenaline; Glycine; Pain (García-Arrarás, J.E.) **379,** 188

Cervical motoneuron; Electrical property; Distal forelimb; Cat (Botterman, B.R.) **379,** 192

Exercise; Blood pressure control; Opiate receptor; Muscle afferent (Pomeroy, G.) **381,** 385

Excitatory amino acid antagonist; 3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; *N*-Methyl-D-aspartate receptor; Binding site; Anticonvulsant (Davies, J.) **382,** 169

Capsaicin; Morphine; Opioid; Substance P; Withdrawal (Bell, J.A.) **382,** 299

Dorsal horn; Dendrite; Axon collateral; Receptive field; Plantar cushion (Egger, M.D.) **383,** 68

Spinocerebellar tract; Spinal border cell; Cerebellar cortex (Yaginuma, H.) **384,** 175

Motoneuron; Soma size; Histochemistry; Oxidative enzyme; Succinate dehydrogenase; Stimulation (chronic); Spinalization (hemi-) (Donselaar, Y.) **385,** 22

Analgesic; Capsaicin; Mouse; Pain; Scratch; Substance P; Substance P antagonist (Piercey, M.F.) **385,** 74

Glucose utilization; Noxious stimulation; Pain; 2-Deoxyglucose (Abram, S.E.) **385,** 143

Central nervous system reorganization; Neural plasticity; Sprouting; Neonatal brain lesion; Hemispherectomy; Dorsal column nuclei (Gómez-Pinilla, F.) **385,** 343

Reticular formation; Nucleus reticularis gigantocellularis; Motoneuron; Inhibitory postsynaptic potential; Sleep; Wakefulness; Active sleep; Quiet sleep (Chase, M.H.) **386,** 237

Cat; Walking; Brain glucose metabolism (Schwartzman, R.J.) **398,** 113

Immunocytochemistry; Medulla oblongata; Hypothalamo-infundibular system; Corticotropin-releasing factor; Substance P (Berkenbosch, F.) **399,** 87

Lissauer's tract; Aδ primary afferent; C-fiber primary afferent; Pain (Traub, R.J.) **399,** 185

Neuropeptide K; Neurokinin A; Neurokinin B; Substance P-tachykinin; Distribution; Brain (Arai, H.) **399,** 240

Immunohistochemistry; Vitamin D; Calcium-binding protein; Human brain; Cerebellum; Brainstem (Fournet, N.) **399,** 310

Spinal cord culture
Cyclic adenosine monophosphate; Adenylate cyclase; Opioid tolerance; Dorsal-horn network (Crain, S.M.) **370,** 61

Spinal cord injury
Atomic absorption spectroscopy; Potassium; Calcium; Weight drop contusion (Young, W.) **365,** 42

Photochemical sensitization; Singlet oxygen; Microvascular stasis; Infarction (Watson, B.D.) **367,** 296

Spinal cord transection
γ-Aminobutyric acid (GABA); Decerebration; Cardiac vagus; Heart rate; Blood pressure; γ-Aminobutyric acid antagonist (Wible, J.H.) **363,** 279

Spinal dorsal horn neuron
Persistent slow inward calcium current; Substance P; Rat slice (Murase, K.) **365,** 369

Substance P; 5-Hydroxytryptamine; *p*-Chlorophenylalanine; Iontophoresis (Jeftinija, S.) **368,** 107

Spinal lesion
Ventral root afferent; Pressor response; Unmyelinated fiber; Ascending spinal pathway; Spinal cord (Kim, J.) **377,** 182

Spinal motoneuron
Axon collateral; Dorsal root ganglion; Horseradish peroxidase; Electron microscope (Kayahara, T.) **376,** 299

Spinal projection
Respiratory neuron; Nucleus tractus solitarius; Vagal afferent (Jiang, C.) **377,** 190

Spinal projection neuron
Fluorescent double label; Paleospinothalamic tract; Spinothalamic collateral; Periaqueductal gray; Intralaminar thalamic nucleus; Intermediate gray; Nucleus of dorsolateral funiculus (Liu, R.P.C.) **365,** 145

Spinal reflex
Microinjection; Opiate receptor; Periaqueductal gray; Medulla; Raphe magnus; Analgesia (Jensen, T.S.) **363,** 99

Bulbospinal pathway; α-Adrenoceptor; Raphe magnus; Analgesia; Serotonin (Jensen, T.S.) **363,** 114

Leg muscle electromyogram; Gait perturbation; Stumbling reaction; Motor control; Man (Dietz, V.) **384,** 166

Spinal trigeminal complex
Orofacial pain; Lesion; Rat; Hypoalgesia; Intranuclear projection (Pickoff-Matuk, J.F.) **382,** 291

Spinal trigeminal nucleus
Facial nucleus; Spinal cord; Inferior olivary nucleus (Nakano, K.) **372,** 338

Locus coeruleus; β-Adrenergic receptor; Noradrenaline (Sasa, M.) **377,** 337

Spinal α_2-adrenoceptor
Locus ceruleus; Descending inhibition; Tail flick reflex; Stimulation-produced antinociception (Jones, S.L.) **364,** 315

Spinalization (hemi-)
Motoneuron; Spinal cord; Soma size; Histochemistry; Oxidative enzyme; Succinate dehydrogenase; Stimulation (chronic) (Donselaar, Y.) **385,** 22

Spindle afferent fiber
Development; Impulse activity; Synaptic connection; Spinal cord; Motoneuron; Specificity (Frank, E.) **378,** 147

Spindle group II afferent
Motor unit activity; Ia afferent; Spectral analysis; Coherence; Modulation; Cat (Christakos, C.N.) **367,** 52

Spine apparatus
Aging; Dentate fascia; Dendritic spine; Calcium (Fifková, E.) **376,** 357

Spinoannular tract
Double-label fluorescence method; Spinomesencephalic tract; Spinoreticular tract; Ascending spinal system; Axon collaterals of spinal neuron (Pechura, C.M.) **374,** 357

Spinocerebellar tract
Projection field; Anterior lobe; Horseradish peroxidase; Cat (Yaginuma, H.) **365,** 345

Spinal border cell; Cerebellar cortex; Spinal cord (Yaginuma, H.) **384,** 175

Spinocervical tract
Spinal cord; Cat; Horseradish peroxidase; Intracellular staining;

Electron microscopy; Postsynaptic dorsal column system (Maxwell, D.J.) **363,** 199

Spinomesencephalic tract
Double-label fluorescence method; Spinoannular tract; Spinoreticular tract; Ascending spinal system; Axon collaterals of spinal neuron (Pechura, C.M.) **374,** 357

Spinomesencephalic tract cell
Lamina I; Serotonin; Immunocytochemistry; Nociception; Spinothalamic tract cell; Spinal cord (Hylden, J.L.K.) **370,** 401

Spinopetal pathway
Electroconvulsive shock; Antinociception; Opiate receptor; Noradrenaline; Serotonin (Furui, T.) **367,** 162

Spinoreticular tract
Double-label fluorescence method; Spinoannular tract; Spinomesencephalic tract; Ascending spinal system; Axon collaterals of spinal neuron (Pechura, C.M.) **374,** 357

Ventral lateral funiculus; Cordotomy; Pain; Horseradish peroxidase (Nahin, R.L.) **384,** 367

Spinoreticulocerebellar pathway
Propriospinal neuron; Fictitious locomotion (Arshavsky, Y.I.) **363,** 354

Spinothalamic collateral
Fluorescent double label; Paleospinothalamic tract; Periaqueductal gray; Intralaminar thalamic nucleus; Spinal projection neuron; Intermediate gray; Nucleus of dorsolateral funiculus (Liu, R.P.C.) **365,** 145

Spinothalamic tract
Motor cortex; Thalamus (motor); Direct relay of afferent input (Greenan, T.J.) **362,** 384

Spinothalamic tract cell
Lamina I; Serotonin; Immunocytochemistry; Spinomesencephalic tract cell; Nociception; Spinal cord (Hylden, J.L.K.) **370,** 401

Spiperone
Hippocampus; Cerebellum; Striatum; Pineal gland; Dopamine receptor (Bruinink, A.) **386,** 78

Spiperone binding site
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Calmodulin-dependent phosphorylation; Apomorphine-stimulated climbing behavior; Dopamine receptor supersensitivity; Striatum (Lau, Y.-S.) **369,** 311

Spiroperidol
Thyroid deficiency; Corpus striatum; Visual cortex; Propylthiouracil; Synaptic biochemistry (Kalaria, R.N.) **364,** 268

Adenylate cyclase; Dopamine receptor; Culture; Flupenthixol; 1-Methyl-4-phenylpyridine receptor binding; Ventral mesencephalon (Heyer, E.J.) **377,** 54

Senescence; Quantitative autoradiography; Caudate-putamen; Striatum; Aging; Receptor, D_2- (Joyce, J.N.) **378,** 158

Mazindol; Caudate nucleus; Putamen; Dopamine denervation; Primate (Joyce, J.N.) **382,** 360

Dopamine receptor; Quantitative autoradiography; Guanine nucleotide (Richfield, E.K.) **383,** 121

Split brain
Brain laterality; Hemispheric difference; Unilateral neocortical lesion; Early experience; Muricide; Rat; Early social experience (Denenberg, V.H.) **397,** 327

Spontaneous activity
Dopamine; Striatum; Electrophysiology; 6-Hydroxydopamine (Orr, W.B.) **376,** 20

Spontaneous alternation
Mutant mouse lurcher; Habituation; Cerebellum (Lalonde, R.) **362,** 161

Hippocampus; Medial septum; Nerve growth factor; Neurotropic factor; Radial maze learning; Septal graft; Sympathetic neuron (Pallage, V.) **386,** 197

Spontaneous epileptiform activity
Valproate; Hippocampus; Rat; Neuronal excitability; Extracellular potassium concentration; Extracellular calcium concentration (Franceschetti, S.) **386,** 1

Spontaneous taurine release
Crude P_2 synaptosomal pellet; High potassium-evoked taurine release; Veratridine-evoked taurine release; Calcium-independent taurine release (Hanretta, A.T.) **378,** 205

Spontaneously generated action potential
Haloperidol; Butaclamol; Cell culture; Electrophysiology (Heyer, E.J.) **382,** 404

Spontaneously hypertensive rat
Vasopressin; Noradrenaline; Supraoptic nucleus; Catecholamine histofluorescence; Immunocytochemistry (Sladek, J.R.) **365,** 293

Hypertension; Brain; Dopamine; Uptake-inhibition; Substantia nigra; Ventral tegmental area; 6-Hydroxydopamine; Electrolytic lesion (Van den Buuse, M.) **368,** 69

Neuronal cell culture; Brain; Angiotensin II; Receptor; Sodium; Cation (Feldstein, J.B.) **370,** 265

Hypertension; Brain ventricle; Hydrocephalus; Wistar–Kyoto rat (Ritter, S.) **370,** 327

Sympathetic nerve; Superior cervical ganglion; Cerebral artery; Hypertension (Sadoshima, S.) **379,** 205

Body temperature; Clonidine infusion; Post-clonidine infusion (Lewis, S.J.) **385,** 383

Vasoactive intestinal polypeptide; Wistar–Kyoto rat; Brain; Radioimmunoassay (Lewis, S.J.) **399,** 173

Spontaneously hypertensive rat (SHR)
Volume loading; Hypoalgesia; Tail flick; Wistar Kyoto normotensive rat; F_1 offspring of SHR × WKY (Randich, A.) **363,** 178

Spreading depression
Cerebral glucose consumption (Lauritzen, M.) **370,** 405

Hypoxia; Cerebral hypoxia; Cerebrovascular disorder; Chlorpromazine; Calcium (Balestrino, M.) **385,** 219

Sprouting
Colchicine; Neuromuscular junction; Pigeon (Fahlman, C.S.) **363,** 156

Neuromuscular synapse; Aging; Muscle; Nerve regeneration; Multiple innervation (Hopkins, W.G.) **372,** 163

Central nervous system reorganization; Neural plasticity; Neonatal brain lesion Hemispherectomy; Dorsal column nuclei; Spinal cord (Gómez-Pinilla, F.) **385,** 343

Squid
Brain; Chromatophore; Motoneuron; Horseradish peroxidase labeling (Dubas, F.) **374,** 21

Serotonin; Monoamine oxidase; Pargyline; Central nervous system (Youdim, M.B.H.) **381,** 300

Squid axon
Axonal transport; Calcium; Diffusion (Chang, D.C.) **367,** 319

Sodium channel; Periaxonal space; Pyrethroid; Sodium current; Sodium inactivation (De Weille, J.R.) **386,** 169

Squirrel monkey
Vestibular compensation; γ-Aminobutyric acid; Vestibular deafferentation; Deiters' cell; Vestibular nucleus (Thompson, G.C.) **370,** 182

Somatosensory cortex; Somatotopic representation; Area 3b; Area 1 (Cusick, C.G.) **370,** 359

Cerebellum; Inferior olive; Olivocerebellar fiber; Lobule IV; Lobule V; Horseradish peroxidase (Whitworth, R.H.) **372,** 55

Vocalization; Motor control; Glutamate; Chemical brain stimulation (Jürgens, U.) **373,** 349

SR 42641
γ-Aminobutyric acid; Bicuculline; SR 95103; SR 95531; γ-Aminobutyric acid-A receptor (Heaulme, M.) **384,** 224

SR 95103
γ-Aminobutyric acid; Bicuculline; SR 95531; SR 42641; γ-Aminobutyric acid-A receptor (Heaulme, M.) **384,** 224

SR 95531
γ-Aminobutyric acid; Bicuculline; SR 95103; SR 42641; γ-Aminobutyric acid-A receptor (Heaulme, M.) **384,** 224

Stable adenosine analogue
(*R*)-*N*-(1-Methyl-2-phenylethyl)-adenosine; 5′-Deoxy-5′-(ethylamine)-5′-oxoadenosine; Dopamine synthesis and metabolism; Rat striatum (Myers, S.) **375,** 193

Stalk median eminence
Substance P; Tuberoinfundibular neuron; Hypothalamus; Deafferentation (Makara, G.) **374,** 399

Startle
Dopamine; Apomorphine; D-Amphetamine; Strychnine; Cochlear nucleus (Davis, M.) **371,** 58

Stationary current
Mollusc neuron; Adenosine monophosphate, cyclic; Voltage clamp (Kononenko, N.I.) **376,** 239

Statistical method
Neuronal response; Stimulus-related activity; Movement-related activity (Commenges, D.) **383,** 350

Steady-state facilitation
Neuron R15; Input 1 excitatory postsynaptic potential; Calcium power function; Stimulation frequency (Carlson, C.G.) **376,** 204

Step-tracking movement
Wrist muscle; Agonist; Antagonist; Electromyographic activity; Movement direction (Hoffman, D.S.) **367,** 287

Stereotyped behavior
Self-injurious behavior; Nociception; Analgesia; Locomotion; Substantia nigra; Midbrain reticular formation; Muscimol; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Ethylketocyclazocine; Receptor, β-; Mr 2266; Naltrexone; Phencyclidine (Nabeshima, T.) **378,** 234

Stereotypy
Striatum; Kainate; Transplantation; Rewarded alternation; Hyperactivity; Rat (Deckel, A.W.) **365,** 249

Steroid
Anxiety; Adrenal; Benzodiazepine; γ-Aminobutyric acid; Receptor (Crawley, J.N.) **398,** 382

Steroid hormone
Neurotransmitter release; Synaptic activity; Progesterone (Meiri, H.) **385,** 193

Stimulation
Lateral hypothalamic area; Lesion; Adrenal catecholamine secretion; Rat (Katafuchi, T.) **363,** 141

Stimulation (chronic)
Motoneuron; Spinal cord; Soma size; Histochemistry; Oxidative enzyme; Succinate dehydrogenase; Spinalization (hemi-) (Donselaar, Y.) **385,** 22

Stimulation frequency
Neuron R15; Input 1 excitatory postsynaptic potential; Calcium power function; Steady-state facilitation (Carlson, C.G.) **376,** 204

Stimulation of dorsal column nucleus
Awake rat; Dorsal column lesion; Nociception; Tail immersion test; Formalin test (Saadé, N.E.) **369,** 307

Stimulation-produced analgesia
Descending inhibition; Brainstem; Spinal cord; Noradrenaline; Glycine; Pain (García-Arrarás, J.E.) **379,** 188

Stimulation-produced antinociception
Spinal α_2-adrenoceptor; Locus ceruleus; Descending inhibition; Tail flick reflex (Jones, S.L.) **364,** 315

Stimulus detection
Nociceptive neuron; Dorsal horn; Noxious heat; Pain (Maixner, W.) **374,** 385

Stimulus repetition
Acoustic startle response; Inferior colliculus central nucleus; Inferior colliculus external nucleus (Willott, J.F.) **386,** 105

Stimulus-related activity
Neuronal response; Movement-related activity; Statistical method (Commenges, D.) **383,** 350

Stomach
Vasoactive intestinal polypeptide; Myenteric ganglion; Celiac ganglion; Projection; Retrograde tracer; Immunocytochemistry (Lee, Y.) **382,** 392

Strain
Lymphocyte; Muscarinic binding; Atropine; Age (Shenkman, L.) **380,** 303

Strain difference
Phenylethanolamine *N*-methyltransferase; Immunochemical titration; Dot blot hybridization; Adrenal gland; Medulla oblongata; Messenger ribonucleic acid (Park, D.H.) **372,** 185

Straining reflex centre
Defecation; Micturition; Parturition; Kölliker–Fuse nucleus (Fukuda, H.) **380,** 287

Streptozocin
Axonal transport; Receptor; Opiate; Muscarinic; Diabetes (Laduron, P.M.) **380,** 359

Stress
Baroreflex; Blood pressure; Nucleus tractus solitarii; Sinoaortic denervation; Plasma catecholamine; Plasma renin activity (Buchholz, R.A.) **365,** 360

5-Hydroxyindoleacetic acid; 5-Hydroxytryptophan; Noradrenaline; Dopamine; Adrenaline; Dihydroxyphenylalanine; Corticosterone (De Souza, E.B.) **367,** 77

Noradrenaline; Corticosterone; Gastric ulceration; Immobilization; Restraint (Bakke, H.K.) **368,** 256

Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; MIF-1; Naloxone; Analgesia; Activity; Opiate antagonist; Stress-induced analgesia; Immobilization (Kavaliers, M.) **372,** 370

Opioid peptide; Morphine; Natural killer cell; Tolerance; Cross-tolerance (Shavit, Y.) **372,** 382

Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ionophore; *t*-Butylbicyclophosphorothionate; Anion (Havoundjian, H.) **375,** 401

Opioid peptide; Restraint; Analgesia; Body temperature; Stress-induced change (Appelbaum, B.D.) **377,** 330

Sensitization; Hypothalamus; Hippocampus; Norepinephrine (Irwin, J.) **379,** 98

Antinociception; Quaternary naloxone; Tail-flick; Footshock; Endorphin; Analgesia (Chance, W.T.) **380,** 394

Brain biogenic amine; β-Endorphin; Neuroendocrine function; Foot-shock analgesia (Rosecrans, J.A.) **382,** 71

Serotonin; Dopamine; Depression; Open field; Behaviour; 5-Methoxy-*N,N*-dimethyltryptamine; Sex difference (Kennett, G.A.) **382,** 416

Time-dependent sensitization; Catalepsy; Haloperidol; Fluphenazine; Neuroleptic (Antelman, S.M.) **385,** 58

Conditioned suppression of motility; Dopamine; Opioid; Mouse (Nabeshima, T.) **398,** 354

Stress analgesia
Tolerance; Cross-tolerance; Opioid; Non-opioid; Morphine (Terman, G.W.) **368,** 101

Cold water swim; Naltrexone; Opioid; Non-opioid (Terman, G.W.) **372,** 167

Stress ulcer
Brain dopamine; Neurotensin (Hernandez, D.E.) **381,** 159

Stress-induced analgesia
Diazepam; Naloxone; Human (Willer, J.C.) **362,** 398

Phe-Met-Arg-Phe-NH_2 FMRFamide; Pro-Leu-Gly-NH_2; MIF-1; Naloxone; Analgesia; Activity; Opiate antagonist; Stress; Immobilization (Kavaliers, M.) **372,** 370

Arcuate nucleus; β-Endorphin; Lesion; Naltrexone; Non-opioid analgesia; Opioid analgesia; Time-dependent (Kelsey, J.E.) **382,** 278

Stress-induced change
Opioid peptide; Stress; Restraint; Analgesia; Body temperature (Appelbaum, B.D.) **377,** 330

Stress-induced feeding
Vasopressin; 2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Carbohydrate appetite; Obesity; Posterior pituitary (Aravich, P.F.) **385,** 245

Stria medullaris
Cerebral dopaminergic transmission; Habenular nucleus; Fasciculus retroflexus; Raphe nucleus; Acetylcholine; Opioid peptide; Substance P (Nishikawa, T.) **373,** 324

2-Deoxy-D-[^{14}C]glucose technique; Local cerebral glucose utilization; Interpeduncular nucleus; Median raphe; Dorsal raphe; Habenular nucleus; Choline acetyltransferase (Motohashi, N.) **397,** 265

Stria terminalis
Growth hormone; Electrical stimulation; Basolateral amygdala; Lesion; Periventricular hypothalamic nucleus (Koibuchi, N.) **382,** 104

Striatal extract
Tropic factor; Dopaminergic neuron; Tissue culture (Tomozawa, Y.) **399,** 111

Striatal heterogeneity
Neostriatum; Cerebral cortex; Corticostriatal projection; Opiate receptor (Donoghue, J.P.) **365,** 397

Striatal slice
Dopamine; Protein phosphorylation; Cyclic adenosine monophosphate (Laurier, L.G.) **385,** 361

Met-enkephalin release; Amphetamine; Fipexide (Lucchi, L.) **398,** 212

Striatal synaptosome
Ethanol; Calcium channel; Endogenous dopamine; Dopamine release (Leslie, S.W.) **368,** 174

Striate cortex
Cat; Layer 6; Wheatgerm agglutinin–horseradish peroxidase (McCourt, M.E.) **364,** 181

Tree shrew; Lateral geniculate nucleus; Monocular deprivation; Horseradish peroxidase (Florence, S.L.) **374,** 179

Cat; Laminar organization; Visual latency (Best, J.) **385,** 356

Vision; Cat; Relative motion sensitivity (Hammond, P.) **386,** 93

Striatonigral
Substance P; Dynorphin; Co-occurrence; Striatopallidal; Basal ganglion; Bird; Reptile (Reiner, A.) **371,** 155

Striatonigral axon
Neostriatum; γ-Aminobutyric acid; Glutamic acid decarboxylase; Medium spiny cell; Neuronal morphology; Neuronal ultrastructure; Combined immunoperoxidase and transport labeling (Fisher, R.S.) **398,** 148

Striatonigral pathway
Calcineurin; Immunohistochemistry; Enzyme immunoassay; Cerebral hemitransection; Pallidal pathway (Goto, S.) **397,** 161

Dynorphin; Dopamine (Li, S.) **398,** 390

Striatopallidal
Substance P; Dynorphin; Co-occurrence; Striatonigral; Basal ganglion; Bird; Reptile (Reiner, A.) **371,** 155

Striatum
Decortication; Corticostriatal pathway; Nigrostriatal pathway; Acetylcholine; Apomorphine; Choline; Bromocriptine; Neuroleptic; Rat (Consolo, S.) **363,** 128

Kainicate; Brain transplant; Dopamine; Autoradiography; Behavioral recovery (Deckel, A.W.) **363,** 383

Nucleoside transport site; Nitrobenzylthioinosine; Adenosine receptor; Cyclohexyladenosine; Superior colliculus (Geiger, J.D.) **363,** 404

Endogenous dopamine release; Endogenous noradrenaline release; Dopamine; Noradrenaline; Hypothalamus; Nomifensine; Calcium; Rat (Okuma, Y.) **363,** 47

Kainate; Transplantation; Rewarded alternation; Hyperactivity; Stereotypy; Rat (Deckel, A.W.) **365,** 249

Chronic ethanol; Cyclic adenosine monophosphate-dependent protein kinase (Rius, R.A.) **365,** 355

Glutamate binding (Errami, M.) **366,** 169

Neuronal grafting; Dopamine neuron; 6-Hydroxydopamine; Turning behavior; Amphetamine; Mouse (Brundin, P.) **366,** 346

Dopamine; Voltammetry; Electrical stimulation; Mazindol; D-Phenmetrazine; β-Phenylethylamine (Stamford, J.A.) **366,** 350

Transmitter; Dopamine metabolism; Serotonin metabolism; Histamine; Noradrenaline; Adrenaline (Widmann, R.) **367,** 244

Kainate; Body weight; Feeding and drinking; Vasopressin (Sanberg, P.R.) **367,** 314

Basal nucleus of Meynert; Cholinergic cell group Ch4; Globus pallidus; *Phaseolus vulgaris* leucoagglutinin (Grove, E.A.) **367,** 379

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Spiperone binding site; Calmodulin-dependent phosphorylation; Apomorphine-stimulated climbing behavior; Dopamine receptor supersensitivity (Lau, Y.-S.) **369,** 311

Pilocarpine; γ-Vinyl-γ-aminobutyric acid; Isoniazid; Substantia nigra; Seizure; Brain damage; Temporal lobe epilepsy; Rat (Turski, L.) **370,** 294

Dopamine; Cholecystokinin (Hutchison, J.B.) **370,** 310

Substance P; Substance K; Neuromedin K; Substantia nigra; Knife cut; High-performance liquid chromatography (Lee, J.-M.) **371,** 152

Tryptamine; Tryptophan; Dopamine; Noradrenaline; Substantia nigra; Electrolytic lesion; Pargyline; Hypothalamus (Juorio, A.V.) **371,** 385

Neuropeptide Y; Basal ganglion; Primate; Cat; Immunohistochemistry; Somatostatin (Smith, Y.) **372,** 241

Dopamine uptake; In vivo voltammetry; Median forebrain bundle (Stamford, J.A.) **373,** 85

Muscarinic receptor; Acetylcholine release; Aged rat; Oxotremorine; Hippocampus; Cortex (Consolo, S.) **374,** 212

Substantia nigra pars reticulata; Ventromedial nucleus of the thalamus; Corticostriatal pathway; Thalamocortical pathway; Glutamate release (Girault, J.A.) **374,** 362

Thalamus; *Phaseolus vulgaris*-leucoagglutinin; Anterograde tracing; Immunohistochemistry (Carlsen, J.) **374,** 375

Dopamine; Neuromodulation; Electrophysiology; Iontophoresis (Chiodo, L.A.) **375,** 198

Dihydroxyphenylacetic acid; Dopamine; 6-Hydroxydopamine; Tyrosine hydroxylase (Onn, S.-P.) **376,** 8

Dopamine; Neurotoxicity; Substantia nigra; Parkinson's disease (Ricaurte, G.A.) **376,** 117

Dopamine; Electrophysiology;

Spontaneous activity; 6-Hydroxydopamine (Orr, W.B.) **376,** 20

Kainic acid; Transplantation; Cyclosporine; Huntington's disease (Tulipan, N.) **377,** 163

Epilepsy; *N*-Methyl-D-aspartate; Kindling (Cavalheiro, E.A.) **377,** 173

Somatostatin; Neuropeptide Y; Basal ganglion; Cerebral cortex (Beal, M.F.) **377,** 240

Senescence; Quantitative autoradiography; Spiroperidol; Caudate-putamen; Aging; Receptor, D_2- (Joyce, J.N.) **378,** 158

Dopamine; Aging; Senescence; Nomifensine; Bupropion; Motor performance (Marshall, J.F.) **379,** 112

Excitability; Substantia nigra; Frontal cortex; Dopamine; Glutamic acid (Chavez-Noriega, L.) **379,** 300

Dopamine receptor; Lead; Nucleus accumbens (Govoni, S.) **381,** 138

Flunitrazepam; Benzodiazepine receptor; Acetylcholinesterase; Striosome; Human (Faull, R.L.M.) **381,** 153

Choline uptake; Hemicholinium-3 binding; Drug effect; Cholinergic nerve activity; Cortex (Lowenstein, P.R.) **381,** 191

DL-2-Amino-4-phosphonobutyrate binding; Distribution; L-2-Amino-4-phosphonobutyrate sensitive receptor (Butcher, S.P.) **381,** 305

Dopamine; Electrical stimulation; Voltammetry; Carbon fiber microelectrode (Stamford, J.A.) **381,** 351

Voltammetry; Nigra; Homovanillic acid; Taurine; γ-Aminobutyric acid; Taurine antagonist (O'Neill, R.D.) **382,** 28

Amphetamine; Calcium; Calmodulin; Dopamine; Sensitization; Radioimmunoassay (Roberts-Lewis, J.M.) **384,** 383

Hippocampus; Cerebellum; Pineal gland; Spiperone; Dopamine receptor (Bruinink, A.) **386,** 78

Neurotensin; Immunocytochemistry; Human; Infant; Septum; Amygdala; Cerebral cortex (Michel, J.-P.) **397,** 93

Tyrosine hydroxylation; 1-Methyl-4-phenylpyridinium ion; Pyridinium salt; *N*-Methylisoquinolinium ion; Paraquat; Rat (Hirata, Y.) **397,** 341

Neurotensin; Enkephalin; Caudate nucleus; Putamen; Immunohistochemistry; Coexistence; Cat (Sugimoto, T.) **398,** 195

Dopamine; Electrophysiology; 6-Hydroxydopamine; Behavioral recovery (Nisenbaum, E.S.) **398,** 221

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Mouse; Dopamine; Serotonergic neuron; Decortication; Kainate lesion (Melamed, E.) **399,** 178

Adenosine; Receptor; *N*-Ethylcarboxamidoadenosine; Autoradiography; *N*-Ethylmaleimide (Reddington, M.) **399,** 232

Striatum–kainate lesion
Glutamate binding; Decortication; 6-Hydroxydopamine lesion; Thalamic lesion (Errami, M.) **366,** 178

Striosome
Flunitrazepam; Benzodiazepine receptor; Acetylcholinesterase; Striatum; Human (Faull, R.L.M.) **381,** 153

Stroke
Balance; Posture; Reflex; Electromyogram (Di Fabio, R.P.) **363,** 257

Middle cerebral artery; Cerebral infarction; Plasma catecholamine; Insula (Smith, K.E.) **375,** 182

Dynorphin$_{1-13}$; Opiate binding; Dopamine; γ-Aminobutyric acid (Kuroda, H.) **379,** 68

Strychnine
Startle; Dopamine; Apomorphine; D-Amphetamine; Cochlear nucleus (Davis, M.) **371,** 58

Stumbling reaction
Leg muscle electromyogram; Gait perturbation; Spinal reflex; Motor control; Man (Dietz, V.) **384,** 166

Subarachnoid hemorrhage
Hypothalamus; Arrhythmia; Multiple unit activity (Lacy, P.S.) **373,** 146

Norepinephrine; Locus coeruleus (McCormack, B.M.) **382,** 395

Subcellular distribution
Cytochrome P-450; Mitochondrion; Microsome; Monooxygenase; Purification (Walther, B.) **375,** 340

Subcellular fraction
Acetylcholine; Choline; Hippocampus; Veratridine; Choline *O*-acetyltransferase; Acetylcholinesterase; Septal lesion (Carroll, P.T.) **383,** 83

Subcellular fractionation
Adrenergic receptor; Locus coeruleus; Cerebral cortex; Parkinson's disease (Cash, R.) **370,** 127

Subcellular organization
Immunoreactivity of a pituitary protein '7B2'; Central nervous system; Molecular form (Marcinkiewicz, M.) **380,** 349

Subcortical influence
Cerebral neocortical culture; Extracellular electrophysiology; Functional development; Columnar organization (Leiman, A.L.) **365,** 205

Subcortical nucleus
Nucleus basalis magnocellularis; Horseradish peroxidase; Dorsolateral frontal cortex; Rat (Haring, J.H.) **366,** 152

Subdiaphragmatic vagotomy
Vagus; Obesity; Body weight; Hibernation; Circannual rhythm; Ground squirrel (Powley, T.L.) **364,** 159

Subdivision
Ventromedial nucleus; Paraventricular nucleus; Hypothyroidism; Karyometry; Male mouse (Ferres-Torres, R.) **374,** 93

Subfornical organ
Two-dimensional gel electrophoresis; Radioamino acid incorporation into protein; Salt loading; Water deprivation; Autofluorography; Computerized scanning densitometry; Fluid homeostasis (Santer, D.M.) **372,** 107

Receptor; Autoradiography; Angiotensin II; Organum vasculosum of the lamina terminalis; Medulla; Hypothalamus (McKinley, M.J.) **375,** 373

Lateral hypothalamic area; Paraventricular nucleus; Connection; Angiotensin II; Microiontophoresis; Saralasin; Atropine (Tanaka, J.) **379,** 200

Angiotensin II; Lateral hypothalamus; Motivation; Prefrontal cortex; Septal region; Zona incerta (Swanson, L.W.) **379,** 399

Drinking behavior; Tachykinin; Bombesin; Angiotensin; Hypovolemic thirst; Hyperosmotic thirst; Pigeon (Massi, M.) **381,** 289

Serotonin; Vasopressin; Renin-angiotensin system; Saralasin (Steardo, L.) **382,** 145

Midbrain raphe system; Angiotensin; Serotonin; Immunohistochemistry; Tract tracing; Double-labeling (Lind, R.W.) **384,** 250

Subicular cortex
Anterior thalamic nucleus; Cingulate cortex; Learning; Memory (Gabriel, M.) **384,** 195

Subicular efferent
Hippocampal efferent; Entorhinal cortex; Neurophysiology; Rat; Intracellular recording (Finch, D.M.) **397,** 205

Subiculum
Neurotensin; Human; Hippocampus; Fornix; Mammillary body (Sakamoto, N.) **375,** 353

Neurotensin; Rat; Mammillary body (Kiyama, H.) **375,** 357

Entorhinal cortex; Inhibition; Amygdala; Electrophysiology (Colino, A.) **378,** 416

Submandibular gland
Superior salivatory nucleus; Axonal transport; Horseradish peroxidase; Cat (Tramonte, R.) **375,** 381

Subsensitivity
Noradrenaline neuron; Locus ceruleus; D-Amphetamine; α_2-Adrenoceptor; Autoreceptor; Clonidine (Ramirez, O.A.) **385,** 415

Substance K
Substance P; Neuromedin K; Striatum; Substantia nigra; Knife cut; High-performance liquid chromatography (Lee, J.-M.) **371,** 152

Substance P; Neurokinin A; Eledoisin; Physalaemin; Tail-flick test; Intrathecal administration; Nociception (Cridland, R.A.) **381,** 93

Substance P; Neuromedin K; Met-enkephalin; Leu-enkephalin; Ventral tegmental area; Footshock stress (Bannon, M.J.) **381,** 393

Substance K (neurokinin A)
Substance P; Tachykinin; Regional distribution (Takano, Y.) **369,** 400

Substance P
Thyrotropin-releasing hormone; Serotonin; 5,7-Dihydroxytryptamine; Neurotoxin; Colocalization (Towle, A.C.) **363,** 38

[pGlu^5,MePhe^8,Sar^9]Substance P; Dopamine neuron; Ventral tegmental area; Footshock stress; Dopamine metabolite; Prefrontal cortex; Nucleus accumbens (Elliott, P.J.) **363,** 145

Inferior mesenteric ganglion; Nicotinic transmission (Jiang, Z.G.) **363,** 196

Vasoactive intestinal polypeptide; Somatostatin; Cerebral cortex; Primate; Ontogeny (Hayashi, M.) **364,** 360

Persistent slow inward calcium current; Spinal dorsal horn neuron; Rat slice (Murase, K.) **365,** 369

Axotomy regeneration; Reinnervation; Peripheral nerve (Bisby, M.A.) **365,** 85

Neuropeptide; Colocalization; Neurotensin; Retina (Li, H.-B.) **366,** 307

Noradrenaline interaction; Cingulate cortex; Adrenergic agonist; Adrenergic antagonist; Iontophoresis (Jones, R.S.G.) **367,** 151

5-Hydroxytryptamine; *p*-Chlorophenylalanine; Spinal dorsal horn neuron; Iontophoresis (Jeftinija, S.) **368,** 107

Ultrastructure; Cerebral blood vessel; Immunohistochemistry; Sensory nerve fiber (Liu-Chen, L.-Y.) **369,** 12

Calcitonin gene-related peptide; Coexistence; Cerebral artery; Immunohistochemistry; Guinea pig (Wanaka, A.) **369,** 185

Arginine vasopressin; Paraventricular nucleus; Synapse; Electron microscopic immunocytochemistry; Rat (Heike, Y.) **369,** 341

Substance K (neurokinin A); Tachykinin; Regional distribution (Takano, Y.) **369,** 400

Substance K; Neuromedin K; Striatum; Substantia nigra; Knife cut; High-performance liquid chromatography (Lee, J.-M.) **371,** 152

Dynorphin; Co-occurrence; Striatonigral; Striatopallidal; Basal ganglion; Bird; Reptile (Reiner, A.) **371,** 155

Somatostatin; Spinal cord; C-afferent; Intrathecal; Polymodal nociceptor; Thermosensitive C-afferent (Wiesenfeld-Hallin, Z.) **372,** 172

Trigeminal sensory neuron; Nucleus of the solitary tract; Cranial nerve; Neuropeptide (South, E.H.) **372,** 283

Calcitonin gene-related peptide; Capsaicin; Cerebral artery; Iris; Neonatal rat; Immunohistochemistry (Matsuyama, T.) **373,** 205

Cerebral dopaminergic transmission; Stria medullaris; Habenular nucleus; Fasciculus retroflexus; Raphe nucleus; Acetylcholine; Opioid peptide (Nishikawa, T.) **373,** 324

Tuberoinfundibular neuron; Stalk median eminence; Hypothalamus; Deafferentation (Makara, G.) **374,** 399

Tyrosine hydroxylase; Rat neostriatum; Immunohistochemistry; Synaptic input (Kubota, Y.) **375,** 163

Serotonin; Spinal cord; Methenkephalin; Immunocytochemistry (Bowker, R.M.) **375,** 347

Norepinephrine; γ-Aminobutyric acid; Serotonin; Morphine; Potassium-stimulated release (Pang, I.-H.) **376,** 268

Capsaicin; Axonal transport; Sensory neuron; Lectin; Brain glycoprotein; Ultrastructural cytochemistry (Streit, W.J.) **377,** 1

Human; Astrocyte; Blood vessel (Michel, J.-P.) **377,** 383

Double staining; Electron microscopic study; Calcitonin gene-related peptide; Solitary nucleus (Morishima, Y.) **379,** 157

Haloperidol; Clozapine; Dynorphin A; Dynorphin B; Basal ganglion (Nylander, I.) **380,** 34

Thyrotropin releasing hormone; Ventral medullary lesion; Intermediolateral cell column; 5,7-Dihydroxytryptamine; Thyrotropin-releasing hormone radioimmunoassay; Nucleus paragigantocellularis lateralis; Nucleus interfascicularis hypoglossi (Helke, C.J.) **381,** 1

Locomotor activity; Grooming; Wet dog shakes; Tachykinin; Lateral ventricle; Ventral tegmental area (Elliott, P.J.) **381,** 68

Neurokinin A; Substance K; Eledoisin; Physalaemin; Tail-flick test; Intrathecal administration; Nociception (Cridland, R.A.) **381,** 93

Cholecystokinin; Co-existence; Guinea pig; Eye; Trigeminal ganglion; Immunohistochemistry (Kuwayama, Y.) **381,** 266

Substance K; Neuromedin K; Met-enkephalin; Leu-enkephalin; Ventral tegmental area; Footshock stress (Bannon, M.J.) **381,** 393

Capsaicin; Morphine; Opioid; Spinal cord; Withdrawal (Bell, J.A.) **382,** 299

Tachykinin; Substantia nigra; Epilepsy; Seizure; Maximal electroshock; Bicuculline; Anticonvulsant (Garant, D.S.) **382,** 372

Analgesic; Capsaicin; Mouse; Pain; Scratch; Spinal cord; Substance P antagonist (Piercey, M.F.) **385,** 74

Autoradiography; Tachykinin receptor; Eledoisin; Neuropeptide; Brain receptor (Danks, J.A.) **385,** 273

Dorsal horn; Nociceptive stimulus; Axoplasmic transport; Electrical activity; Formaldehyde (Kantner, R.M.) **385,** 282

Nucleus tractus solitarii; L-Glutamate; Acetylcholine; Arterial pressure; Gastric motility (Spencer, S.E.) **385,** 371

Immunoneutralization; Nucleus accumbens; Dopamine; Dihydroxyphenylacetic acid; Locomotor activity; Amphetamine; Dopamine release (Elliott, P.J.) **385,** 379

Rat; Intestinal receptor; Bradykinin; Sympathoexcitatory reflex; Capsaicin (Stein, R.D.) **397,** 145

Immunocytochemistry; Medulla oblongata; Spinal cord; Hypothalamo-infundibular system; Corticotropin-releasing factor (Berkenbosch, F.) **399,** 87

Substance P antagonist
Analgesic; Capsaicin; Mouse; Pain; Scratch; Spinal cord; Substance P (Piercey, M.F.) **385,** 74

Substance P antibody
Slow excitatory transmission; Dorsal horn; Rat spinal cord slice

(Randic, M.) **383,** 15

Substance P binding site
Solubilization; Sodium glycodeoxycholate; Rat brain membrane; Receptor subtype (Maruyama, M.) **370,** 186

Substance P receptor
Neuropeptide; Genetic hypertension; Cerebellum; Tachykinin (Shigematsu, K.) **370,** 383

Substance P-tachykinin
Neuropeptide K; Neurokinin A; Neurokinin B; Distribution; Brain; Spinal cord (Arai, H.) **399,** 240

[pGlu^5,MePhe^8,Sar^9]Substance P
Substance P; Dopamine neuron; Ventral tegmental area; Footshock stress; Dopamine metabolite; Prefrontal cortex; Nucleus accumbens (Elliott, P.J.) **363,** 145

Substantia gelatinosa
Acid phosphatase; Glomerulus; Primary afferent; Rat (Ribeiro-da-Silva, A.) **377,** 323

Substantia innominata
Rat; Nucleus basalis; Globus pallidus; Cholinergic neuron; Antidromic stimulation; Microiontophoresis; Acetylcholine; Cholinergic agonist (Lamour, Y.) **362,** 122

Hypothalamus; Satiety; Sensory-specific satiety; Taste; Hunger; Lateral hypothalamus (Rolls, E.T.) **368,** 79

Substantia nigra
Enkephalin, Met-; Immunohistochemistry; Monkey; Electron microscopy (Inagaki, S.) **362,** 171

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Uridine (Pakkenberg, H.) **362,** 192

Amygdala; Kindling; Dynorphin; Met^5-enkephalin-Arg^6-Gly^7-Leu^8; Cholecystokinin; Hippocampus; Epilepsy; Limbic system (Iadarola, M.J.) **365,** 185

Hypertension; Brain; Dopamine; Spontaneously hypertensive rat; Uptake-inhibition; Ventral tegmental area; 6-Hydroxydopamine; Electrolytic lesion (Van den Buuse, M.) **368,** 69

Parkinsonism; Monkey; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-(1-methylpyrrol-2-yl)-4-piperidinol; DuP 701 (Wilkening, D.) **368,** 239

Self-injurious behavior; Stereotyped behavior; Nociception; Analgesia; Locomotion; Midbrain reticular formation; Muscimol; γ-Aminobutyric acid agonist (Baumeister, A.A.) **369,** 231

Dynorphin; Opiate receptor; Basal ganglion (Lavin, A.) **369,** 298

Serotonergic neuron; Dopaminergic neuron; Noradrenergic neuron; Locus coeruleus; Single unit activity; Behaving cat; Sensory stimulus; Habituation (Rasmussen, K.) **369,** 336

Pilocarpine; γ-Vinyl-γ-aminobutyric acid; Isoniazid; Striatum; Seizure; Brain damage; Temporal lobe epilepsy; Rat (Turski, L.) **370,** 294

Seizure; Epilepsy; Convulsion; Kindling; Catecholamine; Amygdala; Rat (Albala, B.J.) **370,** 388

Amphetamine; Ascorbic acid; Crus cerebri; In vivo voltammetry; Neostriatum; Picrotoxin (Wilson, R.L.) **370,** 393

Substance P; Substance K; Neuromedin K; Striatum; Knife cut; High-performance liquid chromatography (Lee, J.-M.) **371,** 152

Tryptamine; Tryptophan; Dopamine; Noradrenaline; Electrolytic lesion; Pargyline; Striatum; Hypothalamus (Juorio, A.V.) **371,** 385

Bethanechol; Electromyography; Muscimol; Muscular rigidity; Neostriatum; *N*-Methylscopolamine (Schwarz, M.) **373,** 365

Dopamine; Neurotoxicity; Striatum; Parkinson's disease (Ricaurte, G.A.) **376,** 117

Excitability; Striatum; Frontal cortex; Dopamine; Glutamic acid (Chavez-Noriega, L.) **379,** 300

Dopamine release; Amygdaloid complex; Rat (Leviel, V.) **381,** 205

Substance P; Tachykinin; Epilepsy; Seizure; Maximal electroshock; Bicuculline; Anticonvulsant (Garant, D.S.) **382,** 372

Amphetamine; Ascorbic acid; Haloperidol; In vivo voltammetry; Neostriatum; Unit activity (Wilson, R.L.) **384,** 342

Anterior thalamus; Pentylenetetrazol; Maximal electroshock; Generalized seizure (Mirski, M.A.) **397,** 377

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate nucleus; Dopamine; Serotonin; Noradrenaline (Sirinathsinghji, D.J.S.) **399,** 339

Substantia nigra compacta neuron
Rat; Slice preparation; Intracellular recording; Membrane property (Kita, T.) **372,** 21

Substantia nigra lesion
L-3,4-Dihydroxyphenylalanine; 2-Deoxyglucose autoradiography; Turning behavior (Trugman, J.M.) **379,** 264

Substantia nigra pars compacta
Cingulate cortex; Parkinson's disease; Schizophrenia; Dopamine; Retrograde double-labeling (Takada, M.) **380,** 331

Substantia nigra pars reticulata
Striatum; Ventromedial nucleus of the thalamus; Corticostriatal pathway; Thalamocortical pathway; Glutamate release (Girault, J.A.) **374,** 362

Substrate
Spinal cord; Graft; Transplant; Regeneration; Histocompatibility; Culture (Bernstein, J.J.) **377,** 403

Substrate availability
Retina; Dopamine; Tyrosine; Amino acid; Dietary protein (Gibson, C.J.) **382,** 195

Subthalamic nucleus stimulation
In vivo superfusion; Nigrostriatal pathway; Dopamine release (Mintz, I.) **376,** 406

Succinate dehydrogenase
Motoneuron; Spinal cord; Soma size; Histochemistry; Oxidative enzyme; Stimulation (chronic); Spinalization (hemi-) (Donselaar, Y.) **385,** 22

Suckling
Immunoreactive; α-Melanocyte stimulating hormone; Hypothalamus; Median eminence; Pituitary; Prolactin (Khorram, O.) **398,** 361

Sucrose
Nucleus tractus solitarii; Gustatory response; Rat; Convergence; Anterior tongue; Nasoincisor duct; Sodium chloride (Travers, S.P.) **365,** 305

Endoneurial capillary; Sciatic nerve; Permeability; Paracellular pathway; Blood–nerve barrier; Frog; Perineurium (Weerasuriya, A.) **375,** 150

Aluminum chloride; Aluminum hydroxide; Aluminum lactate; Blood–brain barrier; Cerebrovascular permeability; Transient change (Kim, Y.S.) **377,** 286

Suicide
Serotonin; Postmortem brain (Owen, F.) **362,** 185

Suicide transport
Ricin; Wheat germ agglutinin; Vagus; Hybrid toxin; Immunoperoxidase (Oeltmann, T.N.) **377,** 221

Sulfated glucuronyl paragloboside
Glycolipid; Myelin-associated glycoprotein; Immunoglobulin-M paraprotein; Monoclonal antibody; Polyneuropathy; Epitope (Ilyas, A.A.) **385,** 1

Sulphhydryl-reagent
Glutamate binding; Sodium-dependent binding; Sodium-independent binding; Dissociation of ligand; Quisqualic acid; D-Aspartate (Ogita, K.) **397,** 137

Sulpiride
Nucleus accumbens; Ventromedial mesencephalic tegmentum; Excitation;

Inhibition; Dopamine; Haloperidol (Le Douarin, C.) **363,** 290

Nucleus accumbens neuron; Dopamine; D_1 receptor; D_2 receptor; Haloperidol; Dopamine uptake blocker; Schizophrenia (Uchimura, N.) **375,** 368

(–)-Sulpiride
D_2 dopamine receptor; D_1 dopamine receptor; Cholecystokinin; SCH 23390; LY-171555; LY-181990; LY-141865 (Martin, J.R.) **397,** 253

Summation
Axon threshold; Circling; Brain stimulation; Current–distance relation; Refractory period (Yeomans, J.) **372,** 95

Superior cervical ganglion
Growth hormone; Prolactin; Noradrenaline; α-Adrenoceptor; β-Adrenoceptor; Degeneration activity (Cardinali, D.P.) **363,** 350

Sympathetic nerve; Cerebral artery; Spontaneously hypertensive rat; Hypertension (Sadoshima, S.) **379,** 205

Coexistence; Enkephalin; Serotonin; Immunocytochemistry; Guinea pig (Kanagawa, Y.) **379,** 377

Serotonin; Autonomic nerve; Cerebrovascular nerve (Cowen, T.) **384,** 51

Circadian rhythm; Noradrenaline; Pineal; Serotonin; Sympathetic (Cassone, V.M.) **384,** 334

Cell culture; Neurite; Potassium; Depolarization; Retraction; Degeneration (Campenot, R.B.) **399,** 357

Superior colliculus
Ventral lateral geniculate nucleus; Pretectum; Antidromic activation; Receptive field property; Single unit; Cat (Hada, J.) **363,** 165

Nucleoside transport site; Nitrobenzylthioinosine; Adenosine receptor; Cyclohexyladenosine; Striatum (Geiger, J.D.) **363,** 404

Multisensory interaction; Sensorimotor integration; Sensory map (Meredith, M.A.) **365,** 350

Parabigeminal; Pretectum; Lateral geniculate nucleus (Harting, J.K.) **366,** 358

Visual system; Lesion; Regeneration; Retinal axon; Glia (Harvey, A.R.) **368,** 141

Vision; Y cell; α cell; Head orientation; Retina; Lateral geniculate nucleus; Antibody (Spear, P.D.) **368,** 154

Choline acetyltransferase; Immunohistochemistry; Cholinergic; Horseradish peroxidase; Mouse (Mufson, E.J.) **370,** 144

Adenosylhomocysteine hydrolase; Cerebellum; Hippocampal formation; Adenosine deaminase; Basal hypothalamus; Immunocytochemistry (Patel, B.T.) **370,** 250

Visual cortex; D-Aspartate uptake; Glutamate decarboxylase; Noradrenaline; Plasticity; Rat (Fosse, V.M.) **372,** 189

Lateral geniculate; Tecto-geniculate influence; Rabbit (Molotchnikoff, S.) **375,** 66

Frontal cortex; Insular cortex; Olfactory cortex; Piriform cortex; Endopiriform nucleus; Solitary nucleus; Olfactory bulb; Periaqueductal gray; Rat (Neafsey, E.J.) **377,** 261

Cerebellum; Inferior olive; Crus II; Rat (Akaike, T.) **378,** 186

Rat; Intralaminar thalamus; Projection neuron; Patch; Double labeling; Autoradiography (Yamasaki, D.S.G.) **378,** 223

Intercollicular fiber; Wheat germ agglutinin–horseradish peroxidase; Rat (Jen, L.S.) **379,** 385

Global vision; Pattern recognition; Motion selectivity; Corticotectal; Receptive-field; Monkey (Bender, D.B.) **381,** 372

Simultaneous unitary recording; Eye movement (Infante, C.) **381,** 390

Glutamate; Kainate; Folate; Quinolinate; Rat (Fosse, V.M.) **383,** 28

Serotonin; Serotonin-1 receptor; Quantitative autoradiography; Microdensitometry; Deafferentation (Segu, L.) **384,** 205

Electrical stimulation; Collision method; Circling; Lateral head movement; Rostromedial tegmentum; Medial pons (Tehovnik, E.J.) **385,** 329

Inferior olive; Medial accessory olive; Lobule VII; Crus II; Rat (Akaike, T.) **386,** 400

Tecto-reticulo-spinal; Head movement; Eye movement (Munoz, D.P.) **398,** 185

Superior olivary nucleus
Innervation pattern; Tonotopical organization; Horseradish peroxidase; Frog (Feng, A.S.) **364,** 167

Superior sagittal sinus
Human arachnoid villus; Lateral lacuna; Extracellular cistern; Cerebrospinal fluid; Electron microscopy (Yamashima, T.) **384,** 68

Superior salivatory nucleus
Axonal transport; Horseradish peroxidase; Submandibular gland; Cat (Tramonte, R.) **375,** 381

Supersensitivity
L-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Monkey; L-3,4-Dihydroxyphenylalanine; Bromocriptine (Bédard, P.J.) **379,** 294

Supplementary motor cortex
Motor cortex; Premotor cortex; Somatosensory cortex; Receptive field; Rat (Sievert, C.F.) **381,** 15

Supporting cell
Olfaction; Electrophysiology; Salamander; Intracellular recording (Trotier, D.) **374,** 205

Suprachiasmatic nucleus
5,7-Dihydroxytryptamine; Circadian rhythm; Corticosterone (Bánky, Z.) **369,** 119

Circadian rhythm; Entrainment; Pineal gland (Duncan, M.J.) **369,** 326

Paraventricular nucleus; Photoperiodism; Pineal gland; Rhythm (Inouye, S.-I.T.) **370,** 102

Sexually dimorphic nucleus; Morphometrics; Three-dimensional reconstruction; Sexual differentiation; Preoptic area (Robinson, S.M.) **371,** 380

Brain slice; Circadian rhythm; Hypothalamus-neuronal oscillator; Phase shift; Single unit (Gillette, M.U.) **375,** 176

In vitro glucose uptake; Circadian rhythm (Newman, G.C.) **381,** 345

Photic stimulation; Circadian rhythm; Neurophysiology; Luminance coding (Meijer, J.H.) **382,** 109

Circadian oscillator; Vasopressin; Organ culture (Earnest, D.J.) **382,** 129

Supraependymal fiber
Combined immunocytochemistry and radioautography; γ-Aminobutyric acid; Serotonin; Rat; Epithalamus (Harandi, M.) **370,** 241

Supraoptic neuron
Noradrenaline; α-Receptor; β-Receptor; Periventricular neuron (Inenaga, K.) **369,** 37

Supraoptic nucleus
Vasopressin; Noradrenaline; α_1-Receptor (Armstrong, W.E.) **365,** 192

Vasopressin; Noradrenaline; Spontaneously hypertensive rat; Catecholamine histofluorescence; Immunocytochemistry (Sladek, J.R.) **365,** 293

Adrenalectomy; α_1-Noradrenoceptor; α_2-Noradrenoceptor; Hypothalamus; Paraventricular nucleus; Extra-hypothalamic area; Feeding behavior (Jhanwar-Uniyal, M.) **368,** 404

Flow cytometry; Fluorescence-activated cell sorting; Neurophysin; Paraventricular nucleus (Paden, C.M.) **376,** 310

Noradrenaline; Catecholamine; Hypothalamus; Brain slice; Neurosecretion (Ogata, N.) **385,** 122

Cholecystokinin binding; Paraventricular nucleus; Ovariectomy (Akesson, T.R.) **385,** 165

Norepinephrine; Vasopressin; Magnocellular; α_2-Adrenoceptor; α_1-Adrenoceptor (Mitchell, L.D.) **399,** 346

Sural nerve
Dorsal horn; Ineffective projection (Pubols, L.M.) **371,** 109

Surface antigen
Thy-1; Neuronal membrane protein (Sinclair, C.M.) **398,** 91

Survival
Parasympathetic neuron; Choline acetyltransferase; Development; Lung (Wallace, T.L.) **375,** 92

Brain injury; Brain ischemia; Anti-ischemic factor (Takahata, Y.) **381,** 368

Neonatal retinal ganglion cell; Müller glia (Raju, T.R.) **383,** 165

Sustained isometric contraction
Fatigue; Soleus muscle (Kukulka, C.G.) **362,** 47

SV40 large T antigen
Serotonin-1C receptor; Choroid plexus; Tumor; Lysergic acid dimethylamide; Transgenic mouse (Yagaloff, K.A.) **385,** 389

Swallowing
Nucleus tractus solitarii; Pressure microinjection; Noradrenaline; Dopamine; Medullary polysynaptic reflex; Rat (Kessler, J.P.) **386,** 69

Sweat gland
Calcitonin gene-related peptide; Vasoactive intestinal peptide; Sympathetic neuron; Immunocytochemistry; Neuropeptide; Coexistence of neurotransmitters (Landis, S.C.) **377,** 177

Swim stress
Analgesia; Selection; Mouse line (Panocka, I.) **397,** 152

Analgesia; Mouse line; Naloxone; Morphine (Panocka, I.) **397,** 156

Swimming performance
Cerebellum; Cyclic guanosine monophosphate; Pentobarbital; Locomotor activity; Behavior (McCaslin, P.P.) **374,** 367

Cerebellum; Cyclic guanosine monophosphate; Acidic amino acid; 2-Amino-7-phosphonoheptanoic acid; Locomotor activity; N-Methyl-D-aspartate (McCaslin, P.P.) **398,** 71

Sympathectomy
Dopamine; Noradrenaline; Carotid body; Guanethidine; High-pressure liquid chromatography (Pequignot, J.M.) **367,** 238

Guanethidine; Noradrenaline; Cerebrospinal fluid; Blood–brain barrier; Adrenaline; Catecholamine; Adrenal medullectomy (Peskind, E.R.) **367,** 258

Guanethidine; Guanacline; Fluorescent lipopigment; Species specificity (Johnson, E.M.) **383,** 100

Sympathetic
Regeneration; Retrograde transport; Specificity; Axotomy; Fluorescent dye (Hendry, I.A.) **376,** 292

Circadian rhythm; Noradrenaline; Pineal; Serotonin; Superior cervical ganglion (Cassone, V.M.) **384,** 334

Sympathetic activity
In vivo brain dialysis; Bulbospinal serotonin neuron; Ventrolateral medulla (Pilowsky, P.M.) **366,** 354

Sympathetic ganglion
Synaptic vesicle; Horseradish peroxidase; Electron microscopy (Parducz, A.) **362,** 375

Vasoactive intestinal polypeptide receptor; Inositol phosphate (Audigier, S.) **376,** 363

Sympathetic ganglion
Muscarinic receptor; Autoradiography; Pirenzepine; Gut; Salivary gland (Buckley, N.J.) **375,** 83

Sympathetic ingrowth
Hippocampal formation; Guinea pig; Neuronal plasticity (Booze, R.M.) **375,** 251

Sympathetic innervation
Horseradish peroxidase–wheat germ agglutinin; Anterograde transport; Tetramethylbenzidine; Iris; Pineal gland; Vascular innervation (Marfurt, C.F.) **366,** 373

Rat hindlimb; Horseradish peroxidase; Dorsal root ganglion; Motor supply; Rat skeletal muscle; Neuronal labelling (Peyronnard, J.M.) **373,** 288

Sympathetic metabolism
Prostaglandin E_2; Cardiovascular; Body temperature (Hoffman, W.E.) **367,** 73

Sympathetic nerve
Nociceptor; Afferent fibre; Skin; Mechanoreceptor (Barasi, S.) **378,** 21

Superior cervical ganglion; Cerebral artery; Spontaneously hypertensive rat; Hypertension (Sadoshima, S.) **379,** 205

Sympathetic nerve activity
Escherichia coli endotoxin; Hypotension; Renal nerve discharge; Medullary pressor area; Blood pressure; Heart rate (Koyama, S.) **366,** 217

Locus ceruleus; Cutaneous sensory stimulation (Elam, M.) **366,** 254

Locus coeruleus; Visceral afferent (Elam, M.) **375,** 117

Sympathetic nervous system
Corticotropin-releasing factor; Adrenal medulla; Adrenal gland; Catecholamine secretion; Adrenaline; Anesthetized rat (Kurosawa, M.) **367,** 250

Neuroanatomy; Facial nerve; Trigeminal nerve; Greater superficial petrosal nerve; Auricular branch of vagus nerve (Matthews, B.) **382,** 55

Sympathetic neuron
Calcitonin gene-related peptide; Vasoactive intestinal peptide; Immunocytochemistry; Sweat gland; Neuropeptide; Coexistence of neurotransmitters (Landis, S.C.) **377,** 177

Development; Transient outward K^+ current; Whole-cell voltage clamp (Nerbonne, J.M.) **378,** 197

Slow depolarization; Acetylcholine; Membrane conductance; Muscarinic receptor (Mochida, S.) **383,** 299

Hippocampus; Medial septum; Nerve growth factor; Neurotropic factor; Radial maze learning; Septal graft; Spontaneous alternation (Pallage, V.) **386,** 197

Sympathetic preganglionic neuron
Afterpotential; Calcium current; Noradrenaline; Repetitive firing (Yoshimura, M.) **362,** 370

Corticotropin releasing factor; Vasoactive intestinal peptide; Cat (Krukoff, T.L.) **382,** 153

Dendritic organization; Intermediolateral nucleus; Dendritic bundle; Vegetative network; Rabbit (Vera, P.L.) **386,** 84

Sympathetic premotoneuron
Cerebral ischemic response; Ventrolateral medulla (Guyenet, P.G.) **364,** 301

Sympathetic system
Locus coeruleus; Noradrenergic neuron; Chronic unit recording; Cat (Reiner, P.B.) **378,** 86

Sympathoexcitatory reflex
Rat; Intestinal receptor; Bradykinin; Capsaicin; Substance P (Stein, R.D.) **397,** 145

Synapse
Axonal swelling; Ephaptic transmission; Glial cell; β,β'-Iminodipropionitrile; Motoneuron; Neurofilament; Paranodal demyelination (Gold, B.G.) **362,** 205

Arcuate nucleus; Neuronal plasticity; Estrogen; Estradiol valerate; Rat (Garcia-Segura, L.M.) **366,** 131

Substance P; Arginine vasopressin; Paraventricular nucleus; Electron

microscopic immunocytochemistry; Rat (Heike, Y.) **369,** 341

Dorsomedial medulla oblongata; Catecholamine; Cholecystokinin; Coexistence; Solitary tract (Kubota, Y.) **370,** 343

Harmaline; 3-Acetylpyridine; Freeze-fracture; Filipin; Cholesterol; Purkinje cell; Climbing fiber; Plasma membrane; Cerebellum (Garcia-Segura, L.M.) **372,** 390

Aplysia; Cerebrum; Ganglion; Neurotransmitter (Gaillard, W.D.) **373,** 311

Catecholamine; Preganglionic sympathetic neuron; Horseradish peroxidase; 5-Hydroxydopamine; Rat (Chiba, T.) **380,** 405

Synapse quantitation
Spatial working memory; Aging; Hippocampal dentate gyrus (Geinisman, Y.) **398,** 266

Synapsin I
Diethyldithiocarbamate; Cadmium; Glial fibrillary acidic protein; Neurotoxicity; Metal; Brain damage (O'Callaghan, J.P.) **370,** 354

Vestibular receptor; Cat; Immunocytochemistry (Favre, D.) **384,** 379

Synaptic activity
Neurotransmitter release; Progesterone; Steroid hormone (Meiri, H.) **385,** 193

Synaptic analysis
Tyrosine hydroxylase; Immunocytochemistry; Rhesus monkey; Hypothalamus; Catecholamine; Dopamine neuron; Immunogold staining (Thind, K.K.) **366,** 37

Synaptic antagonist
2-Amino-4-phosphonobutyrate; Prepyriform cortex slice; Kynurenic acid; Excitatory amino acid; Lateral olfactory tract (Hearn, T.J.) **379,** 372

Synaptic biochemistry
Thyroid deficiency; Corpus striatum; Visual cortex; Propylthiouracil; Spiroperidol (Kalaria, R.N.) **364,** 268

Synaptic connection
Development; Impulse activity; Spinal cord; Spindle afferent fiber; Motoneuron; Specificity (Frank, E.) **378,** 147

Rat cerebellum; Electron microscopy; Immunohistochemistry; Western blotting; Gel electrophoresis; Purkinje cell; Climbing fiber (Pasteels, J.L.) **384,** 294

Synaptic field potential
Hippocampal slice; Glutamate analogue; Excitatory amino acid; Extracellular recording; Quisqualate; 2-Amino-4-phosphonobutanoate; Sensitization (Robinson, M.B.) **381,** 187

Synaptic inhibition
Neurotensin; Arcuate nucleus; Brain slice; Single unit (Herbison, A.E.) **364,** 391

Synaptic input
Tyrosine hydroxylase; Substance P; Rat neostriatum; Immunohistochemistry (Kubota, Y.) **375,** 163

Synaptic interaction
Double label immunocytochemistry; Peroxidase–antiperoxidase; Colloidal gold; Tyrosine hydroxylase; Glutamic acid decarboxylase; Rhesus hypothalamus (Thind, K.K.) **383,** 215

Synaptic linkage
Ventrolateral nucleus; Fast pyramidal tract neuron; Motor cortex; Electron microscopy (Liu, X.) **362,** 189

Synaptic membrane
Vitamin E; Phospholipase; Fluorescent probe; ESR spin probe; Membrane potential (Erin, A.N.) **398,** 85

Kindling; Glycoprotein; Phosphorylation; Hippocampus (Bank, B.) **399,** 390

Synaptic membrane fraction
Prostaglandin D_2; Prostaglandin D_2 analogue; Binding specificity; Rat brain (Tokumoto, H.) **362,** 114

Synaptic organization
Inhibitory postsynaptic potential; Retinal afferent; Optic tectum (Leresche, N.) **365,** 383

Nucleus olfactoretinalis; Nervus terminalis; Cytoarchitecture; Fiber connection; Electron microscopy; Teleost (Matsutani, S.) **373,** 126

Synaptic plasma membrane
Phase transition; Fluidity; Paramagnetic resonance; Epilepsy (Nelson, L.) **386,** 32

Synaptic plasticity
Aging; Morphometry; EPTA stained synapse; Hippocampus; Aging of synaptic membranes (Bertoni-Freddari, C.) **366,** 187

Phorbol ester; Protein kinase C; Memory (Routtenberg, A.) **378,** 374

Neuromuscular junction; Nerve terminal; Muscle disuse; Muscle innervation; Neuromuscular remodelling (Fahim, M.A.) **383,** 353

Long-term potentiation; Protein phosphorylation; Protein kinase C; Intact hippocampus; Perforant path; Dentate gyrus; Protein F_1 (Lovinger, D.M.) **399,** 205

Synaptic potential
Epilepsy; Penicillin; Hippocampal slice; Synchrony; Burst discharge (Schneiderman, J.H.) **398,** 231

Synaptic ribbon
Development; Pedicle; Spherule; Extracellular space (Maslim, J.) **373,** 35

Synaptic transmission
Slow motor unit; Fast motor unit; Neurotransmitter release; Tetanic potentiation; Post-tetanic potentiation (Lev-Tov, A.) **363,** 379

Optic tectum; Excitatory postsynaptic potential; Retinal afferent (Leresche, N.) **365,** 138

Parasympathetic neuron; Noradrenaline; Catecholamine; Autonomic ganglion; Slow-hyperpolarizing synaptic potential; Neurotransmitter (Akasu, T.) **365,** 365

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium; Brain slice; Toxicity (Wilson, J.A.) **368,** 357

Neurotensin; Retina; Cobalt block; Mudpuppy (Zalutsky, R.A.) **371,** 360

Excitatory amino acid; Lateral septum; Kynurenic acid; *p*-Bromobenzoyl-piperazine-2,3-dicarboxylic acid; Intracellular recording; Fimbria (Stevens, D.R.) **382,** 437

Synaptic vesicle
Rats; Sodium sulfide; Telencephalon; Trace metal; Zinc; Zinc release (Pérez-Clausell, J.) **362,** 358

Horseradish peroxidase; Electron microscopy; Sympathetic ganglion (Parducz, A.) **362,** 375

Monoclonal antibody; Immunohistochemistry; Immunoelectron microscopy; Immunoblot analysis; Cerebellum (Obata, K.) **375,** 37

2-(4-Phenylpiperidino)cyclohexanol; Miniature endplate potential; Acetylcholine transport inhibitor; Evoked release; Mouse phrenic nerve (Whitton, P.S.) **385,** 189

Glutamate; Brain cortex (Riveros, N.) **386,** 405

Synaptic vesicle kinase
Central nervous system; Lupus erythematosus; Phosphorylation inhibition (Moskowitz, N.) **370,** 38

Synaptogenesis
Catecholamine; 6-Hydroxydopamine; Plasticity; Paraventricular nucleus (Hwang, B.H.) **369,** 267

Serotonin; Visual cortex; Organotypic culture; Development; Electrical activity; Rat (Chubakov, A.R.) **369,** 285

Colchicine; Axonal transport; Axonal competition; Lumicolchicine; Classical conditioning; Optic nerve regeneration; Optic tectum; Goldfish (Schlumpf, B.E.) **386,** 305

Synaptosomal fraction
Calcium; D-Aspartate; γ-Aminobutyric acid; Difluoromethylornithine; Ornithine decarboxylase (Bondy, S.C.) **371,** 96

Synaptosome
Dihydropyridine; Bay K 8644; Nimodipine; Calcium entry; Dopamine release (Woodward, J.J.) **370,** 397

Antidepressant; Calcium; α_2-Adrenoceptor; Noradrenaline; Release (Campbell, I.C.) **372,** 253

Ethanol; Calcium uptake; Norepinephrine release; Endogenous norepinephrine (Daniell, L.C.) **377,** 18

Calcium uptake; Calcium distribution; Brain mitochondrion; Ageing; Membrane lipid fluidity (Vitorica, J.) **378,** 36

ATPase, (Ca^{2+})-; Calcium pump (Pekovic, S.) **379,** 251

Phenytoin; Acetylcholine release (Pincus, J.H.) **397,** 103

Synaptosome isolation
Percoll; Biochemical marker; Electron microscopy; Viability (Dunkley, P.R.) **372,** 115

Synchrony
Cat; X-cell; Y-cell; Retinogeniculate system; Conduction velocity; Optic chiasm latency; Perisynaptic delay (Schroeder, C.E.) **381,** 143

Epilepsy; Penicillin; Hippocampal slice; Synaptic potential; Burst discharge (Schneiderman, J.H.) **398,** 231

Synergism
Neuropeptide; Neurotransmitter; Hypothalamic nucleus; Cyclic adenosine monophosphate; Vasoactive intestinal peptide; Noradrenaline (Redgate, E.S.) **365,** 61

Synthesis
Proenkephalin; Enkephalin; Neuronal activity (Glass, J.) **372,** 180

Synthetic quisqualate
Natural quisqualate; Glutamate; Locust nerve–muscle junction; Amino acid receptor; Glutamate synapse (Boden, P.) **385,** 205

Syringobulbia
Trigeminal nucleus; Face-rub response; Nociception; Arousal; Organization (Broton, J.G.) **397,** 1

T

Tachycardia
Baroreceptor reflex; Bradycardia; Inferior olivary nucleus; Vagus nerve; Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus (Kuo, J.S.) **372,** 227

Tachykinin
Substance K (neurokinin A); Substance P; Regional distribution (Takano, Y.) **369,** 400

Substance P receptor; Neuropeptide; Genetic hypertension; Cerebellum (Shigematsu, K.) **370,** 383

Substance P; Locomotor activity; Grooming; Wet dog shakes; Lateral ventricle; Ventral tegmental area (Elliott, P.J.) **381,** 68

Subfornical organ; Drinking behavior; Bombesin; Angiotensin; Hypovolemic thirst; Hyperosmotic thirst; Pigeon (Massi, M.) **381,** 289

Substance P; Substantia nigra; Epilepsy; Seizure; Maximal electroshock; Bicuculline; Anticonvulsant (Garant, D.S.) **382,** 372

Tachykinin receptor
Autoradiography; Substance P; Eledoisin; Neuropeptide; Brain receptor (Danks, J.A.) **385,** 273

Tactile
Trigeminal nerve; Facial nerve; Facial lobe; Taste; Somatosensation (Kiyohara, S.) **379,** 353

Tail flick
N-2-Chloroethyl-*N*-ethyl-2-bromobenzylamine hydrochloride; 5-Methoxy-*N*,*N*-dimethyltryptamine; Quipazine; *p*-Chloroamphetamine; 5-Hydroxytryptophan; Methergoline; Mianserin; Hot plate; Shock-titration; Noradrenaline; Serotonin; Interaction (Post, C.) **363,** 18

Volume loading; Hypoalgesia; Spontaneously hypertensive rat (SHR); Wistar Kyoto normotensive rat; F_1 offspring of SHR × WKY (Randich, A.) **363,** 178

Shock-induced analgesia; 5-Methoxy-*N*,*N*-dimethyltryptamine; Hot-plate; Intrathecal 6-Hydroxydopamine; Intrathecal yohimbine; Antagonism; Rat (Danysz, W.) **365,** 169

Antinociception; Quaternary naloxone; Stress; Footshock; Endorphin; Analgesia (Chance, W.T.) **380,** 394

Tail flick modulation
Graded heating; Midbrain; Medulla; Pons; Tissue temperature (Ness, T.J.) **386,** 41

Tail flick reflex
Spinal α_2-adrenoceptor; Locus ceruleus; Descending inhibition; Stimulation-produced antinociception (Jones, S.L.) **364,** 315

Morphine; Analgesia; Nucleus raphe magnus; Rat (Barbaro, N.M.) **366,** 203

Nucleus raphe magnus; Rat; Analgesia; Morphine; Periaqueductal gray (Cheng, Z.-F.) **375,** 57

Lateral reticular nucleus; Antinociception; Descending inhibition; Hot plate test; Opioid; Cholinergic; α-Adrenergic (Ossipov, M.H.) **384,** 282

Tail flick test
Substance P; Neurokinin A; Substance K; Eledoisin; Physalaemin; Intrathecal administration; Nociception (Cridland, R.A.) **381,** 93

Baclofen; Clonidine; 6-Hydroxydopamine lesion; Dorsal noradrenergic bundle; Locus ceruleus; Antinociception (Sawynok, J.) **386,** 341

γ-Aminobutyric acid; Periaqueductal gray; Nucleus raphe magnus; Analgesia; Rat (Moreau, J.-L.) **397,** 37

Tail immersion test
Awake rat; Dorsal column lesion; Stimulation of dorsal column nucleus; Nociception; Formalin test (Saadé, N.E.) **369,** 307

Tail pinch
Dopaminergic neuron; Nucleus accumbens; In vivo voltammetry; Free moving animal; Social interaction (Louilot, A.) **397,** 395

Tangential fiber
Honeybee; Insect visual system; Lamina; 5-Hydroxytryptamine-like-immunoreactivity; γ-Aminobutyric acid-like immunoreactivity; Neurotransmitter (Schäfer, S.) **380,** 368

Taste
Hypothalamus; Satiety; Sensory-specific satiety; Hunger; Lateral hypothalamus; Substantia innominata (Rolls, E.T.) **368,** 79

Gustatory cortex; Cytoarchitecture; Rat; Agranular insular cortex (Kosar, E.) **379,** 329

Gustatory cortex; Cytoarchitecture; Rat; Autoradiography; Thalamocortical projection; Medial parvicellular component of the nucleus ventralis posteromedialis; Agranular insular cortex (Kosar, E.) **379,** 342

Trigeminal nerve; Facial nerve; Facial lobe; Tactile; Somatosensation (Kiyohara, S.) **379,** 353

Taste bud
Horseradish peroxidase; Anterograde transport; Glossopharyngeal nerve (Bradley, R.M.) **367,** 364

Taste response
5′-Nucleotide; Chorda tympani; Amino acid synergism (Yoshii, K.) **367,** 45

Calcium; Sodium; Receptor site; Water fiber; Glossopharyngeal nerve; Frog (Kitada, Y.) **377,** 211

Magnesium; Sodium; Multiple receptor site; Receptor protein; Glossopharyngeal nerve; Frog (Kitada, Y.) **380,** 172

Taurine
Epilepsy; γ-Aminobutyric acid; Photosensitivity; *Papio papio*; Cerebrospinal fluid; Amino acid; Monoamine (Lloyd, K.G.) **363,** 390

Focal epilepsy; γ-Aminobutyric acid antagonism (Fariello, R.G.) **380,** 196

Voltammetry; Striatum; Nigra; Homovanillic acid; γ-Aminobutyric acid; Taurine antagonist (O'Neill, R.D.) **382,** 28

Hippocampus; Taurine localization (Taber, K.H.) **386,** 113

Taurine antagonist
Voltammetry; Striatum; Nigra; Homovanillic acid; Taurine; γ-Aminobutyric acid (O'Neill, R.D.) **382,** 28

Taurine localization
Taurine; Hippocampus (Taber, K.H.) **386,** 113

TCP
Phencyclidine; Quantitative autoradiography; Receptor binding site; Lesion; Central nervous system; Psychotomimetic (Gundlach, A.L.) **386,** 266

Tectal regulation
Axoplasmic transport; Goldfish visual system (Yoon, M.G.) **382,** 339

Tecto-geniculate influence
Superior colliculus; Lateral geniculate; Rabbit (Molotchnikoff, S.) **375,** 66

Tecto-reticulo-spinal
Superior colliculus; Head movement; Eye movement (Munoz, D.P.) **398,** 185

Tectofugal visual system
Monocular deprivation; Cell size; Ectostriatum; Plasticity; Bird (Herrmann, K.) **379,** 143

Tectum
Projection neuron; Retina; Centrifugal visual system; Horseradish peroxidase; Golgi-like staining; Teleost (Uchiyama, H.) **369,** 260

Long-term potentiation; Goldfish; Plasticity (Lewis, D.) **375,** 246

Tela choroidea
Third ventricle choroid plexus; Cerebrospinal fluid; Sodium; Potassium ion; Acidosis; Ion homeostasis (Harbut, R.E.) **374,** 137

Tele-methylhistamine
Footshock; Histamine; Histamine turnover; Pargyline; α-Fluoromethylhistidine; Metoprine (Yoshitomi, I.) **362,** 195

Footshock; Histamine; Naloxone; Histamine turnover; Brain (Yoshitomi, I.) **398,** 57

Telencephalon
Rats; Sodium sulfide; Synaptic vesicle; Trace metal; Zinc; Zinc release (Pérez-Clausell, J.) **362,** 358

Autoradiography; Opiate receptor; μ-Receptor; δ-Receptor; Diencephalon (McLean, S.) **378,** 49

Teleost
Tectum; Projection neuron; Retina; Centrifugal visual system; Horseradish peroxidase; Golgi-like staining (Uchiyama, H.) **369,** 260

Nucleus olfactoretinalis; Nervus terminalis; Cytoarchitecture; Synaptic organization; Fiber connection; Electron microscopy (Matsutani, S.) **373,** 126

Temperature
Tooth pulp stimulation; Heat block; Afferent excitability; Jaw-opening reflex (Rydenhag, B.) **367,** 337

Temperature regulation
Cold afferent; Trigeminal subnucleus caudalis; Medial ventroposterior nucleus; Preoptic/anterior hypothalamic area; Dual pathway; Cold sensation (Kawahara, K.) **378,** 61

Fever; Endogenous pyrogen; Brain metabolism; Deoxyglucose technique (Morimoto, A.) **381,** 100

Temporal lobe epilepsy
Glial ATPase; ATPase, (Na^+,K^+)-(Grisar, T.) **364,** 1

Pilocarpine; γ-Vinyl-γ-aminobutyric acid; Isoniazid; Substantia nigra; Striatum; Seizure; Brain damage; Rat (Turski, L.) **370,** 294

Tensor tympani muscle
Acoustic middle ear reflex; Cochlear nucleus; Trigeminal motor nucleus; Cat; Horseradish peroxidase; Wheat germ agglutinin–horseradish peroxidase (Itoh, K.) **375,** 214

Teophylline
Voltage clamp; Cyclic adenosine monophosphate; Ionic channel (Arhem, P.) **371,** 182

Terminal nerve
Neuropeptide; Gonadotropin-releasing hormone; Enkephalin; Molluscan cardioexcitatory peptide (FMRFamide); Retinal ganglion cell (Walker, S.E.) **384,** 262

Luteinizing hormone-releasing hormone; Acetylcholinesterase; Tiger salamander; Bullfrog; Hypophysectomy (Wirsig, C.R.) **385,** 10

Testicular feminization mouse
Testosterone; Aromatization; Brain; Autoradiography (Schleicher, G.) **397,** 290

Testosterone
Aromatase; Hypothalamus; Preoptic area; Metabolism of testosterone; Reproductive behavior; Brain differentiation; Sexual differentiation (Schumacher, M.) **377,** 63

Hypogastric ganglion; Tyrosine hydroxylase; Choline acetyltransferase; Development (Melvin, J.E.) **383,** 38

Aromatization; Brain; Testicular feminization mouse; Autoradiography (Schleicher, G.) **397,** 290

Androgen; Sexual differentiation; Social play; Amygdala (Meaney, M.J.) **398,** 324

Vasopressin; Oxytocin; Lateral septum; Bed nucleus of the stria terminalis; Paraventricular nucleus; Estrogen; Androgen (De Vries, G.J.) **399,** 296

Testosterone metabolism
Sexual dimorphism; Aromatase; Japanese quail; Sexual behavior; Preoptic area; Hypothalamus (Schumacher, M.) **370,** 285

Sexual differentiation; Song system; Zebra finch; 5β-Reductase; 5β-Dihydrotestosterone (Balthazart, J.) **378,** 240

Testosterone uptake
Aggressive behavior; Regional brain distribution; Castration; Mouse (Davanzo, J.P.) **369,** 224

Tetanic potentiation
Slow motor unit; Fast motor unit; Synaptic transmission; Neurotransmitter release; Post-tetanic potentiation (Lev-Tov, A.) **363,** 379

Tetrabenazine binding
Monoamine transporter; Serotonin; Dopamine; Noradrenaline; Mouse; Binding site regionalization (Scherman, D.) **370,** 176

12-*O*-Tetradecanoylphorbol-13-acetate
Differentiation; Olfactory cell line; Dibutyryl cyclic monophosphate; Benzodiazepine; Ro5-4864 (Goldstein, N.I.) **370,** 205

Tetraethylammonium
Dopamine; Autoreceptor; Transmitter release; 4-Aminopyridine (Tepper, J.M.) **367,** 230

Calcium; Current; Non-bursting neuron; Potassium; *Aplysia* (Jones, L.S.) **385,** 46

Tetraethylammonium sensitive K^+-channel
Fictive locomotion; Lamprey spinal cord; Magnesium ion; *N*-Methyl-D-aspartate receptor; Tetrodotoxin resistant membrane

potential oscillation (Brodin, L.) **380,** 244

4,5,6,7-Tetrahydroisoxazolo-(5,4-c)pyridin-3-ol
Hippocampus; Hippocampal slice; γ-Aminobutyric acid; Epilepsy; γ-Aminobutyric acid uptake; γ-Aminobutyric acid receptor agonist; Cis-4-hydroxy-nipecotic acid (Korn, S.J.) **368,** 247

Thalamus; Morphine; γ-Aminobutyric acid; Antinociception (Reyes-Vazquez, C.) **383,** 177

Tetramethrin
Sodium channel; Pyrethroid; Ion permeation; Ion selectivity (Yamamoto, D.) **372,** 193

Tetramethylbenzidine
Horseradish peroxidase–wheat germ agglutinin; Anterograde transport; Sympathetic innervation; Iris; Pineal gland; Vascular innervation (Marfurt, C.F.) **366,** 373

Cholinergic projection; Nucleus basalis; Horseradish peroxidase; Choline acetyltransferase (Mesulam, M.-M.) **367,** 301

Δ^9-Tetrahydrocannabinol
Cocaine; Dopamine; Homovanillic acid; Prefrontal cortex; Olfactory tubercle (Bowers, M.B.) **366,** 405

Tetrodotoxin
Slow muscle fiber; Action potential; Colchicine; Vincristine; Axonal transport (Siebler, M.) **362,** 299

Goldfish optic nerve; Axonal transport; Ribonucleic acid; Adenosine; Uridine; Guanosine; Transcellular transfer (Edwards, D.L.) **364,** 258

Electrical stimulation; Neurointermediate lobe; Melanocyte-stimulating hormone; Calcium dependence; Mouse (Taraskevich, P.S.) **379,** 390

Cholinergic muscarinic receptor; Lidocaine; Physostigmine; Rostral ventrolateral medulla; Scopolamine (Punnen, S.) **382,** 178

Hippocampal slice; Laminar recording; Current source density analysis; Dendritic spike; Local perfusion; Guinea pig (Miyakawa, H.) **399,** 303

Tetrodotoxin receptor
Cell culture; Cell line; Cerebellum Sodium channel; Cell differentiation; Cell transformation (Caviedes, R.) **365,** 259

Tetrodotoxin resistant membrane potential oscillation
Fictive locomotion; Lamprey spinal cord; Magnesium ion; N-Methyl-D-aspartate receptor; Tetraethylammonium sensitive K^+-channel (Brodin, L.) **380,** 244

Thalamic lesion
Glutamate binding; Striatum–kainatelesion; Decortication; 6-Hydroxydopamine lesion (Errami, M.) **366,** 178

Thalamic nucleus
Caudate nucleus; Wheat germ agglutinin-horseradish peroxidase (Hu, H.) **368,** 201

Thalamic reticular nucleus
γ-Aminobutyric acid; Immunocytochemistry; Rat; Electron microscopy; Immunogold staining (De Biasi, S.) **399,** 143

Thalamocortical pathway
Striatum; Substantia nigra pars reticulata; Ventromedial nucleus of the thalamus; Corticostriatal pathway; Glutamate release (Girault, J.A.) **374,** 362

Thalamocortical projection
Taste; Gustatory cortex; Cytoarchitecture; Rat; Autoradiography; Medial parvicellular component of the nucleus ventralis posteromedialis; Agranular insular cortex (Kosar, E.) **379,** 342

Motor cortex; Area 3a; Retrograde fluorescence tracer (Zheng, Z.-H.) **380,** 389

Thalamus
Limbic system; Allometry; Human evolution; Primate (Armstrong, E.) **362,** 394

Classical conditioning; Cortex; Hippocampal formation; Reticular stimulation; 2-Deoxyglucose; Learning (Gonzalez-Lima, F.) **363,** 239

Anterior nucleus; Cholinesterase; Intralaminar nucleus; Midline nucleus (Robertson, R.T.) **368,** 116

Posteromedial ventral nucleus; Cerebral cortex; Infralimbic cortex; Cat; Wheat germ agglutinin–horseradish peroxidase (Yasui, Y.) **368,** 384

Phaseolus vulgaris-leucoagglutinin; Anterograde tracing; Immunohistochemistry; Striatum (Carlsen, J.) **374,** 375

Dorsal ventricular ridge; Intrinsic neuron; Local circuit neuron; Relay cell; Reptile (Pritz, M.B.) **376,** 169

Met-enkephalin; Immunocytochemistry; Cat; Cell body; Colchicine (Covenas, R.) **377,** 355

Trigeminal main sensory nucleus; Somatosensory neuron; Electroencephalogram (Kanosue, K.) **379,** 90

μ Opiate receptor; δ Opiate receptor; Nociceptive threshold; Intracerebral injection; Seizure activity; Catalepsy (Walker, G.E.) **383,** 1

Morphine; 4,5,6,7-Tetrahydroisoxazolo-(5,4-c)pyridin-3-ol; γ-Aminobutyric acid; Antinociception (Reyes-Vazquez, C.) **383,** 177

Cortex; Pallidum; Cerebellum; Intracellular recording; Identified neuron; Horseradish peroxidase (Gazzara, R.A.) **397,** 225

Exploratory activity; Catalepsy; Excitatory amino acid; Excitatory amino acid antagonist (Klockgether, T.) **399,** 1

Thalamus (motor)
Spinothalamic tract; Motor cortex; Direct relay of afferent input (Greenan, T.J.) **362,** 384

Thalamus morphology
Neuronal degeneration; Brain reorganization; Functional recovery; Hemispherectomy (Villablanca, J.R.) **368,** 211

Theophylline
Adenosine; Locus ceruleus; Intracellular recording; Brain slice (Shefner, S.A.) **366,** 364

Thermoregulation
Noradrenaline; Serotonin; Bombesin; Deermouse; *Peromyscus*; Hypothalamus (Lin, L.-H.) **364,** 212

Brainstem; Pontine lesion (Amini-Sereshki, L.) **384,** 23

Neurotensin; Neuropeptide inactivation; Thiorphan; Captopril; Bestatin (Coquerel, A.) **398,** 386

Thermosensitive C-afferent
Substance P; Somatostatin; Spinal cord; C-afferent; Intrathecal; Polymodal nociceptor (Wiesenfeld-Hallin, Z.) **372,** 172

Thermosensitive neuron
Hypothalamic slice; Threshold temperature; Wide band control; Narrow band control; Thermostat; Thermosensor (Kobayashi, S.) **362,** 132

Thermosensor
Hypothalamic slice; Thermosensitive neuron; Threshold temperature; Wide band control; Narrow band control; Thermostat (Kobayashi, S.) **362,** 132

Thermostat
Hypothalamic slice; Thermosensitive neuron; Threshold temperature; Wide band control; Narrow band control; Thermosensor (Kobayashi, S.) **362,** 132

Theta cell
Medial septum; Hippocampus (Bland, S.K.) **375,** 102

Theta generator
Hippocampal formation; Theta rhythm; Colchicine (Monmaur, P.) **365,** 269

Theta rhythm
Hippocampal formation; Colchicine; Theta generator (Monmaur, P.)

365, 269

Hippocampal CA1; Spectral analysis; Inhibitory postsynaptic potential; Cellular mechanism (Leung, L.-W.S.) **367,** 323

Long-term potentiation; Hippocampus (Larson, J.) **368,** 347

Hippocampal formation; Ischemia (Monmaur, P.) **378,** 262

Septum; Neuronal activity; Pentobarbital; Anticholinergic drug (Brazhnik, E.S.) **380,** 94

Thiamine
Blood–brain barrier; Perfusion; Transport; 2,4-Dinitrophenol (Greenwood, J.) **399,** 148

Thiamine-deficient encephalopathy
Magnesium deficiency; Guanidine administration; Rat (Goto, I.) **372,** 31

Thienyl-phencyclidine
Phencyclidine; σ-Opioid; Multiple binding site; Autoradiographic localization; Biochemical regionalization; Cerebellum (Vignon, J.) **378,** 133

Thiorphan
Electroacupuncture; Morphine; Enkephalin; Analgesia; Naloxone; Bestatin; Nucleus accumbens (Jin, W.-Q.) **380,** 317

Neurotensin; Thermoregulation; Neuropeptide inactivation; Captopril; Bestatin (Coquerel, A.) **398,** 386

Third ventricle choroid plexus
Cerebrospinal fluid; Sodium; Potassium ion; Acidosis; Ion homeostasis; Tela choroidea (Harbut, R.E.) **374,** 137

Three-dimensional reconstruction
Sexually dimorphic nucleus; Suprachiasmatic nucleus; Morphometrics; Sexual differentiation; Preoptic area (Robinson, S.M.) **371,** 380

Threshold force
Voluntary force exertion; Ballistic contraction; Ramp contraction; Isometric force; Motor unit; Force rate (Yoneda, T.) **372,** 89

Threshold temperature
Hypothalamic slice; Thermosensitive neuron; Wide band control; Narrow band control; Thermostat; Thermosensor (Kobayashi, S.) **362,** 132

Thrombin
Protease; Protease inhibitor; Neurite outgrowth; Soybean trypsin inhibitor; Trypsin; Urokinase (Hawkins, R.L.) **398,** 63

Thy-1
Surface antigen; Neuronal membrane protein (Sinclair, C.M.) **398,** 91

Thymidine
Olfaction; Cell renewal; Chemoreceptor cell; Autoradiography; Gastropod mollusc (Chase, R.) **384,** 232

Thymidine autoradiography
Radial glia; Cell birth; In vitro; Optic tectum; Goldfish (Henken, D.B.) **364,** 186

Thymopoietin
Mouse nervous system; Neuromuscular junction (Brown, R.H.) **381,** 237

Thyroid deficiency
Corpus striatum; Visual cortex; Propylthiouracil; Synaptic biochemistry; Spiroperidol (Kalaria, R.N.) **364,** 268

Thyroid hormone
Hypothyroidism; Deoxyglucose; Glucose utilization (Dow-Edwards, D.) **373,** 139

Septum; Cholinergic neuron; Triiodothyronine; Nerve growth factor; Alzheimer's disease (Hefti, F.) **375,** 413

Thyrotroe
Guinea pig; Autoradiography; Immunocytochemistry; Dihydrotestosterone; Gonadotroe; Pituicyte (Herbert, D.C.) **362,** 318

Thyrotropin-releasing hormone
Vasopressin; Morphine; Non-opiate antinociception; Endogenous opiate antagonist (Watkins, L.R.) **362,** 308

Substance P; Serotonin; 5,7-Dihydroxytryptamine; Neurotoxin; Colocalization (Towle, A.C.) **363,** 38

Respiratory timing; Medulla oblongata; 5,7-Dihydroxytryptamine (McCown, T.J.) **373,** 189

Nucleus of the solitary tract; Dorsal vagal nucleus; Raphe nucleus; Immunohistochemistry; Medullary transection (Palkovits, M.) **373,** 246

Thyrotrophin-releasing hormone analogue, CG 3509; Antibody infusion (i.c.v.); Osmotic minipump; Pentobarbital anaesthesia (Lighton, C.) **378,** 385

Cross-circulation; Brain; Electroencephalogram; Vagal efferent activity (Tonoue, T.) **378,** 394

Ventral medullary lesion; Intermediolateral cell column; 5,7-Dihydroxytryptamine; Thyrotropin-releasing hormone radioimmunoassay; Substance P; Nucleus paragigantocellularis lateralis; Nucleus interfascicularis hypoglossi (Helke, C.J.) **381,** 1

Luteinizing hormone-releasing hormone; Hypothalamus; Asymmetry; Human (Borson-Chazot, F.) **382,** 433

Serotonin; 5,7-Dihydroxytryptamine; Immunocytochemistry; Radioimmunoassay; High performance liquid chromatography; Dorsal horn; Rat spinal cord (Harkness, D.H.) **384,** 323

Thyrotropin-releasing hormone analogue, CG 3509
Thyrotrophin-releasing hormone; Antibody infusion (i.c.v.); Osmotic minipump; Pentobarbital anaesthesia (Lighton, C.) **378,** 385

[^{3}H-3-MeHis^2]TRH
Brain thyrotropin-releasing hormone receptors; Interactions; μ-Opiate ligand; δ-Opiate ligand; κ-Opiate ligand; σ-Opiate ligand (Bhargava, H.N.) **368,** 262

Thyrotropin-releasing hormone metabolism
Human cerebrospinal fluid; Pyroglutamate aminopeptidase (Prasad, C.) **364,** 331

Thyrotropin-releasing hormone radioimmunoassay
Thyrotropin releasing hormone; Ventral medullary lesion; Intermediolateral cell column; 5,7-Dihydroxytryptamine; Substance P; Nucleus paragigantocellularis lateralis; Nucleus interfascicularis hypoglossi (Helke, C.J.) **381,** 1

Thyroxine
Iodothyronine; Triiodothyronine; Deiodinase; Astrocyte; Oligodendrocyte; Neuroglia (Cavalieri, R.R.) **364,** 382

Transected spinal cord; GM_1 ganglioside; Hydrocortisone; Fetal monoaminergic implant (Commissiong, J.W.) **380,** 205

Tiger salamander
Terminal nerve; Luteinizing hormone-releasing hormone; Acetylcholinesterase; Bullfrog; Hypophysectomy (Wirsig, C.R.) **385,** 10

Time action
Naloxone; Half-life; Morphine withdrawal; 2-Deoxyglucose (Geary II, W.A.) **399,** 181

Time-dependent
Arcuate nucleus; β-Endorphin; Lesion; Naltrexone; Non-opioid analgesia; Opioid analgesia; Stress-induced analgesia (Kelsey, J.E.) **382,** 278

Time-dependent sensitization
Catalepsy; Haloperidol; Fluphenazine; Neuroleptic; Stress (Antelman, S.M.) **385,** 58

Tissue culture
Excitatory amino acid; Chick spinal cord neuron; Patch clamp (Vyklický, L.) **363,** 148

Dysautonomia; Neuronotropic; Fibroblast; Nerve growth factor; Sensory neuron (Wrathall, J.R.) **364,** 23

Heart; Autonomic nervous system; Intracardiac neuron; Neuropeptide

-containing neuron; Vasoactive
testinal polypeptide-containing
euron (Hassall, C.J.S.) **364,** 102

xonal regeneration; Non-neuronal
ll proliferation; Rat neocortex;
ytosine arabinoside (Oorschot, D.E.)
58, 49

Aminobutyric acid; D-Aspartate;
mino acid uptake; Oligodendrocyte;
strocyte; Autoradiography;
mmunocytochemistry (Reynolds, R.)
71, 253

lembrane fluidity; Lipid;
egeneration; Development; Aging;
uorescence photobleaching recovery;
orsal root ganglion; Mouse; Neuron
Horie, H.) **377,** 246

eptum; Transplant; Hippocampus;
nervation (Gibbs, R.B.) **382,** 409

euron; Cryopreservation
Kawamoto, J.C.) **384,** 84

erebral cortex; ELISA;
mmunohistochemistry; In vitro;
eurofilament monoclonal antibody;
xygen tension; Regeneration
Kaplan, F.S.) **384,** 199

aturation; Aging; Fibronectin
ceptor; Dorsal root ganglion;
euron; Cytofluorometry
Kawasaki, Y.) **397,** 185

opic factor; Dopaminergic neuron;
riatal extract (Tomozawa, Y.)
09, 111

issue culture, neuronal
xon branching; Axon growth rate;
ell motility rate; Growth cone
ovement rate (Katz, M.J.) **366,** 211

issue structural integrity
icrowave irradiation; Magnetic field;
ight microscopy; Electron microscopy
karashi, Y.) **373,** 182

issue temperature
ail flick modulation; Graded heating;
idbrain; Medulla; Pons (Ness, T.J.)
86, 41

izanidine
ohimbine; Prazosin; Basal ganglion;
uscle tone; Genetically spastic rat
urski, L.) **379,** 367

oad
ngue-muscle motoneuron;
ypoglossal motoneuron;
lossopharyngeal nerve; Optic tectum;
xcitatory interneuron; Prey-catching
ehavior; Rejecting behavior
Matsushima, T.) **365,** 198

ocopherol
on; Seizure; Peroxidation
Willmore, L.J.) **382,** 422

olerance
orphine; Cholecystokinin
dioimmunoassay; Hypothalamus; In
vo (Faris, P.L.) **367,** 405

ress analgesia; Cross-tolerance;
Opioid; Non-opioid; Morphine
(Terman, G.W.) **368,** 101

Opioid peptide; Stress; Morphine;
Natural killer cell; Cross-tolerance
(Shavit, Y.) **372,** 382

Benzodiazepine; Lorazepam; Rat;
Mouse; Convulsion;
Pentylenetetrazole; Withdrawal
(Lister, R.G.) **379,** 364

Dermorphin; Morphine; Analgesia;
Amphibian (Stevens, C.W.) **385,** 300

Interferon; Cyclosporine; Irradiation;
Morphine; Antinociception
(Dougherty, P.M.) **385,** 401

Tongue
Calcitonin gene-related peptide;
Capsaicin; Epiglottis; Pharynx;
Retrograde tracing (Terenghi, G.)
365, 1

Tongue-muscle motoneuron
Hypoglossal motoneuron;
Glossopharyngeal nerve; Optic tectum;
Excitatory interneuron; Prey-catching
behavior; Rejecting behavior; Toad
(Matsushima, T.) **365,** 198

Tonic
Pain; Rat; Analgesic test; Capsaicin;
Morphine (Otsuki, T.) **365,** 235

Tonic neck reflex
Directional sensitivity; Cervical and
lumbar interneurons; Neck afferent
input (Suzuki, I.) **367,** 356

Tonotopic organization
Cerebellum; Frequency sensitivity;
Tuning (Huang, C.-M.) **371,** 101

Tonotopical organization
Innervation pattern; Superior olivary
nucleus; Horseradish peroxidase; Frog
(Feng, A.S.) **364,** 167

Tooth
Collateral reinnervation; Trigeminal
nerve; Rhizotomy; Jaw opening reflex;
Inferior alveolar nerve (Robinson, P.P.)
366, 397

Tooth pulp
Pain; Jaw-opening reflex; Raphe
magnus; Periaqueductal gray region
(Mason, P.) **379,** 232

Innervation; Development; Trigeminal
nerve; Branching axon (Brenan, A.)
382, 250

Second somatosensory cortex; Evoked
potential; Nociception; Escape
behavior; Aδ nerve fiber
(Chudler, E.H.) **397,** 47

Tooth pulp stimulation
Temperature; Heat block; Afferent
excitability; Jaw-opening reflex
(Rydenhag, B.) **367,** 337

Hippocampus; Evoked potential;
Cellular activity; Depth profile;
Acoustic response; Behavior
(Brankačk, J.) **378,** 303

Tooth-pulp driven neuron
Low-threshold tooth pulpal afferent;
Low threshold masseteric nerve
afferent; Area 3a; Coronal gyrus; Cat
(Iwata, K.) **368,** 399

Topographical analysis
Evolution of spike-wave complex;
Spike morphology; Automated analysis
(Lemieux, J.F.) **373,** 275

Torus semicircularis
Cochlear nuclear projection;
Commissural connection;
Rhombencephalic auditory nucleus;
Autoradiographic tracing; Turtle
(Künzle, H.) **379,** 307

Nucleus preglomerulosus; Nucleus
anterior tuberis; Horseradish
peroxidase; Homology (Murakami, T.)
382, 97

Touch
Central plasticity; Nerve repair;
Peripheral injury; Regeneration;
Sensory recovery; Somatosensory
cortex (Wall, J.T.) **372,** 400

Aminoglycoside; Mechanoreceptor;
Neomycin; SA I-receptor; Skin
(Baumann, K.I.) **377,** 160

Toxicity
1-Methyl-4-phenyl-1,2,3,6-
tetrahydropyridine;
1-Methyl-4-phenylpyridinium; Brain
slice; Synaptic transmission
(Wilson, J.A.) **368,** 357

Toxin F
Bungarotoxin 3.1; α-Bungarotoxin;
Neuronal nicotinic receptor; *Bungarus
multicinctus* venom; Amino acid
sequence; Nicotinic antagonist
(Loring, R.H.) **385,** 30

Trace metal
Rats; Sodium sulfide; Synaptic vesicle;
Telencephalon; Zinc; Zinc release
(Pérez-Clausell, J.) **362,** 358

Tract tracing
Subfornical organ; Midbrain raphe
system; Angiotensin; Serotonin;
Immunohistochemistry;
Double-labeling (Lind, R.W.) **384,** 250

Transcellular transfer
Goldfish optic nerve; Axonal transport;
Tetrodotoxin; Ribonucleic acid;
Adenosine; Uridine; Guanosine
(Edwards, D.L.) **364,** 258

Transected spinal cord
GM_1 ganglioside; Thyroxine;
Hydrocortisone; Fetal monoaminergic
implant (Commissiong, J.W.) **380,** 205

Transfer
Kindling; Anterior neocortex;
Amygdala (Seidel, W.T.) **385,** 375

Transferrin
Neuroglia; Oligodendrocyte;
Immunohistochemistry; Iron; Myelin
(Connor, J.R.) **368,** 319

Transganglionic degeneration

Cell loss; Peripheral nerve injury; Primary sensory neuron (Arvidsson, J.) **373,** 15

Transgenic mouse
Serotonin-1C receptor; Choroid plexus; Tumor; SV40 large T antigen; Lysergic acid dimethylamide (Yagaloff, K.A.) **385,** 389

Transient change
Aluminum chloride; Aluminum hydroxide; Aluminum lactate; Blood–brain barrier; Sucrose; Cerebrovascular permeability (Kim, Y.S.) **377,** 286

Transient outward K^+ current
Sympathetic neuron; Development; Whole-cell voltage clamp (Nerbonne, J.M.) **378,** 197

Transmembrane recording
CA3 pyramidal neuron; Dentate granule cell; Field-effect depolarization (Snow, R.W.) **367,** 292

Transmission electron microscopy
Cerebral ischemia; Dendrite; Gerbil; Immunoelectron microscopy; Microtubule (Yamamoto, K.) **384,** 1

Transmitter
Striatum; Dopamine metabolism; Serotonin metabolism; Histamine; Noradrenaline; Adrenaline (Widmann, R.) **367,** 244

Transmitter phenotype
Sensory neuron; Catecholamine; Tyrosine hydroxylase; Transmitter regulation; Nerve growth factor (Katz, D.M.) **385,** 68

Transmitter regulation
Sensory neuron; Catecholamine; Tyrosine hydroxylase; Transmitter phenotype; Nerve growth factor (Katz, D.M.) **385,** 68

Transmitter release
Oxygen at high pressure; Oxygen; Inhibitory transmission; γ-Aminobutyric acid (Colton, C.A.) **364,** 151

Dopamine; Autoreceptor; 4-Aminopyridine; Tetraethylammonium (Tepper, J.M.) **367,** 230

Transneuronal transport
Forelimb movement; Wheat germ agglutinin; Horseradish peroxidase; Propriospinal neuron (Alstermark, B.) **376,** 387

Wheat germ agglutinin-horseradish peroxidase; Habenula; Interpeduncular nucleus; Astroglia; Rat (Takada, M.) **384,** 77

Axonal transport; Transsynaptic transport; Wheat germ agglutinin; Concanavilin-A (Rhodes, C.H.) **399,** 42

Transplant
Raphe; Serotonin (Segal, M.) **364,** 162

Spinal cord; Graft; Regeneration; Substrate; Histocompatibility; Culture (Bernstein, J.J.) **377,** 403

Septum; Tissue culture; Hippocampus; Innervation (Gibbs, R.B.) **382,** 409

Transplantation
In vivo dialysis; Neostriatum; Dopamine; Release (Zetterström, T.) **362,** 344

Striatum; Kainate; Rewarded alternation; Hyperactivity; Stereotypy; Rat (Deckel, A.W.) **365,** 249

Cholinergic synapse; Choline acetyltransferase; Immunocytochemistry; Hippocampus; Electron microscopy (Clarke, D.J.) **369,** 151

Oligodendrocyte; Myelination; Shiverer mutant mouse; Myelin basic protein; Major dense line (Kohsaka, S.) **372,** 137

Kainic acid; Striatum; Cyclosporine; Huntington's disease (Tulipan, N.) **377,** 163

Cell suspension; Cross-species; Horseradish peroxidase; Septal nucleus; Hippocampus; Differentiation; Migration (Wells, J.) **383,** 333

Cholinergic innervation; Hippocampus (Gibbs, R.B.) **383,** 362

Blood–brain barrier; Skeletal muscle (Wakai, S.) **386,** 209

Transport
Blood–brain barrier; Calcium; Capillary; Cerebrospinal fluid; Brain; Permeability (Tai, C.-Y.) **385,** 227

Glycine; Membrane vesicle; Glioblastoma cell (Zafra, F.) **397,** 108

Thiamin; Blood–brain barrier; Perfusion; 2,4-Dinitrophenol (Greenwood, J.) **399,** 148

Transsynaptic transport
Fragment C of tetanus toxin; Immunohistochemical localization; Vestibulo-ocular pathway (Evinger, C.) **380,** 383

Wheat germ agglutinin; Hippocampus; Rodent; Primate (Itaya, S.K.) **398,** 397

Axonal transport; Transneuronal transport; Wheat germ agglutinin; Concanavilin-A (Rhodes, C.H.) **399,** 42

Transverse hemisection
GM_1 ganglioside; Serotonin; 5-Hydroxyindoleacetic acid; Spinal cord; Rat; Catecholamine (Hadjiconstantinou, M.) **366,** 343

Trapidil
Platelet-derived growth factor; Astrocyte proliferation; Brain injury; Gliosis (Takamiya, Y.) **383,** 305

Tree shrew
Lateral geniculate nucleus; Striate cortex; Monocular deprivation; Horseradish peroxidase (Florence, S.L.) **374,** 179

Claustrum; Visual thalamus; Reciproc connection; Neurotracer (Carey, R.G **386,** 155

Retina; Immunocytochemistry; Choli acetyltransferase; Amacrine cell (Conley, M.) **399,** 332

Trembler mouse
Schwann cell; Cell culture; Myelin synthesizing enzyme; Electrophoresis, two-dimensional; Schwann cell protei Inherited neuropathy (White, F.V.) **381,** 85

Tremor
Human jaw reflex; Spectral analysis; Biting force (McFarland, D.H.) **366,** 272

Difluoromethylornithine; Ornithine decarboxylase; Chlordecone; *p,p'*-DDT; Neuronal adaptation (Tilson, H.A.) **379,** 147

Tri-*O*-cresyl phosphate
Neurotoxicity; Tubulin phosphorylation; Microtubule-associated protein-2 phosphorylation (Suwita, E.) **374,** 19

Triethyl lead
Organolead; Dopamine; Amphetamine; Apomorphine; Locomotor activity (Walsh, T.J.) **363,** 222

Trigeminal
Anatomy; Avian; Auditory; Nucleus basalis; Lateral lemniscus; Cochlear nucleus; Pigeon (Arends, J.J.A.) **398,** 375

Trigeminal ganglion
Masseteric nerve afferent; Trigeminal nucleus; Horseradish peroxidase; Wheat germ agglutinin gel (Nishimori, T.) **372,** 375

Calcitonin gene-related peptide; Cell culture; Veratridine; Local anesthetic Sodium channel (Peterfreund, R.A.) **380,** 159

Extracerebral circulation; Vasodilatation; *Macaca nemestrina* (Goadsby, P.J.) **381,** 63

Cholecystokinin; Substance P; Co-existence; Guinea pig; Eye; Immunohistochemistry (Kuwayama, Y.) **381,** 266

Trigeminal main sensory nucleus
Thalamus; Somatosensory neuron; Electroencephalogram (Kanosue, K.) **379,** 90

Trigeminal motor nucleus
Acoustic middle ear reflex; Cochlear nucleus; Tensor tympani muscle; Cat; Horseradish peroxidase; Wheat germ agglutinin–horseradish peroxidase (Itoh, K.) **375,** 214

rigeminal nerve
ollateral reinnervation; Rhizotomy; aw opening reflex; Inferior alveolar erve; Tooth (Robinson, P.P.) **366,** 397

eilly syndrome; Vagus nucleus; ledulla oblongata; Direct current otential (Sugaya, E.) **369,** 369

lasticatory muscle; Electromyography; ilent period; Blink reflex (Cruccu, G.) **71,** 298

acial nerve; Facial lobe; Taste; actile; Somatosensation Kiyohara, S.) **379,** 353

link reflex; Facial reflex; Brainstem; rigeminal nucleus; Facial nucleus; acial nerve; Cat (Tamai, Y.) **380,** 19

euroanatomy; Sympathetic nervous ystem; Facial nerve; Greater perficial petrosal nerve; Auricular ranch of vagus nerve (Matthews, B.) **32,** 55

nervation; Tooth pulp; Development; ranching axon (Brenan, A.) **382,** 250

acial nerve; Motor nucleus; Jaw uscle; Hagfish; Retrograde orseradish peroxidase transport Kishida, R.) **385,** 263

rigeminal neuron
sialoglycoprotein; Retrograde axonal ansport; Endocytosis; Receptor; ndogenous lectin; Dorsal root ganglia euron; Mouse (Gustafsson, M.) **57,** 14

rigeminal nucleus
rimary tooth; Somatotopy; lorseradish peroxidase–wheat germ gglutinin–polyacrylamide gel shidori, H.) **370,** 153

lasseteric nerve afferent; Trigeminal anglion; Horseradish peroxidase; Wheat germ agglutinin gel Nishimori, T.) **372,** 375

)ura; Blood vessel; Periaqueductal ray region; Pain; Electrophysiology Strassman, A.) **379,** 242

link reflex; Facial reflex; Brainstem; rigeminal nerve; Facial nucleus; Facial erve; Cat (Tamai, Y.) **380,** 19

ibrissa; Cytochrome oxidase; lorseradish peroxidase; Cat Nomura, S.) **380,** 167

)piate; Pain; Hypoalgesia; eriaqueductal gray; Morphine; nalgesia (Kasman, G.S.) **383,** 271

ace-rub response; Nociception; rousal; Organization; Syringobulbia Broton, J.G.) **397,** 1

lesencephalon; Anterograde ansport; Retrograde transport; Lectin onjugate; Cat (Wiberg, M.) **399,** 51

rigeminal receptor
lfactory receptor; Smell; Alcohol;)dor; Chemoreception (Silver, W.L.) **76,** 221

Trigeminal sensory neuron
Substance P; Nucleus of the solitary tract; Cranial nerve; Neuropeptide (South, E.H.) **372,** 283

Trigeminal subnucleus caudalis
Cold afferent; Medial ventroposterior nucleus; Preoptic/anterior hypothalamic area; Dual pathway; Cold sensation; Temperature regulation (Kawahara, K.) **378,** 61

Trigeminal system
Dehydration; Autoradiography; Opiate receptor; Solitary nucleus (Hwang, B.H.) **371,** 345

Triiodothyronine
Iodothyronine; Thyroxine; Deiodinase; Astrocyte; Oligodendrocyte; Neuroglia (Cavalieri, R.R.) **364,** 382

Septum; Cholinergic neuron; Thyroid hormone; Nerve growth factor; Alzheimer's disease (Hefti, F.) **375,** 413

Trimethyltin
Neuropathology; Seizure; Epileptic brain damage; Epilepsy; Hippocampus; Rat (Sloviter, R.S.) **367,** 169

Protein synthesis; Glycoprotein synthesis; Axonal transport; Visual system (Toews, A.D.) **398,** 298

Triphasic pattern
Gait perturbation; Leg muscle electromyogram response; Motor control; Ballistic movement (Dietz, V.) **362,** 355

Tritium
Somatostatin; Human brain; Binding site; High affinity (Whitford, C.A.) **398,** 141

Tropic factor
Nerve growth factor; Neurite-promoting factor; Regeneration; Peripheral nerve; Schwann cell (Windebank, A.J.) **385,** 197

Dopaminergic neuron; Tissue culture; Striatal extract (Tomozawa, Y.) **399,** 111

Tropic regulation of muscle
Non-quantal transmitter release; Acetylcholine release; Neuromuscular transmission (Stanley, E.F.) **365,** 289

True blue
Calcitonin gene-related peptide; Diamidino yellow; Enkephalin; Immunocytochemistry; Intermediolateral nucleus; Neuropeptide Y; Onuf's nucleus; Pudendal nerve; Retrograde tracing; Rhodamine-labelled acrylic microsphere; Somatostatin (Katagiri, T.) **372,** 313

Trypsin
Glioma; Interleukin-2; Lymphokine activated killer cell; Cytotoxic lymphocyte (Jacobs, S.K.) **372,** 386

Protease; Protease inhibitor; Neurite outgrowth; Soybean trypsin inhibitor; Thrombin; Urokinase (Hawkins, R.L.) **398,** 63

Tryptamine
Neurotransmitter release; Calcium; Glutamate; γ-Aminobutyric acid (Friedman, R.N.) **364,** 172

Tryptophan; Dopamine; Noradrenaline; Substantia nigra; Electrolytic lesion; Pargyline; Striatum; Hypothalamus (Juorio, A.V.) **371,** 385

Tryptamine binding site
Serotonin-1 binding site; Ketanserin binding site; Quantitative autoradiography; Rat brain; Serotonin-2 binding site (Kaulen, P.) **366,** 72

Tryptophan
Hyperammonemia; Glutamine; γ-Glutamyl-transpeptidase; Blood–brain barrier (Gorgievski-Hrisoho, M.) **367,** 395

Tryptamine; Dopamine; Noradrenaline; Substantia nigra; Electrolytic lesion; Pargyline; Striatum; Hypothalamus (Juorio, A.V.) **371,** 385

5-Hydroxytryptamine; Dopamine; Turnover; Cerebrospinal fluid; Social behavior (Sahakian, B.J.) **399,** 162

Tryptophan hydroxylase
Serotonergic cell body; Serotonergic terminal; Nucleus raphe dorsalis; Nucleus raphe centralis; Hypothalamus; Postnatal development; Rat brain (Park, D.H.) **378,** 183

Tuberoinfundibular dopamine system
Arcuate nucleus; Serotonergic terminal (Kiss, J.) **364,** 284

Tuberoinfundibular dopaminergic neuron
Aging; Calcium ion; 3,4-Dihydroxyphenylalanine (Arita, J.) **369,** 391

Tuberoinfundibular dopaminergic neuron
Dihydroxyphenylalanine; Hypothalamic slice; Cyclic adenosine monophosphate; Forskolin (Arita, J.) **374,** 37

Tuberoinfundibular neuron
Substance P; Stalk median eminence; Hypothalamus; Deafferentation (Makara, G.) **374,** 399

Morphine; Dopamine turnover; Median eminence; Prolactin; Biphasic effect (Callahan, P.) **381,** 106

Dopamine release; Calcium channel; Calcium agonist; Maitotoxin; BAY-K-8644 (Taglialatela, M.) **381,** 356

D-Tubocurarine
Diisopropyl fluorophosphate; Muscle block; Compound action potential (Bradley, R.J.) **377,** 194

Tubulin
β,β'-Iminodipropionitrile; Axonal

transport; Neurofilament protein; Optic nerve; Microtubule associated protein (Parhad, I.M.) **363,** 315

Olfactory cilia; Sensory neuron; Glycoprotein immunofluorescence; Immunoblotting; Lectin; Cytoskeletal protein (Chen, Z.) **368,** 329

Axoplasmic transport; In vivo; Microtubule; Calcium ion; Cadmium ion; SH content (Gan, S.-D.) **369,** 75

Brain protein; Sexual differentiation; Development; Polyacrylamide gel electrophoresis (Stanley, H.F.) **370,** 215

Messenger ribonucleic acid; Sexual differentiation; Brain protein; Polyacrylamide gel electrophoresis (Stanley, H.F.) **370,** 223

Axonal transport; Detyrosylation; Microtubule (Burgoyne, R.D.) **381,** 113

Brain; Membranous structure; Microtubule; Cytoskeleton (López, L.A.) **382,** 46

Axonal transport; Microtubule; Cytoskeleton (Johnston, K.M.) **385,** 38

Alzheimer's disease; Granular inclusion; Hippocampus; Neuronal cytoskeleton (Price, D.L.) **385,** 305

Tubulin phosphorylation
Tri-*O*-cresyl phosphate; Neurotoxicity; Microtubule-associated protein-2 phosphorylation (Suwita, E.) **374,** 199

Tumor
Serotonin-1C receptor; Choroid plexus; SV40 large T antigen; Lysergic acid dimethylamide; Transgenic mouse (Yagaloff, K.A.) **385,** 389

Tuning
Cerebellum; Frequency sensitivity; Tonotopic organization (Huang, C.-M.) **371,** 101

Turning behavior
Neuronal grafting; Dopamine neuron; 6-Hydroxydopamine; Striatum; Amphetamine; Mouse (Brundin, P.) **366,** 346

$MgCl_2$ neurotoxicity; L-Dihydroxyphenylalanine; Pargyline (Parenti, M.) **367,** 8

L-3,4-Dihydroxyphenylalanine; 2-Deoxyglucose autoradiography; Substantia nigra lesion (Trugman, J.M.) **379,** 264

Turnover
5-Hydroxytryptamine; Dopamine; Tryptophan; Cerebrospinal fluid; Social behavior (Sahakian, B.J.) **399,** 162

Turtle
Cochlear nuclear projection; Commissural connection; Rhombencephalic auditory nucleus; Torus semicircularis; Autoradiographic tracing (Künzle, H.) **379,** 307

Two-dimensional gel electrophoresis
Locus ceruleus lesion; Neonatal 6-hydroxydopamine; Central nervous system protein; Noradrenaline; Scanning densitometry (Heydorn, W.E.) **367,** 31

Serotonin; 5,7-Dihydroxytryptamine; Central nervous system protein; Computerized scanning densitometry (Heydorn, W.E.) **368,** 193

Subfornical organ; Radioamino acid incorporation into protein; Salt loading; Water deprivation; Autofluorography; Computerized scanning densitometry; Fluid homeostasis (Santer, D.M.) **372,** 107

Brain protein; Estradiol; Arcuate nucleus; Median eminence (Rodriguez-Sierra, J.F.) **399,** 379

Tympanic membrane
Nociceptor; Peptide; Cornea (Colin, S.) **398,** 199

Type XIV cell
Choline acetyltransferase; Enucleation; Goldfish; Immunocytochemistry; Interneuron; Optic tectum (Tumosa, N.) **370,** 365

Tyramine
Arterial pressure; A1 noradrenergic neuron; Kainic acid; Renal nerve activity; Rostral ventrolateral medulla; C1 adrenergic neuron; 6-Hydroxydopamine; α-Methylnoradrenaline (Granata, A.R.) **377,** 127

Tyrosine
Retina; Dopamine; Substrate availability; Amino acid; Dietary protein (Gibson, C.J.) **382,** 195

Tyrosine hydroxylase
Immunocytochemistry; Rhesus monkey; Hypothalamus; Catecholamine; Dopamine neuron; Synaptic analysis; Immunogold staining (Thind, K.K.) **366,** 37

Interaction; Enkephalin; Neostriatum; Electron microscopy; Rat (Kubota, Y.) **367,** 374

N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Basal ganglion; Immunohistochemistry (Schneider, J.S.) **373,** 258

Substance P; Rat neostriatum; Immunohistochemistry; Synaptic input (Kubota, Y.) **375,** 163

Dihydroxyphenylacetic acid; Dopamine; 6-Hydroxydopamine; Striatum (Onn, S.-P.) **376,** 8

Locus coeruleus; Brain tissue culture; Depolarizing agent; Potassium chloride; Veratridine; Tyrosine hydroxylase regulation; Brain noradrenergic neuron (Dreyfus, C.F.) **379,** 216

Noradrenaline; 3,4-Dihydroxyphenylalanine decarboxylase; High-affinity noradrenaline uptake; Aging cerebral cortex (Harik, S.I.) **381,** 125

Double label immunocytochemistry; Peroxidase–antiperoxidase; Colloidal gold; Glutamic acid decarboxylase; Synaptic interaction; Rhesus hypothalamus (Thind, K.K.) **383,** 215

Hypogastric ganglion; Choline acetyltransferase; Testosterone; Development (Melvin, J.E.) **383,** 38

Sensory neuron; Catecholamine; Transmitter regulation; Transmitter phenotype; Nerve growth factor (Katz, D.M.) **385,** 68

Adrenaline neuron; Locus ceruleus; Neuronal interaction; Noradrenaline neuron; Phenylethanolamine-*N*-methyltransferase; Rat brainstem (Astier, B.) **397,** 333

Immunohistochemistry; Growth hormone-releasing factor; Colocalization; Neuron; Hypothalamu Rat (Daikoku, S.) **399,** 250

Tyrosine hydroxylase regulation
Locus coeruleus; Brain tissue culture; Tyrosine hydroxylase; Depolarizing agent; Potassium chloride; Veratridin Brain noradrenergic neuron (Dreyfus, C.F.) **379,** 216

Tyrosine hydroxylation
1-Methyl-4-phenylpyridinium ion; Pyridinium salt; *N*-Methylisoquinolinium ion; Paraqua Striatum; Rat (Hirata, Y.) **397,** 341

Tyr-D-Ala-Gly-MePhe-Gly-ol
μ-Opioid receptor; δ-Opioid receptor; κ-Opioid receptor; Autoradiography; 2-D-Penicillamine-5-D-penicillamine-enkephalin; Bremazocine (Mansour, A.) **399,** 69

U

Ulnar nerve
Spinal cord; Somatotopic organizatio Forearm and forepaw; Median nerve; Horseradish peroxidase; Dog (Mutai, M.) **371,** 90

Ultrastructural cytochemistry
Capsaicin; Axonal transport; Sensory neuron; Lectin; Substance P; Brain glycoprotein (Streit, W.J.) **377,** 1

Ultrastructure
Histidine decarboxylase; Histaminerg axon; Immunocytochemistry;

Neostriatum; Cerebral cortex (Takagi, H.) **364,** 114

Substance P; Cerebral blood vessel; Immunohistochemistry; Sensory nerve fiber (Liu-Chen, L.-Y.) **369,** 12

Serotonin; Raphe nucleus; Neural transplantation; Immunocytochemistry; Hippocampus (Anderson, K.J.) **369,** 21

Reticular formation; Inferior olive; Horseradish peroxidase; Intracellular staining (Bishop, G.A.) **371,** 133

Glucoreceptive neuron; Ventromedial hypothalamic nucleus; Enkephalin; Immunohistochemistry; Rat (Inagaki, S.) **378,** 420

Cholinotoxin; Interpeduncular nucleus; Neurochemistry (Villani, L.) **379,** 223

Copper deficiency; Menkes' disease; Immunocytochemistry; Immunogold; Actin; Cytoskeletal; Dendrite; Cortex; Cerebellum; Brindled mouse (Peterson, C.) **382,** 205

Undernourishment
Mitochondrion; Myelin; Non-myelinated axon; Recovery (Wiggins, R.C.) **368,** 277

Unilateral neocortical lesion
Brain laterality; Hemispheric difference; Early experience; Muricide; Rat; Split brain; Early social experience (Denenberg, V.H.) **397,** 327

Unit activity
Amphetamine; Ascorbic acid; Haloperidol; In vivo voltammetry; Neostriatum; Substantia nigra (Wilson, R.L.) **384,** 342

Rat; Septal preoptic area; Gastrin; Cholecystokinin; Secretin; Vasoactive intestinal peptide (Akema, T.) **385,** 366

Aversion; Brain stimulation; Escape behavior; Local neuronal circuitry; Mesencephalon; Periaqueductal gray; Rat (Sandner, G.) **386,** 53

Hippocampus; Electroencephalography; Sharp wave; Behavior; Cellular burst; Epileptic transient; Long-term potentiation (Buzsáki, G.) **398,** 242

Unit recording
Locus coeruleus; Norepinephrine; Antidromic impulse; Collateral inhibition; Self-inhibition; Dorsal noradrenergic bundle (Ennis, M.) **374,** 299

Unmyelinated axon
Nerve regeneration; Nerve transplant; Sciatic nerve; Myelinated axon (Jenq, C.-B.) **364,** 45

Unmyelinated fiber
Ventral root afferent; Pressor response; Ascending spinal pathway; Spinal cord; Spinal lesion (Kim, J.) **377,** 182

Uptake
Noradrenaline; 6-Hydroxydopamine; Hippocampus; Electrophysiology (Yasuda, R.P.) **367,** 121

Acetylcholine; Amino acid; α-Aminoisobutyric acid; ATPase, (Ca^{2+},Mg^{2+})-; Glia maturation factor; Nodose ganglion; Rat (Ando, M.) **373,** 359

Dopamine; Noradrenaline; Neuroblastoma cell line; Catecholamine; Catechol-*O*-methyl metabolite (Richards, M.L.) **384,** 132

Adenosine; Adenine nucleotide; Release; Retina; Rabbit; In vitro (Perez, M.T.R.) **398,** 106

Uptake blocker
γ-Aminobutyric acid; Muscimol; Nipecotic acid; Hippocampus (Dalkara, T.) **366,** 314

Uptake-inhibition
Hypertension; Brain; Dopamine; Spontaneously hypertensive rat; Substantia nigra; Ventral tegmental area; 6-Hydroxydopamine; Electrolytic lesion (Van den Buuse, M.) **368,** 69

Urethane
Hippocampus electroencephalogram; Rhythmic slow wave activity; Laminar profile; Current–source density; Atropine; Dipole (Buzsáki, G.) **365,** 125

Rat; Micturition reflex; Somatovesical reflex; Vesicovesical reflex; Bladder voiding (Maggi, C.A.) **380,** 83

Uric acid
Norepinephrine; High-pressure liquid chromatography with electrochemical detection; Spinal cord; Arthritic rat; Pain (Weil-Fugazza, J.) **374,** 190

Uridine
N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra (Pakkenberg, H.) **362,** 192

Goldfish optic nerve; Axonal transport; Tetrodotoxin; Ribonucleic acid; Adenosine; Guanosine; Transcellular transfer (Edwards, D.L.) **364,** 258

Urokinase
Protease; Protease inhibitor; Neurite outgrowth; Soybean trypsin inhibitor; Trypsin; Thrombin (Hawkins, R.L.) **398,** 63

V

Vagal afferent
Respiratory neuron; Nucleus tractus solitarius; Spinal projection (Jiang, C.) **377,** 190

Vagal efferent activity
Cross-circulation; Brain; Thyrotropin-releasing hormone; Electroencephalogram (Tonoue, T.) **378,** 394

Vagal pulmonary afferents
Inspiratory neuron; Nucleus tractus solitarii; Control of respiration; Antidromic latency technique; Lung inflation; Medulla; Cat (Davies, R.O.) **366,** 22

Vagus
Subdiaphragmatic vagotomy; Obesity; Body weight; Hibernation; Circannual rhythm; Ground squirrel (Powley, T.L.) **364,** 159

Ricin; Wheat germ agglutinin; Suicide transport; Hybrid toxin; Immunoperoxidase (Oeltmann, T.N.) **377,** 221

Vagus nerve
Nucleus tractus solitarius; Gastric distention; 2-Deoxyglucose; Rat (Gonzalez, M.F.) **369,** 395

Bradycardia; Cardioinhibitory area; Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Ambiguus nucleus (Kuo, J.S.) **372,** 217

Baroreceptor reflex; Bradycardia; Tachycardia; Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus (Kuo, J.S.) **372,** 227

Neuron caudal ventrolateral medulla; Paraventricular nucleus; Baroreceptor; Clonidine; Electrophysiology; Rat (Kannan, H.) **376,** 342

Cerebellum; Fastigial nucleus; Control of respiration; Control of circulation; Apneusis (Williams, J.L.) **399,** 224

Vagus nucleus
Reilly syndrome; Medulla oblongata; Direct current potential; Trigeminal nerve (Sugaya, E.) **369,** 369

Valproate
Hippocampus; Rat; Neuronal excitability; Extracellular potassium concentration; Extracellular calcium concentration; Spontaneous epileptiform activity (Franceschetti, S.) **386,** 1

Vanadate
Bicuculline seizure; ATPase, (Na^+,K^+)-; Cerebral cortex; Homogenate (Folbergrová, J.) **363,** 53

Vasa nervorum
Peripheral; Autonomic; Optic-nerve; Adrenergic; Nervi nervorum (Dhital, K.) **367,** 39

Vascular corrosion cast
Choroid plexus; Lateral ventricle; Circumventricular organ; Vascularization (Weiger, T.) **378,** 285

Vascular innervation
Horseradish peroxidase–wheat germ

agglutinin; Anterograde transport; Tetramethylbenzidine; Sympathetic innervation; Iris; Pineal gland (Marfurt, C.F.) **366,** 373

Vascularization
Choroid plexus; Lateral ventricle; Circumventricular organ; Vascular corrosion cast (Weiger, T.) **378,** 285

Vasoactive intestinal peptide
Neuropeptide; Neurotransmitter; Hypothalamic nucleus; Cyclic adenosine monophosphate; Noradrenaline; Synergism (Redgate, E.S.) **365,** 61

Neuropeptide Y; Olfactory bulb; Neuropeptide; Immunocytochemistry (Gall, C.) **374,** 389

Calcitonin gene-related peptide; Sympathetic neuron; Immunocytochemistry; Sweat gland; Neuropeptide; Coexistence of neurotransmitters (Landis, S.C.) **377,** 177

Cerebral blood vessel; Receptor; Autoradiography (Poulin, P.) **381,** 382

Corticotropin releasing factor; Sympathetic preganglionic neuron; Cat (Krukoff, T.L.) **382,** 153

Choroid plexus; Porcine intestinal peptide; Cyclic adenosine 3′,5′-monophosphate; Receptor (Crook, R.B.) **384,** 138

Rat; Septal preoptic area; Unit activity; Gastrin; Cholecystokinin; Secretin (Akema, T.) **385,** 366

Vasoactive intestinal peptide binding site
Autoradiography; Brain section (Besson, J.) **398,** 329

Vasoactive intestinal polypeptide
Somatostatin; Substance P; Cerebral cortex; Primate; Ontogeny (Hayashi, M.) **364,** 360

Redox state; Cytochrome; Electrical activity; Bullfrog brain; Scanning spectrophotometry (Kanno, T.) **369,** 275

Visual cortex; Peroxidase-antiperoxidase method; Adult; Postnatal development; Rabbit (Y Cajal-Agüeras, S.R.) **370,** 333

Axotomy; Immunohistochemistry; Spinal cord; Neuropeptide (Shehab, S.A.S.) **372,** 37

Peripheral axotomy; Dorsal root ganglion; Sciatic nerve; Retrograde transport; Fluorescence microscopy; Immunohistochemistry (Shehab, S.A.S.) **376,** 180

Stomach; Myenteric ganglion; Celiac ganglion; Projection; Retrograde tracer; Immunocytochemistry (Lee, Y.) **382,** 392

Rapid eye movement sleep; Cerebrospinal fluid; Sleep deprivation (Prospéro-Garcia, O.) **385,** 169

Wistar–Kyoto rat; Spontaneously hypertensive rat; Brain; Radioimmunoassay (Lewis, S.J.) **399,** 173

Vasoactive intestinal polypeptide neuron
Central nervous system transplant; Paraplegia; Regeneration; Immunohistochemistry (Connor, J.R.) **367,** 214

Vasoactive intestinal polypeptide receptor
Inositol phosphate; Sympathetic ganglion (Audigier, S.) **376,** 363

Vasoactive intestinal polypeptide-containing neuron
Heart; Tissue culture; Autonomic nervous system; Intracardiac neuron; Neuropeptide Y-containing neuron (Hassall, C.J.S.) **364,** 102

Vasoconstrictor neuron
Vasodilator neuron; Defence area; Cholinergic vasodilatation; Cat (Dean, C.) **377,** 271

Ventrolateral medulla; Nucleus paragigantocellularis lateralis; Carotid chemoreceptor; Hypothalamic defence area (Dean, C.) **377,** 279

Vasodepressor response
Cerebellar fastigial nucleus; Kainate microinjection (Chida, K.) **370,** 378

Vasodilatation
Trigeminal ganglion; Extracerebral circulation; *Macaca nemestrina* (Goadsby, P.J.) **381,** 63

Vasodilator neuron
Vasoconstrictor neuron; Defence area; Cholinergic vasodilatation; Cat (Dean, C.) **377,** 271

Vasomotor response
Morphine; Cerebral artery; Peripheral artery; Calcium (Recio, L.) **376,** 262

Vasopressin
Thyrotropin-releasing hormone; Morphine; Non-opiate antinociception; Endogenous opiate antagonist (Watkins, L.R.) **362,** 308

Nucleus tractus solitarii; Pressor response; Vasopressin antagonist; Electrolytic lesion (Kubo, T.) **363,** 183

Kindling; Brattleboro strain; Septum; Hippocampus (Gillis, B.J.) **363,** 386

Barrel rotation; Seizure; Brain; Central nervous system; Cerebrospinal fluid; Kindling; Behavior (Wurpel, J.N.D.) **365,** 21

Barrel rotation; Central nervous system; Seizure; Visual/vestibular system; Antiepileptic (Wurpel, J.N.D.) **365,** 30

Supraoptic nucleus; Noradrenaline; α_1-Receptor (Armstrong, W.E.) **365,** 192

Noradrenaline; Supraoptic nucleus; Spontaneously hypertensive rat; Catecholamine histofluorescence; Immunocytochemistry (Sladek, J.R.) **365,** 293

Preoptic area; Hypothalamus; Paraventricular nucleus; Water balanc (Carithers, J.) **366,** 118

Ethanol; β-Endorphin; Corticotropin; Corticotropin-releasing factor; Calciu Corticosterone; Pituitary (Keith, L.D. **367,** 222

Kainate; Striatum; Body weight; Feeding and drinking (Sanberg, P.R.) **367,** 314

Parabrachial nucleus; Locus coeruleus; Blood pressure; Pons; Brainstem (Sved, A.F.) **369,** 143

Neurohypophysectomy; Neural transplantation; Diabetes insipidus; Median eminence; Neurosecretory; Fluid regulation (Marciano, F.F.) **370,** 338

Active fragment; Passive avoidance behavior; Limbic structure; Selective effect (Kovács, G.L.) **371,** 17

Bradykinin; Blood pressure; Antidiuretic hormone; Vasopressin blocker (Brooks, D.P.) **371,** 42

Hibernation; Sexual cycle; Season (Buijs, R.M.) **371,** 193

Oxytocin; Septal nucleus; Hippocampus; Amygdala; Locus coeruleus; Bed nucleus of the stria terminalis (Fliers, E.) **375,** 363

Peptide biosynthesis; Body fluid balance; Forebrain; Circumventricular organ (Gruber, K.A.) **378,** 115

Oxytocin; Behavioral performance; Radioimmunoassay; Septum/striatum; Hippocampus (Ermisch, A.) **379,** 24

Neurophysin; Glycopeptide; Immunocytochemistry; Bed nucleus o the stria terminalis; Locus coeruleus; Hypothalamus; Brattleboro rat (Van Leeuwen, F.W.) **379,** 171

Binding site; Microvessel; Blood–brai barrier (Kretzschmar, R.) **380,** 325

Septum; Push-pull cannula; Hemorrhage; Hypertonic stimulation; Magnocellular system (Demotes-Mainard, J.) **381,** 314

Angiotensin II; Circumventricular organ; Hypothalamus; Cardiovascular regulation; Drinking (Gutman, M.B.) **382,** 119

Suprachiasmatic nucleus; Circadian oscillator; Organ culture (Earnest, D.J.) **382,** 129

Serotonin; Renin-angiotensin system; Subfornical organ; Saralasin (Steardo, L.) **382,** 145

Oxytocin; Opioid peptide; Pregnancy; Parturition (Hartman, R.D.) **382,** 352

ion channel; Oxytocin; Hormone secretion; Rat neurohypophysis; Patch clamp (Mason, W.T.) **383,** 279

abotenic acid; Magnocellular neuron; Oxytocin; Paraventricular nucleus; Parvicellular neuron (Herman, J.P.) **383,** 367

Oxytocin; Hippocampus; Phosphorylation (Hinko, A.) **384,** 156

2-Deoxy-D-glucose; Feeding behavior; Paraventricular hypothalamus; Norepinephrine; Prader–Willi syndrome; Bulimia nervosa; Carbohydrate appetite; Obesity; Stress-induced feeding; Posterior pituitary (Aravich, P.F.) **385,** 245

Angiotensin II; Potassium depolarization; Hypothalamo-neurohypophysial system; Renin-angiotensin system (Schiavone, M.T.) **397,** 193

Oxytocin; Paraventricular nucleus; Hippocampus; Yawning; Penile erection (Melis, M.R.) **398,** 259

Oxytocin; Lateral septum; Bed nucleus of the stria terminalis; Paraventricular nucleus; Estrogen; Androgen; Testosterone (De Vries, G.J.) **399,** 296

Norepinephrine; Magnocellular; α_2-Adrenoceptor; α_1-Adrenoceptor; Supraoptic nucleus (Mitchell, L.D.) **399,** 346

Vasopressin antagonist
Nucleus tractus solitarii; Pressor response; Vasopressin; Electrolytic lesion (Kubo, T.) **363,** 183

Vasopressin blocker
Vasopressin; Bradykinin; Blood pressure; Antidiuretic hormone (Brooks, D.P.) **371,** 42

Vasopressin inhibitor
Microinjection; Vasopressinergic neuron; Blood pressure (Benetos, A.) **381,** 322

Vasopressin neuron
Parvocellular paraventricular nucleus; Corticotropin releasing hormone neuron; Ventral noradrenergic ascending bundle; 6-Hydroxydopamine; Rat (Alonso, G.) **397,** 297

Vasopressinergic neuron
Microinjection; Blood pressure; Vasopressin inhibitor (Benetos, A.) **381,** 322

Vasopressor antagonist
Arg-vasopressin; Convulsion; Neuropeptide (Burnard, D.M.) **362,** 40

Vegetative network
Dendritic organization; Sympathetic preganglionic neuron; Intermediolateral nucleus; Dendritic bundle; Rabbit (Vera, P.L.) **386,** 84

Ventral horn neuron
Motoneuron; Muscarinic agonist; Presynaptic inhibition (Jiang, Z.G.) **381,** 182

Ventral lateral funiculus
Spinoreticular tract; Cordotomy; Pain; Horseradish peroxidase (Nahin, R.L.) **384,** 367

Ventral lateral geniculate nucleus
Pretectum; Superior colliculus; Antidromic activation; Receptive field property; Single unit; Cat (Hada, J.) **363,** 165

Ventral medullary lesion
Thyrotropin releasing hormone; Intermediolateral cell column; 5,7-Dihydroxytryptamine; Thyrotropin-releasing hormone radioimmunoassay; Substance P; Nucleus paragigantocellularis lateralis; Nucleus interfascicularis hypoglossi (Helke, C.J.) **381,** 1

Ventral mesencephalon
Adenylate cyclase; Dopamine receptor; Culture; Flupenthixol; 1-Methyl-4-phenylpyridine receptor binding; Spiroperidol (Heyer, E.J.) **377,** 54

Ventral midbrain tegmentum
Medial terminal nucleus; Accessory optic system; Monkey; Autoradiography (Weber, J.T.) **365,** 164

Ventral noradrenergic ascending bundle
Parvocellular paraventricular nucleus; Corticotropin releasing hormone neuron; Vasopressin neuron; 6-Hydroxydopamine; Rat (Alonso, G.) **397,** 297

Ventral noradrenergic bundle
Acetylcholine; Amphetamine; Hippocampus; Noradrenaline (Robinson, S.E.) **397,** 181

Ventral root afferent
Pressor response; Unmyelinated fiber; Ascending spinal pathway; Spinal cord; Spinal lesion (Kim, J.) **377,** 182

Ventral root exit zone
Experimental allergic encephalomyelitis; Demyelination; Conduction block; Lewis rat; Hindlimb weakness (Pender, M.P.) **367,** 398

Ventral septal area
Fever; Pyrogen; Arginine vasopressin; Oxytocin; Endogenous antipyresis (Naylor, A.M.) **385,** 156

Ventral spinocerebellar tract
Dorsal spinocerebellar tract; Spinal cord; Cerebellum; Cutaneous input (Kim, J.H.) **369,** 125

Ventral surface of the medulla
Respiratory activity; Arterial pressure; L-Glutamic acid; Nucleus paragigantocellularis lateralis; Lateral reticular nucleus; Glycine-sensitive area (Gatti, P.J.) **381,** 281

Ventral tegmental area
[pGlu^5,MePhe^8,Sar^9]Substance P; Substance P; Dopamine neuron; Footshock stress; Dopamine metabolite; Prefrontal cortex; Nucleus accumbens (Elliott, P.J.) **363,** 145

Locus ceruleus; A10 cell group; Noradrenaline; Dopamine; 3-Methoxy-4-hydroxyphenolglycol (Deutch, A.Y.) **363,** 307

Refractory period; Brain stimulation reward; Medial forebrain bundle; Self-stimulation; Single unit recording; Lateral hypothalamus; Forebrain nucleus (Rompré, P.-P.) **364,** 338

Hypertension; Brain; Dopamine; Spontaneously hypertensive rat; Uptake-inhibition; Substantia nigra; 6-Hydroxydopamine; Electrolytic lesion (Van den Buuse, M.) **368,** 69

Self-stimulation; Footshock stress; Naloxone; Methamphetamine (Kamata, K.) **371,** 197

Gonadotropin-releasing hormone; A10 dopamine neurone; 6-Hydroxydopamine; Lordosis behaviour; Female rat (Sirinathsinghji, D.J.S.) **374,** 167

Substance P; Locomotor activity; Grooming; Wet dog shakes; Tachykinin; Lateral ventricle (Elliott, P.J.) **381,** 68

Substance P; Substance K; Neuromedin K; Met-enkephalin; Leu-enkephalin; Footshock stress (Bannon, M.J.) **381,** 393

Motivation; Food intake; Water intake; Opioid; Morphine; Accumbens; Microinjection (Mucha, R.F.) **397,** 214

Morphine; Feeding; Periaqueductal gray; Lateral hypothalamus (Jenck, F.) **399,** 24

Ventral tegmental area lesion
Dopamine; Self-mutilation; Biting behavior; Lesch–Nyhan syndrome (Goldstein, M.) **367,** 114

Ventrobasal thalamus
Rat; Hyperalgesic inflammation; Carrageenin (Guilbaud, G.) **385,** 86

Rat; Noxious stimulus; Agonist specific opioid receptor (Benoist, J.M.) **398,** 49

Ventrolateral medulla
Cerebral ischemic response; Sympathetic premotorneuron (Guyenet, P.G.) **364,** 301

In vivo brain dialysis; Bulbospinal serotonin neuron; Sympathetic activity (Pilowsky, P.M.) **366,** 354

Nucleus tractus solitarii; Aortic depressor nerve; Carotid sinus nerve; Cardiovascular reflex pathway; Central regulation of circulation (Ciriello, J.) **367,** 273

Medullo-spinal sympathoexcitatory neuron; Clonidine; Single-unit recording; Rat (Sun, M.-K.) **368,** 1

Vasoconstrictor neuron; Nucleus paragigantocellularis lateralis; Carotid chemoreceptor; Hypothalamic defence area (Dean, C.) **377,** 279

Ventrolateral nucleus
Fast pyramidal tract neuron; Synaptic linkage; Motor cortex; Electron microscopy (Liu, X.) **362,** 189

Ventromedial hypothalamic nucleus
Glucoreceptive neuron; Enkephalin; Immunohistochemistry; Ultrastructure; Rat (Inagaki, S.) **378,** 420

Sodium–potassium pump; Hypokalemia; Soleus muscle; Rat (Yoshimatsu, H.) **384,** 17

Enkephalin; Midbrain; Central gray matter; Rat; Immunocytochemistry; Projection (Yamano, M.) **398,** 337

Ventromedial hypothalamus
Aurothioglucose; Obesity; Dorsal motor nucleus of the vagus; Nucleus tractus solitarii; Hypoglossal nucleus (Powley, T.L.) **367,** 192

Obesity; Brown adipose tissue; Noradrenaline; Chronic infusion; Fatty acid synthesis (Shimazu, T.) **369,** 215

Ventromedial mesencephalic tegmentum
Nucleus accumbens; Excitation; Inhibition; Dopamine; Haloperidol; Sulpiride (Le Douarin, C.) **363,** 290

Ventromedial nucleus
Paraventricular nucleus; Subdivision; Hypothyroidism; Karyometry; Male mouse (Ferres-Torres, R.) **374,** 93

Ventromedial nucleus of the hypothalamus
Baroreflex; Anterior hypothalamic area; Parasympathetic nervous system; Heart rate (Pardini, B.J.) **384,** 274

Ventromedial nucleus of the thalamus
Striatum; Substantia nigra pars reticulata; Corticostriatal pathway; Thalamocortical pathway; Glutamate release (Girault, J.A.) **374,** 362

Veratridine
Brain cortex; Potassium; Glutamate; Apamin; Creatine (Lackington, I.) **378,** 390

Locus coeruleus; Brain tissue culture; Tyrosine hydroxylase; Depolarizing agent; Potassium chloride; Tyrosine hydroxylase regulation; Brain noradrenergic neuron (Dreyfus, C.F.) **379,** 216

Calcitonin gene-related peptide; Trigeminal ganglion; Cell culture; Local anesthetic; Sodium channel (Peterfreund, R.A.) **380,** 159

Acetylcholine; Choline; Hippocampus; Subcellular fraction; Choline *O*-acetyltransferase; Acetylcholinesterase; Septal lesion (Carroll, P.T.) **382,** 83

Veratridine-evoked taurine release
Spontaneous taurine release; Crude P_2 synaptosomal pellet; High potassium-evoked taurine release; Calcium-independent taurine release (Hanretta, A.T.) **378,** 205

Vesicle
Rapid freeze; Pial vessel; Meninges; Frog; Capillary; Endothelium (Latker, C.H.) **375,** 186

Vesicovesical reflex
Rat; Micturition reflex; Somatovesical reflex; Urethane; Bladder voiding (Maggi, C.A.) **380,** 83

Vestibular afferent
Innervation pattern; Otolith organ; Bullfrog; Lucifer yellow (Baird, R.A.) **369,** 48

Vestibular compensation
Acetylcholine; Muscarinic synapse; Plasticity; Isolated brain (Kasik, P.) **363,** 188

Visual deprivation; Plasticity (Smith, P.F.) **364,** 195

γ-Aminobutyric acid; Vestibular deafferentation; Deiters' cell; Vestibular nucleus; Squirrel monkey (Thompson, G.C.) **370,** 182

2-Deoxyglucose; Labyrinthectomy; Vestibular nucleus; Oculomotor nucleus (Luyten, W.H.M.W6.) **373,** 68

Vestibular deafferentation
Vestibular compensation; γ-Aminobutyric acid; Deiters' cell; Vestibular nucleus; Squirrel monkey (Thompson, G.C.) **370,** 182

Vestibular ganglion
Cholecalcin; Vestibular sensory hair cell; Cat (Sans, A.) **364,** 190

Vestibular nucleus
Vestibular compensation; γ-Aminobutyric acid; Vestibular deafferentation; Deiters' cell; Squirrel monkey (Thompson, G.C.) **370,** 182

2-Deoxyglucose; Vestibular compensation; Labyrinthectomy; Oculomotor nucleus (Luyten, W.H.M.W6.) **373,** 68

Vestibular receptor
Synapsin I; Cat; Immunocytochemistry (Favre, D.) **384,** 379

Vestibular sensory hair cell
Cholecalcin; Vestibular ganglion; Cat (Sans, A.) **364,** 190

Vestibulo-ocular pathway
Transsynaptic transport; Fragment C of tetanus toxin; Immunohistochemical localization (Evinger, C.) **380,** 383

Vestibulo-ocular reflex
Vestibulo-ocular reflex plasticity; Optokinetic reflex (Harrison, R.E.W.) **371,** 162

Vestibulo-ocular reflex modification; Vestibulo-ocular reflex direction adaptation (Baker, J.) **371,** 166

Adaptive gain control; Oculomotor system; Goldfish; Optokinetic (Schairer, J.O.) **373,** 164

Optokinetic reflex; Eye movement; Goldfish; Vestibulo-ocular reflex gain; Oculomotor system (Schairer, J.O.) **373,** 177

Cervico-ocular reflex; Eye movement; Absent vestibular function; Compensatory mechanism (Bronstein, A.M.) **373,** 399

Vestibulo-ocular reflex direction adaptation
Vestibulo-ocular reflex; Vestibulo-ocular reflex modification (Baker, J.) **371,** 166

Vestibulo-ocular reflex gain
Vestibulo-ocular reflex; Optokinetic reflex; Eye movement; Goldfish; Oculomotor system (Schairer, J.O.) **373,** 177

Vestibulo-ocular reflex inhibition
Passive head rotation; Man; Eye–head coordination; Gaze position encoding (Pelisson, D.) **380,** 397

Vestibulo-ocular reflex modification
Vestibulo-ocular reflex; Vestibulo-ocular reflex direction adaptation (Baker, J.) **371,** 166

Vestibulo-ocular reflex plasticity
Vestibulo-ocular reflex; Optokinetic reflex (Harrison, R.E.W.) **371,** 162

Vestibulothalamic connection
Wheat germ agglutinin; Horseradish peroxidase; Rat (Nagata, S.) **376,** 57

Viability
Synaptosome isolation; Percoll; Biochemical marker; Electron microscopy (Dunkley, P.R.) **372,** 115

Vibrissa
Trigeminal nucleus; Cytochrome oxidase; Horseradish peroxidase; Cat (Nomura, S.) **380,** 167

Video enhanced microscopy
γ-Aminobutyric acid; Immunocytochemistry; Cochlea; Efferent neuron; Olivocochlear (Fex, J.) **366,** 106

Vimentin
Glial fibrillary acidic protein; Glial reaction; Rat brain (Schiffer, D.) **374,** 110

Experimental autoimmune encephalomyelitis; Glial fibrillary acidi protein; Prazosin; Reactive astrocyte; α_1-Adrenoceptor (Goldmuntz, E.A.) **397,** 16

Vincristine
Slow muscle fiber; Action potential;

Tetrodotoxin; Colchicine; Axonal transport (Siebler, M.) **362,** 299

γ-Vinyl-γ-aminobutyric acid
Pilocarpine; Isoniazid; Substantia nigra; Striatum; Seizure; Brain damage; Temporal lobe epilepsy; Rat (Turski, L.) **370,** 294

γ-Aminobutyric acid; Kindling development; Afterdischarge; Kindled seizure (Shin, C.) **398,** 370

Anterior thalamus; Generalized seizure; Pentylenetetrazol; Muscimol (Mirski, M.A.) **399,** 212

Virus infection
Optic nerve; Axonal transport; Demyelination; Semliki Forest Virus (Tansey, E.M.) **397,** 9

Virus system
Molecular anatomy; Ribonucleic acid; Protein (Blount, P.) **382,** 257

Visceral afferent
Locus coeruleus; Sympathetic nerve activity (Elam, M.) **375,** 117

Visceral muscle
Octopaminergic control; Adenosine monophosphate, cyclic; Insect; Locust (Lange, A.B.) **363,** 340

Visceral primary afferent
Horseradish peroxidase; Lumbar spinal cord; Large intestine (Morgan, C.) **398,** 11

Viscerointercostal reflex
Periaqueductal gray; Nucleus raphe dorsalis; Galvanic skin reflex; Dorsolateral funiculus; Naloxone; Cat (Sonoda, H.) **369,** 91

Vision
Y cell; α cell; Head orientation; Retina; Superior colliculus; Lateral geniculate nucleus; Antibody (Spear, P.D.) **368,** 154

Cat; Striate cortex; Relative motion sensitivity (Hammond, P.) **386,** 93

Visual cortex
Dark rearing; Geniculate afferent; Conduction failure; Dark-reared cat; Ocular dominance (Swindale, N.V.) **362,** 281

Thyroid deficiency; Corpus striatum; Propylthiouracil; Synaptic biochemistry; Spiroperidol (Kalaria, R.N.) **364,** 268

Critical period; Monocular deprivation; Plasticity; Cat; Dark-rearing (Ramachandran, V.S.) **367,** 309

Serotonin; Organotypic culture; Development; Synaptogenesis; Electrical activity; Rat (Chubakov, A.R.) **369,** 285

Vasoactive intestinal polypeptide; Peroxidase-antiperoxidase method; Adult; Postnatal development; Rabbit (Y Cajal-Agüeras, S.R.) **370,** 333

Penicillin; Epileptiform activity; Monocular deprivation; Kitten (Videen, T.O.) **371,** 1

Superior colliculus; D-Aspartate uptake; Glutamate decarboxylase; Noradrenaline; Plasticity; Rat (Fosse, V.M.) **372,** 189

γ-Aminobutyric acid; Monocular deprivation; Ocular dominance; Inhibition; Amblyopia (Mower, G.D.) **380,** 253

Geniculocortical afferent; Layer I; Monocular suture; Reverse suture; Plasticity; Kitten (Kato, N.) **386,** 393

Visual deprivation
Vestibular compensation; Plasticity (Smith, P.F.) **364,** 195

Visual latency
Cat; Striate cortex; Laminar organization (Best, J.) **385,** 356

Visual reaction time task
Dopamine; Iontophoresis; Dorsolateral prefrontal cortex; Monkey (Sawaguchi, T.) **371,** 404

Visual response
Single neuron activity; Learning; Feeding behavior; Lateral hypothalamic area; Monkey (Fukuda, M.) **374,** 249

Visual system
Lesion; Regeneration; Retinal axon; Superior colliculus; Glia (Harvey, A.R.) **368,** 141

Trimethyltin; Protein synthesis; Glycoprotein synthesis; Axonal transport (Toews, A.D.) **398,** 298

Visual thalamus
Claustrum; Tree shrew; Reciprocal connection; Neurotracer (Carey, R.G.) **386,** 155

Visual/vestibular system
Vasopressin; Barrel rotation; Central nervous system; Seizure; Antiepileptic (Wurpel, J.N.D.) **365,** 30

Visually initiated hand movement
Premotor cortex; Local cooling; Visuo-motor integration; Monkey (Sasaki, K.) **374,** 278

Visuo-motor integration
Premotor cortex; Local cooling; Visually initiated hand movement; Monkey (Sasaki, K.) **374,** 278

Vitamin D
Immunohistochemistry; Calcium-binding protein; Human brain; Spinal cord; Cerebellum; Brainstem (Fournet, N.) **399,** 310

Vitamin E
Phospholipase; Fluorescent probe; ESR spin probe; Synaptic membrane; Membrane potential (Erin, A.N.) **398,** 85

Vocalization
Motor control; Glutamate; Chemical brain stimulation; Squirrel monkey (Jürgens, U.) **373,** 349

Pain pathway; Noxious test; Anterolateral quadrant; Spinal cord (Peschanski, M.) **376,** 164

Voltage clamp
N-Methyl-D-aspartate; Cortical neuron; Membrane conductance; Brain slice (Flatman, J.A.) **363,** 62

Calcium action potential; Calcium current; Neocortex; Caesium (Franz, P.) **366,** 262

Pineal; Electrophysiology; Intracellular recording; Patch-clamp; Noradrenaline (Freschi, J.E.) **368,** 366

Cyclic adenosine monophosphate; Teophylline; Ionic channel (Arhem, P.) **371,** 182

Molluscan neuron; Acetylcholine; Cholinoreceptor; Cholinergic antagonist; Ion channel (Furukawa, Y.) **374,** 227

Mollusc neuron; Adenosine monophosphate, cyclic; Stationary current (Kononenko, N.I.) **376,** 239

Calcium current; *n*-Alkanol (Oyama, Y.) **376,** 280

Nerve membrane; Node of Ranvier; Potassium channel; Sodium channel; Snake toxin (Benoit, E.) **377,** 374

Rat sciatic nerve; Neuroma; Node of Ranvier; Electron microscopy (Brismar, T.) **378,** 347

Neurotransmitter; Amino acid; Horizontal cell (O'Dell, T.) **381,** 359

Kainate; Hippocampal slice; Q-current; M-current; C-current (Gho, M.) **385,** 411

Voltage-dependent block
Anesthetic; Pentobarbital; Excitatory amino acid; Kainate; L-Aspartate (Miljkovic, Z.) **376,** 396

Voltage-dependent calcium channel
Chronic depolarization; PC12 cell (Delorme, E.M.) **397,** 189

Voltammetry
Dopamine; Electrical stimulation; Mazindol; D-Phenmetrazine; β-Phenylethylamine; Striatum (Stamford, J.A.) **366,** 350

Striatum; Dopamine; Electrical stimulation; Carbon fiber microelectrode (Stamford, J.A.) **381,** 351

Striatum; Nigra; Homovanillic acid; Taurine; γ-Aminobutyric acid; Taurine antagonist (O'Neill, R.D.) **382,** 28

Volume loading
Hypoalgesia; Tail flick; Spontaneously hypertensive rat (SHR); Wistar Kyoto normotensive rat; F_1 offspring of SHR × WKY (Randich, A.) **363,** 178

Volumetric analysis
Medial amygdaloid nucleus; Sexual dimorphism; Human brain (Murphy, G.M.) **365,** 321

Voluntary facial innervation
Facial nucleus; Orbicularis oculi muscle; Blink reflex; Emotional facial innervation; Medullary lateral tegmental field; Pretectum; Red nucleus (Holstege, G.) **374,** 306

Voluntary force exertion
Ballistic contraction; Ramp contraction; Isometric force; Motor unit; Threshold force; Force rate (Yoneda, T.) **372,** 89

Voluntary movement
Bereitschaftspotential; Readiness potential; Lower extremity; Precentral gyrus; Motor homunculus (Boschert, J.) **376,** 175

W

W-like pathway
Parallel pathway; Lateral geniculate nucleus; Interlaminar zone; Primate vision (Irvin, G.E.) **362,** 254

Wakefulness
Reticular formation; Nucleus reticularis gigantocellularis; Spinal cord; Motoneuron; Inhibitory postsynaptic potential; Sleep; Active sleep; Quiet sleep (Chase, M.H.) **386,** 237

Walking
Cat; Brain glucose metabolism; Spinal cord (Schwartzman, R.J.) **398,** 113

Wallerian degeneration
Beige murine mutant; Receptor, Fc-; Monocyte; Myelin; Peripheral nerve; Silica (Beuche, W.) **378,** 97

Mouse sciatic nerve; Millipore diffusion chamber (Scheidt, P.) **379,** 380

Water balance
Preoptic area; Hypothalamus; Paraventricular nucleus; Vasopressin (Carithers, J.) **366,** 118

Water deprivation
Angiotensin II; Drinking; Hypertonic saline; Isoproterenol; Polyethylene glycol; Sinoaortic baroreceptor deafferentation (Rettig, R.) **370,** 29

Subfornical organ; Two-dimensional gel electrophoresis; Radioamino acid incorporation into protein; Salt loading; Autofluorography; Computerized scanning densitometry; Fluid homeostasis (Santer, D.M.) **372,** 107

Water fiber
Taste response; Calcium; Sodium; Receptor site; Glossopharyngeal nerve; Frog (Kitada, Y.) **377,** 211

Water intake
β-Endorphin; Dynorphin; Arcuate nucleus; Diurnal rhythm; Food intake; Deprivation; Naloxone (Millan, M.J.) **381,** 29

Motivation; Food intake; Opioid; Morphine; Accumbens; Ventral tegmental area; Microinjection (Mucha, R.F.) **397,** 214

Weaver mutant mouse
Cerebellum; Spatial orientation (Lalonde, R.) **398,** 175

Cerebellum; Spatial working memory (Lalonde, R.) **398,** 178

Weight drop contusion
Atomic absorption spectroscopy; Spinal cord injury; Potassium; Calcium (Young, W.) **365,** 42

Western blotting
Rat cerebellum; Electron microscopy; Immunohistochemistry; Gel electrophoresis; Purkinje cell; Climbing fiber; Synaptic connection (Pasteels, J.L.) **384,** 294

Wet dog shakes
Substance P; Locomotor activity; Grooming; Tachykinin; Lateral ventricle; Ventral tegmental area (Elliott, P.J.) **381,** 68

Wheat germ agglutinin
Acetylcholine receptor; Central nervous system; α-Bungarotoxin; Central nicotinic receptor; Glycoprotein (Sugiyama, H.) **373,** 22

Forelimb movement; Transneuronal transport; Horseradish peroxidase; Propriospinal neuron (Alstermark, B.) **376,** 387

Vestibulothalamic connection; Horseradish peroxidase; Rat (Nagata, S.) **376,** 57

Ricin; Suicide transport; Vagus; Hybrid toxin; Immunoperoxidase (Oeltmann, T.N.) **377,** 221

Transsynaptic transport; Hippocampus; Rodent; Primate (Itaya, S.K.) **398,** 397

Axonal transport; Transsynaptic transport; Transneuronal transport; Concanavilin-A (Rhodes, C.H.) **399,** 42

Wheat germ agglutinin gel
Masseteric nerve afferent; Trigeminal nucleus; Trigeminal ganglion; Horseradish peroxidase (Nishimori, T.) **372,** 375

Wheat germ agglutinin–horseradish peroxidase
Red nucleus; Parvicellular region; Magnocellular region (Kennedy, P.R.) **364,** 124

Cat; Striate cortex; Layer 6 (McCourt, M.E.) **364,** 181

Fast blue; Fast blue labelling collateral; Fast blue fibre labelling; WGA-HRP fibre labelling; Pons; Pontine pyramida collateral; Diamidino yellow retrograde neuronal labelling (Ugolini, G.) **365,** 211

Caudate nucleus; Thalamic nucleus (Hu, H.) **368,** 201

Posteromedial ventral nucleus; Thalamus; Cerebral cortex; Infralimbic cortex; Cat (Yasui, Y.) **368,** 384

Olivocerebellar fiber; Cerebello-olivary fiber; Interposed nucleus; Implantation technique (Dietrichs, E.) **373,** 373

Acoustic middle ear reflex; Cochlear nucleus; Trigeminal motor nucleus; Tensor tympani muscle; Cat; Horseradish peroxidase (Itoh, K.) **375,** 214

Collateral sprouting; Sensory axon; Glabrous skin; Sciatic nerve lesion; Anterograde transport; Microinjection (Kinnman, E.) **377,** 73

Intercollicular fiber; Superior colliculus; Rat (Jen, L.S.) **379,** 385

Transneuronal transport; Habenula; Interpeduncular nucleus; Astroglia; Ra (Takada, M.) **384,** 77

Eastern chipmunk; Dorsal lateral geniculate nucleus; Ipsilateral retinal projection; Lamination (Fukuda, Y.) **384,** 373

Rubrointerposital fiber; Interpositorubral fiber (Walberg, F.) **397,** 73

Pretectal complex; Pulvinar nucleus; Cat (Weber, J.T.) **397,** 389

[^{3}H]Wheat germ agglutinin
α-Motoneuron; Cytochrome oxidase; Double-labeling; Spinal cord (Mjaatvedt, A.E.) **368,** 178

Whole-cell voltage clamp
Sympathetic neuron; Development; Transient outward K^+ current (Nerbonne, J.M.) **378,** 197

Wide band control
Hypothalamic slice; Thermosensitive neuron; Threshold temperature; Narrow band control; Thermostat; Thermosensor (Kobayashi, S.) **362,** 13

Wing vibration
Descending neuron; Mating dance; Protocerebrum; Sexual pheromone odor; Silkworm moth (Kanzaki, R.) **377,** 378

Wistar–Kyoto rat
Spontaneously hypertensive rat; Hypertension; Brain ventricle; Hydrocephalus (Ritter, S.) **370,** 327

Vasoactive intestinal polypeptide; Spontaneously hypertensive rat; Brain; Radioimmunoassay (Lewis, S.J.) **399,** 173

Vistar–Kyoto normotensive rat
Volume loading; Hypoalgesia; Tail lick; Spontaneously hypertensive rat (SHR); F_1 offspring of SHR × WKY (Randich, A.) **363,** 178

Withdrawal
Ethanol dependence; β-Endorphin; Brain; Pituitary; α-Melanotropin; Adrenocorticotropin; Corticosterone (Wilkinson, C.W.) **378,** 107

Benzodiazepine; Lorazepam; Rat; Mouse; Convulsion; Pentylenetetrazole; Tolerance (Lister, R.G.) **379,** 364

Capsaicin; Morphine; Opioid; Spinal cord; Substance P (Bell, J.A.) **382,** 299

Working memory
Memory; Single unit recording; Hippocampus; Reference memory; Delayed match-to-sample (Wible, C.G.) **399,** 97

Wrist muscle
Step-tracking movement; Agonist; Antagonist; Electromyographic activity; Movement direction (Hoffman, D.S.) **367,** 287

Writhing behavior
Arthritic rat; Endogenous opioid system; Counter irritation; Pain (Calvino, B.) **370,** 191

X

X-cell
Lateral geniculate nucleus; Y-cell; Membrane property; Brain slice; Horseradish peroxidase labeling (Crunelli, V.) **380,** 371

Cat; Y-cell; Retinogeniculate system; Conduction velocity; Optic chiasm latency; Perisynaptic delay; Synchrony (Schroeder, C.E.) **381,** 143

X-organ-sinus gland
Horseradish peroxidase; Intracellular injection; Neurosecretory cell; Peptidergic neuron (Nagano, M.) **362,** 379

Xanthine
Adenosine; Autoradiography; Receptor; *N*-Ethylcarboxamidoadenosine; Cyclohexyladenosine (Lee, K.S.) **368,** 394

***Xenopus* oocyte**
Serotonin receptor; Messenger ribonucleic acid; Cyclic adenosine monophosphate; Prostaglandin (Sakai, Y.) **362,** 199

Y

Y-cell
Vision; α cell; Head orientation; Retina; Superior colliculus; Lateral geniculate nucleus; Antibody (Spear, P.D.) **368,** 154

Lateral geniculate nucleus; X-cell; Membrane property; Brain slice; Horseradish peroxidase labeling (Crunelli, V.) **380,** 371

Cat; X-cell; Retinogeniculate system; Conduction velocity; Optic chiasm latency; Perisynaptic delay; Synchrony (Schroeder, C.E.) **381,** 143

Yawning
Oxytocin; Vasopressin; Paraventricular nucleus; Hippocampus; Penile erection (Melis, M.R.) **398,** 259

Yohimbine
Locus coeruleus; Noradrenergic neuron; Freely moving cat; Aversive conditioning; Appetitive conditioning; Diazepam; Anxiety (Rasmussen, K.) **371,** 335

Freely moving rat; Locus coeruleus; Adrenoceptor; Piperoxane; Clonidine; Guanfacine; Prazosin; 3,4-Dihydroxyphenylacetic acid; Noradrenaline; Differential pulse voltammetry (Quintin, L.) **375,** 235

Tizanidine; Prazosin; Basal ganglion; Muscle tone; Genetically spastic rat (Turski, L.) **379,** 367

Z

Zebra finch
Testosterone metabolism; Sexual differentiation; Song system; 5β-Reductase; 5β-Dihydrotestosterone (Balthazart, J.) **378,** 240

Zinc
Rats; Sodium sulfide; Synaptic vesicle; Telencephalon; Trace metal; Zinc release (Pérez-Clausell, J.) **362,** 358

Hippocampal formation; Potentiation (Khulusi, S.S.) **363,** 152

Zinc release
Rats; Sodium sulfide; Synaptic vesicle; Telencephalon; Trace metal; Zinc (Pérez-Clausell, J.) **362,** 358

Zona incerta
Sheep; Neuronal response; Lateral hypothalamus; Sight of food; Food approach; Food preference; Learning; Satiation (Kendrick, K.M.) **375,** 322

Angiotensin II; Lateral hypothalamus; Motivation; Prefrontal cortex; Septal region; Subfornical organ (Swanson, L.W.) **379,** 399

Zucker rat
Opioid receptor; Food deprivation; Dynorphin A_{1-8} (Tsujii, S.) **399,** 200

DEVELOPMENTAL BRAIN RESEARCH
AUTHOR INDEX
1986
VOLUMES 389–395 (24–30)

A

Abrahamson, I.K., Wilson, P.A. and Rush, R.A.
Production and transport of endogenous trophic activity in a peripheral nerve following target removal, **27**, 117
Adinolfi, A.M. and Levine, M.S.
An autoradiographic study of the postnatal development of pericruciate cortical projections to the neostriatum and the claustrum of the cat, **24**, 99
Adinolfi, A.M., see Dvergsten, C.L., **24**, 239
Adler, J.E. and Black, I.B.
Membrane contact regulates transmitter phenotypic expression, **30**, 237
Agranoff, B.W., see Ford-Holevinski, T.S., **28**, 121
Ahmed, Z., Connor, J.A., Tank, D.W. and Fellows, R.E.
Expression of membrane currents in rat diencephalic neurons in serum-free culture, **28**, 221
Albertson, T.E., see Stark, L.G., **24**, 291
Alleva, E., Aloe, L. and Laviola, G.
Pretreatment of young mice with nerve growth factor enhances scopolamine-induced hyperactivity, **28**, 278
Aloe, L., see Alleva, E., **28**, 278
Alvarado-Mallart, R.M., see Senut, M.C., **29**, 123
Antuono, P.G., see Moran, T.H., **27**, 235
Aoki, C., Kaufman, D. and Rainbow, T.C.
The ontogeny of the laminar distribution of β-adrenergic receptors in the visual cortex of cats, normally reared and dark-reared, **27**, 109
Aoshima, H., see Kobayashi, S., **24**, 211
Aramant, R.B., Giron Jr., L.T. and Ziegler, M.G.
Postnatal development of dopamine β-hydroxylase-immunoreactive fibers of the spinal cord of the rat, **25**, 161
Araud, D., see Autillo-Touati, A., **26**, 33
Archer, T., see Mohammed, A.K., **30**, 145
Arimatsu, Y. and Hatanaka, H.
Estrogen treatment enhances survival of cultured fetal rat amygdala neurons in a defined medium, **26**, 151
Arimoto, K., see Bhat, N.R., **29**, 31
Armstrong, B., see Pappas, B.A., **26**, 310
Artault, J.-C., see Weibel, M., **25**, 199
Ashwell, K. and Webster, W.
Increased vascularity and alterations in cytochrome oxidase distribution associated with abnormal hippocampal cytoarchitecture in micrencephalic rats, **30**, 31
Austin, K.B., Bronzino, J. and Morgane, P.J.
Prenatal protein malnutrition affects synaptic potentiation in the dentate gyrus of rats in adulthood, **29**, 267
Autillo-Touati, A., Mallat, M., Araud, D., Moura Neto, V., Vuillet, J., Glowinski, J., Seite, R. and Prochiantz, A.
Two simian virus 40 (SV40)-transformed cell lines from the mouse striatum and mesencephalon presenting astrocytic characters. III. A light and electron microscopic study, **26**, 33

B

Bachevalier, J., Ungerleider, L.G., O'Nei, J.B. and Friedman, D.P.
Regional distribution of [^{3}H]naloxone binding in the brain of a newborn rhesus monkey, **25**, 302
Baker, A.G., see Wilkinson, F., **26**, 276
Baldessarini, R.J., see Teicher, M.H., **30**, 124
Barber, N.I., see Teicher, M.H., **30**, 124
Barden, N., see Blanchard, L., **24**, 85
Barnes, D., see Castro, A.J., **24**, 295
Barnes Jr., E.M., see Jalilian Tehrani, M.H., **25**, 91
Barnes Jr., E.M., see Jong, Y.-J., **25**, 83
Barr, E., see Sisken, B.F., **27**, 181
Barr, G.A. and Lithgow, T.
Pharmaco-ontogeny of reward: enhancement of self-stimulation by D-amphetamine and cocaine in 3- and 10-day-old rats, **24**, 193
Barr, G.A., Paredes, W., Erickson, K.L. and Zukin, R.S.
β opioid receptor-mediated analgesia in the developing rat, **29**, 145
Baskin, D.G., see Petracca, F.M., **28**, 63
Battie, C.N.
Postnatal development of [^{3}H]yohimbine binding in the olfactory bulb of male and female rats, **30**, 129
Bawa, P.
Gradual changes in the recovery curve of monosynaptic reflex during postnatal development in kittens, **28**, 271
Beasley, L., see Levine, J.M., **27**, 211
Beaston-Wimmer, P., see Smolen, A.J., **29**, 245
Beazley, L.D., see Braekevelt, C.R., **25**, 117
Becker, L.E., see Takashima, S., **26**, 173
Becú-Villalobos, D. and Libertun, C.
Ontogenesis of [^{3}H]serotonin binding sites in the hypothalamus of the female rat: relation to serotonin-induced LH release in moxestrol-pretreated rats, **25**, 111
Bell, J.M., see Tabata, H., **29**, 1
Bennett, M., see Hulst, J.R., **25**, 153
Bennett, M.R., see Eagleson, K.L., **29**, 161
Bennett, M.R., see Hill, M.A., **24**, 305
Benoit, P., see Henderson, C.E., **25**, 65
Berg, D.K., see Fujii, J.T., **24**, 1
Berian, C.A., see Finlay, B.L., **28**, 1
Bhat, N.R., Arimoto, K., Warecka, K. and Brunngraber, E.G.
Expression of α_2-glycoprotein by glial precursor cells: an immunocytochemical study with glial cultures, **29**, 31
Bigl, V., see Schliebs, R., **24**, 179
Billings-Gagliardi, S., see Stanhope, G.B., **24**, 109
Björklund, A., see Brundin, P., **24**, 77
Björklund, H., see Eriksdotter-Nilsson, M., **28**, 75
Black, I.B., see Adler, J.E., **30**, 237
Blair, J.R., see Turner, J.E., **26**, 91
Blanchard, L. and Barden, N.
Ontogeny of receptors for thyrotropin-releasing hormone in the rat brain, **24**, 85
Blass, E.M., see Kehoe, P., **27**, 69
Bode, K., Hofmann, H.-D., Müller, T.H., Otten, U., Schmidt, R. and Unsicker, K.
Effects of pre- and postnatal administration of antibodies to nerve growth factor on the morphological and biochemical development of the rat adrenal medulla: a reinvestigation, **27**, 139
Boer, G.J., see Van der Sluis, P.J., **26**, 85
Boiron, F., see Heape, A., **25**, 173
Boiron, F., see Heape, A., **25**, 181
Boiron, F., see Juguelin, H., **25**, 249
Bond, R., see Cole, G.J., **26**, 133
Bonnet, J., see Heape, A., **25**, 173
Boothroyd, K., see Wilkinson, F., **26**, 276
Bourell, K.W., see Mihailoff, G.A., **28**, 195
Bowker, R.M.
Intrinsic 5HT-immunoreactive neurons in the spinal cord of the fetal non-human primate, **28**, 137
Boyd, S., see Lança, A.J., **27**, 1
Brady, R.J., see Swann, J.W., **30**, 243
Braekevelt, C.R., Beazley, L.D., Dunlop, S.A. and Darby, J.E.
Numbers of axons in the optic nerve and of retinal ganglion cells during development in the marsupial *Setonix brachyurus*, **25**, 117
Brändle, K., see Degen, N., **29**, 141
Bregman, B.S., see Oh, T.H., **30**, 207
Bréhier, A., see Rabié, A., **29**, 253

Bronzino, J., see Austin, K.B., **29**, 267
Brundin, P., Isacson, O., Gage, F.H. and Björklund, A.
Intrastriatal grafting of dopamine-containing neuronal cell suspensions: effects of mixing with target or non-target cells, **24**, 77
Brunello, N., see Volterra, A., **30**, 25
Brunngraber, E.G., see Bhat, N.R., **29**, 31
Buchwald, N.A., see Dvergsten, C.L., **24**, 239
Buchwald, N.A., see Levine, M.S., **24**, 47
Burdette, L.J. and Goldstein, R.
Long-term behavioral and electrophysiological changes associated with lead exposure at different stages of brain development in the rat, **29**, 101
Burgoyne, R.D., see Cambray-Deakin, M.A., **28**, 282

C

Cabana, T. and Martin, G.
The adult organization and development of the rubrospinal tract. An experimental study using the orthograde transport of WGA-HRP in the North-American opossum, **30**, 1
Calés, J.M., see Segovia, S., **30**, 283
Cambray-Deakin, M.A. and Burgoyne, R.D.
Transient expression of neurofilament-like (RT97) immunoreactivity in cerebellar granule cells, **28**, 282
Campaña, H. and Suburo, A.
The effect of kainic acid on the developing chick retina, **26**, 315
Campellone, A.D., see Haroian, A.J., **26**, 69
Campenot, R.B., see Sussdorf, W.S., **25**, 43
Carbonetto, S., see DeGeorge, J.J., **28**, 169
Carlson, M., Hubel, D.H. and Wiesel, T.N.
Effects of monocular exposure to oriented lines on monkey striate cortex, **25**, 71
Carvalho-Dias, E., see Méndez-Otero, R., **27**, 101
Cassagne, C., see Heape, A., **25**, 173
Cassagne, C., see Heape, A., **25**, 181
Cassagne, C., see Juguelin, H., **25**, 249
Castro, A.J., Kartje-Tillotson, G., Barnes, D. and Swenson, R.S.
Disruption of corticospinal plasticity by 6-hydroxydopamine as measured by intracortical microstimulation in rats, **24**, 295
Caviness Jr., V.S., see Frost, D.O., **28**, 109
Caviness Jr., V.S., see Goffinet, A.M., **24**, 187
Cawkwell, R.D., see Keep, R.F., **27**, 77
Chagoya, G., see Hernández-Rodríguez, J., **25**, 221
Chalupa, L.M., see Lia, B., **25**, 296
Chalupa, L.M., see Shook, B.L., **28**, 47
Changeux, J.-P., see Henderson, C.E., **25**, 65
Charlton, C.G. and Helke, C.J.
Ontogeny of substance P receptors in rat spinal cord: quantitative changes in receptor number and differential expression in specific loci, **29**, 81
Chimelli, L. and Scaravilli, F.
The abnormal development of the gracile nucleus in the neurological mutant rat *mf*, **29**, 193
Chneiweiss, H., see Moura Neto, V., **26**, 11
Christ, G.J., see Dunlap III, C.E., **24**, 279
Chung, K., see Hulsebosch, C.E., **26**, 105
Ciotti, M.T., see Johnstone, S.R., **24**, 63
Clavel, M.-C., see Legrand, C., **30**, 231
Clavel, M.-C., see Marc, C., **26**, 249
Clavel, M.C., see Rabié, A., **29**, 253
Clerici, W.J. and Coleman, J.R.
Resting and high-frequency evoked 2-deoxyglucose uptake in the rat inferior colliculus: developmental changes and effects of short-term conduction blockade, **27**, 127
Coates, P.W.
Quantitation and morphological characterization of rapid axon and dendritic growth from single cerebral hemispheric neurons in hydrated collagen lattice culture, **35**, 11
Cobas, A., see Soriano, E., **30**, 88
Cocchia, D., see Lauriola, L., **28**, 69
Coggeshall, R.E., see Hulsebosch, C.E., **26**, 105
Cole, G.J., Bond, R. and Glaser, L.
Monoclonal antibodies specific for ganglion cells in the embryonic chicken neural retina, **26**, 133
Cole, G.M., see Ino, M., **30**, 120
Coleman, J.R., see Clerici, W.J., **27**, 127
Connold, A.L., Evers, J.V. and Vrbová, G.
Effect of low calcium and protease inhibitors on synapse elimination during postnatal development in the rat soleus muscle, **28**, 99
Connor, J.A., see Ahmed, Z., **28**, 221
Coopersmith, R., Henderson, S.R. and Leon, M.
Odor specificity of the enhanced neural response following early odor experience in rats, **27**, 191
Coopersmith, R., Lee, S. and Leon, M.
Olfactory bulb responses after odor aversion learning by young rats, **24**, 271
Cosgrove, J.W., see Suarez-Isla, B.A., **30**, 274
Cowan, W.M., see O'Leary, D.D.M., **30**, 96
Coyle, J.T., see Moran, T.H., **27**, 235
Crain, S.M., see Tempel, A., **25**, 287
Crandall, J.E., Jacobson, M. and Kosik, K.S.
Ontogenesis of microtubule-associated protein 2 (MAP2) in embryonic mouse cortex **28**, 127
Crespo, D., see O'Leary, D.D.M., **30**, 96
Cronly-Dillon, J.R. and Stafford, C.A.
Goldfish retina and tectum influenc each other's growth activity during regrowth of the retinotectal projection, **30**, 13
Curtis, E.M. and Stewart, M.G.
Development of γ-aminobutyric aci immunoreactivity in chick hyperstriatum ventrale and cerebellum: light and electron microscopical observations, **30**, 189
Cynader, M.S., see Grasse, K.L., **27**, 199

D

Dahl, D., see Eriksdotter-Nilsson, M., **28**, 75
Daikoku, S., Kawano, H., Okamura, Y., Tokuzen, M. and Nagatsu, I.
Ontogenesis of immunoreactive tyrosine hydroxylase-containing neurons in rat hypothalamus, **28**, 85
Darby, J.E., see Braekevelt, C.R., **25**, 117
Daval, J.-L. and Vert, P.
Effect of chronic exposure to methylxanthines on diazepam cerebral binding in female rats and their offsprings, **27**, 175
Davies, D.L. and Vernadakis, A.
Responses in astrocytic C6 glioma cells to ethanol and dibutyryl cyclic AMP, **24**, 253
Dawnay, N.A.H. and Glees, P.
Somatotopic analysis of fibre and terminal distribution in the primate corticospinal pathway, **26**, 115
Dechesne, C., see Dememes, D., **25**, 147
Degen, N. and Brändle, K.
The retinotectal projection of quarter eyes in *Xenopus laevis*, **29**, 141
DeGeorge, J.J. and Carbonetto, S.
Wheat germ agglutinin inhibits nerve fiber growth and concanavali

A stimulates nerve fiber initiation in cultures of dorsal root ganglia neurons, **28**, 169
Dememes, D., Dechesne, C., Legrand, C. and Sans, A.
Effects of hypothyroidism on postnatal development in the peripheral vestibular system, **25**, 147
Dememes, D., see Favre, D., **25**, 137
Depaulis, A., see Vergnes, M., **30**, 85
Desmadryl, G., Raymond, J. and Sans, A.
In vitro electrophysiological study of spontaneous activity in neonatal mouse vestibular ganglion neurons during development, **25**, 133
Diaz, J., see Petracca, F.M., **28**, 63
Dickson, J.G., Flanigan, T.P. and Walsh, F.S.
Analysis of specific protein synthesis by cultures of motor neuron-enriched cells from embryonic chicken using dual-label two-dimensional gel electrophoresis, **24**, 315
Dingledine, R., see Hoch, D.B., **25**, 53
Dobrogowska, D.H., see Vorbrodt, A.W., **29**, 69
Dodt, H.U., see Misgeld, U., **27**, 59
Dom, R.M., see Sharkey, M.A., **30**, 257
Dornay, M., see Gilad, G.M., **28**, 163
Dorsa, D.M., see Petracca, F.M., **28**, 63
Douglas, J.H.V. and Ribchester, R.R.
Dibutyryl cyclic guanine monophosphate inhibits natural but not limb amputation-induced motoneurone death in the chick embryo, **26**, 271
Dreher, B., see Thong, I.G., **25**, 227
Droz, B., see Philippe, E., **27**, 275
Du Pasquier, P., see Honegger, P., **29**, 217
Dun, N.J., see Ma, R.C., **24**, 89
Duncan, I.D., see Inuzuka, T., **27**, 43
Dunlap III, C.E., Christ, G.J. and Rose, J.C.
Characterization of opioid receptor binding in adult and fetal sheep brain regions, **24**, 279
Dunlop, S.A., see Braekevelt, C.R., **25**, 117
Dvergsten, C.L., Hull, C.D., Levine, M.S., Adinolfi, A.M. and Buchwald, N.A.
Postnatal differentiation and growth of cat entopeduncular neurons. A transient spiny period associated with branch elongation, **24**, 239

E

Eagleson, K.L. and Bennett, M.R.
Motoneurone survival requirements during development: the change from immature astrocyte dependence to myotube dependence, **29**, 161
Eberle, A.N., see Monnet-Tschudi, F., **26**, 125
Edwards, M.A., see Frost, D.O., **28**, 109
Ehrlich, D., see Rogers, L.J., **28**, 33
Ellis, L., see Rosenberg, J., **30**, 262
Epstein, H.T.
Stages in human brain development, **30**, 114
Eränkö, O., see Lahtinen, T., **27**, 51
Erickson, K.L., see Barr, G.A., **29**, 145
Eriksdotter-Nilsson, M., Björklund, H., Dahl, D. and Olson, L.
Growth and development of intraocular fetal cortex cerebri grafts in rats of different ages, **28**, 75
Escher, G., see Schönenberger, N., **24**, 169
Espinosa De Los Monteros, A., Roussel, G. and Nussbaum, J.-L.
A procedure for long-term culture of oligodendrocytes, **24**, 117
Evers, J.V., see Connold, A.L., **28**, 99

F

Fabre, M., see Heape, A., **25**, 173 , **25**, 181
Facci, L., see Skaper, S.D., **25**, 21
Fagnani, R., see Manthorpe, M., **25**, 191
Fairén, A., see Soriano, E., **30**, 88
Faraji-Shadan, F., see Patel, A.J., **26**, 229
Favre, D., Dememes, D. and Sans, A.
Microtubule organization and synaptogenesis in the vestibular sensory cells, **25**, 137
Fawcett, J.W., see O'Leary, D.D.M., **30**, 96
Fedoroff, S., see Opas, M., **25**, 314
Fellows, R.E., see Ahmed, Z., **28**, 221
Fernald, R.D., see Presson, J.C., **26**, 179
Fernández, V. and Kuljis, R.O.
Gradients of histogenesis in the ependymal lining of the third ventricle in the rabbit, **30**, 201
Ferrante, J., see Rampe, D., **29**, 189
Ferraz, C., see Legrand, C., **30**, 231
Fifková, E., see Markham, J.A., **27**, 263
Finklestein, S.P., see Teicher, M.H., **30**, 124
Finlay, B.L., see Raabe, J.I., **28**, 23
Finlay, B.L., see Wikler, K.C., **28**, 11
Finlay, B.L., Sengelaub, D.R. and Berian, C.A.
Control of cell number in the developing visual system. I. Effects of monocular enucleation, **28**, 1
Finlayson, P.G. and Marshall, K.C.
Locus coeruleus neurons in culture have a developmentally transient α_1 adrenergic response, **25**, 292
Finsen, B. and Zimmer, J.
Timm staining of hippocampal nerve cell bodies in the Kyoto rat. A cell marker in allo- and xenografting of rat and mouse brain tissue, revealing neuronal migration, **29**, 51
Fischer, G., Keilhauer, G. and Schachner, M.
Comparison of astrocytic morphology, proliferation, marker profile and response to neurons in wild-type and weaver mutant mouse cerebella in culture, **28**, 247
Fischer, I., Shea, T.B., Sapirstein, V.S. and Kosik, K.S.
Expression and distribution of microtubule-associated protein 2 (MAP2) in neuroblastoma and primary neuronal cells, **25**, 99
Fisher, R.S., see Gazzara, R.A., **28**, 213
Fisher, R.S., see Levine, M.S., **24**, 47
Fitzgerald, M. and Koltzenburg, M.
The functional development of descending inhibitory pathways in the dorsolateral funiculus of the newborn rat spinal cord, **24**, 261
Flanigan, T.P., see Dickson, J.G., **24**, 315
Ford-Holevinski, T.S., Hopkins, J.M., McCoy, J.P. and Agranoff, B.W.
Laminin supports neurite outgrowth from explants of axotomized adult rat retinal neurons, **28**, 121
Fournier, M., see Heape, A., **25**, 173
Fowler, I., see Sisken, B.F., **27**, 181
Friedman, D.P., see Bachevalier, J., **25**, 302
Fritschy, J.M. and Garey, L.J.
Postnatal development of quantitative morphological parameters in the lateral geniculate nucleus of the marmoset monkey, **30**, 157
Fritschy, J.M. and Garey, L.J.
Quantitative changes in morphological parameters in the developing visual cortex of the marmoset monkey, **29**, 173
Frost, D.O., Edwards, M.A., Sachs, G.M. and Caviness Jr., V.S.
Retinotectal projection in reeler mutant mice: relationships among axon trajectories, arborization patterns and cytoarchitecture, **28**, 109
Frotscher, M., see Misgeld, U., **27**, 59
Frucht, Y., see Melamed, E., **26**, 280
Fujii, J.T. and Berg, D.K.
Preganglionic neurons from the Edinger–Westphal nucleus: growth and histochemical characterization in cell culture, **24**, 1
Fushiki, S. and Schachner, M.
Immunocytological localization of cell adhesion molecules L1 and

N-CAM and the shared carbohydrate epitope L2 during development of the mouse neocortex, **24**, 153
Futamachi, K.J., see Schegg, K.M., **30**, 221

G

Gage, F.H., see Brundin, P., **24**, 77
Galli, C.L., see Volterra, A., **30**, 25
Garbay, B., see Heape, A., **25**, 173
Garey, L.J., see Fritschy, J.M., **29**, 173
Garey, L.J., see Fritschy, J.M., **30**, 157
Gazzara, R.A., Fisher, R.S. and Howard, S.G.
The ontogeny of amphetamine-induced dopamine release in the caudate–putamen of the rat, **28**, 213
Gerõcs, K., Réthelyi, M. and Halász, B.
Quantitative analysis of dendritic protrusions in the medial preoptic area during postnatal development, **26**, 49
Gesteland, R.C., see Lidow, M.S., **28**, 145
Gilad, G.M., Dornay, M. and Gilad, V.H.
Increased number of sympathetic neurons with unchanged target organ innervation after postnatal polyamine treatment, **28**, 163
Gilad, V.H., see Gilad, G.M., **28**, 163
Gilbert, L.I., see Lester, D.S., **26**, 201
Gingras-Leatherman, J.L., see McNamara, M.C., **25**, 253
Giron Jr., L.T., see Aramant, R.B., **25**, 161
Glaser, L., see Cole, G.J., **26**, 133
Glees, P., see Dawnay, N.A.H., **26**, 115
Glowinski, J., see Autillo-Touati, A., **26**, 33
Glowinski, J., see Mallat, M., **26**, 23
Goffinet, A.M., Hemmendinger, L.M. and Caviness Jr., V.S.
Autoradiographic study of β_1-adrenergic receptor development in the mouse forebrain, **24**, 187
Goldman, J.E., see Peterson, C., **29**, 153
Goldstein, R., see Burdette, L.J., **29**, 101
Gonzalez, M.F., see Sharp, F.R., **30**, 169
Gordon, B., Moran, J., Trombley, P. and Soyke, J.
Visual behavior of monocularly deprived kittens treated with 6-hydroxydopamine, **24**, 21
Gorlick, D.L. and Kelley, D.B.
The ontogeny of androgen receptors in the CNS of *Xenopus laevis* frogs, **26**, 193
Gorski, R.A., see Handa, R.J., **30**, 278
Grasse, K.L. and Cynader, M.S.
Response properties of single units in the accessory optic system of the dark-reared cat, **27**, 199
Greiner, C.A.M., Lloyd, A.T. and Guroff, G.
Ontogeny of the nerve growth factor receptor in primary cultures of neural crest cells, **26**, 145
Grigonis, A.M., Pearson, H.E. and Murphy, E.H.
The effects of neonatal monocular enucleation on the organization of ipsilateral and contralateral retinothalamic projections in the rabbit, **29**, 9
Gros, F., see Mallat, M., **26**, 23
Gros, F., see Moura Neto, V., **26**, 11
Guenet, J.-L., see Henderson, C.E., **25**, 65
Guillamón, A., see Segovia, S., **30**, 283
Guillamón, A., see Valencia, A., **24**, 287
Guroff, G., see Greiner, C.A.M., **26**, 145

H

Halász, B., see Gerõcs, K., **26**, 49
Hamedi, S., see Meisami, E., **29**, 282
Handa, R.J., Hines, M., Schoonmaker, J.N., Shryne, J.E. and Gorski, R.A.
Evidence that serotonin is involved in the sexually dimorphic development of the preoptic area in the rat brain, **30**, 278
Hanna, R., see Kriebel, M.E., **27**, 19
Hansson, E.
Primary cultures from defined brain areas. III. Effects of seeding time on [^{3}H]L-glutamate transport and glutamine synthetase activity, **24**, 203
Haroian, A.J. and Campellone, A.D.
A quantitative analysis of the ipsilateral cerebellothalamic projection following hemicerebellectomy in neonatal rats. A retrograde HRP study, **26**, 69
Hatanaka, H. and Tsukui, H.
Differential effects of nerve-growth factor and glioma-conditioned medium on neurons cultured from various regions of fetal rat central nervous system, **30**, 47
Hatanaka, H., see Arimatsu, Y., **26**, 151
He, P., see Stark, L.G., **24**, 291
Heape, A., Juguelin, H., Fabre, M., Boiron, F. and Cassagne, C.
A quantitative developmental study of the peripheral nerve lipid composition during myelinogenesis in normal and trembler mice, **25**, 181
Heape, A., Juguelin, H., Fabre, M., Boiron, F., Garbay, B., Fournier, M., Bonnet, J. and Cassagne, C.
Correlation between the morphology and the lipid and protein compositions in the peripheral nervous system of individual 8-day-old normal and trembler mice, **25**, 173
Heape, A., see Juguelin, H., **25**, 249
Helgee, A., see Nässel, D.R., **26**, 211
Helke, C.J., see Charlton, C.G., **29**, 8
Hemmendinger, L.M., see Goffinet, A.M., **24**, 187
Henderson, C.E., Benoit, P., Huchet, M., Guenet, J.-L. and Changeux, J.-P.
Increase of neurite-promoting activity for spinal neurons in muscle of 'paralysé' mice and tenotomised rats, **25**, 65
Henderson, S.R., see Coopersmith, R., **27**, 191
Hernández-Rodríguez, J. and Chagoya, G.
Brain serotonin synthesis and Na^+,K^+-ATPase activity are increased postnatally after prenatal administration of L-tryptophan, **25**, 221
Hess, A., see Hess, D.T., **29**, 93
Hess, D.T. and Hess, A.
5′-Nucleotidase of cerebellar molecular layer: reduction in Purkinje cell-deficient mutant mice, **29**, 93
Hicks, T.P., Ruwe, W.D. and Veale, W.L.
Release of γ-aminobutyric acid from the visual cortex of young kittens, **24**, 299
Hill, M.A. and Bennett, M.R.
Motoneurone survival activity in extracts of denervated muscle reduced by prior stimulation of the muscle, **24**, 305
Hines, M., see Handa, R.J., **30**, 278
Hitzemann, R.J., see Rauch, S.L., **26**, 221
Ho, K.P., see Tsang, D., **26**, 187
Hoch, D.B. and Dingledine, R.
GABAergic neurons in rat hippocampal culture, **25**, 53
Hofmann, H.-D., see Bode, K., **27**, 139
Honegger, P., Du Pasquier, P. and Tenot, M.
Cholinergic neurons of fetal rat telencephalon in aggregating cell culture respond to NGF as well as protein kinase C-activating tumor promoters, **29**, 217
Honegger, P., see Monnet-Tschudi, F., **26**, 125
Hopkins, J.M., see Ford-Holevinski, T.S., **28**, 121
Howard, S.G., see Gazzara, R.A., **28**, 213

Hubel, D.H., see Carlson, M., **25**, 71
Huchet, M., see Henderson, C.E., **25**, 65
Hull, C.D., see Dvergsten, C.L., **24**, 239
Hull, C.D., see Levine, M.S., **24**, 47
Hulsebosch, C.E., Coggeshall, R.E. and Chung, K.
Numbers of rat dorsal root axons and ganglion cells during postnatal development, **26**, 105
Hulst, J.R. and Bennett, M.
Motoneurone survival factor produced by muscle increases in parallel with messenger RNA sequences homologous to NGF-cDNA, **25**, 153
Hunt, A., see Patel, A.J., **26**, 229
Hutchison, J.B. and Schumacher, M.
Development of testosterone-metabolizing pathways in the avian brain: enzyme localization and characteristics, **25**, 33

I

Ikeda, Y., see Mori-Okamoto, J., **26**, 1
Imazawa, M., see Kumagai, H., **27**, 270
Ino, M., Cole, G.M. and Timiras, P.S.
Tyrosine hydroxylase and monoamine oxidase-A activity increases in differentiating human neuroblastoma after elimination of dividing cells, **30**, 120
Inomata, K., see Tanaka, H., **27**, 11
Inoue, K., see Inoue, Y., **26**, 239
Inoue, Y., Mikoshiba, K., Yokoyama, M., Inoue, K., Terashima, T., Nomura, T. and Tsukada, Y.
Alteration of the primary pattern of central myelin in a chimaeric environment — study of shiverer↔wild-type chimaeras, **26**, 239
Intrator, S., see Rabié, A., **29**, 253
Inuzuka, T., Duncan, I.D. and Quarles, R.H.
Myelin proteins in the CNS of 'shaking pups', **27**, 43
Ipiña, S.L. and Ruiz-Marcos, A.
Dendritic structure alterations induced by hypothyroidism in pyramidal neurons of the rat visual cortex, **29**, 61
Ipiña, S.L., see Ruiz-Marcos, A., **28**, 259
Isacson, O., see Brundin, P., **24**, 77
Iser-Strenger, C. and Yanai, J.
Alterations in mice dopamine receptor characteristics after early exposure to phenobarbital, **30**, 57
Iwasaki, S., see Tanaka, H., **27**, 11

J

Jacobson, M., see Crandall, J.E., **28**, 127
Jaeger, C.B.
Axon terminal clustering in nigrostriatal double grafts, **24**, 309
Jalilian Tehrani, M.H. and Barnes Jr., E.M.
Ontogeny of the GABA receptor complex in chick brain: studies in vivo and in vitro, **25**, 91
Jen, L.S., see Tay, D., **30**, 268
Johnson, D. and Quarles, R.H.
Deposition of the myelin-associated glycoprotein in specific regions of the developing rat central nervous system, **28**, 263
Johnstone, S.R., Levi, G., Wilkin, G.P., Schneider, A. and Ciotti, M.T.
Subpopulations of rat cerebellar astrocytes in primary culture: morphology, cell surface antigens and [^{3}H]GABA transport, **24**, 63
Jones, H.C., see Keep, R.F., **27**, 77
Jong, Y.-J., Thampy, K.G. and Barnes Jr., E.M.
Ontogeny of GABAergic neurons in chick brain: studies in vivo and in vitro, **25**, 83
Jonsson, G., see Mohammed, A.K., **30**, 145
Joy, R.M., see Stark, L.G., **24**, 291
Juguelin, H., Heape, A., Boiron, F. and Cassagne, C.
A quantitative developmental study of neutral lipids during myelinogenesis in the peripheral nervous system of normal and trembler mice, **25**, 249
Juguelin, H., see Heape, A., **25**, 173
Juguelin, H., see Heape, A., **25**, 181

K

Kalderon, N. and Williams, C.A.
Extracellular proteolysis: developmentally regulated activity during chick spinal cord histogenesis, **25**, 1
Kalnins, V.I., see Opas, M., **25**, 314
Kartje-Tillotson, G., see Castro, A.J., **24**, 295
Kastin, A.J., see Zadina, J.E., **29**, 21
Kato, N.
Acetylcholinesterase staining can be used to subdivide the lateral posterior nucleus in newborn kittens, **30**, 140
Kato, T., see Yamamoto, H., **26**, 285
Katoh-Semba, R., see Skaper, S.D., **25**, 21
Kaufman, D., see Aoki, C., **27**, 109
Kawai, Y., Shibasaki, T., Ling, N. and Tohyama, M.
Ontogeny of γ-melanocyte-stimulating hormone in the brain and hypophysis of the rat: an immunohistochemical analysis, **28**, 177
Kawano, H., see Daikoku, S., **28**, 85
Kayalar, C., see Rosenberg, J., **30**, 262
Keep, R.F., Jones, H.C. and Cawkwell, R.D.
A morphometric analysis of the development of the fourth ventricle choroid plexus in the rat, **27**, 77
Kehoe, P. and Blass, E.M.
Central nervous system mediation of positive and negative reinforcement in neonatal albino rats, **27**, 69
Keilhauer, G., see Fischer, G., **28**, 247
Keilhauer, G., see Nagata, I., **24**, 217
Kelley, D.B., see Gorlick, D.L., **26**, 193
Kelly, J.S., see Pigott, R., **29**, 111
Kirn, J., see Wikler, K.C., **28**, 11
Kiyama, H., see Tahara, Y., **30**, 37
Kleene, S.J., see Lidow, M.S., **28**, 145
Klein, B.G., MacDonald, G.J., Szczepanik, A.M. and Rhoades, R.W.
Topographic organization of peripheral trigeminal ganglionic projections in newborn rats, **27**, 257
Kobayashi, S. and Aoshima, H.
Time course of the induction of acetylcholine receptors in *Xenopus* oocytes injected with mRNA from *Electrophorus electricus* electroplax, **24**, 211
Kobayashi, T., see Nagara, H., **26**, 79
Kolb, B.E., see Lança, A.J., **27**, 1
Koltzenburg, M., see Fitzgerald, M., **24**, 261
Kondo, H., see Takahashi-Iwanaga, H., **29**, 225
Koppenaal, D.W., Raizada, M.K., Momol, E.A., Morgan, E. and Meyer, E.M.
Effects of AF64A on [^{3}H]acetylcholine synthesis in neuron-enriched primary brain cell cultures, **30**, 110
Kosik, K.S., see Crandall, J.E., **28**, 127
Kosik, K.S., see Fischer, I., **25**, 99
Kriebel, M.E., Hanna, R. and Muniak, C.
Synaptic vesicle diameters and synaptic cleft widths at the mouse diaphragm in neonates and adults, **27**, 19
Kudo, M., see Noguchi, T., **26**, 161
Kuljis, R.O., see Fernández, V., **30**, 201
Kumagai, H., Imazawa, M. and Miyamoto, K.
Unusual morphological changes in cultured oligodendrocytes induced by cytochalasin B, **27**, 270
Kumoi, Y., see Tahara, Y., **30**, 37
Kurihara, K., see Matsuoka, I., **24**, 133

Kurihara, K., see Matsuoka, I., **24**, 145

L

Labourdette, G., see Weibel, M., **25**, 199
Lacey, D.J.
Cortical dendritic spine loss in rat pups whose mothers were prenatally injected with phenylacetate ('maternal PKU' model), **27**, 283
Lahtinen, T., Soinila, S. and Eränkö, O.
Age-dependent stimulation by atrium explants or nerve growth factor of nerve fibre outgrowth from cocultured embryonic rat sympathetic ganglia, **27**, 51
Lança, A.J., Boyd, S., Kolb, B.E. and Van der Kooy, D.
The development of a patchy organization of the rat striatum, **27**, 1
Lau, K.C., see Tay, D., **30**, 268
Lauriola, L., Sentinelli, S., Maggiano, N., Michetti, F. and Cocchia, D.
Glial-like cells in sympathetic neural crest derivatives during human embryogenesis. Detection by S-100 immunohistochemistry, **28**, 69
Laviola, G., see Alleva, E., **28**, 278
Lawson, E.E., see McNamara, M.C., **25**, 253
Layer, P.G., see Vollmer, G., **27**, 253
Leary, J.F., see Notter, M.F.D., **26**, 59
Lee, S., see Coopersmith, R., **24**, 271
Legrand, C., Ferraz, C., Clavel, M.-C. and Rabié, A.
Immunocytochemical localisation of gelsolin in oligodendroglia of the developing rabbit central nervous system, **30**, 231
Legrand, C., see Dememes, D., **25**, 147
Legrand, C., see Rabié, A., **29**, 253
Lehmkuhle, S., see Sestokas, A.K., **30**, 93
Lent, R. and Schmidt, S.L.
Dose-dependent occurrence of the aberrant longitudinal bundle in the brains of mice born acallosal after prenatal gamma irradiation, **25**, 127
Leon, M., see Coopersmith, R., **24**, 271
Leon, M., see Coopersmith, R., **27**, 191
Leon, M., see Sullivan, R.M., **27**, 278
Leon, M., see Wilson, D.A., **26**, 289
Lester, D.S. and Gilbert, L.I.
Developmental changes in choline uptake and acetylcholine metabolism in the larval brain of the tobacco hornworm, *Manduca sexta*, **26**, 201
Levi, G., see Johnstone, S.R., **24**, 63
Levine, J.M., Beasley, L. and Stallcup, W.B.
Localization of a neurectoderm-associated cell surface antigen in the developing and adult rat, **27**, 211
Levine, M.S., Fisher, R.S., Hull, C.D. and Buchwald, N.A.
Postnatal development of identified medium-sized caudate spiny neurons in the cat, **24**, 47
Levine, M.S., see Adinolfi, A.M., **24**, 99
Levine, M.S., see Dvergsten, C.L., **24**, 239
Levy, R., see Simantov, R., **26**, 301
Lia, B., Williams, R.W. and Chalupa, L.M.
Does axonal branching contribute to the overproduction of optic nerve fibers during early development of the cat's visual system?, **25**, 296
Libertun, C., see Becú-Villalobos, D., **25**, 111
Lidow, M.S., Kleene, S.J. and Gesteland, R.C.
Suppression of Mitotic Activity and Synchronization of Cell Development in Olfactory Epithelium, **28**, 145
Ling, N., see Kawai, Y., **28**, 177
Lithgow, T., see Barr, G.A., **24**, 193
Lloyd, A.T., see Greiner, C.A.M., **26**, 145
Lossinsky, A.S., see Vorbrodt, A.W., **29**, 69
Lund, R.D., see Sharkey, M.A., **30**, 257
Lynch, D.R., see Strittmatter, S.M., **29**, 207

M

Ma, R.C. and Dun, N.J.
Excitation of lateral horn neurons of the neonatal rat spinal cord by 5-hydroxytryptamine, **24**, 89
MacDonald, G.J., see Klein, B.G., **27**, 257
Maderdrut, J.L., Reitzel, J.L. and Oppenheim, R.W.
Further behavioral analysis of GABA-mediated inhibition in the early chick embryo, **25**, 157
Magchielse, T. and Meeter, E.
The effect of neuronal activity on the competitive elimination of neuromuscular junctions in tissue culture, **25**, 211
Maggiano, N., see Lauriola, L., **28**, 69
Mallat, M., Moura Neto, V., Gros, F., Głowinski, J. and Prochiantz, A.
Two simian virus 40 (SV40)-transformed cell lines from the mouse striatum and mesencephalon presenting astrocytic characters. II. Interactions with mesencephalic neurons, **26**, 23
Mallat, M., see Autillo-Touati, A., **26**, 33
Mallat, M., see Moura Neto, V., **26**, 11
Mangoura, D., see Sakellaridis, N., **27**, 31
Manthorpe, M., Fagnani, R., Skaper, S.D. and Varon, S.
An automated colorimetric microassay for neuronotrophic factors, **25**, 191
Manthorpe, M., see Skaper, S.D., **25**, 21
Marc, C., Clavel, M.-C. and Rabié, A.
Non-phosphorylated and phosphorylated neurofilaments in the cerebellum of the rat: an immunocytochemical study using monoclonal antibodies. Development in normal and thyroid-deficient animals, **26**, 249
Marescaux, C., see Vergnes, M., **30**, 85
Markelonis, G.J., see Oh, T.H., **30**, 207
Markham, J.A. and Fifková, E.
Actin filament organization within dendrites and dendritic spines during development, **27**, 263
Marshall, K.C., see Finlayson, P.G., **25**, 292
Martin, G., see Cabana, T., **30**, 1
Massey, R.F., see Smart, J.L., **28**, 134
Matsuoka, I., Satake, R. and Kurihara, K.
Cholinergic differentiation of clonal rat pheochromocytoma cells (PC12) induced by factors contained in glioma-conditioned medium: enhancement of high-affinity choline uptake system and reduction of norepinephrine uptake system, **24**, 145
Matsuoka, I., Satake, R. and Kurihara, K.
Promotion of cell–substratum adhesion of clonal rat pheochromocytoma cells (PC12) by factors contained in glioma-conditioned medium (GCM): separation of two active factors contained in GCM, **24**, 133
Matta, S.G., Yorke, G. and Roisen, F.J.
Neuritogenic and metabolic effects of individual gangliosides and their interaction with nerve growth factor in cultures of neuroblastoma and pheochromocytoma, **27**, 243
McCarthy, K.D., see Trimmer, P.A., **27**, 151
McCoy, J.P., see Ford-Holevinski, T.S., **28**, 121
McLaughlin, P.J., see Zagon, I.S., **28**, 233
McNamara, M.C., Gingras-Leatherman, J.L. and Lawson, E.E.
Effect of hypoxia on brainstem concentration of biogenic amines in

postnatal rabbits, **25**, 253
Meeter, E., see Magchielse, T., **25**, 211
Meisami, E. and Hamedi, S.
Relative contribution of brain and peripheral connections to postnatal growth and cell accretion in the rat olfactory bulb, **29**, 282
Melamed, E., Frucht, Y., Vidauri, J., Uzzan, A. and Rosenthal, J.
Effect of postnatal light deprivation on the ontogenesis of dopamine neurons in rat retina, **26**, 280
Méndez-Otero, R., Rocha-Miranda, C.E. and Carvalho-Dias, E.
Effects of monocular enucleation at different stages of development on the uncrossed retinocollicular projection in the opossum, **27**, 101
Meyer, E.M., see Koppenaal, D.W., **30**, 110
Micheletti, G., see Vergnes, M., **30**, 85
Michetti, F., see Lauriola, L., **28**, 69
Mihailoff, G.A. and Bourell, K.W.
Synapse formation and other ultrastructural features of postnatal development in the basilar pontine nuclei of the rat, **28**, 195
Mikoshiba, K., see Inoue, Y., **26**, 239
Miller, J.C., see Tabata, H., **29**, 1
Miller, M.W.
Maturation of rat visual cortex. III. Postnatal morphogenesis and synaptogenesis of local circuit neurons, **25**, 271
Miller, M.W.
The migration and neurochemical differentiation of γ-aminobutyric acid (GABA)-immunoreactive neurons in rat visual cortex as demonstrated by a combined immunocytochemical-autoradiographic technique, **28**, 41
Minor, B.G., see Mohammed, A.K., **30**, 145
Misgeld, U., Dodt, H.U. and Frotscher, M.
Late development of intrinsic excitation in the rat neostriatum: an in vitro study, **27**, 59
Mitskevich, M.S., see Ugrumov, M.V., **0**, 75
Miyamoto, K., see Kumagai, H., **27**, 270
Mohammed, A.K., Jonsson, G., Sundström, E., Minor, B.G., Söderberg, U. and Archer, T.
Selective attention and place navigation in rats treated prenatally with methylazoxymethanol, **30**, 145
Momol, E.A., see Koppenaal, D.W., **30**, 110
Moneta, M.E. and Singer, W.
Critical period plasticity of kitten visual cortex is not associated with enhanced susceptibility to electrical kindling, **30**, 104
Monnet-Tschudi, F., Eberle, A.N. and Honegger, P.
In vivo and in vitro development of α-MSH and ACTH in the embryonic and postnatal rat brain, **26**, 125
Moran, J., see Gordon, B., **24**, 21
Moran, T.H., Sanberg, P.R., Antuono, P.G. and Coyle, J.T.
Methylazoxymethanol acetate cortical hypoplasia alters the pattern of stimulation-induced behavior in neonatal rats, **27**, 235
Morgan, E., see Koppenaal, D.W., **30**, 110
Morgane, P.J., see Austin, K.B., **29**, 267
Mori-Okamoto, J. and Ikeda, Y.
Effect of calcium ions on the sensitivities of cultured cerebellar neurons to glutamate and aspartate, **26**, 1
Moura Neto, V., Mallat, M., Chneiweiss, H., Prémont, J., Gros, F. and Prochiantz, A.
Two simian virus 40 (SV40)-transformed cell lines from the mouse striatum and mesencephalon presenting astrocytic characters. I. Immunological and pharmacological properties, **26**, 11
Moura Neto, V., see Autillo-Touati, A., **26**, 33
Moura Neto, V., see Mallat, M., **26**, 23
Müller, T.H., see Bode, K., **27**, 139
Muniak, C., see Kriebel, M.E., **27**, 19
Murphy, E.H., see Grigonis, A.M., **29**, 9

N

Nagara, H., Ogawa, H., Sato, Y., Kobayashi, T. and Suzuki, K.
The twitcher mouse: degeneration of oligodendrocytes in vitro, **26**, 79
Nagata, I., Keilhauer, G. and Schachner, M.
Neuronal influence on antigenic marker profile, cell shape and proliferation of cultured astrocytes obtained by microdissection of distinct layers from the early postnatal mouse cerebellum, **24**, 217
Nagatsu, I., see Daikoku, S., **28**, 85
Nässel, D.R., Helgee, A. and Sivasubramanian, P.
Development of axon paths of motorneurons after removal of target muscles in a holometabolous insect, **26**, 211
Nasu, F., see Tanaka, H., **27**, 11
Nishimura, S., see Tanaka, H., **27**, 11
Noguchi, T., Sugisaki, T., Kudo, M. and Satoh, I.
Retarded growth of the suprachiasmatic nucleus and pineal body in *dw* and *lit* dwarf mice, **26**, 161
Nomura, T., see Inoue, Y., **26**, 239
Notter, M.F.D. and Leary, J.F.
Tetanus toxin binding to neuroblastoma cells differentiated by antimitotic agents, **26**, 59
Nousek-Goebl, N.A. and Press, M.F.
Golgi–electron microscopic study of sprouting endothelial cells in the neonatal rat cerebellar cortex, **30**, 67
Nurnberger Sr., J.I., see Rea, M.A., **24**, 233
Nussbaum, J.-L., see Espinosa De Los Monteros, A., **24**, 117
Nuttall, R.P., see Zinsmeister, P.P., **25**, 143

O

Obata, K., see Shirao, T., **29**, 233
O'Connor, T.P. and Van der Kooy, D.
Cell death organizes the postnatal development of the trigeminal innervation of the cerebral vasculature, **27**, 223
Ogawa, H., see Nagara, H., **26**, 79
Oh, T.H., Markelonis, G.J., Royal, G.M. and Bregman, B.S.
Immunocytochemical distribution of transferrin and its receptor in the developing chicken nervous system, **30**, 207
Oka, H., see Yamamoto, T., **29**, 275
Okamura, Y., see Daikoku, S., **28**, 85
Olavarria, J. and Van Sluyters, R.C.
Axons from restricted regions of the cortex pass through restricted portions of the corpus callosum in adult and neonatal rats, **25**, 309
O'Leary, D.D.M. and Stanfield, B.B.
A transient pyramidal tract projection from the visual cortex in the hamster and its removal by selective collateral elimination, **27**, 87
O'Leary, D.D.M., Crespo, D., Fawcett, J.W. and Cowan, W.M.
The effect of intraocular tetrodotoxin on the postnatal reduction in the numbers of optic nerve axons in the rat, **30**, 96
Olek, A.J., see Schaffner, A.E., **25**, 239
Olson, L., see Eriksdotter-Nilsson, M., **28**, 75
Omlin, F.X., see Philippe, E., **27**, 275
O'Nei, J.B., see Bachevalier, J., **25**, 302
Opas, M., Kalnins, V.I. and Fedoroff, S.
Spectrin does not redistribute with actin during dBcAMP-induced changes in astrocytes in vitro, **25**, 314
Oppenheim, R.W., see Maderdrut, J.L., **25**, 157
Otten, U., see Bode, K., **27**, 139

P

Panneton, W.M.
The persistence of a normally transient cerebrocerebellar pathway in the cat, **30**, 133
Pappas, B.A. and Armstrong, B.
Neonatal 6-hydroxydopamine lesion of forebrain norepinephrine does not eliminate critical period for behavioral effects of gonadal hormone manipulation, **26**, 310
Paredes, W., see Barr, G.A., **29**, 145
Parkes, C., see Rabié, A., **29**, 253
Patel, A.J., Hunt, A. and Faraji-Shadan, F.
Effect of removal of glutamine and addition of dexamethasone on the activities of glutamine synthetase, ornithine decarboxylase and lactate dehydrogenase in primary cultures of forebrain and cerebellar astrocytes, **26**, 229
Peacock, J.H., see Schegg, K.M., **30**, 221
Pearson, H.E., see Grigonis, A.M., **29**, 9
Peterson, C. and Goldman, J.E.
In vitro acetylcholine synthesis and oxidative metabolism during development of normal and brindled mouse brain, **29**, 153
Peterson, E.R., see Tempel, A., **25**, 287
Petracca, F.M., Baskin, D.G., Diaz, J. and Dorsa, D.M.
Ontogenetic changes in vasopressin binding site distribution in rat brain: an autoradiographic study, **28**, 63
Pettmann, B., see Weibel, M., **25**, 199
Philippe, E., Omlin, F.X. and Droz, B.
Myelin-associated glycoprotein immunoreactive material: an early neuronal marker of dorsal root ganglion cells during chick development, **27**, 275
Pigott, R. and Kelly, J.S.
Immunocytochemical and biochemical studies with the monoclonal antibody 69A1: similarities of the antigen with cell adhesion molecules L1, NILE and Ng-CAM, **29**, 111
Posner, B.I., see Silverman, W.F., **24**, 11
Prémont, J., see Moura Neto, V., **26**, 11
Press, M.F., see Nousek-Goebl, N.A., **30**, 67
Presson, J.C. and Fernald, R.D.
Development of the optic tract in the cichlid fish *Haplochromis burtoni*, **26**, 179
Price, D.J.
The postnatal development of clustered intrinsic connections in area 18 of the visual cortex in kittens, **24**, 31
Prochiantz, A., see Autillo-Touati, A., **26**, 33
Prochiantz, A., see Mallat, M., **26**, 23
Prochiantz, A., see Moura Neto, V., **26**, 11

Q

Quarles, R.H., see Inuzuka, T., **27**, 43
Quarles, R.H., see Johnson, D., **28**, 263

R

Raabe, J.I., Windrem, M.S. and Finlay, B.L.
Control of cell number in the developing visual system. III. Effects of visual cortex ablation, **28**, 23
Rabié, A., Bréhier, A., Intrator, S., Clavel, M.C., Parkes, C., Legrand, C. and Thomasset, M.
Thyroid state and cholecalcin (calcium-binding protein) in cerebellum of the developing rat, **29**, 253
Rabié, A., see Legrand, C., **30**, 231
Rabié, A., see Marc, C., **26**, 249
Racagni, G., see Volterra, A., **30**, 25
Rainbow, T.C., see Aoki, C., **27**, 109
Raizada, M.K., see Koppenaal, D.W., **30**, 110
Rampe, D., Ferrante, J. and Triggle, D.J.
The ontogeny of [^{3}H]nitrendipine binding sites and $^{45}Ca^{2+}$ uptake processes in brain synaptosomes from spontaneously hypertensive rats, **29**, 189
Rapoport, S.I., see Suarez-Isla, B.A., **30**, 274
Rapoport, S.I., see Tabata, H., **29**, 1
Rauch, S.L. and Hitzemann, R.J.
Developmental changes in synaptic membrane order: a comparison of regions in the rat brain, **26**, 221
Raymond, J., see Desmadryl, G., **25**, 133
Rea, M.A. and Nurnberger Sr., J.I.
Evidence for developmental synaptic regression of cholinergic afferents to the rat main olfactory bulb, **24**, 233
Reichheld, J.H., see Teicher, M.H., **30**, 124
Reitzel, J.L., see Maderdrut, J.L., **25**, 157
Restani, P., see Volterra, A., **30**, 25
Réthelyi, M., see Gerócs, K., **26**, 49
Rhoades, R.W., see Klein, B.G., **27**, 257
Ribchester, R.R., see Douglas, J.H.V. **26**, 271
Robinson, T., see Rogers, L.J., **28**, 33
Rocha-Miranda, C.E., see Méndez-Otero, R., **27**, 101
Rogers, L.J., Robinson, T. and Ehrlich, D.
Role of the supraoptic decussation in the development of asymmetry of brain function in the chicken, **28**, 33
Roisen, F.J., see Matta, S.G., **27**, 243
Rose, J.C., see Dunlap III, C.E., **24**, 279
Rosenberg, J., Ellis, L., Troy, F.A. and Kayalar, C.
The 5B4 antigen expressed on sprouting neurons contains α-2,8-linked polysialic acid, **30**, 262
Rosenthal, J., see Melamed, E., **26**, 280
Rostas, J.A.P., see Weinberger, R.P., **29**, 37
Rothe, T., see Schliebs, R., **24**, 179
Roussel, G., see Espinosa De Los Monteros, A., **24**, 117
Royal, G.M., see Oh, T.H., **30**, 207
Rudge, J., see Skaper, S.D., **25**, 21
Ruiz-Marcos, A. and Ipiña, S.L.
Hypothyroidism affects preferentially the dendritic densities on the more superficial region of pyramidal neurons of the rat cerebral cortex, **28**, 259
Ruiz-Marcos, A., see Ipiña, S.L., **29**, 61
Rush, R.A., see Abrahamson, I.K., **27**, 117
Ruwe, W.D., see Hicks, T.P., **24**, 299

S

Sachs, G.M., see Frost, D.O., **28**, 109
Sakellaridis, N., Mangoura, D. and Vernadakis, A.
Effects of neuron-conditioned medium and fetal calf serum conten on glial growth in dissociated cultures, **27**, 31
Samejima, A., see Yamamoto, T., **29**, 275
Sanberg, P.R., see Moran, T.H., **27**, 235
Sans, A., see Dememes, D., **25**, 147
Sans, A., see Desmadryl, G., **25**, 133
Sans, A., see Favre, D., **25**, 137
Sapirstein, V.S., see Fischer, I., **25**, 99
Sarafian, T. and Verity, M.A.
Influence of thyroid hormones on rat cerebellar cell aggregation and survival in culture, **26**, 261
Satake, R., see Matsuoka, I., **24**, 133
Satake, R., see Matsuoka, I., **24**, 145
Sato, Y., see Nagara, H., **26**, 79

Satoh, I., see Noguchi, T., **26**, 161
Scaravilli, F., see Chimelli, L., **29**, 193
Schachner, M., see Fischer, G., **28**, 247
Schachner, M., see Fushiki, S., **24**, 153
Schachner, M., see Nagata, I., **24**, 217
Schaffner, A.E. and Olek, A.J.
The developmental appearance of α-bungarotoxin binding sites on rodent spinal cord neurons in cell culture, **25**, 239
Schegg, K.M., Futamachi, K.J. and Peacock, J.H.
Characterization of acetylcholinesterase isoforms in septal and hippocampal cultures and cocultures, **30**, 221
Schliebs, R., Rothe, T. and Bigl, V.
Dark-rearing affects the development of benzodiazepine receptors in the central visual structures of rat brain, **24**, 179
Schmidt, R., see Bode, K., **27**, 139
Schmidt, S.L., see Lent, R., **25**, 127
Schneider, A., see Johnstone, S.R., **24**, 63
Schönenberger, N., Escher, G. and Van der Loos, H.
The time course of the changes in axon number of both oculomotor nerves in normal and unilaterally enucleated *Xenopus laevis*, **24**, 169
Schoonmaker, J.N., see Handa, R.J., **30**, 278
Schumacher, M., see Hutchison, J.B., **25**, 33
Segovia, S., see Valencia, A., **24**, 287
Segovia, S., Valencia, A., Calés, J.M. and Guillamón, A.
Effects of sex steroids on the development of two granule cell subpopulations in the rat accessory olfactory bulb, **30**, 283
Seidler, F.J. and Slotkin, T.A.
Non-neurogenic adrenal catecholamine release in the neonatal rat: exocytosis or diffusion?, **28**, 274
Seite, R., see Autillo-Touati, A., **26**, 33
Sengelaub, D.R., see Finlay, B.L., **28**, 1
Sensenbrenner, M., see Weibel, M., **25**, 199
Sentinelli, S., see Lauriola, L., **28**, 69
Senut, M.C. and Alvarado-Mallart, R.M.
Development of the retinotectal system in normal quail embryos: cytoarchitectonic development and optic fiber innervation, **29**, 123
Sestokas, A.K. and Lehmkuhle, S.
The effects of monocular deprivation on the visual latency of geniculate X- and Y-cells in the cat, **30**, 93
Sharkey, M.A., Lund, R.D. and Dom, R.M.
Maintenance of transient occipitospinal axons in the rat, **30**, 257
Sharp, F.R. and Gonzalez, M.F.
Adult rat motor cortex connections to thalamus following neonatal and juvenile frontal cortical lesions: WGA-HRP and amino acid studies, **30**, 169
Shea, T.B., see Fischer, I., **25**, 99
Shibasaki, T., see Kawai, Y., **28**, 177
Shirao, T. and Obata, K.
Immunochemical homology of 3 developmentally regulated brain proteins and their developmental change in neuronal distribution, **29**, 233
Shook, B.L. and Chalupa, L.M.
Organization of geniculocortical connections following prenatal interruption of binocular interactions, **28**, 47
Shryne, J.E., see Handa, R.J., **30**, 278
Silverman, W.F., Walsh, R.J. and Posner, B.I.
The ontogeny of specific prolactin binding sites in the rat choroid plexus, **24**, 11
Simantov, R. and Levy, R.
Plasticity in the phenotypic expression of brain opioid receptors: differential response of forebrain and hindbrain cultures to chemical depolarization, **26**, 301
Simon, E.J., see Tempel, A., **25**, 287
Singer, W., see Moneta, M.E., **30**, 104
Sisken, B.F., Fowler, I. and Barr, E.
Sources of trophic factors that induce limb regeneration and prevent amputation-induced neuronal death, **27**, 181
Sivasubramanian, P., see Nässel, D.R., **26**, 211
Skaper, S.D. and Varon, S.
Age-dependent control of dorsal root ganglion neuron survival by macromolecular and low-molecular-weight trophic agents and substratum-bound laminins, **24**, 39
Skaper, S.D., Facci, L., Rudge, J., Katoh-Semba, R., Manthorpe, M. and Varon, S.
Morphological modulation of cultured rat brain astroglial cells: antagonism by ganglioside GM_1, **25**, 21
Skaper, S.D., see Manthorpe, M., **25**, 191
Slotkin, T.A., see Seidler, F.J., **28**, 274
Smart, J.L., Tonkiss, J. and Massey, R.F.
A phenomenon: left-biassed asymmetrical eye-opening in artificially reared rat pups, **28**, 134
Smith, K.L., see Swann, J.W., **30**, 243
Smolen, A.J. and Beaston-Wimmer, P.
Dendritic development in the rat superior cervical ganglion, **29**, 245
Snyder, S.H., see Strittmatter, S.M., **29**, 207
So, K.-F., see Tay, D., **30**, 268
Söderberg, U., see Mohammed, A.K., **30**, 145
Soinila, S., see Lahtinen, T., **27**, 51
Soriano, E., Cobas, A. and Fairén, A.
Asynchronism in the neurogenesis of GABAergic and non-GABAergic neurons in the mouse hippocampus, **30**, 88
Soyke, J., see Gordon, B., **24**, 21
Stafford, C.A., see Cronly-Dillon, J.R., **30**, 13
Stallcup, W.B., see Levine, J.M., **27**, 211
Stanfield, B.B., see O'Leary, D.D.M., **27**, 87
Stanhope, G.B., Wolf, M.K. and Billings-Gagliardi, S.
Genotype-specific myelin formation around normal axons in cytosine arabinoside-treated organotypic cultures injected with normal or shiverer optic nerve, **24**, 109
Stark, L.G., Albertson, T.E., Joy, R.M., He, P. and Streisand, J.
The acquisition of a kindled response in developing rats using 24-h intertrial intervals, **24**, 291
Stewart, M.G., see Curtis, E.M., **30**, 189
Streisand, J., see Stark, L.G., **24**, 291
Strittmatter, S.M., Lynch, D.R. and Snyder, S.H.
Differential ontogeny of rat brain peptidases: prenatal expression of enkephalin convertase and postnatal development of angiotensin-converting enzyme, **29**, 207
Suarez-Isla, B.A., Cosgrove, J.W., Thompson, J.M. and Rapoport, S.I.
A soluble factor (>4000 Da) from chick spinal cord blocks slow hyperpolarizing afterpotentials in cultured rat muscle cells, **30**, 274
Suburo, A., see Campaña, H., **26**, 315
Sugisaki, T., see Noguchi, T., **26**, 161
Sullivan, R.M. and Leon, M.
Early olfactory learning induces an enhanced olfactory bulb response in young rats, **27**, 278
Sundström, E., see Mohammed, A.K., **30**, 145
Sussdorf, W.S. and Campenot, R.B.
Influence of the extracellular potassium environment on neurite growth in sensory neurons, spinal cord neurons and sympathetic neurons, **25**, 43
Suzuki, K., see Nagara, H., **26**, 79
Swaab, D.F., see Van der Sluis, P.J., **26**, 85
Swann, J.W., Smith, K.L. and Brady, R.J.
Extracellular K^+ accumulation during penicillin-induced epileptogenesis in the CA_3 region of immature rat hippocampus, **30**, 243
Swenson, R.S., see Castro, A.J., **24**, 295
Szczepanik, A.M., see Klein, B.G., **27**, 257

T

Tabata, H., Bell, J.M., Miller, J.C. and Rapoport, S.I. Incorporation of plasma palmitate into the brain of the rat during development, **29**, 1
Tahara, Y., Kumoi, Y., Kiyama, H. and Tohyama, M. Ontogeny of substance P-containing structures in the chicken retina: immunohistochemical analysis, **30**, 37
Takahashi, Y., see Takahashi-Iwanaga, H., **29**, 225
Takahashi-Iwanaga, H., Kondo, H., Yamakuni, T. and Takahashi, Y. An immunohistochemical study on the ontogeny of cells immunoreactive for spot 35 protein, a novel Purkinje cell-specific protein, in the rat cerebellum, **29**, 225
Takashima, S. and Becker, L.E. Prenatal and postnatal maturation of medullary 'respiratory centers', **26**, 173
Tanaka, H., Iwasaki, S., Inomata, K., Nasu, F. and Nishimura, S. The protective effects of vitamin E on microcephaly in rats X-irradiated in utero: DNA, Lipid Peroxide and Confronting Cisternae, **27**, 11
Tank, D.W., see Ahmed, Z., **28**, 221
Taxi, J., see Ugrumov, M.V., **0**, 75
Tay, D., So, K.-F., Jen, L.S. and Lau, K.C. The postnatal development of the optic nerve in hamsters: an electron microscopic study, **30**, 268
Teicher, M.H., Barber, N.I., Reichheld, J.H., Baldessarini, R.J. and Finklestein, S.P. Selective depletion of cerebral norepinephrine with 6-hydroxydopamine and GBR-12909 in neonatal rat, **30**, 124
Tempel, A., Crain, S.M., Peterson, E.R., Simon, E.J. and Zukin, R.S. Antagonist-induced opiate receptor upregulation in cultures of fetal mouse spinal cord–ganglion explants, **25**, 287
Tenot, M., see Honegger, P., **29**, 217
Terashima, T., see Inoue, Y., **26**, 239
Thampy, K.G., see Jong, Y.-J., **25**, 83
Thomasset, M., see Rabié, A., **29**, 253
Thompson, J.M., see Suarez-Isla, B.A., **30**, 274
Thong, I.G. and Dreher, B. The development of the corticotectal pathway in the albino rat, **25**, 227
Timiras, P.S., see Ino, M., **30**, 120
Tohyama, M., see Kawai, Y., **28**, 177
Tohyama, M., see Tahara, Y., **30**, 37
Tokuzen, M., see Daikoku, S., **28**, 85
Tonkiss, J., see Smart, J.L., **28**, 134
Tramu, G., see Ugrumov, M.V., **0**, 75
Triggle, D.J., see Rampe, D., **29**, 189
Trimmer, P.A. and McCarthy, K.D. Immunocytochemically defined astroglia from fetal, newborn and young adult rats express β-adrenergic receptors in vitro, **27**, 151
Trombley, P., see Gordon, B., **24**, 21
Troy, F.A., see Rosenberg, J., **30**, 262
Tsang, D., Ho, K.P. and Wen, H.L. Effect of maternal methadone administration on the development of multiple forms of monoamine oxidase in rat brain and liver, **26**, 187
Tsukada, Y., see Inoue, Y., **26**, 239
Tsukui, H., see Hatanaka, H., **30**, 47
Turner, J.E. and Blair, J.R. Newborn rat retinal cells transplanted into a retinal lesion site in adult host eyes, **26**, 91

U

Ugrumov, M.V., Taxi, J., Mitskevich, M.S. and Tramu, G. Development of the hypothalamic serotoninergic system during ontogenesis in rats. Immunocytochemical and radioautographic study, **0**, 75
Ungerleider, L.G., see Bachevalier, J., **25**, 302
Unsicker, K., see Bode, K., **27**, 139
Uylings, H.B.M. and Van Norde, W. Impaired development of individual cerebellar lobules in the diabetes insipidus Brattleboro rat, **26**, 293
Uzzan, A., see Melamed, E., **26**, 280

V

Valencia, A., see Segovia, S., **30**, 283
Valencia, A., Segovia, S. and Guillamón, A. Effects of sex steroids on the development of the accessory olfactory bulb mitral cells in the rat, **24**, 287
Van der Kooy, D., see Lança, A.J., **27**, 1
Van der Kooy, D., see O'Connor, T.P., **27**, 223
Van der Loos, H., see Schönenberger, N., **24**, 169
Van der Sluis, P.J., Boer, G.J. and Swaab, D.F. Vasopressin and oxytocin in the developing rat brain as shown by isoelectric focusing of radioimmunoassayable peptides, **26**, 85
Van Marthens, E., see Zamenhof, S., **28**, 267
Van Norde, W., see Uylings, H.B.M., **26**, 293
Van Sluyters, R.C., see Olavarria, J., **25**, 309
Varon, S., see Manthorpe, M., **25**, 19
Varon, S., see Skaper, S.D., **24**, 39
Varon, S., see Skaper, S.D., **25**, 21
Veale, W.L., see Hicks, T.P., **24**, 299
Vergnes, M., Marescaux, C., Depaulis, A., Micheletti, G. and Warter, J.-M. Ontogeny of spontaneous petit mal-like seizures in Wistar rats, **30**, 85
Verity, M.A., see Sarafian, T., **26**, 26
Vernadakis, A., see Davies, D.L., **24**, 253
Vernadakis, A., see Sakellaridis, N., **27**, 31
Vert, P., see Daval, J.-L., **27**, 175
Vidauri, J., see Melamed, E., **26**, 280
Vijayan, V.K. Morphogenesis of the mossy fiber synapses in the hippocampus of the rhesus monkey, **25**, 259
Vollmer, G. and Layer, P.G. Lucifer Yellow stains a subpopulation of chicken retinoblasts preferentially 3 h after their last round of DNA synthesis, **27**, 253
Volterra, A., Restani, P., Brunello, N., Galli, C.L. and Racagni, G. Interaction of β-casomorphins with multiple opioid receptors: in vitro and in vivo studies in the newborn rat brain, **30**, 25
Vorbrodt, A.W., Lossinsky, A.S., Dobrogowska, D.H. and Wisniewski, H.M. Distribution of anionic sites and glycoconjugates on the endothelial surfaces of the developing blood–brain barrier, **29**, 69
Vrbová, G., see Connold, A.L., **28**, 9
Vuillet, J., see Autillo-Touati, A., **26**, 33

W

Walsh, F.S., see Dickson, J.G., **24**, 3
Walsh, R.J., see Silverman, W.F., **24**, 11
Warecka, K., see Bhat, N.R., **29**, 31
Warter, J.-M., see Vergnes, M., **30**, 8
Webster, W., see Ashwell, K., **30**, 31
Weibel, M., Pettmann, B., Artault, J.-C., Sensenbrenner, M.

and Labourdette, G.
Primary culture of rat ependymal cells in serum-free defined medium, **25**, 199
Weill, C.L.
Characterization of androgen receptors in embryonic chick spinal cord, **24**, 127
Weill, C.L.
Characterization of glucocorticoid receptors in whole and cellular subfractions of embryonic chick spinal cord, **27**, 167
Weill, C.L.
Cyclic nucleotide content of ciliary and dorsal root ganglia during embryonic development in the chick, **26**, 305
Weinberger, R.P. and Rostas, J.A.P.
Subcellular distribution of a calmodulin-dependent protein kinase activity in rat cerebral cortex during development, **29**, 37
Wen, H.L., see Tsang, D., **26**, 187
Wiesel, T.N., see Carlson, M., **25**, 71
Wikler, K.C., Kirn, J., Windrem, M.S. and Finlay, B.L.
Control of cell number in the developing visual system. II. Effects of partial tectal ablation, **28**, 11
Wilkin, G.P., see Johnstone, S.R., **24**, 63
Wilkinson, F., Baker, A.G. and Boothroyd, K.
Some effects of early monocular deprivation in the Mongolian gerbil, **26**, 276
Williams, C.A., see Kalderon, N., **25**, 1
Williams, R.W., see Lia, B., **25**, 296
Wilson, D.A. and Leon, M.
Early appearance of inhibition in the neonatal rat olfactory bulb, **26**, 289
Wilson, P.A., see Abrahamson, I.K., **27**, 117
Windrem, M.S., see Raabe, J.I., **28**, 23
Windrem, M.S., see Wikler, K.C., **28**, 11
Wisniewski, H.M., see Vorbrodt, A.W., **29**, 69
Wolf, M.K., see Stanhope, G.B., **24**, 109

Y

Yamakuni, T., see Takahashi-Iwanaga, H., **29**, 225
Yamamoto, H. and Kato, T.
The effect of neonatal anoxia on brain cholecystokinin-8-like immunoreactivity and monoamine levels of mature rats, **26**, 285
Yamamoto, T., Samejima, A. and Oka, H.
Response properties of the non-pyramidal tract neuron in the kitten motor cortex during early postnatal development: an intracellular HRP study, **29**, 275
Yanai, J., see Iser-Strenger, C., **30**, 57
Yokoyama, M., see Inoue, Y., **26**, 239
Yorke, G., see Matta, S.G., **27**, 243

Z

Zadina, J.E. and Kastin, A.J.
Neonatal peptides affect developing rats: β-endorphin alters nociception and opiate receptors, corticotropin-releasing factor alters corticosterone, **29**, 21
Zagon, I.S. and McLaughlin, P.J.
Opioid antagonist-induced modulation of cerebral and hippocampal development: histological and morphometric studies, **28**, 233
Zamenhof, S. and Van Marthens, E.
Effect of intrauterine positions on fetal brain development in the rat, **28**, 267
Ziegler, M.G., see Aramant, R.B., **25**, 161
Zimmer, J., see Finsen, B., **29**, 51
Zinsmeister, P.P. and Nuttall, R.P.
Age and cell type influences on nerve–non-nerve contact interactions, **25**, 143
Zukin, R.S., see Barr, G.A., **29**, 145
Zukin, R.S., see Tempel, A., **25**, 287

DEVELOPMENTAL BRAIN RESEARCH
SUBJECT INDEX
1986
VOLUMES 389–395 (24–30)

A

Aberrant retinocollicular pathway
Retinocollicular projection; Superior colliculus; Monocular enucleation; Neuroplasticity; Visuotopy; Opossum (Méndez-Otero, R.) **27,** 101

Accessory olfactory bulb
Sex difference; Mitral cell; Vomeronasal system (Valencia, A.) **24,** 287

Sex difference; Light and dark granule cells; Vomeronasal system; Critical period (Segovia, S.) **30,** 283

Accessory optic system
Visual deprivation; Lateral and dorsal terminal nucleus; Direction and velocity selectivity; Ocular dominance; Optokinetic nystagmus; Cat (Grasse, K.L.) **27,** 199

Acetylcholine
Insect; Prothoracicotropic hormone; Choline (Lester, D.S.) **26,** 201

Copper; Glucose; 3-Hydroxybutyrate; Ketone body; Cerebellum; Forebrain; Brain slice; Brindled mouse; Oxidative metabolism; Development (Peterson, C.) **29,** 153

Monoethylcholine mustard aziridinium ion (AF64A); Neuron (Koppenaal, D.W.) **30,** 110

Acetylcholine receptor
Microinjection; Latency; *Xenopus* oocyte; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **24,** 211

Acetylcholinesterase
Olfactory bulb; Cholinergic; Choline acetyltransferase; Muscarinic receptor; Autoradiography; Granule cell layer; External plexiform layer (Rea, M.A.) **24,** 233

Transplant; Dopaminergic terminal; Tyrosine hydroxylase; Neuronal specificity; Striatum (Jaeger, C.B.) **24,** 309

Isoform; Cell culture; Mouse; Septum; Hippocampus (Schegg, K.M.) **30,** 221

Acetylcholinesterase staining
Horseradish peroxidase; Wheat germ agglutinin; Immunohistochemistry; Lateral posterior nucleus–pulvinar complex; Kitten (Kato, N.) **30,** 140

Actin
Astrocyte; Cytoskeleton; Spectrin; Dibutyryl cyclic AMP (dBcAMP); Differentiation in vitro (Opas, M.) **25,** 314

Neuronal development; Dendritic spine; Neuronal plasticity (Markham, J.A.) **27,** 263

Activity
Lead; Hippocampus; FEP; Electroencephalogram; Theta (Burdette, L.J.) **29,** 101

Activity pattern
Neuromuscular junction; Innervation; Muscle innervation; Synapse formation; Synapse elimination (Magchielse, T.) **25,** 211

Adrenocorticotropin
α-Melanotropin; Developmental pattern; Aggregating brain cell culture; Peptide extraction; Radioimmunoassay (Monnet-Tschudi, F.) **26,** 125

α_1-Adrenoceptor
Locus ceruleus; Noradrenaline; α_2-Adrenoceptor; Neurotransmitter; Tissue culture; Development (Finlayson, P.G.) **25,** 292

α_2-Adrenoceptor
Locus ceruleus; Noradrenaline; α_1-Adrenoceptor; Neurotransmitter; Tissue culture; Development (Finlayson, P.G.) **25,** 292

Olfactory bulb; Rat; Development; Estrous cycle; Sex difference (Battie, C.N.) **30,** 129

β-Adrenoceptor
Noradrenaline; Forebrain development (Goffinet, A.M.) **24,** 187

Critical period; Visual cortex; Iodopindolol; Dark-rearing; Development (Aoki, C.) **27,** 109

Astroglia; Development; Tissue culture; Quantitative single cell receptor autoradiography (Trimmer, P.A.) **27,** 151

Affective behavior
Reinforcement; Neonatal behavior; Opioid system (Kehoe, P.) **27,** 69

Aggregating brain cell culture
α-Melanotropin; Adrenocorticotropin; Developmental pattern; Peptide extraction; Radioimmunoassay (Monnet-Tschudi, F.) **26,** 125

Aggregating cell culture
Phorbol ester; Mezerein; Tumor promoter; Nerve growth factor; Protein kinase C; Cholinergic telencephalon neuron (Honegger, P.) **29,** 217

Aggregating cells
Neuronal plasticity; Opioid; Receptor; Depolarization; Phenotypic expression; Potassium (Simantov, R.) **26,** 301

Aggregation
Transmitter phenotype; Transmitter regulation; Cell membrane; Sympathetic neuron; Choline acetyltransferase; Substance P (Adler, J.E.) **30,** 237

Aging
Glial fibrillary acidic protein; Laminin; Brain grafting; Cortex cerebri (Eriksdotter-Nilsson, M.) **28,** 75

γ-Aminobutyric acid
Astrocyte; Glial fibrillary acidic protein; Surface antigen (Johnstone, S.R.) **24,** 63

Release; Visual cortex; Electrical stimulation; Push–pull cannula; Cortical cup (Hicks, T.P.) **24,** 299

Local circuit neuron; Migration; Neurochemical differentiation; Birthdate (Miller, M.W.) **28,** 41

Immunocytochemistry; Chick; Medial hyperstriatum ventrale; Development (Curtis, E.M.) **30,** 189

γ-Aminobutyric acid uptake
Hippocampus; Primary culture of hippocampus; γ-Aminobutyric acid ergic neuron; Glutamic acid decarboxylase (Hoch, D.B.) **25,** 53

Glutamate decarboxylase; Cultured neurons; Embryonic development; γ-Aminobuutyric acid synthesis (Jong, Y.-J.) **25,** 83

γ-Aminobutyric acid receptor
Baclofen receptor; Behavior; Embryology; Inhibition; Vasodilator (Maderdrut, J.L.) **25,** 157

γ-Aminobutyric acid synthesis
γ-Aminobutyric acid uptake; Glutamate decarboxylase; Cultured neurons; Embryonic development (Jong, Y.-J.) **25,** 83

γ-Aminobutyric acid-A receptor
Benzodiazepine receptor; *t*-Butylbicyclophosphorothionate receptor; Ontogeny; Development; Cerebral neuron; Cultured neuron (Jalilian Tehrani, M.H.) **25,** 91

γ-Aminobutyric acidergic inhibition
Neostriatum; Development; Cholinergic excitation; Bursting (Misgeld, U.) **27,** 59

γ-Aminobutyric acidergic neurons
Hippocampus; Primary culture of hippocampus; γ-Aminobutyric acid uptake; Glutamic acid decarboxylase (Hoch, D.B.) **25,** 53

Glutamic acid decarboxylase immunocytochemistry; Neurogenesis; Thymidine; Autoradiography; Hippocampus; Mouse (Soriano, E.) **30,** 88

Amphetamine
Development; Voltammetry; Dopamine; Neostriatum; Substantia nigra (Gazzara, R.A.) **28,** 213

D-Amphetamine
Self-stimulation; Intracranial self-stimulation; Reward; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Amputation
Motoneuron death; Development;

Chick embryo; Cyclic guanine monophosphate; Neurotrophism (Douglas, J.H.V.) **26,** 271

Amygdala
Kindling; Rat; Infant; Weanling; Development; Seizure (Stark, L.G.) **24,** 291

Sexual differentiation; Neuronal survival; Estradiol; Serum-free culture (Arimatsu, Y.) **26,** 151

Analgesia
Neonatal; Peptide; β-Endorphin; Corticotropin-releasing factor; Tail-flick; Opiate receptor; Eye opening; Corticosterone (Zadina, J.E.) **29,** 21

Androgen
Hormone receptor; Embryonic spinal cord; Development (Weill, C.L.) **24,** 127

Androgen receptor
Autoradiography; Ontogeny; Dihydrotestosterone; Central nervous system; Frog (Gorlick, D.L.) **26,** 193

Angiogenesis
Endothelial sprout; Golgi technique; Rat cerebellum; Electron microscopy (Nousek-Goebl, N.A.) **30,** 67

Animal model
Maternal phenylketonuria; Cortical abnormality (Lacey, D.J.) **27,** 283

Anionic site
Lectin receptor; Blood–brain barrier; Brain development; Barrier maturation (Vorbrodt, A.W.) **29,** 69

Anoxia
Cholecystokinin; Neonatal; Rat brain; Catecholamine (Yamamoto, H.) **26,** 285

Anterograde tracing method
Optic tectum differentiation; Retinotectal projection; Quail embryo; Development; In vitro HRP axonal staining (Senut, M.C.) **29,** 123

Antigen, 5B4
Development; Neuronal sproutingl Monoclonal antibody; Polesialic acid; Neural cell adhesion molecule (Rosenberg, J.) **30,** 262

Antigenic marker
Astrocyte; Cell culture; Cerebellum; Mouse; Mutant; Weaver (Fischer, G.) **28,** 247

Aphidicolin
Development; Human; Monoamine oxidase; Neuroblastoma; Retinoic acid; Tyrosine hydroxylase (Ino, M.) **30,** 120

Area 18
Kitten; Intrinsic connection; Retrogradely transported neuronal tracer (Price, D.J.) **24,** 31

Aromatase
5α-Reductase; 5β-Reductase; Testosterone; Estradiol; Brain development; Sex dimorphism; Hypothalamus; Preoptic area (Hutchison, J.B.) **25,** 33

Artificial rearing
Early experience; Eye-opening; Brain lateralisation (Smart, J.L.) **28,** 134

Aspartate
Tissue culture; Cerebellum; Glutamate; Calcium ion; Receptor (Mori-Okamoto, J.) **26,** 1

Astrocyte
γ-Aminobutyric acid; Glial fibrillary acidic protein; Surface antigen (Johnstone, S.R.) **24,** 63

Ethanol; C6 glioma; Glial cell; Dibutyryl cyclic AMP; Differentiation; Cell culture (Davies, D.L.) **24,** 253

Cytoskeleton; Actin; Spectrin; Dibutyryl cyclic AMP (dBcAMP); Differentiation in vitro (Opas, M.) **25,** 314

Viral transformation; Cell culture; Mesencephalon; Striatum; Glial marker (Moura Neto, V.) **26,** 11

Clone; Cyclic adenosine monophosphate; Differentiation; Electron microscopy; Mitomycin (Autillo-Touati, A.) **26,** 33

Antigenic marker; Cell culture; Cerebellum; Mouse; Mutant; Weaver (Fischer, G.) **28,** 247

Motoneuron development; Myotube (Eagleson, K.L.) **29,** 161

Astrocyte population
Cell culture; Microdissection; Neuron–glia interaction; Tetanus toxin receptor; Cell type-specific marker; Mouse cerebellum (Nagata, I.) **24,** 217

Astroglia
Primary culture; Development; Kinetic constant; Transport; L-Glutamate; Glutamine synthetase; Cerebral cortex; Striatum; Brainstem (Hansson, E.) **24,** 203

β-Adrenoceptor; Development; Tissue culture; Quantitative single cell receptor autoradiography (Trimmer, P.A.) **27,** 151

Astroglial cell
Differentiation; Dibutyryl cyclic AMP; Forskolin; Cholera toxin; Ganglioside (Skaper, S.D.) **25,** 21

ATPase, (Na^+,K^+)-
L-Tryptophan; Serotonin synthesis; Brain development (Hernández-Rodríguez, J.) **25,** 221

Atropine
α-Bungarotoxin; Spinal cord; Rodent; Cell culture; Autoradiography; Carbachol; (+)-Tubocurarine (Schaffner, A.E.) **25,** 239

Autoradiography
Development; Corticostriatal; Corticoclaustral; Neostriatum; Claustrum; Pericruciate cortex (Adinolfi, A.M.) **24,** 99

Olfactory bulb; Cholinergic; Acetylcholinesterase; Choline acetyltransferase; Muscarinic receptor; Granule cell layer; External plexiform layer (Rea, M.A.) **24,** 233

α-Bungarotoxin; Spinal cord; Rodent; Cell culture; Carbachol; (+)-Tubocurarine; Atropine (Schaffner, A.E.) **25,** 239

Ontogeny; Dihydrotestosterone; Androgen receptor; Central nervous system; Frog (Gorlick, D.L.) **26,** 193

Vasopressin; Receptor; Development; Brattleboro rat (Petracca, F.M.) **28,** 63

Ontogenesis; Serotonin; Hypothalamus; Immunocytochemistry (Ugrumov, M.V.) **30,** 75

Histogenesis; Ependymal cell; Third ventricle; Developmental gradient; Rabbit (Fernández, V.) **30,** 201

Glutamic acid decarboxylase immunocytochemistry; γ-Aminobutyric acidergic neurons; Neurogenesis; Thymidine; Hippocampus; Mouse (Soriano, E.) **30,** 88

Axon and dendrite
Quantitation; Individual central nervous system neuron; Rapid differentiation and growth; Three-dimensional hydrated collagen lattice culture (Coates, P.W.) **35,** 11

Axon and retinal ganglion cell numbers
Development; Marsupial (Braekevelt, C.R.) **25,** 117

Axon loss
Postnatal; Dorsal root (Hulsebosch, C.E.) **26,** 105

Axonal arborization
Reeler mutant mouse; Superior colliculus; Lateral geniculate nucleus; Retinal projection (Frost, D.O.) **28,** 109

Axonal pathfinding
Fleshfly; Insect CNS; Neural development; Leg muscle elimination (Nässel, D.R.) **26,** 211

B

Baclofen receptor
Behavior; Embryology; γ-Aminobutyri receptor; Inhibition; Vasodilator (Maderdrut, J.L.) **25,** 157

Barrier maturation
Anionic site; Lectin receptor;

Blood–brain barrier; Brain development (Vorbrodt, A.W.) **29,** 69

Basal ganglia
Globus pallidus; Dendritic development; Somatic development; Neuron differentiation; Morphometry (Dvergsten, C.L.) **24,** 239

Basic protein
Oligodendrocyte; Cell culture; Immunohistochemistry; Myelin; W1 Wolfgram protein; Proteolipid (Espinosa De Los Monteros, A.) **24,** 117

Basket cell
Non-phosphorylated neurofilament; Phosphorylated neurofilament; Rat cerebellum; Purkinje cell; Development; Thyroid deficiency (Marc, C.) **26,** 249

Behavior
Baclofen receptor; Embryology; γ-Aminobutyric receptor; Inhibition; Vasodilator (Maderdrut, J.L.) **25,** 157

Behavioral development
Nerve growth factor; Scopolamine hyperactivity (Alleva, E.) **28,** 278

Benzodiazepine receptor
Development; Visual system; Dark-rearing; Rat brain (Schliebs, R.) **24,** 179

γ-Aminobutyric acid-A receptor; *t*-Butylbicyclophosphorothionate receptor; Ontogeny; Development; Cerebral neuron; Cultured neuron (Jalilian Tehrani, M.H.) **25,** 91

Bergmann glia
Cerebellum; 5′-Nucleotidase; Enzyme induction (Hess, D.T.) **29,** 93

Bilateral effect
Xenopus; Oculomotor nerve; Eye primordium removal; Change in axon number; Long-term effect of enucleation; Target dependency of nerve (Schönenberger, N.) **24,** 169

Binocular vision
Monocular deprivation; Visual acuity; Mongolian gerbil; Reverse suturing (Wilkinson, F.) **26,** 276

Biochemical heterogeneity of astrocytes
Regulation of glutamine synthetase; Dexamethasone; Primary culture of astrocytes; Ornithine decarboxylase; Lactate dehydrogenase; Glutamine-mediated regulation (Patel, A.J.) **26,** 229

Biosynthetic activity
Neurotropic interaction; Goldfish optic nerve regeneration (Cronly-Dillon, J.R.) **30,** 13

Birthdate
Local circuit neuron; γ-Aminobutyric acid; Migration; Neurochemical differentiation (Miller, M.W.) **28,** 41

Blood–brain barrier
Anionic site; Lectin receptor; Brain development; Barrier maturation (Vorbrodt, A.W.) **29,** 69

Brain
Thyrotropin-releasing hormone; Pituitary; Receptor; Ontogenic development (Blanchard, L.) **24,** 85

Neuroregulator; Serotonin; Dopamine; Noradrenaline; Newborn (McNamara, M.C.) **25,** 253

Opiate receptor; Monkey; Development (Bachevalier, J.) **25,** 302

Perinatal opiate syndrome; Development of monoamine oxidase (Tsang, D.) **26,** 187

γ-Melanocyte-stimulating hormone; Ontogeny; Hypophysis; Rat; Immunocytochemistry (Kawai, Y.) **28,** 177

Quantitative autoradiography; Rat; Development; Lipid; Palmitate; Myelination (Tabata, H.) **29,** 1

Olfactory bulb; Denervation; Olfaction; Postnatal development; Cell proliferation; Growth; Cell migration; Rat; Sensory development (Meisami, E.) **29,** 282

Stage; Development; Head circumference; Electroencephalogram; Cortical thickness (Epstein, H.T.) **30,** 114

Brain development
Aromatase; 5α-Reductase; 5β-Reductase; Testosterone; Estradiol; Sex dimorphism; Hypothalamus; Preoptic area (Hutchison, J.B.) **25,** 33

L-Tryptophan; Serotonin synthesis; ATPase, (Na^+,K^+)- (Hernández-Rodríguez, J.) **25,** 221

Supraoptic decussation; Functional asymmetry; Chicken forebrain; Cycloheximide; Visual discrimination learning (Rogers, L.J.) **28,** 33

Anionic site; Lectin receptor; Blood–brain barrier; Barrier maturation (Vorbrodt, A.W.) **29,** 69

Brain grafting
Aging; Glial fibrillary acidic protein; Laminin; Cortex cerebri (Eriksdotter-Nilsson, M.) **28,** 75

Brain irradiation
Corpus callosum; Callosal agenesis; Callosal development; Callosal plasticity (Lent, R.) **25,** 127

Brain lateralization
Early experience; Artificial rearing; Eye-opening (Smart, J.L.) **28,** 134

Brain ontogeny
Vasopressin; Oxytocin; Isoelectric focusing (Van der Sluis, P.J.) **26,** 85

Brain slice
Copper; Acetylcholine; Glucose; 3-Hydroxybutyrate; Ketone body; Cerebellum; Forebrain; Brindled mouse; Oxidative metabolism; Development (Peterson, C.) **29,** 153

Brain–behavior relationship
Olfactory bulb development; Early experience; Neural basis of learning; Norwegian rat (Coopersmith, R.) **24,** 271

Brainstem
Astroglia; Primary culture; Development; Kinetic constant; Transport; L-Glutamate; Glutamine synthetase; Cerebral cortex; Striatum (Hansson, E.) **24,** 203

Spinal cord; Development; Descending inhibition; Dorsal horn (Fitzgerald, M.) **24,** 261

Brattleboro rat
Cerebellar lobule; Diabetes insipidus; Sex dimorphism; Morphometry; Vasopressin (Uylings, H.B.M.) **26,** 293

Vasopressin; Receptor; Development; Autoradiography (Petracca, F.M.) **28,** 63

Brindled mouse
Copper; Acetylcholine; Glucose; 3-Hydroxybutyrate; Ketone body; Cerebellum; Forebrain; Brain slice; Oxidative metabolism; Development (Peterson, C.) **29,** 153

α-Bungarotoxin
Spinal cord; Rodent; Cell culture; Autoradiography; Carbachol; (+)-Tubocurarine; Atropine (Schaffner, A.E.) **25,** 239

Bursting
Neostriatum; Development; γ-Aminobutyric acidergic inhibition; Cholinergic excitation (Misgeld, U.) **27,** 59

***t*-Butylbicyclophosphorothionate receptor**
γ-Aminobutyric acid-A receptor; Benzodiazepine receptor; Ontogeny; Development; Cerebral neuron; Cultured neuron (Jalilian Tehrani, M.H.) **25,** 91

C

C6 glial cell
α_2-Glycoprotein; Rat brain culture; Glial precursor cell; Cell lineage; Immunocytochemistry (Bhat, N.R.) **29,** 31

C6 glioma
Ethanol; Glial cell; Astrocyte; Dibutyryl cyclic AMP; Differentiation; Cell culture (Davies, D.L.) **24,** 253

Caffeine
Diazepam binding; Theophylline; Developing rat brain; Purine derivative (Daval, J.-L.) **27,** 175

Calcium
Synapse elimination; Protease; Neuromuscular junction; Development (Connold, A.L.) **28,** 99

Calmodulin; Protein kinase; Development; Postsynaptic density; Phosphorylation (Weinberger, R.P.) **29,** 37

Calcium antagonist
Synaptosome; Calcium channel; Nitrendipine; Ontogeny; Hypertension; Na^+:Ca^{2+} exchange (Rampe, D.) **29,** 189

Calcium channel
Synaptosome; Nitrendipine; Ontogeny; Hypertension; Calcium antagonist; Na^+:Ca^{2+} exchange (Rampe, D.) **29,** 189

Calcium ion
Tissue culture; Cerebellum; Glutamate; Aspartate; Receptor (Mori-Okamoto, J.) **26,** 1

Callosal agenesis
Corpus callosum; Callosal development; Callosal plasticity; Brain irradiation (Lent, R.) **25,** 127

Callosal development
Corpus callosum; Callosal agenesis; Callosal plasticity; Brain irradiation (Lent, R.) **25,** 127

Callosal plasticity
Corpus callosum; Callosal agenesis; Callosal development; Brain irradiation (Lent, R.) **25,** 127

Calmodulin
Protein kinase; Development; Postsynaptic density; Calcium; Phosphorylation (Weinberger, R.P.) **29,** 37

N-CAM
Cell adhesion molecule; L1 antigen; L2 epitope; Mouse; Neocortex; Development; Immunocytology (Fushiki, S.) **24,**153

Canonical variate analysis
Neonatal hypothyroidism; Pyramidal neuron; Cerebral cortex (Ipiña, S.L.) **29,** 61

Carbachol
α-Bungarotoxin; Spinal cord; Rodent; Cell culture; Autoradiography; (+)-Tubocurarine; Atropine (Schaffner, A.E.) **25,** 239

β-Casomorphin
Exorphin; Multiple opioid receptor; Newborn rat; Ontogenesis; Development (Volterra, A.) **30,** 25

Cat
Accessory optic system; Visual deprivation; Lateral and dorsal terminal nucleus; Direction and velocity selectivity; Ocular dominance; Optokinetic nystagmus (Grasse, K.L.) **27,** 199

Visual development; Monocular enucleation; Plasticity; Visual system; Geniculostriate pathway (Shook, B.L.) **28,** 47

Dorsal lateral geniculate nucleus; X-cell; Y-cell; Contrast; Visual latency; Deprivation (Sestokas, A.K.) **30,** 93

Catecholamine
Anoxia; Cholecystokinin; Neonatal; Rat brain (Yamamoto, H.) **26,** 285

Chromaffin cell; Development; Nerve growth factor; Neuropeptide; Ultrastructure (Bode, K.) **27,** 139

Catecholamine release
Neonatal rat adrenal; Hypoxia; Nicotine; Exocytosis (Seidler, F.J.) **28,** 274

Cell
PC12 cell; Glioma-conditioned medium; Substratum adhesion; Neuronotropic factor; Neurite outgrowth (Matsuoka, I.) **24,** 133

Cell adhesion
Cell surface; Monoclonal antibody; Cerebellar development (Pigott, R.) **29,** 111

Cell adhesion molecule
L1 antigen; N-CAM; L2 epitope; Mouse; Neocortex; Development; Immunocytology (Fushiki, S.) **24,** 153

Cell age
Olfactory epithelium; Synchronization; Mitosis; Hydroxyurea (Lidow, M.S.) **28,** 145

Cell culture
Edinger–Westphal nucleus; Ciliary ganglion neuron (Fujii, J.T.) **24,** 1

Oligodendrocyte; Immunohistochemistry; Myelin; W1 Wolfgram protein; Basic protein; Proteolipid (Espinosa De Los Monteros, A.) **24,** 117

Astrocyte population; Microdissection; Neuron–glia interaction; Tetanus toxin receptor; Cell type-specific marker; Mouse cerebellum (Nagata, I.) **24,** 217

Ethanol; C6 glioma; Glial cell; Astrocyte; Dibutyryl cyclic AMP; Differentiation (Davies, D.L.) **24,** 253

Spinal motoneuron; Chick embryo; Two-dimensional gel electrophoresis; Dual-label autoradiography (Dickson, J.G.) **24,** 315

α-Bungarotoxin; Spinal cord; Rodent; Autoradiography; Carbachol; (+)-Tubocurarine; Atropine (Schaffner, A.E.) **25,** 239

Viral transformation; Astrocyte; Mesencephalon; Striatum; Glial marker (Moura Neto, V.) **26,** 11

Glial cell line; Dopaminergic neuron; Neuroglial interaction; Mesencephalon Striatum; Morphological development (Mallat, M.) **26,** 23

Cerebellar granule cell; Thyroid hormone; Neuronal aggregation and survival; Protein synthesis; Microtubu density (Sarafian, T.) **26,** 261

Antigenic marker; Astrocyte; Cerebellum; Mouse; Mutant; Weaver (Fischer, G.) **28,** 247

Acetylcholinesterase; Isoform; Mouse Septum; Hippocampus (Schegg, K.M. **30,** 221

Cell cycle
Chick; Retina; Dye uptake; Lucifer Yellow; Proliferation; Mitosis; Thymidine incorporation; Differentiation (Vollmer, G.) **27,** 253

Cell death
Development; Optic nerve; Overproduction and elimination; Retinal ganglion cell; Fetal cat (Lia, B.) **25,** 296

Kainate; Retina; Chick embryo; Ganglion cell; Optic nerve hypoplasia (Campaña, H.) **26,** 315

Middle cerebral artery; Forehead skin Trigeminal ganglion; Development (O'Connor, T.P.) **27,** 223

Cortical development; Corticospinal projection; Pyramidal tract; Collateral elimination; Transient projection (O'Leary, D.D.M.) **27,** 87

Lateral geniculate nucleus; Superior colliculus; Enucleation; Hamster (Finlay, B.L.) **28,** 1

Superior colliculus; Retina; Early lesion; Hamster (Wikler, K.C.) **28,** 11

Superior colliculus; Hamster; Retina; Visual cortex (Raabe, J.I.) **28,** 23

Development; Optic nerve; Hamster; Electron microscopy (Tay, D.) **30,** 268

Neuronal activity; Retinal ganglion cells; Visual system development; Superior colliculus (O'Leary, D.D.M. **30,** 96

Cell differentiation
Sympathetic ganglion; Organ culture; Nerve growth factor; Heart atrium (Lahtinen, T.) **27,** 51

Cell lineage
Ganglioside; Cell surface antigen; Development (Levine, J.M.) **27,** 211

α_2-Glycoprotein; Rat brain culture; Glial precursor cell; C6 glial cell; Immunocytochemistry (Bhat, N.R.) **29,** 31

Cell membrane
Transmitter phenotype; Transmitter regulation; Aggregation; Sympathetic

euron; Choline acetyltransferase; ubstance P (Adler, J.E.) **30,** 237

ell migration
lfactory bulb; Denervation; lfaction; Postnatal development; Cell roliferation; Growth; Rat; Sensory evelopment; Brain (Meisami, E.) **9,** 282

ell proliferation
lfactory bulb; Denervation; lfaction; Postnatal development; Growth; Cell migration; Rat; Sensory evelopment; Brain (Meisami, E.) **9,** 282

ell surface
lonoclonal antibody; Cerebellar evelopment; Cell adhesion igott, R.) **29,** 111

ell surface antigen
anglioside; Development; Cell neage (Levine, J.M.) **27,** 211

ell surface specificity
lonoclonal antibody; Neural retina; anglion cell; Immunohistochemistry ole, G.J.) **26,** 133

ell type-specific marker
ell culture; Astrocyte population; icrodissection; Neuron–glia teraction; Tetanus toxin receptor; louse cerebellum (Nagata, I.) **24,** 217

ellular degeneration
witcher mouse; Globoid cell ukodystrophy; Oligodendrocyte; issociated culture (Nagara, H.) **26,** 79

entral myelin
hiverer; Chimaera; Mutant; Myelin heath (Inoue, Y.) **26,** 239

entral nervous system
utoradiography; Ontogeny; ihydrotestosterone; Androgen eceptor; Frog (Gorlick, D.L.) **26,** 193

elsolin; Oligodendroglia; Developing abbit (Legrand, C.) **30,** 231

entral nervous system egeneration
aminin; Mammalian tissue culture; ptic nerve; Rat; Goldfish ord-Holevinski, T.S.) **28,** 121

erebellar development
ell surface; Monoclonal antibody; Cell dhesion (Pigott, R.) **29,** 111

erebellar granule cell
ell culture; Thyroid hormone; euronal aggregation and survival; rotein synthesis; Microtubule density arafian, T.) **26,** 261

eurofilament; Transient expression; T97; Immunochemistry ambray-Deakin, M.A.) **28,** 282

erebellar lobule
rattleboro rat; Diabetes insipidus; Sex morphism; Morphometry; asopressin (Uylings, H.B.M.) **26,** 293

Cerebellothalamic projection
Neonatal hemicerebellectomy; Retrograde transport; Horseradish peroxidase; Quantitative analysis; Plasticity (Haroian, A.J.) **26,** 69

Cerebellum
Fetal sheep; Opioid receptor binding; Cortex; Hippocampus (Dunlap III, C.E.) **24,** 279

Tissue culture; Glutamate; Aspartate; Calcium ion; Receptor (Mori-Okamoto, J.) **26,** 1

Pontocerebellar; Development; Synaptogenesis; Corticopontine (Mihailoff, G.A.) **28,** 195

Antigenic marker; Astrocyte; Cell culture; Mouse; Mutant; Weaver (Fischer, G.) **28,** 247

Copper; Acetylcholine; Glucose; 3-Hydroxybutyrate; Ketone body; Forebrain; Brain slice; Brindled mouse; Oxidative metabolism; Development (Peterson, C.) **29,** 153

Ontogeny; Purkinje cell; Rat; Spot 35 protein; Immunohistochemistry (Takahashi-Iwanaga, H.) **29,** 225

Nervous system-specific protein; Development; Monoclonal antibody; Immunochemistry; Optic tectum (Shirao, T.) **29,** 233

Developing rat; Cholecalcin (calcium-binding protein); Purkinje cell; Thyroid deficiency; Thyroxine effects (Rabié, A.) **29,** 253

5′-Nucleotidase; Bergmann glia; Enzyme induction (Hess, D.T.) **29,** 93

Development; Transient pathway; Cerebral cortex (Panneton, W.M.) **30,** 133

Cerebral cortex
Astroglia; Primary culture; Development; Kinetic constant; Transport; L-Glutamate; Glutamine synthetase; Striatum; Brainstem (Hansson, E.) **24,** 203

Development; Microtubule-associated protein 2; Dendrite; Immunocytochemistry; Cortical plate (Crandall, J.E.) **28,** 127

Neonatal hypothyroidism; Pyramidal neuron; Dendritic density (Ruiz-Marcos, A.) **28,** 259

Neonatal hypothyroidism; Pyramidal neuron; Canonical variate analysis (Ipiña, S.L.) **29,** 61

Development; Cerebellum; Transient pathway (Panneton, W.M.) **30,** 133

Cerebral neuron
γ-Aminobutyric acid-A receptor; Benzodiazepine receptor; *t*-Butylbicyclophosphorothionate receptor; Ontogeny; Development; Cultured neuron (Jalilian Tehrani, M.H.) **25,** 91

Cerebrum
Hippocampus; Endogenous opioid; Opioid receptor; Naltrexone; Opioid antagonist; Morphology; Growth (Zagon, I.S.) **28,** 233

Change in axon number
Xenopus; Oculomotor nerve; Eye primordium removal; Bilateral effect; Long-term effect of enucleation; Target dependency of nerve (Schönenberger, N.) **24,** 169

Chick
Retina; Dye uptake; Lucifer Yellow; Proliferation; Cell cycle; Mitosis; Thymidine incorporation; Differentiation (Vollmer, G.) **27,** 253

γ-Aminobutyric acid; Immunocytochemistry; Medial hyperstriatum ventrale; Development (Curtis, E.M.) **30,** 189

Chick brain
Oligodendrocyte; Cytoskeleton; Microtubule; Microfilament; Cytochalasin B (Kumagai, H.) **27,** 270

Chick development
Myelin-associated glycoprotein; Dorsal root ganglion; Sensory neuron; Immunocytochemistry; Neuronal cell marker (Philippe, E.) **27,** 275

Chick embryo
Spinal motoneuron; Cell culture; Two-dimensional gel electrophoresis; Dual-label autoradiography (Dickson, J.G.) **24,** 315

Motoneuron death; Development; Cyclic guanine monophosphate; Amputation; Neurotrophism (Douglas, J.H.V.) **26,** 271

Kainate; Retina; Ganglion cell; Optic nerve hypoplasia; Cell death (Campaña, H.) **26,** 315

Chicken
Neuronotropic factor; Nerve growth factor; Schwann cell; Expansor secundariorum (Abrahamson, I.K.) **27,** 117

Substance P; Retina; Ontogeny; Immunohistochemistry (Tahara, Y.) **30,** 37

Transferrin; Transferrin receptor; Neuron; Immunocytochemistry (Oh, T.H.) **30,** 207

Chicken forebrain
Supraoptic decussation; Functional asymmetry; Brain development; Cycloheximide; Visual discrimination learning (Rogers, L.J.) **28,** 33

Chimaera
Shiverer; Central myelin; Mutant; Myelin sheath (Inoue, Y.) **26,** 239

Cholecalcin (calcium-binding protein)
Developing rat; Cerebellum; Purkinje cell; Thyroid deficiency; Thyroxine effects (Rabié, A.) **29,** 253

Cholecystokinin
Anoxia; Neonatal; Rat brain; Catecholamine (Yamamoto, H.) **26,** 285

Cholera toxin
Astroglial cell; Differentiation; Dibutyryl cyclic AMP; Forskolin; Ganglioside (Skaper, S.D.) **25,** 21

Cholesterol
Peripheral nerve; Myelin sheath; Nervous system disease; Neurological mutant; Cholesteryl ester; Triacylglycerol (Juguelin, H.) **25,** 249

Cholesteryl ester
Peripheral nerve; Myelin sheath; Nervous system disease; Neurological mutant; Cholesterol; Triacylglycerol (Juguelin, H.) **25,** 249

Choline
Insect; Prothoracicotropic hormone; Acetylcholine (Lester, D.S.) **26,** 201

Choline acetyltransferase
Olfactory bulb; Cholinergic; Acetylcholinesterase; Muscarinic receptor; Autoradiography; Granule cell layer; External plexiform layer (Rea, M.A.) **24,** 233

Transmitter phenotype; Transmitter regulation; Aggregation; Cell membrane; Sympathetic neuron; Substance P (Adler, J.E.) **30,** 237

Nerve growth factor; Septal neuron; Hippocampal neuron; Glioma-conditioned medium; Serum-free culture (Hatanaka, H.) **30,** 47

Cholinergic
Olfactory bulb; Acetylcholinesterase; Choline acetyltransferase; Muscarinic receptor; Autoradiography; Granule cell layer; External plexiform layer (Rea, M.A.) **24,** 233

Cholinergic differentiation
PC12 cell; Glioma-conditioned medium; High-affinity choline uptake; Neuronotropic factor (Matsuoka, I.) **24,** 145

Cholinergic excitation
Neostriatum; Development; γ-Aminobutyric acidergic inhibition; Bursting (Misgeld, U.) **27,** 59

Cholinergic telencephalon neuron
Phorbol ester; Mezerein; Tumor promoter; Nerve growth factor; Protein kinase C; Aggregating cell culture (Honegger, P.) **29,** 217

Choroid plexus
Prolactin; Receptor; Ontogeny (Silverman, W.F.) **24,** 11

Rat; Epithelium; Development; Morphometry; Stereology; Microvillus; Mitochondrion (Keep, R.F.) **27,** 77

Chromaffin cell
Development; Nerve growth factor; Catecholamine; Neuropeptide; Ultrastructure (Bode, K.) **27,** 139

Ciliary ganglion
Nerve growth factor; Ciliary neuronotropic factor; Neuronotropic activity; Neuronotropic factor bioassay; Tetrazolium salt; Dorsal root ganglion (Manthorpe, M.) **25,** 191

Ciliary ganglion neuron
Edinger–Westphal nucleus; Cell culture (Fujii, J.T.) **24,** 1

Ciliary neuronotrophic factor
Dorsal root ganglion; Neuron survival; Laminin; Trophic agent; Nerve growth factor; Polyornithine (Skaper, S.D.) **24,** 39

Ciliary neuronotropic factor
Nerve growth factor; Neuronotropic activity; Neuronotropic factor bioassay; Tetrazolium salt; Dorsal root ganglion; Ciliary ganglion (Manthorpe, M.) **25,** 191

Circadian rhythm
Suprachiasmatic nucleus; Pineal body; *dw* mouse; *lit* mouse; *hyt* mouse (Noguchi, T.) **26,** 161

Claustrum
Development; Autoradiography; Corticostriatal; Corticoclaustral; Neostriatum; Pericruciate cortex (Adinolfi, A.M.) **24,** 99

Clone
Astrocyte; Cyclic adenosine monophosphate; Differentiation; Electron microscopy; Mitomycin (Autillo-Touati, A.) **26,** 33

Cocaine
Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Cografting
Neural transplantation; Dopamine neuron; Rat striatum; Neuron–target interaction (Brundin, P.) **24,** 77

Collateral elimination
Cortical development; Corticospinal projection; Pyramidal tract; Cell death; Transient projection (O'Leary, D.D.M.) **27,** 87

Compartment
Patch; Matrix; Opiate receptor; Transplant; Knife cut; Decortication (Lança, A.J.) **27,** 1

Concanavalin A
Dorsal root ganglion; Nerve regeneration; Sprouting; Wheatgerm agglutinin (DeGeorge, J.J.) **28,** 169

Conditioned medium
Dissociated culture; Glial growth (Sakellaridis, N.) **27,** 31

Conditioning
Olfaction; Rat; 2-Deoxyglucose; Development of learning; Odor preference (Sullivan, R.M.) **27,** 278

Conductive blockade
Inferior colliculus; 2-Deoxyglucose (Clerici, W.J.) **27,** 127

Confronting cisternae
X-irradiation; Microcephaly; Vitamin E; Deoxyribonucleic acid; Lipid peroxide (Tanaka, H.) **27,** 11

Contact inhibition
Nerve–non-nerve cell interactions; Growth cone (Zinsmeister, P.P.) **25,** 143

Contrast
Cat; Dorsal lateral geniculate nucleus; X-cell; Y-cell; Visual latency; Deprivation (Sestokas, A.K.) **30,** 93

Copper
Acetylcholine; Glucose; 3-Hydroxybutyrate; Ketone body; Cerebellum; Forebrain; Brain slice; Brindled mouse; Oxidative metabolis Development (Peterson, C.) **29,** 153

Corpus callosum
Callosal agenesis; Callosal development; Callosal plasticity; Brai irradiation (Lent, R.) **25,** 127

Visual development; Rat (Olavarria, J.) **25,** 309

Corpus striatum
Enkephalin; Substance P; Substance Thalamus; Dipeptidyl carboxypeptida (Strittmatter, S.M.) **29,** 207

Cortex
Fetal sheep; Opioid receptor binding Cerebellum; Hippocampus (Dunlap III, C.E.) **24,** 279

Cortex cerebri
Aging; Glial fibrillary acidic protein; Laminin; Brain grafting (Eriksdotter-Nilsson, M.) **28,** 75

Cortical abnormality
Maternal phenylketonuria; Animal model (Lacey, D.J.) **27,** 283

Cortical cup
γ-Aminobutyric acid; Release; Visual cortex; Electrical stimulation; Push–pull cannula (Hicks, T.P.) **24,** 2

Cortical development
Corticospinal projection; Pyramidal tract; Cell death; Collateral elimination; Transient projection (O'Leary, D.D.M.) **27,** 87

Cortical plate
Cerebral cortex; Development; Microtubule-associated protein 2; Dendrite; Immunocytochemistry (Crandall, J.E.) **28,** 127

Cortical thickness
Stage; Brain; Development; Head circumference; Electroencephalogran (Epstein, H.T.) **30,** 114

Cortical volume
Visual cortex; Development; Neuron

number; Glial cell; Primate; Marmoset (Fritschy, J.M.) **29,** 173

Corticoclaustral
Development; Autoradiography; Corticostriatal; Neostriatum; Claustrum; Pericruciate cortex (Adinolfi, A.M.) **24,** 99

Corticopontine
Pontocerebellar; Development; Synaptogenesis; Cerebellum (Mihailoff, G.A.) **28,** 195

Corticospinal connection
Somatotopy; Development; Fiber guidance; Primate motor pathway; Neuronal specificity (Dawnay, N.A.H.) **26,** 115

Corticospinal projection
Cortical development; Pyramidal tract; Cell death; Collateral elimination; Transient projection (O'Leary, D.D.M.) **27,** 87

Corticosterone
Neonatal; Peptide; β-Endorphin; Corticotropin-releasing factor; Tail-flick; Analgesia; Opiate receptor; Eye opening (Zadina, J.E.) **29,** 21

Corticostriatal
Development; Autoradiography; Corticoclaustral; Neostriatum; Claustrum; Pericruciate cortex (Adinolfi, A.M.) **24,** 99

Corticotectal projection
Development; Rat (Thong, I.G.) **25,** 227

Corticotropin-releasing factor
Neonatal; Peptide; β-Endorphin; Tail-flick; Analgesia; Opiate receptor; Eye opening; Corticosterone (Zadina, J.E.) **29,** 21

Critical period
Neonatal; 6-Hydroxydopamine; Noradrenaline; Gonadal hormone (Pappas, B.A.) **26,** 310

β-Adrenoceptor; Visual cortex; Iodopindolol; Dark-rearing; Development (Aoki, C.) **27,** 109

Sex difference; Accessory olfactory bulb; Light and dark granule cells; Vomeronasal system (Segovia, S.) **30,** 283

Cultured neurons
γ-Aminobutyric acid uptake; Glutamate decarboxylase; Embryonic development; γ-Aminobuutyric acid synthesis (Jong, Y.-J.) **25,** 83

γ-Aminobutyric acid-A receptor; Benzodiazepine receptor; *t*-Butylbicyclophosphorothionate receptor; Ontogeny; Development; Cerebral neuron (Jalilian Tehrani, M.H.) **25,** 91

Cyclic adenosine monophosphate
Astrocyte; Clone; Differentiation; Electron microscopy; Mitomycin (Autilio-Touati, A.) **26,** 33

Cyclic guanosine monophosphate; Neuronal cell death; Motoneuron; Sensory neuron (Weill, C.L.) **26,** 305

Cyclic guanosine monophosphate
Motoneuron death; Development; Chick embryo; Amputation; Neurotrophism (Douglas, J.H.V.) **26,** 271

Cyclic adenosine monophosphate; Neuronal cell death; Motoneuron; Sensory neuron (Weill, C.L.) **26,** 305

2′,3′-Cyclic nucleotide 3′-phosphodiesterase
Myelin; Hypomyelinating mutant; Shaking pup; Myelin basic protein; Proteolipid protein; Myelin-associated glycoprotein (Inuzuka, T.) **27,** 43

Cycloheximide
Supraoptic decussation; Functional asymmetry; Chicken forebrain; Brain development; Visual discrimination learning (Rogers, L.J.) **28,** 33

Cytochalasin B
Chick brain; Oligodendrocyte; Cytoskeleton; Microtubule; Microfilament (Kumagai, H.) **27,** 270

Cytochrome oxidase
Methylazoxymethanol acetate; Hippocampus; Rat; Vascularization; Ectopic pyramidal neuron (Ashwell, K.) **30,** 31

Cytoskeleton
Astrocyte; Actin; Spectrin; Dibutyryl cyclic AMP (dBcAMP); Differentiation in vitro (Opas, M.) **25,** 314

Chick brain; Oligodendrocyte; Microtubule; Microfilament; Cytochalasin B (Kumagai, H.) **27,** 270

D

Dark recovery
Dopamine; Retina; Rat; Ontogenesis; Postnatal light deprivation (Melamed, E.) **26,** 280

Dark-rearing
Benzodiazepine receptor; Development; Visual system; Rat brain (Schliebs, R.) **24,** 179

β-Adrenoceptor; Critical period; Visual cortex; Iodopindolol; Development (Aoki, C.) **27,** 109

Decortication
Compartment; Patch; Matrix; Opiate receptor; Transplant; Knife cut (Lança, A.J.) **27,** 1

Defined medium
Primary culture; Ependymal cell (Weibel, M.) **25,** 199

Dendrite
Neuroblastoma cell; Primary neuron; Microtubule-associated protein (MAP); Retinoic acid; Neuronal differentiation (Fischer, I.) **25,** 99

Cerebral cortex; Development; Microtubule-associated protein 2; Immunocytochemistry; Cortical plate (Crandall, J.E.) **28,** 127

Dendritic density
Neonatal hypothyroidism; Pyramidal neuron; Cerebral cortex (Ruiz-Marcos, A.) **28,** 259

Dendritic development
Basal ganglia; Globus pallidus; Somatic development; Neuron differentiation; Morphometry (Dvergsten, C.L.) **24,** 239

Superior cervical ganglion; Ontogenesis; Horseradish peroxidase (Smolen, A.J.) **29,** 245

Dendritic protrusion
Medial preoptic area; Postnatal development; Puberty (Gerőcs, K.) **26,** 49

Dendritic spine
Sudden infant death syndrome; Respiratory center (Takashima, S.) **26,** 173

Actin; Neuronal development; Neuronal plasticity (Markham, J.A.) **27,** 263

Denervation
Motoneuron; Growth factor; Muscle activity; Survival factor; Muscle extract (Hill, M.A.) **24,** 305

Olfactory bulb; Olfaction; Postnatal development; Cell proliferation; Growth; Cell migration; Rat; Sensory development; Brain (Meisami, E.) **29,** 282

Dentate granule cell
Rat strain; Fascia dentata; Intracerebral transplantation (Finsen, B.) **29,** 51

Dentate gyrus
Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Deoxyribonucleic acid
X-irradiation; Microcephaly; Vitamin E; Lipid peroxide; Confronting cisternae (Tanaka, H.) **27,** 11

2-Deoxyglucose
Conductive blockade; Inferior

colliculus (Clerici, W.J.) **27,** 127

Olfactory bulb; Early experience; Neural plasticity; Norwegian rats (Coopersmith, R.) **27,** 191

Olfaction; Rat; Conditioning; Development of learning; Odor preference (Sullivan, R.M.) **27,** 278

Depolarization
Neuronal plasticity; Opioid; Receptor; Aggregating cells; Phenotypic expression; Potassium (Simantov, R.) **26,** 301

Deprivation
Cat; Dorsal lateral geniculate nucleus; X-cell; Y-cell; Contrast; Visual latency (Sestokas, A.K.) **30,** 93

Descending inhibition
Spinal cord; Development; Dorsal horn; Brainstem (Fitzgerald, M.) **24,** 261

Developing nervous system
Extracellular proteolysis; Plasminogen activator; Plasmin-generating system; Spinal cord histogenesis (Kalderon, N.) **25,** 1

Developing rabbit
Gelsolin; Oligodendroglia; Central nervous system (Legrand, C.) **30,** 231

Developing rat
Cholecalcin (calcium-binding protein); Cerebellum; Purkinje cell; Thyroid deficiency; Thyroxine effects (Rabié, A.) **29,** 253

Developing rat brain
Diazepam binding; Caffeine; Theophylline; Purine derivative (Daval, J.-L.) **27,** 175

Developing spinal cord
Monosynaptic reflex; Kitten (Bawa, P.) **28,** 271

Development
Neostriatum; Electrophysiology; Horseradish peroxidase; Spiny neuron; Golgi impregnation; Local axonal collateral (Levine, M.S.) **24,** 47

Autoradiography; Corticostriatal; Corticoclaustral; Neostriatum; Claustrum; Pericruciate cortex (Adinolfi, A.M.) **24,** 99

Androgen; Hormone receptor; Embryonic spinal cord (Weill, C.L.) **24,** 127

Cell adhesion molecule; L1 antigen; N-CAM; L2 epitope; Mouse; Neocortex; Immunocytology (Fushiki, S.) **24,** 153

Benzodiazepine receptor; Visual system; Dark-rearing; Rat brain (Schliebs, R.) **24,** 179

Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Astroglia; Primary culture; Kinetic constant; Transport; L-Glutamate; Glutamine synthetase; Cerebral cortex; Striatum; Brainstem (Hansson, E.) **24,** 203

Spinal cord; Descending inhibition; Dorsal horn; Brainstem (Fitzgerald, M.) **24,** 261

Kindling; Amygdala; Rat; Infant; Weanling; Seizure (Stark, L.G.) **24,** 291

γ-Aminobutyric acid-A receptor; Benzodiazepine receptor; *t*-Butylbicyclophosphorothionate receptor; Ontogeny; Cerebral neuron; Cultured neuron (Jalilian Tehrani, M.H.) **25,** 91

Axon and retinal ganglion cell numbers; Marsupial (Braekevelt, C.R.) **25,** 117

Vestibular receptor cell; Ganglia; Synaptogenesis; Hypothyroidism (Dememes, D.) **25,** 147

Spinal cord; Noradrenergic neuron; Dopamine β-hydroxylase; Immunocytochemistry; Postnatal (Aramant, R.B.) **25,** 161

Peripheral nerve; Myelin sheath; Nervous system disease; Neurological mutant; Schwann cell; Glycolipid; Phospholipid (Heape, A.) **25,** 181

Corticotectal projection; Rat (Thong, I.G.) **25,** 227

Interneuron; Morphogenesis; Synaptogenesis; Visual cortex (Miller, M.W.) **25,** 271

Locus ceruleus; Noradrenaline; α_1-Adrenoceptor; α_2-Adrenoceptor; Neurotransmitter; Tissue culture (Finlayson, P.G.) **25,** 292

Optic nerve; Overproduction and elimination; Retinal ganglion cell; Cell death; Fetal cat (Lia, B.) **25,** 296

Opiate receptor; Brain; Monkey (Bachevalier, J.) **25,** 302

Somatotopy; Corticospinal connection; Fiber guidance; Primate motor pathway; Neuronal specificity (Dawnay, N.A.H.) **26,** 115

Fluorescence polarization; Synaptic membrane; Membrane order; Fluidity; Lipid (Rauch, S.L.) **26,** 221

Non-phosphorylated neurofilament; Phosphorylated neurofilament; Rat cerebellum; Purkinje cell; Basket cell; Thyroid deficiency (Marc, C.) **26,** 249

Motoneuron death; Chick embryo; Cyclic guanine monophosphate; Amputation; Neurotrophism (Douglas, J.H.V.) **26,** 271

Neostriatum; γ-Aminobutyric acidergic inhibition; Cholinergic excitation; Bursting (Misgeld, U.) **27,** 59

Rat; Choroid plexus; Epithelium; Morphometry; Stereology; Microvillu Mitochondrion (Keep, R.F.) **27,** 77

β-Adrenoceptor; Critical period; Visu cortex; Iodopindolol; Dark-rearing (Aoki, C.) **27,** 109

Chromaffin cell; Nerve growth factor; Catecholamine; Neuropeptide; Ultrastructure (Bode, K.) **27,** 139

Astroglia; β-Adrenoceptor; Tissue culture; Quantitative single cell receptor autoradiography (Trimmer, P.A.) **27,** 151

Glucocorticoid; Hormone receptor; Embryonic spinal cord; Motoneuron (Weill, C.L.) **27,** 167

Ganglioside; Cell surface antigen; Cel lineage (Levine, J.M.) **27,** 211

Cell death; Middle cerebral artery; Forehead skin; Trigeminal ganglion (O'Connor, T.P.) **27,** 223

Methylazoxymethanol acetate; Media forebrain bundle; Stimulation (Moran, T.H.) **27,** 235

Rat; Trigeminal ganglion; Topography Fluorescent tracer (Klein, B.G.) **27,** 257

Vasopressin; Receptor; Brattleboro Autoradiography (Petracca, F.M.) **28,** 63

Synapse elimination; Calcium; Protease; Neuromuscular junction (Connold, A.L.) **28,** 99

Cerebral cortex; Microtubule-associated protein 2; Dendrite; Immunocytochemistry; Cortical plate (Crandall, J.E.) **28,** 12

Serotonin; Immunoreactivity; Fetal spinal cord (Bowker, R.M.) **28,** 137

Polyamine; Sympathetic neuron; Ner terminal (Gilad, G.M.) **28,** 163

Pontocerebellar; Synaptogenesis; Cerebellum; Corticopontine (Mihailoff, G.A.) **28,** 195

Amphetamine; Voltammetry; Dopamine; Neostriatum; Substantia nigra (Gazzara, R.A.) **28,** 213

Myelin-associated glycoprotein; Myel basic protein; Optic nerve; Medulla; Radioimmunoassay (Johnson, D.) **28,** 263

Quantitative autoradiography; Brain; Rat; Lipid; Palmitate; Myelination (Tabata, H.) **29,** 1

Calmodulin; Protein kinase; Postsynaptic density; Calcium; Phosphorylation (Weinberger, R.P.) **29,** 37

Optic tectum differentiation; Retinotectal projection; Quail embry

Anterograde tracing method; In vitro
HRP axonal staining (Senut, M.C.)
29, 123

Opiate-induced analgesia; Tolerance; β
opioid receptor; μ opioid receptor;
Ontogeny (Barr, G.A.) **29,** 145

Copper; Acetylcholine; Glucose;
3-Hydroxybutyrate; Ketone body;
Cerebellum; Forebrain; Brain slice;
Brindled mouse; Oxidative metabolism
(Peterson, C.) **29,** 153

Visual cortex; Cortical volume; Neuron
number; Glial cell; Primate; Marmoset
(Fritschy, J.M.) **29,** 173

γ-Aminobutyric acid;
Immunocytochemistry; Chick; Medial
hyperstriatum ventrale (Curtis, E.M.)
30, 189

Rat; Neurological mutant; Sensory
neuropathy; Gracile nucleus;
Transneuronal degeneration
(Chimelli, L.) **29,** 193

Nervous system-specific protein;
Monoclonal antibody;
Immunochemistry; Optic tectum;
Cerebellum (Shirao, T.) **29,** 233

Rubrospinal; Opossum (Cabana, T.)
30, 1

β-Casomorphin; Exorphin; Multiple
opioid receptor; Newborn rat;
Ontogenesis (Volterra, A.) **30,** 25

Dopamine receptor; Mouse;
Phenobarbital; Striatum; Pre- and
neonatal administration
(Iser-Strenger, C.) **30,** 57

Stage; Brain; Head circumference;
Electroencephalogram; Cortical
thickness (Epstein, H.T.) **30,** 114

Aphidicolin; Human; Monoamine
oxidase; Neuroblastoma; Retinoic acid;
Tyrosine hydroxylase (Ino, M.) **30,** 120

Noradrenaline; 6-Hydroxydopamine;
Dopamine reuptake; Neurotransmitter;
Monoamine (Teicher, M.H.) **30,** 124

α_2-Adrenoceptor; Olfactory bulb; Rat;
Estrous cycle; Sex difference
(Battie, C.N.) **30,** 129

Cerebellum; Transient pathway;
Cerebral cortex (Panneton, W.M.)
30, 133

Extracellular K^+; Hippocampus;
Pyramidal cell; Epileptogenesis;
Penicillin (Swann, J.W.) **30,** 243

Neuronal sprouting; Monoclonal
antibody; 5B4 antigen; Polysialic acid;
Neural cell adhesion molecule
(Rosenberg, J.) **30,** 262

Optic nerve; Cell death; Hamster;
Electron microscopy (Tay, D.) **30,** 268

Serotonin; Sexual dimorphism; Steroid;
Preoptic area (Handa, R.J.) **30,** 278

Development of learning
Olfaction; Rat; 2-Deoxyglucose;
Conditioning; Odor preference
(Sullivan, R.M.) **27,** 278

Development of monoamine oxidase
Perinatal opiate syndrome; Brain
(Tsang, D.) **26,** 187

Developmental gradient
Histogenesis; Ependymal cell; Third
ventricle; Autoradiography; Rabbit
(Fernández, V.) **30,** 201

Developmental pattern
α-Melanotropin; Adrenocorticotropin;
Aggregating brain cell culture; Peptide
extraction; Radioimmunoassay
(Monnet-Tschudi, F.) **26,** 125

Developmental plasticity
Kindling; Visual cortex; Kitten
(Moneta, M.E.) **30,** 104

Dexamethasone
Regulation of glutamine synthetase;
Primary culture of astrocytes;
Biochemical heterogeneity of
astrocytes; Ornithine decarboxylase;
Lactate dehydrogenase;
Glutamine-mediated regulation
(Patel, A.J.) **26,** 229

Diabetes insipidus
Brattleboro rat; Cerebellar lobule; Sex
dimorphism; Morphometry;
Vasopressin (Uylings, H.B.M.) **26,** 293

Diazepam binding
Caffeine; Theophylline; Developing rat
brain; Purine derivative (Daval, J.-L.)
27, 175

Dibutyryl cyclic AMP
Ethanol; C6 glioma; Glial cell;
Astrocyte; Differentiation; Cell culture
(Davies, D.L.) **24,** 253

Astroglial cell; Differentiation;
Forskolin; Cholera toxin; Ganglioside
(Skaper, S.D.) **25,** 21

Dibutyryl cyclic AMP (dBcAMP)
Astrocyte; Cytoskeleton; Actin;
Spectrin; Differentiation in vitro
(Opas, M.) **25,** 314

Diencephalic neuron
Whole-cell voltage clamp; Membrane
current; Expression of excitability;
Serum-free culture (Ahmed, Z.)
28, 221

Differentiation
Ethanol; C6 glioma; Glial cell;
Astrocyte; Dibutyryl cyclic AMP; Cell
culture (Davies, D.L.) **24,** 253

Astroglial cell; Dibutyryl cyclic AMP;
Forskolin; Cholera toxin; Ganglioside
(Skaper, S.D.) **25,** 21

Astrocyte; Clone; Cyclic adenosine
monophosphate; Electron microscopy;
Mitomycin (Autillo-Touati, A.) **26,** 33

Neuroblastoma; Tetanus toxin;
Ganglioside; Flow cytometry;
Immunofluorescence (Notter, M.F.D.)
26, 59

Chick; Retina; Dye uptake; Lucifer
Yellow; Proliferation; Cell cycle;
Mitosis; Thymidine incorporation
(Vollmer, G.) **27,** 253

Differentiation in vitro
Astrocyte; Cytoskeleton; Actin;
Spectrin; Dibutyryl cyclic AMP
(dBcAMP) (Opas, M.) **25,** 314

Dihydrotestosterone
Autoradiography; Ontogeny; Androgen
receptor; Central nervous system; Frog
(Gorlick, D.L.) **26,** 193

Dipeptidyl carboxypeptidase
Enkephalin; Substance P; Substance K;
Corpus striatum; Thalamus
(Strittmatter, S.M.) **29,** 207

Direction and velocity selectivity
Accessory optic system; Visual
deprivation; Lateral and dorsal
terminal nucleus; Ocular dominance;
Optokinetic nystagmus; Cat
(Grasse, K.L.) **27,** 199

Dissociated culture
Twitcher mouse; Globoid cell
leukodystrophy; Oligodendrocyte;
Cellular degeneration (Nagara, H.)
26, 79

Conditioned medium; Glial growth
(Sakellaridis, N.) **27,** 31

Dopamine
Neuroregulator; Serotonin;
Noradrenaline; Newborn; Brain
(McNamara, M.C.) **25,** 253

Retina; Rat; Ontogenesis; Postnatal
light deprivation; Dark recovery
(Melamed, E.) **26,** 280

Amphetamine; Development;
Voltammetry; Neostriatum; Substantia
nigra (Gazzara, R.A.) **28,** 213

Dopamine neuron
Neural transplantation; Rat striatum;
Neuron–target interaction; Cografting
(Brundin, P.) **24,** 77

Dopamine receptor
Development; Mouse; Phenobarbital;
Striatum; Pre- and neonatal
administration (Iser-Strenger, C.)
30, 57

Dopamine reuptake
Noradrenaline; 6-Hydroxydopamine;
Neurotransmitter; Development;
Monoamine (Teicher, M.H.) **30,** 124

Dopamine β-hydroxylase
Spinal cord; Noradrenergic neuron;
Development; Immunocytochemistry;
Postnatal (Aramant, R.B.) **25,** 161

Dopaminergic neuron
Glial cell line; Neuroglial interaction;
Mesencephalon; Striatum; Cell culture;
Morphological development
(Mallat, M.) **26,** 23

Dopaminergic terminal
Transplant; Tyrosine hydroxylase; Neuronal specificity; Acetylcholinesterase; Striatum (Jaeger, C.B.) **24,** 309

Dorsal horn
Spinal cord; Development; Descending inhibition; Brainstem (Fitzgerald, M.) **24,** 261

Phrenic motor nucleus; Nucleus ventrolateralis; Intermediolateral cell column; Substance P; Substance P receptor (Charlton, C.G.) **29,** 81

Dorsal lateral geniculate nucleus
Cat; X-cell; Y-cell; Contrast; Visual latency; Deprivation (Sestokas, A.K.) **30,** 93

Dorsal root
Postnatal; Axon loss (Hulsebosch, C.E.) **26,** 105

Dorsal root ganglion
Neuron survival; Laminin; Trophic agent; Ciliary neuronotrophic factor; Nerve growth factor; Polyornithine (Skaper, S.D.) **24,** 39

Nerve growth factor; Ciliary neuronotropic factor; Neuronotropic activity; Neuronotropic factor bioassay; Tetrazolium salt; Ciliary ganglion (Manthorpe, M.) **25,** 191

Myelin-associated glycoprotein; Sensory neuron; Immunocytochemistry; Chick development; Neuronal cell marker (Philippe, E.) **27,** 275

Nerve regeneration; Sprouting; Concanavalin A; Wheatgerm agglutinin (DeGeorge, J.J.) **28,** 169

Dual-label autoradiography
Spinal motoneuron; Chick embryo; Cell culture; Two-dimensional gel electrophoresis (Dickson, J.G.) **24,** 315

Dye uptake
Chick; Retina; Lucifer Yellow; Proliferation; Cell cycle; Mitosis; Thymidine incorporation; Differentiation (Vollmer, G.) **27,** 253

***dw* mouse**
Circadian rhythm; Suprachiasmatic nucleus; Pineal body; *lit* mouse; *hyt* mouse (Noguchi, T.) **26,** 161

E

Early experience
Olfactory bulb development; Brain–behavior relationship; Neural basis of learning; Norwegian rat (Coopersmith, R.) **24,** 271

Olfactory bulb; 2-Deoxyglucose; Neural plasticity; Norwegian rats (Coopersmith, R.) **27,** 191

Artificial rearing; Eye-opening; Brain lateralisation (Smart, J.L.) **28,** 134

Early lesion
Cell death; Superior colliculus; Retina; Hamster (Wikler, K.C.) **28,** 11

Ectopic pyramidal neuron
Methylazoxymethanol acetate; Hippocampus; Rat; Cytochrome oxidase; Vascularization (Ashwell, K.) **30,** 31

Edinger–Westphal nucleus
Ciliary ganglion neuron; Cell culture (Fujii, J.T.) **24,** 1

Electrophorus electricus
Microinjection; Latency; Acetylcholine receptor; *Xenopus* oocyte; Messenger ribonucleic acid (Kobayashi, S.) **24,** 211

Electrical stimulation
γ-Aminobutyric acid; Release; Visual cortex; Push–pull cannula; Cortical cup (Hicks, T.P.) **24,** 299

Electroencephalogram
Lead; Hippocampus; FEP; Activity; Theta (Burdette, L.J.) **29,** 101

Rat; Genetic epilepsy; Spontaneous petit mal; Ontogeny (Vergnes, M.) **30,** 85

Stage; Brain; Development; Head circumference; Cortical thickness (Epstein, H.T.) **30,** 114

Electron microscopy
Astrocyte; Clone; Cyclic adenosine monophosphate; Differentiation; Mitomycin (Autillo-Touati, A.) **26,** 33

Endothelial sprout; Golgi technique; Rat cerebellum; Angiogenesis (Nousek-Goebl, N.A.) **30,** 67

Development; Optic nerve; Cell death; Hamster (Tay, D.) **30,** 268

Electrophysiology
Neostriatum; Development; Horseradish peroxidase; Spiny neuron; Golgi impregnation; Local axonal collateral (Levine, M.S.) **24,** 47

Embryology
Baclofen receptor; Behavior; γ-Aminobutyric receptor; Inhibition; Vasodilator (Maderdrut, J.L.) **25,** 157

Embryonic development
γ-Aminobutyric acid uptake; Glutamate decarboxylase; Cultured neurons; γ-Aminobuutyric acid synthesis (Jong, Y.-J.) **25,** 83

Embryonic spinal cord
Androgen; Hormone receptor; Development (Weill, C.L.) **24,** 127

Glucocorticoid; Hormone receptor; Development; Motoneuron (Weill, C.L.) **27,** 167

Endogenous opioid
Cerebrum; Hippocampus; Opioid receptor; Naltrexone; Opioid antagonist; Morphology; Growth (Zagon, I.S.) **28,** 233

β-Endorphin
Neonatal; Peptide; Corticotropin-releasing factor; Tail-flick; Analgesia; Opiate receptor; Eye opening; Corticosterone (Zadina, J.E.) **29,** 21

Endothelial sprout
Golgi technique; Rat cerebellum; Electron microscopy; Angiogenesis (Nousek-Goebl, N.A.) **30,** 67

Enkephalin
Substance P; Substance K; Corpus striatum; Thalamus; Dipeptidyl carboxypeptidase (Strittmatter, S.M.) **29,** 207

Enucleation
Cell death; Lateral geniculate nucleus; Superior colliculus; Hamster (Finlay, B.L.) **28,** 1

Enzyme induction
Cerebellum; 5′-Nucleotidase; Bergmann glia (Hess, D.T.) **29,** 93

Ependymal cell
Primary culture; Defined medium (Weibel, M.) **25,** 199

Histogenesis; Third ventricle; Developmental gradient; Autoradiography; Rabbit (Fernández, V.) **30,** 201

Epileptogenesis
Extracellular K^+; Hippocampus; Pyramidal cell; Development; Penicill (Swann, J.W.) **30,** 243

Epithelium
Rat; Choroid plexus; Development; Morphometry; Stereology; Microvillus Mitochondrion (Keep, R.F.) **27,** 77

Estradiol
Aromatase; 5α-Reductase; 5β-Reductase; Testosterone; Brain development; Sex dimorphism; Hypothalamus; Preoptic area (Hutchison, J.B.) **25,** 33

Sexual differentiation; Neuronal survival; Amygdala; Serum-free cultur (Arimatsu, Y.) **26,** 151

Estrous cycle
α_2-Adrenoceptor; Olfactory bulb; Rat Development; Sex difference (Battie, C.N.) **30,** 129

Ethanol
C6 glioma; Glial cell; Astrocyte; Dibutyryl cyclic AMP; Differentiation Cell culture (Davies, D.L.) **24,** 253

Excitation
Serotonin; Lateral horn cell; Sympathetic preganglionic neuron (Ma, R.C.) **24,** 89

Exocytosis
Catecholamine release; Neonatal rat adrenal; Hypoxia; Nicotine (Seidler, F.J.) **28,** 274

Exorphin
β-Casomorphin; Multiple opioid receptor; Newborn rat; Ontogenesis; Development (Volterra, A.) **30,** 25

Expansor secundariorum
Neuronotropic factor; Nerve growth factor; Schwann cell; Chicken (Abrahamson, I.K.) **27,** 117

Expression of excitability
Whole-cell voltage clamp; Membrane current; Diencephalic neuron; Serum-free culture (Ahmed, Z.) **28,** 221

External plexiform layer
Olfactory bulb; Cholinergic; Acetylcholinesterase; Choline acetyltransferase; Muscarinic receptor; Autoradiography; Granule cell layer (Rea, M.A.) **24,** 233

Extracellular K^+
Hippocampus; Pyramidal cell; Development; Epileptogenesis; Penicillin (Swann, J.W.) **30,** 243

Extracellular potassium
Sensory neuron; Spinal cord neuron; Sympathetic neuron; Neurite growth; Growth cone; Regeneration (Sussdorf, W.S.) **25,** 43

Extracellular proteolysis
Developing nervous system; Plasminogen activator; Plasmin-generating system; Spinal cord histogenesis (Kalderon, N.) **25,** 1

Eye fragment
Retinotectal projection; *Xenopus* (Degen, N.) **29,** 141

Eye opening
Early experience; Artificial rearing; Brain lateralisation (Smart, J.L.) **28,** 134

Neonatal; Peptide; β-Endorphin; Corticotropin-releasing factor; Tail-flick; Analgesia; Opiate receptor; Corticosterone (Zadina, J.E.) **29,** 21

Eye primordium removal
Xenopus; Oculomotor nerve; Change in axon number; Bilateral effect; Long-term effect of enucleation; Target dependency of nerve (Schönenberger, N.) **24,** 169

F

Fascia dentata
Rat strain; Dentate granule cell; Intracerebral transplantation (Finsen, B.) **29,** 51

FEP
Lead; Hippocampus; Activity; Electroencephalogram; Theta (Burdette, L.J.) **29,** 101

Fetal brain development
Intrauterine position; Maximal fetus (Zamenhof, S.) **28,** 267

Fetal cat
Development; Optic nerve; Overproduction and elimination; Retinal ganglion cell; Cell death (Lia, B.) **25,** 296

Fetal sheep
Opioid receptor binding; Cerebellum; Cortex; Hippocampus (Dunlap III, C.E.) **24,** 279

Fetal spinal cord
Serotonin; Immunoreactivity; Development (Bowker, R.M.) **28,** 137

Fiber guidance
Somatotopy; Development; Corticospinal connection; Primate motor pathway; Neuronal specificity (Dawnay, N.A.H.) **26,** 115

Field potential
Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential analysis (Austin, K.B.) **29,** 267

Field potential analysis
Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential (Austin, K.B.) **29,** 267

Fleshfly
Insect CNS; Neural development; Axonal pathfinding; Leg muscle elimination (Nässel, D.R.) **26,** 211

Flow cytometry
Neuroblastoma; Differentiation; Tetanus toxin; Ganglioside; Immunofluorescence (Notter, M.F.D.) **26,** 59

Fluidity
Development; Fluorescence polarization; Synaptic membrane; Membrane order; Lipid (Rauch, S.L.) **26,** 221

Fluorescence polarization
Development; Synaptic membrane; Membrane order; Fluidity; Lipid (Rauch, S.L.) **26,** 221

Fluorescent tracer
Rat; Trigeminal ganglion; Topography; Development (Klein, B.G.) **27,** 257

Forebrain
Copper; Acetylcholine; Glucose; 3-Hydroxybutyrate; Ketone body; Cerebellum; Brain slice; Brindled mouse; Oxidative metabolism; Development (Peterson, C.) **29,** 153

Forebrain development
β-Adrenoceptor; Noradrenaline (Goffinet, A.M.) **24,** 187

Forehead skin
Cell death; Middle cerebral artery; Trigeminal ganglion; Development (O'Connor, T.P.) **27,** 223

Forskolin
Astroglial cell; Differentiation; Dibutyryl cyclic AMP; Cholera toxin; Ganglioside (Skaper, S.D.) **25,** 21

Frog
Autoradiography; Ontogeny; Dihydrotestosterone; Androgen receptor; Central nervous system (Gorlick, D.L.) **26,** 193

Functional asymmetry
Supraoptic decussation; Chicken forebrain; Brain development; Cycloheximide; Visual discrimination learning (Rogers, L.J.) **28,** 33

G

Ganglia
Vestibular receptor cell; Development; Synaptogenesis; Hypothyroidism (Dememes, D.) **25,** 147

Ganglion cell
Monoclonal antibody; Neural retina; Cell surface specificity; Immunohistochemistry (Cole, G.J.) **26,** 133

Kainate; Retina; Chick embryo; Optic nerve hypoplasia; Cell death (Campaña, H.) **26,** 315

Ganglioside
Astroglial cell; Differentiation; Dibutyryl cyclic AMP; Forskolin; Cholera toxin (Skaper, S.D.) **25,** 21

Neuroblastoma; Differentiation; Tetanus toxin; Flow cytometry; Immunofluorescence (Notter, M.F.D.) **26,** 59

Cell surface antigen; Development; Cell lineage (Levine, J.M.) **27,** 211

Nerve growth factor; Neuritogenesis; Neurotropic interaction; PC12 pheochromocytoma; Neuro-2a

neuroblastoma (Matta, S.G.) **27,** 243

Gelsolin
Oligodendroglia; Central nervous system; Developing rabbit (Legrand, C.) **30,** 231

Genetic epilepsy
Electroencephalogram; Rat; Spontaneous petit mal; Ontogeny (Vergnes, M.) **30,** 85

Geniculostriate pathway
Visual development; Monocular enucleation; Plasticity; Visual system; Cat (Shook, B.L.) **28,** 47

Glial cell
Ethanol; C6 glioma; Astrocyte; Dibutyryl cyclic AMP; Differentiation; Cell culture (Davies, D.L.) **24,** 253

Visual cortex; Development; Cortical volume; Neuron number; Primate; Marmoset (Fritschy, J.M.) **29,** 173

Lateral geniculate nucleus; Postnatal development; Volume; Neuron number; Primate; Marmoset (Fritschy, J.M.) **30,** 157

Glial cell line
Dopaminergic neuron; Neuroglial interaction; Mesencephalon; Striatum; Cell culture; Morphological development (Mallat, M.) **26,** 23

Glial fibrillary acidic protein
γ-Aminobutyric acid; Astrocyte; Surface antigen (Johnstone, S.R.) **24,** 63

Aging; Laminin; Brain grafting; Cortex cerebri (Eriksdotter-Nilsson, M.) **28,** 75

Glial growth
Dissociated culture; Conditioned medium (Sakellaridis, N.) **27,** 31

Glial injection
Myelin; Shiverer; Oligodendrocyte; Tissue culture (Stanhope, G.B.) **24,** 109

Glial marker
Viral transformation; Astrocyte; Cell culture; Mesencephalon; Striatum (Moura Neto, V.) **26,** 11

Glial precursor cell
α_2-Glycoprotein; Rat brain culture; C6 glial cell; Cell lineage; Immunocytochemistry (Bhat, N.R.) **29,** 31

Glial-like cell
Sympathetic tissue; Human development; S-100 antigen; Immunohistochemistry (Lauriola, L.) **28,** 69

Glioma-conditioned medium
PC12 cell; Cell; Substratum adhesion; Neuronotropic factor; Neurite outgrowth (Matsuoka, I.) **24,** 133

PC12 cell; High-affinity choline uptake; Cholinergic differentiation; Neuronotropic factor (Matsuoka, I.) **24,** 145

Nerve growth factor; Choline acetyltransferase; Septal neuron; Hippocampal neuron; Serum-free culture (Hatanaka, H.) **30,** 47

Globoid cell leukodystrophy
Twitcher mouse; Oligodendrocyte; Dissociated culture; Cellular degeneration (Nagara, H.) **26,** 79

Globus pallidus
Basal ganglia; Dendritic development; Somatic development; Neuron differentiation; Morphometry (Dvergsten, C.L.) **24,** 239

Glucocorticoid
Hormone receptor; Embryonic spinal cord; Development; Motoneuron (Weill, C.L.) **27,** 167

Glucose
Copper; Acetylcholine; 3-Hydroxybutyrate; Ketone body; Cerebellum; Forebrain; Brain slice; Brindled mouse; Oxidative metabolism; Development (Peterson, C.) **29,** 153

Glutamate
Tissue culture; Cerebellum; Aspartate; Calcium ion; Receptor (Mori-Okamoto, J.) **26,** 1

L-Glutamate
Astroglia; Primary culture; Development; Kinetic constant; Transport; Glutamine synthetase; Cerebral cortex; Striatum; Brainstem (Hansson, E.) **24,** 203

Glutamic acid decarboxylase
Hippocampus; Primary culture of hippocampus; γ-Aminobutyric acid ergic neuron; γ-Aminobutyric acid uptake (Hoch, D.B.) **25,** 53

γ-Aminobutyric acid uptake; Cultured neurons; Embryonic development; γ-Aminobuutyric acid synthesis (Jong, Y.-J.) **25,** 83

Glutamic acid decarboxylase immunocytochemistry
γ-Aminobutyric acidergic neurons; Neurogenesis; Thymidine; Autoradiography; Hippocampus; Mouse (Soriano, E.) **30,** 88

Glutamine synthetase
Astroglia; Primary culture; Development; Kinetic constant; Transport; L-Glutamate; Cerebral cortex; Striatum; Brainstem (Hansson, E.) **24,** 203

Glutamine-mediated regulation
Regulation of glutamine synthetase; Dexamethasone; Primary culture of astrocytes; Biochemical heterogeneity of astrocytes; Ornithine decarboxylase; Lactate dehydrogenase (Patel, A.J.) **26,** 229

Glycolipid
Nervous system disease; Neurological mutant; Myelin sheath; Peripheral nerve; Phospholipid; Myelin protein (Heape, A.) **25,** 173

Peripheral nerve; Myelin sheath; Nervous system disease; Neurological mutant; Schwann cell; Development; Phospholipid (Heape, A.) **25,** 181

α_2-Glycoprotein
Rat brain culture; Glial precursor cell; C6 glial cell; Cell lineage; Immunocytochemistry (Bhat, N.R.) **29,** 31

Goldfish
Laminin; Mammalian tissue culture; Central nervous system regeneration; Optic nerve; Rat (Ford-Holevinski, T.S.) **28,** 121

Goldfish optic nerve regeneration
Neurotropic interaction; Biosynthetic activity (Cronly-Dillon, J.R.) **30,** 13

Golgi impregnation
Neostriatum; Development; Electrophysiology; Horseradish peroxidase; Spiny neuron; Local axonal collateral (Levine, M.S.) **24,** 47

Golgi technique
Endothelial sprout; Rat cerebellum; Electron microscopy; Angiogenesis (Nousek-Goebl, N.A.) **30,** 67

Gonadal hormone
Neonatal; 6-Hydroxydopamine; Noradrenaline; Critical period (Pappas, B.A.) **26,** 310

Gracile nucleus
Rat; Development; Neurological mutant; Sensory neuropathy; Transneuronal degeneration (Chimelli, L.) **29,** 193

Granule cell development
Olfactory bulb development; Inhibition; Mitral cell; Neonatal rat; Single unit recording (Wilson, D.A.) **26,** 289

Granule cell layer
Olfactory bulb; Cholinergic; Acetylcholinesterase; Choline acetyltransferase; Muscarinic receptor; Autoradiography; External plexiform layer (Rea, M.A.) **24,** 233

Growth
Cerebrum; Hippocampus; Endogenous opioid; Opioid receptor; Naltrexone; Opioid antagonist; Morphology (Zagon, I.S.) **28,** 233

Olfactory bulb; Denervation; Olfaction; Postnatal development; Cell proliferation; Cell migration; Rat; Sensory development; Brain (Meisami, E.) **29,** 282

Growth cone
Sensory neuron; Spinal cord neuron; Sympathetic neuron; Extracellular potassium; Neurite growth; Regeneration (Sussdorf, W.S.) **25,** 43

Nerve–non-nerve cell interactions; Contact inhibition (Zinsmeister, P.P.) **25,** 143

Growth factor
Motoneuron; Muscle activity; Survival factor; Muscle extract; Denervation (Hill, M.A.) **24,** 305

H

Hamster
Cell death; Lateral geniculate nucleus; Superior colliculus; Enucleation (Finlay, B.L.) **28,** 1

Cell death; Superior colliculus; Retina; Early lesion (Wikler, K.C.) **28,** 11

Cell death; Superior colliculus; Retina; Visual cortex (Raabe, J.I.) **28,** 23

Development; Optic nerve; Cell death; Electron microscopy (Tay, D.) **30,** 268

Head circumference
Stage; Brain; Development; Electroencephalogram; Cortical thickness (Epstein, H.T.) **30,** 114

Heart atrium
Sympathetic ganglion; Organ culture; Nerve growth factor; Cell differentiation (Lahtinen, T.) **27,** 51

High-affinity choline uptake
PC12 cell; Glioma-conditioned medium; Cholinergic differentiation; Neuronotropic factor (Matsuoka, I.) **24,** 145

Hippocampal neuron
Nerve growth factor; Choline acetyltransferase; Septal neuron; Glioma-conditioned medium; Serum-free culture (Hatanaka, H.) **30,** 47

Hippocampus
Fetal sheep; Opioid receptor binding; Cerebellum; Cortex (Dunlap III, C.E.) **24,** 279

Primary culture of hippocampus; γ-Aminobutyric acid ergic neuron; γ-Aminobutyric acid uptake; Glutamic acid decarboxylase (Hoch, D.B.) **25,** 53

Monkey; Mossy fiber synapse; Morphogenesis; Ultrastructure (Vijayan, V.K.) **25,** 259

Cerebrum; Endogenous opioid; Opioid receptor; Naltrexone; Opioid antagonist; Morphology; Growth (Zagon, I.S.) **28,** 233

Lead; FEP; Activity; Electroencephalogram; Theta (Burdette, L.J.) **29,** 101

Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Methylazoxymethanol acetate; Rat; Cytochrome oxidase; Vascularization; Ectopic pyramidal neuron (Ashwell, K.) **30,** 31

Glutamic acid decarboxylase immunocytochemistry; γ-Aminobutyric acidergic neurons; Neurogenesis; Thymidine; Autoradiography; Mouse (Soriano, E.) **30,** 88

Acetylcholinesterase; Isoform; Cell culture; Mouse; Septum (Schegg, K.M.) **30,** 221

Extracellular K^+; Pyramidal cell; Development; Epileptogenesis; Penicillin (Swann, J.W.) **30,** 243

Histogenesis
Ependymal cell; Third ventricle; Developmental gradient; Autoradiography; Rabbit (Fernández, V.) **30,** 201

Hormone receptor
Androgen; Embryonic spinal cord; Development (Weill, C.L.) **24,** 127

Glucocorticoid; Embryonic spinal cord; Development; Motoneuron (Weill, C.L.) **27,** 167

Horseradish peroxidase
Neostriatum; Development; Electrophysiology; Spiny neuron; Golgi impregnation; Local axonal collateral (Levine, M.S.) **24,** 47

Neonatal hemicerebellectomy; Cerebellothalamic projection; Retrograde transport; Quantitative analysis; Plasticity (Haroian, A.J.) **26,** 69

Dendritic development; Superior cervical ganglion; Ontogenesis (Smolen, A.J.) **29,** 245

Wheat germ agglutinin; Immunohistochemistry; Acetylcholinesterase staining; Lateral posterior nucleus–pulvinar complex; Kitten (Kato, N.) **30,** 140

Human
Aphidicolin; Development; Monoamine oxidase; Neuroblastoma; Retinoic acid; Tyrosine hydroxylase (Ino, M.) **30,** 120

Human development
Glial-like cell; Sympathetic tissue; S-100 antigen; Immunohistochemistry (Lauriola, L.) **28,** 69

Hydroxyurea
Olfactory epithelium; Cell age; Synchronization; Mitosis (Lidow, M.S.) **28,** 145

3-Hydroxybutyrate
Copper; Acetylcholine; Glucose; Ketone body; Cerebellum; Forebrain; Brain slice; Brindled mouse; Oxidative metabolism; Development (Peterson, C.) **29,** 153

6-Hydroxydopamine
Visual development; Visual behavior; Monocular deprivation (Gordon, B.) **24,** 21

Motor cortex; Plasticity; Intracortical microstimulation; Newborn rat (Castro, A.J.) **24,** 295

Neonatal; Noradrenaline; Critical period; Gonadal hormone (Pappas, B.A.) **26,** 310

Noradrenaline; Dopamine reuptake; Neurotransmitter; Development; Monoamine (Teicher, M.H.) **30,** 124

Hypertension
Synaptosome; Calcium channel; Nitrendipine; Ontogeny; Calcium antagonist; Na^+:Ca^{2+} exchange (Rampe, D.) **29,** 189

Hypomyelinating mutant
Myelin; Shaking pup; Myelin basic protein; Proteolipid protein; Myelin-associated glycoprotein; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Inuzuka, T.) **27,** 43

Hypophysis
γ-Melanocyte-stimulating hormone; Ontogeny; Brain; Rat; Immunocytochemistry (Kawai, Y.) **28,** 177

Hypothalamic-preoptic suprachiasmatic area
Ontogenesis; Serotonin binding; Luteinizing hormone; Moxestrol; Prolactin (Becú-Villalobos, D.) **25,** 111

Hypothalamus
Aromatase; 5α-Reductase; 5β-Reductase; Testosterone; Estradiol; Brain development; Sex dimorphism; Preoptic area (Hutchison, J.B.) **25,** 33

Immunohistochemistry; Tyrosine hydroxylase; Ontogenesis; Rat (Daikoku, S.) **28,** 85

Ontogenesis; Serotonin; Immunocytochemistry; Autoradiography (Ugrumov, M.V.) **30,** 75

Hypothyroidism
Vestibular receptor cell; Ganglia; Development; Synaptogenesis (Dememes, D.) **25,** 147

Hypoxia
Catecholamine release; Neonatal rat adrenal; Nicotine; Exocytosis (Seidler, F.J.) **28,** 274

***hyt* mouse**
Circadian rhythm; Suprachiasmatic nucleus; Pineal body; *dw* mouse; *lit* mouse (Noguchi, T.) **26,** 161

I

Immunochemistry
Neurofilament; Cerebellar granule cell; Transient expression; RT97 (Cambray-Deakin, M.A.) **28,** 282

Nervous system-specific protein; Development; Monoclonal antibody; Optic tectum; Cerebellum (Shirao, T.) **29,** 233

Immunocytochemistry
Spinal cord; Noradrenergic neuron; Development; Dopamine β-hydroxylase; Postnatal (Aramant, R.B.) **25,** 161

Myelin-associated glycoprotein; Dorsal root ganglion; Sensory neuron; Chick development; Neuronal cell marker (Philippe, E.) **27,** 275

Cerebral cortex; Development; Microtubule-associated protein 2; Dendrite; Cortical plate (Crandall, J.E.) **28,** 127

γ-Melanocyte-stimulating hormone; Ontogeny; Brain; Hypophysis; Rat (Kawai, Y.) **28,** 177

α_2-Glycoprotein; Rat brain culture; Glial precursor cell; C6 glial cell; Cell lineage (Bhat, N.R.) **29,** 31

Ontogenesis; Serotonin; Hypothalamus; Autoradiography (Ugrumov, M.V.) **30,** 75

γ-Aminobutyric acid; Chick; Medial hyperstriatum ventrale; Development (Curtis, E.M.) **30,** 189

Transferrin; Transferrin receptor; Neuron; Chicken (Oh, T.H.) **30,** 207

Immunocytology
Cell adhesion molecule; L1 antigen; N-CAM; L2 epitope; Mouse; Neocortex; Development (Fushiki, S.) **24,** 153

Immunofluorescence
Neuroblastoma; Differentiation; Tetanus toxin; Ganglioside; Flow cytometry (Notter, M.F.D.) **26,** 59

Immunohistochemistry
Oligodendrocyte; Cell culture; Myelin; W1 Wolfgram protein; Basic protein; Proteolipid (Espinosa De Los Monteros, A.) **24,** 117

Monoclonal antibody; Neural retina; Cell surface specificity; Ganglion cell (Cole, G.J.) **26,** 133

Glial-like cell; Sympathetic tissue; Human development; S-100 antigen (Lauriola, L.) **28,** 69

Tyrosine hydroxylase; Hypothalamus; Ontogenesis; Rat (Daikoku, S.) **28,** 85

Ontogeny; Cerebellum; Purkinje cell; Rat; Spot 35 protein (Takahashi-Iwanaga, H.) **29,** 225

Horseradish peroxidase; Wheat germ agglutinin; Acetylcholinesterase staining; Lateral posterior nucleus–pulvinar complex; Kitten (Kato, N.) **30,** 140

Substance P; Retina; Ontogeny; Chicken (Tahara, Y.) **30,** 37

Immunoreactivity
Serotonin; Development; Fetal spinal cord (Bowker, R.M.) **28,** 137

In vitro electrophysiology
Vestibular development; Newborn mouse (Desmadryl, G.) **25,** 133

In vitro HRP axonal staining
Optic tectum differentiation; Retinotectal projection; Quail embryo; Development; Anterograde tracing method (Senut, M.C.) **29,** 123

Individual central nervous system neuron
Quantitation; Rapid differentiation and growth; Axon and dendrite; Three-dimensional hydrated collagen lattice culture (Coates, P.W.) **35,** 11

Infant
Kindling; Amygdala; Rat; Weanling; Development; Seizure (Stark, L.G.) **24,** 291

Inferior colliculus
Conductive blockade; 2-Deoxyglucose (Clerici, W.J.) **27,** 127

Inhibition
Baclofen receptor; Behavior; Embryology; γ-Aminobutyric receptor; Vasodilator (Maderdrut, J.L.) **25,** 157

Olfactory bulb development; Granule cell development; Mitral cell; Neonatal rat; Single unit recording (Wilson, D.A.) **26,** 289

Innervation
Neuromuscular junction; Muscle innervation; Synapse formation; Synapse elimination; Activity pattern (Magchielse, T.) **25,** 211

Insect
Prothoracicotropic hormone; Choline; Acetylcholine (Lester, D.S.) **26,** 201

Insect CNS
Fleshfly; Neural development; Axonal pathfinding; Leg muscle elimination (Nässel, D.R.) **26,** 211

Intermediolateral cell column
Phrenic motor nucleus; Nucleus ventrolateralis; Dorsal horn; Substance P; Substance P receptor (Charlton, C.G.) **29,** 81

Interneuron
Development; Morphogenesis; Synaptogenesis; Visual cortex (Miller, M.W.) **25,** 271

Intracellular horseradish peroxidase staining
Pyramidal cell; Non-pyramidal tract neuron; Postnatal development; Motor cortex; Kitten (Yamamoto, T.) **29,** 275

Intracerebral transplantation
Rat strain; Fascia dentata; Dentate granule cell (Finsen, B.) **29,** 51

Intracortical microstimulation
Motor cortex; Plasticity; 6-Hydroxydopamine; Newborn rat (Castro, A.J.) **24,** 295

Intracranial self-stimulation
Self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Intrauterine position
Fetal brain development; Maximal fetus (Zamenhof, S.) **28,** 267

Intrinsic connection
Area 18; Kitten; Retrogradely transported neuronal tracer (Price, D.J.) **24,** 31

Iodopindolol
β-Adrenoceptor; Critical period; Visual cortex; Dark-rearing; Development (Aoki, C.) **27,** 109

Isoelectric focusing
Vasopressin; Oxytocin; Brain ontogeny (Van der Sluis, P.J.) **26,** 85

Isoform
Acetylcholinesterase; Cell culture; Mouse; Septum; Hippocampus (Schegg, K.M.) **30,** 221

K

Kainate
Retina; Chick embryo; Ganglion cell; Optic nerve hypoplasia; Cell death (Campaña, H.) **26,** 315

Ketone body
Copper; Acetylcholine; Glucose; 3-Hydroxybutyrate; Cerebellum; Forebrain; Brain slice; Brindled mouse; Oxidative metabolism; Development (Peterson, C.) **29,** 153

Kindling
Amygdala; Rat; Infant; Weanling; Development; Seizure (Stark, L.G.) **24,** 291

Visual cortex; Developmental plasticity; Kitten (Moneta, M.E.) **30,** 104

Kinetic constant
Astroglia; Primary culture; Development; Transport; L-Glutamate; Glutamine synthetase; Cerebral cortex; Striatum; Brainstem (Hansson, E.) **24,** 203

Kitten
Area 18; Intrinsic connection; Retrogradely transported neuronal tracer (Price, D.J.) **24,** 31

Monosynaptic reflex; Developing spinal cord (Bawa, P.) **28,** 271

Pyramidal cell; Non-pyramidal tract neuron; Postnatal development; Intracellular horseradish peroxidase staining; Motor cortex (Yamamoto, T.) **29,** 275

Kindling; Visual cortex; Developmental plasticity (Moneta, M.E.) **30,** 104

Horseradish peroxidase; Wheat germ agglutinin; Immunohistochemistry; Acetylcholinesterase staining; Lateral posterior nucleus–pulvinar complex (Kato, N.) **30,** 140

Knife cut
Compartment; Patch; Matrix; Opiate receptor; Transplant; Decortication (Lança, A.J.) **27,** 1

L

L1 antigen
Cell adhesion molecule; N-CAM; L2 epitope; Mouse; Neocortex; Development; Immunocytology (Fushiki, S.) **24,** 153

L2 epitope
Cell adhesion molecule; L1 antigen; N-CAM; Mouse; Neocortex; Development; Immunocytology (Fushiki, S.) **24,** 153

Lactate dehydrogenase
Regulation of glutamine synthetase; Dexamethasone; Primary culture of astrocytes; Biochemical heterogeneity of astrocytes; Ornithine decarboxylase; Glutamine-mediated regulation (Patel, A.J.) **26,** 229

Laminin
Dorsal root ganglion; Neuron survival; Trophic agent; Ciliary neuronotrophic factor; Nerve growth factor; Polyornithine (Skaper, S.D.) **24,** 39

Aging; Glial fibrillary acidic protein; Brain grafting; Cortex cerebri (Eriksdotter-Nilsson, M.) **28,** 75

Mammalian tissue culture; Central nervous system regeneration; Optic nerve; Rat; Goldfish (Ford-Holevinski, T.S.) **28,** 121

Larval teleost
Visual system development; Pathway guidance; Optic tract (Presson, J.C.) **26,** 179

Latency
Microinjection; Acetylcholine receptor; *Xenopus* oocyte; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **24,** 211

Latent inhibition
Methylazoxymethanol; Selective attention; Sensory preconditioning; Place navigation; Morris maze; Rat (Mohammed, A.K.) **30,** 145

Lateral and dorsal terminal nucleus
Accessory optic system; Visual deprivation; Direction and velocity selectivity; Ocular dominance; Optokinetic nystagmus; Cat (Grasse, K.L.) **27,** 199

Lateral geniculate nucleus
Cell death; Superior colliculus; Enucleation; Hamster (Finlay, B.L.) **28,** 1

Reeler mutant mouse; Superior colliculus; Retinal projection; Axonal arborization (Frost, D.O.) **28,** 109

Postnatal development; Volume; Neuron number; Glial cell; Primate; Marmoset (Fritschy, J.M.) **30,** 157

Lateral horn cell
Serotonin; Sympathetic preganglionic neuron; Excitation (Ma, R.C.) **24,** 89

Lateral posterior nucleus–pulvinar complex
Horseradish peroxidase; Wheat germ agglutinin; Immunohistochemistry; Acetylcholinesterase staining; Kitten (Kato, N.) **30,** 140

Lead
Hippocampus; FEP; Activity; Electroencephalogram; Theta (Burdette, L.J.) **29,** 101

Lectin receptor
Anionic site; Blood–brain barrier; Brain development; Barrier maturation (Vorbrodt, A.W.) **29,** 69

Leg muscle elimination
Fleshfly; Insect CNS; Neural development; Axonal pathfinding (Nässel, D.R.) **26,** 211

Light and dark granule cells
Sex difference; Accessory olfactory bulb; Vomeronasal system; Critical period (Segovia, S.) **30,** 283

Limbic system
Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Lipid
Development; Fluorescence polarization; Synaptic membrane; Membrane order; Fluidity (Rauch, S.L.) **26,** 221

Quantitative autoradiography; Brain; Rat; Development; Palmitate; Myelination (Tabata, H.) **29,** 1

Lipid peroxide
X-irradiation; Microcephaly; Vitamin E; Deoxyribonucleic acid; Confronting cisternae (Tanaka, H.) **27,** 11

***lit* mouse**
Circadian rhythm; Suprachiasmatic nucleus; Pineal body; *dw* mouse; *hyt* mouse (Noguchi, T.) **26,** 161

Local axonal collateral
Neostriatum; Development; Electrophysiology; Horseradish peroxidase; Spiny neuron; Golgi impregnation (Levine, M.S.) **24,** 47

Local circuit neuron
γ-Aminobutyric acid; Migration; Neurochemical differentiation; Birthdate (Miller, M.W.) **28,** 41

Locus ceruleus
Noradrenaline; α_1-Adrenoceptor; α_2-Adrenoceptor; Neurotransmitter; Tissue culture; Development (Finlayson, P.G.) **25,** 292

Long-term effect of enucleation
Xenopus; Oculomotor nerve; Eye primordium removal; Change in axon number; Bilateral effect; Target dependency of nerve (Schönenberger, N.) **24,** 169

Long-term hippocampal potentiation
Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Lucifer Yellow
Chick; Retina; Dye uptake; Proliferation; Cell cycle; Mitosis; Thymidine incorporation; Differentiation (Vollmer, G.) **27,** 253

Luteinizing hormone
Ontogenesis; Serotonin binding; Hypothalamic-preoptic suprachiasmatic area; Moxestrol; Prolactin (Becú-Villalobos, D.) **25,** 111

M

Malnutrition and hippocampal potentiation
Long-term hippocampal potentiation;

Synaptic plasticity; Synaptic enhancement; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Mammalian tissue culture
Laminin; Central nervous system regeneration; Optic nerve; Rat; Goldfish (Ford-Holevinski, T.S.) **28,** 121

Marmoset
Visual cortex; Development; Cortical volume; Neuron number; Glial cell; Primate (Fritschy, J.M.) **29,** 173

Lateral geniculate nucleus; Postnatal development; Volume; Neuron number; Glial cell; Primate (Fritschy, J.M.) **30,** 157

Marsupial
Axon and retinal ganglion cell numbers; Development (Braekevelt, C.R.) **25,** 117

Maternal phenylketonuria
Animal model; Cortical abnormality (Lacey, D.J.) **27,** 283

Matrix
Compartment; Patch; Opiate receptor; Transplant; Knife cut; Decortication (Lança, A.J.) **27,** 1

Maximal fetus
Intrauterine position; Fetal brain development (Zamenhof, S.) **28,** 267

Medial forebrain bundle
Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Nucleus accumbens; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Methylazoxymethanol acetate; Stimulation; Development (Moran, T.H.) **27,** 235

Medial hyperstriatum ventrale
γ-Aminobutyric acid; Immunocytochemistry; Chick; Development (Curtis, E.M.) **30,** 189

Medial preoptic area
Dendritic protrusion; Postnatal development; Puberty (Gerőcs, K.) **26,** 49

Medulla
Myelin-associated glycoprotein; Myelin basic protein; Optic nerve; Radioimmunoassay; Development (Johnson, D.) **28,** 263

α-Melanotropin
Adrenocorticotropin; Developmental pattern; Aggregating brain cell culture; Peptide extraction; Radioimmunoassay (Monnet-Tschudi, F.) **26,** 125

γ-Melanocyte-stimulating hormone
Ontogeny; Brain; Hypophysis; Rat; Immunocytochemistry (Kawai, Y.) **28,** 177

Membrane current
Whole-cell voltage clamp; Expression of excitability; Diencephalic neuron; Serum-free culture (Ahmed, Z.) **28,** 221

Membrane order
Development; Fluorescence polarization; Synaptic membrane; Fluidity; Lipid (Rauch, S.L.) **26,** 221

Mesencephalon
Viral transformation; Astrocyte; Cell culture; Striatum; Glial marker (Moura Neto, V.) **26,** 11

Glial cell line; Dopaminergic neuron; Neuroglial interaction; Striatum; Cell culture; Morphological development (Mallat, M.) **26,** 23

Messenger ribonucleic acid
Microinjection; Latency; Acetylcholine receptor; *Xenopus* oocyte; *Electrophorus electricus* (Kobayashi, S.) **24,** 211

Motoneuron; Survival; β-nerve growth factor (βNGF)-cDNA (Hulst, J.R.) **25,** 153

Methylazoxymethanol
Selective attention; Latent inhibition; Sensory preconditioning; Place navigation; Morris maze; Rat (Mohammed, A.K.) **30,** 145

Methylazoxymethanol acetate
Medial forebrain bundle; Stimulation; Development (Moran, T.H.) **27,** 235

Hippocampus; Rat; Cytochrome oxidase; Vascularization; Ectopic pyramidal neuron (Ashwell, K.) **30,** 31

Mezerein
Phorbol ester; Tumor promoter; Nerve growth factor; Protein kinase C; Cholinergic telencephalon neuron; Aggregating cell culture (Honegger, P.) **29,** 217

Microcephaly
X-irradiation; Vitamin E; Deoxyribonucleic acid; Lipid peroxide; Confronting cisternae (Tanaka, H.) **27,** 11

Microdissection
Cell culture; Astrocyte population; Neuron–glia interaction; Tetanus toxin receptor; Cell type-specific marker; Mouse cerebellum (Nagata, I.) **24,** 217

Microfilament
Chick brain; Oligodendrocyte; Cytoskeleton; Microtubule; Cytochalasin B (Kumagai, H.) **27,** 270

Microinjection
Latency; Acetylcholine receptor; *Xenopus* oocyte; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **24,** 211

Microtubule
Chick brain; Oligodendrocyte; Cytoskeleton; Microfilament; Cytochalasin B (Kumagai, H.) **27,** 270

Microtubule density
Cerebellar granule cell; Cell culture; Thyroid hormone; Neuronal aggregation and survival; Protein synthesis (Sarafian, T.) **26,** 261

Microtubule organization
Synaptogenesis; Vestibular receptor ce (Favre, D.) **25,** 137

Microtubule-associated protein (MAP)
Neuroblastoma cell; Primary neuron; Retinoic acid; Neuronal differentiation Dendrite (Fischer, I.) **25,** 99

Microtubule-associated protein 2
Cerebral cortex; Development; Dendrite; Immunocytochemistry; Cortical plate (Crandall, J.E.) **28,** 127

Microvillus
Rat; Choroid plexus; Epithelium; Development; Morphometry; Stereology; Mitochondrion (Keep, R.F.) **27,** 77

Middle cerebral artery
Cell death; Forehead skin; Trigeminal ganglion; Development (O'Connor, T.P.) **27,** 223

Migration
Local circuit neuron; γ-Aminobutyric acid; Neurochemical differentiation; Birthdate (Miller, M.W.) **28,** 41

Miniature endplate potential
Synaptic vesicle; Synaptic cleft; Mouse diaphragm; Sub-miniature endplate potential (Kriebel, M.E.) **27,** 19

Mitochondrion
Rat; Choroid plexus; Epithelium; Development; Morphometry; Stereology; Microvillus (Keep, R.F.) **27,** 77

Mitomycin
Astrocyte; Clone; Cyclic adenosine monophosphate; Differentiation; Electron microscopy (Autillo-Touati, A.) **26,** 33

Mitosis
Chick; Retina; Dye uptake; Lucifer Yellow; Proliferation; Cell cycle; Thymidine incorporation; Differentiation (Vollmer, G.) **27,** 253

Olfactory epithelium; Cell age; Synchronization; Hydroxyurea (Lidow, M.S.) **28,** 145

Mitral cell
Sex difference; Accessory olfactory bulb; Vomeronasal system (Valencia, A.) **24,** 287

Olfactory bulb development; Inhibition; Granule cell development; Neonatal rat; Single unit recording (Wilson, D.A.) **26,** 289

Mongolian gerbil
Monocular deprivation; Visual acuity; Reverse suturing; Binocular vision (Wilkinson, F.) **26,** 276

Monkey
Hippocampus; Mossy fiber synapse; Morphogenesis; Ultrastructure (Vijayan, V.K.) **25,** 259

Opiate receptor; Brain; Development (Bachevalier, J.) **25,** 302

Monkey striate cortex
Monocular exposure; Visual experience; Orientation selectivity (Carlson, M.) **25,** 71

Monoamine
Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Noradrenaline; 6-Hydroxydopamine; Dopamine reuptake; Neurotransmitter; Development (Teicher, M.H.) **30,** 124

Monoamine oxidase
Aphidicolin; Development; Human; Neuroblastoma; Retinoic acid; Tyrosine hydroxylase (Ino, M.) **30,** 120

Monoclonal antibody
Neural retina; Cell surface specificity; Ganglion cell; Immunohistochemistry (Cole, G.J.) **26,** 133

Cell surface; Cerebellar development; Cell adhesion (Pigott, R.) **29,** 111

Nervous system-specific protein; Development; Immunochemistry; Optic tectum; Cerebellum (Shirao, T.) **29,** 233

Development; Neuronal sprouting; 5B4 antigen; Polysialic acid; Neural cell adhesion molecule (Rosenberg, J.) **30,** 262

Monocular deprivation
Visual development; Visual behavior; 6-Hydroxydopamine (Gordon, B.) **24,** 21

Visual acuity; Mongolian gerbil; Reverse suturing; Binocular vision (Wilkinson, F.) **26,** 276

Monocular enucleation
Retinocollicular projection; Aberrant retinocollicular pathway; Superior colliculus; Neuroplasticity; Visuotopy; Opossum (Méndez-Otero, R.) **27,** 101

Visual development; Plasticity; Visual system; Geniculostriate pathway; Cat (Shook, B.L.) **28,** 47

Monocular exposure
Visual experience; Monkey striate cortex; Orientation selectivity (Carlson, M.) **25,** 71

Monoethylcholine mustard aziridinium ion (AF64A)
Acetylcholine; Neuron (Koppenaal, D.W.) **30,** 110

Monosynaptic reflex
Kitten; Developing spinal cord (Bawa, P.) **28,** 271

Morphogenesis
Monkey; Hippocampus; Mossy fiber synapse; Ultrastructure (Vijayan, V.K.) **25,** 259

Interneuron; Development; Synaptogenesis; Visual cortex (Miller, M.W.) **25,** 271

Morphological development
Glial cell line; Dopaminergic neuron; Neuroglial interaction; Mesencephalon; Striatum; Cell culture (Mallat, M.) **26,** 23

Morphology
Cerebrum; Hippocampus; Endogenous opioid; Opioid receptor; Naltrexone; Opioid antagonist; Growth (Zagon, I.S.) **28,** 233

Morphometry
Basal ganglia; Globus pallidus; Dendritic development; Somatic development; Neuron differentiation (Dvergsten, C.L.) **24,** 239

Brattleboro rat; Cerebellar lobule; Diabetes insipidus; Sex dimorphism; Vasopressin (Uylings, H.B.M.) **26,** 293

Rat; Choroid plexus; Epithelium; Development; Stereology; Microvillus; Mitochondrion (Keep, R.F.) **27,** 77

Morris maze
Methylazoxymethanol; Selective attention; Latent inhibition; Sensory preconditioning; Place navigation; Rat (Mohammed, A.K.) **30,** 145

Mossy fiber synapse
Monkey; Hippocampus; Morphogenesis; Ultrastructure (Vijayan, V.K.) **25,** 259

Motoneuron
Growth factor; Muscle activity; Survival factor; Muscle extract; Denervation (Hill, M.A.) **24,** 305

Survival; Messenger ribonucleic acid; β-nerve growth factor (βNGF)-cDNA (Hulst, J.R.) **25,** 153

Cyclic guanosine monophosphate; Cyclic adenosine monophosphate; Neuronal cell death; Sensory neuron (Weill, C.L.) **26,** 305

Glucocorticoid; Hormone receptor; Embryonic spinal cord; Development (Weill, C.L.) **27,** 167

Motoneuron death
Development; Chick embryo; Cyclic guanine monophosphate; Amputation; Neurotrophism (Douglas, J.H.V.) **26,** 271

Motoneuron development
Astrocyte; Myotube (Eagleson, K.L.) **29,** 161

Motoneuron growth factor
Spinal cord culture; Muscle activity; 'paralysé' mutant mouse; Tenotomy (Henderson, C.E.) **25,** 65

Motor cortex
Plasticity; 6-Hydroxydopamine; Intracortical microstimulation; Newborn rat (Castro, A.J.) **24,** 295

Pyramidal cell; Non-pyramidal tract neuron; Postnatal development; Intracellular horseradish peroxidase staining; Kitten (Yamamoto, T.) **29,** 275

Motor cortex afferents and efferents
Plasticity; Neonatal motor cortex lesion; Rodent thalamus; Pontine nucleus (Sharp, F.R.) **30,** 169

Mouse
Cell adhesion molecule; L1 antigen; N-CAM; L2 epitope; Neocortex; Development; Immunocytology (Fushiki, S.) **24,** 153

Antigenic marker; Astrocyte; Cell culture; Cerebellum; Mutant; Weaver (Fischer, G.) **28,** 247

Development; Dopamine receptor; Phenobarbital; Striatum; Pre- and neonatal administration (Iser-Strenger, C.) **30,** 57

Glutamic acid decarboxylase immunocytochemistry; γ-Aminobutyric acidergic neurons; Neurogenesis; Thymidine; Autoradiography; Hippocampus (Soriano, E.) **30,** 88

Acetylcholinesterase; Isoform; Cell culture; Septum; Hippocampus (Schegg, K.M.) **30,** 221

Mouse cerebellum
Cell culture; Astrocyte population; Microdissection; Neuron–glia interaction; Tetanus toxin receptor; Cell type-specific marker (Nagata, I.) **24,** 217

Mouse diaphragm
Synaptic vesicle; Synaptic cleft; Miniature endplate potential; Sub-miniature endplate potential (Kriebel, M.E.) **27,** 19

Moxestrol
Ontogenesis; Serotonin binding; Hypothalamic-preoptic suprachiasmatic area; Luteinizing hormone; Prolactin (Becú-Villalobos, D.) **25,** 111

Multiple opioid receptor
β-Casomorphin; Exorphin; Newborn rat; Ontogenesis; Development (Volterra, A.) **30,** 25

Muscarinic receptor
Olfactory bulb; Cholinergic; Acetylcholinesterase; Choline acetyltransferase; Autoradiography;

Granule cell layer; External plexiform layer (Rea, M.A.) **24,** 233

Muscle activity
Motoneuron; Growth factor; Survival factor; Muscle extract; Denervation (Hill, M.A.) **24,** 305

Spinal cord culture; Motoneuron growth factor; 'paralysé' mutant mouse; Tenotomy (Henderson, C.E.) **25,** 65

Muscle extract
Motoneuron; Growth factor; Muscle activity; Survival factor; Denervation (Hill, M.A.) **24,** 305

Muscle innervation
Neuromuscular junction; Innervation; Synapse formation; Synapse elimination; Activity pattern (Magchielse, T.) **25,** 211

Mutant
Shiverer; Chimaera; Central myelin; Myelin sheath (Inoue, Y.) **26,** 239

Antigenic marker; Astrocyte; Cell culture; Cerebellum; Mouse; Weaver (Fischer, G.) **28,** 247

Myelin
Shiverer; Oligodendrocyte; Tissue culture; Glial injection (Stanhope, G.B.) **24,** 109

Oligodendrocyte; Cell culture; Immunohistochemistry; W1 Wolfgram protein; Basic protein; Proteolipid (Espinosa De Los Monteros, A.) **24,** 117

Hypomyelinating mutant; Shaking pup; Myelin basic protein; Proteolipid protein; Myelin-associated glycoprotein; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Inuzuka, T.) **27,** 43

Myelin basic protein
Myelin; Hypomyelinating mutant; Shaking pup; Proteolipid protein; Myelin-associated glycoprotein; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Inuzuka, T.) **27,** 43

Myelin-associated glycoprotein; Optic nerve; Medulla; Radioimmunoassay; Development (Johnson, D.) **28,** 263

Myelin protein
Nervous system disease; Neurological mutant; Myelin sheath; Peripheral nerve; Glycolipid; Phospholipid (Heape, A.) **25,** 173

Myelin sheath
Nervous system disease; Neurological mutant; Peripheral nerve; Glycolipid; Phospholipid; Myelin protein (Heape, A.) **25,** 173

Peripheral nerve; Nervous system disease; Neurological mutant; Schwann cell; Development; Glycolipid; Phospholipid (Heape, A.) **25,** 181

Peripheral nerve; Nervous system disease; Neurological mutant; Cholesterol; Cholesteryl ester; Triacylglycerol (Juguelin, H.) **25,** 249

Shiverer; Chimaera; Central myelin; Mutant (Inoue, Y.) **26,** 239

Myelin-associated glycoprotein
Myelin; Hypomyelinating mutant; Shaking pup; Myelin basic protein; Proteolipid protein; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Inuzuka, T.) **27,** 43

Dorsal root ganglion; Sensory neuron; Immunocytochemistry; Chick development; Neuronal cell marker (Philippe, E.) **27,** 275

Myelin basic protein; Optic nerve; Medulla; Radioimmunoassay; Development (Johnson, D.) **28,** 263

Myelination
Quantitative autoradiography; Brain; Rat; Development; Lipid; Palmitate (Tabata, H.) **29,** 1

Myotube
Motoneuron development; Astrocyte (Eagleson, K.L.) **29,** 161

Tissue culture; Synapse formation; Trophic factor; Slow hyperpolarizing afterpotential (Suarez-Isla, B.A.) **30,** 274

N

Na^+:Ca^{2+} exchange
Synaptosome; Calcium channel; Nitrendipine; Ontogeny; Hypertension; Calcium antagonist (Rampe, D.) **29,** 189

Naloxone
Opiate receptor; Receptor upregulation; Spinal cord; Sensory ganglion; Tissue culture (Tempel, A.) **25,** 287

Naltrexone
Cerebrum; Hippocampus; Endogenous opioid; Opioid receptor; Opioid antagonist; Morphology; Growth (Zagon, I.S.) **28,** 233

Neocortex
Cell adhesion molecule; L1 antigen; N-CAM; L2 epitope; Mouse; Development; Immunocytology (Fushiki, S.) **24,** 153

Neonatal
Anoxia; Cholecystokinin; Rat brain; Catecholamine (Yamamoto, H.) **26,** 285

6-Hydroxydopamine; Noradrenaline; Critical period; Gonadal hormone (Pappas, B.A.) **26,** 310

Peptide; β-Endorphin; Corticotropin-releasing factor; Tail-flick; Analgesia; Opiate receptor; Eye opening; Corticosterone (Zadina, J.E.) **29,** 21

Neonatal behavior
Reinforcement; Affective behavior; Opioid system (Kehoe, P.) **27,** 69

Neonatal hemicerebellectomy
Cerebellothalamic projection; Retrograde transport; Horseradish peroxidase; Quantitative analysis; Plasticity (Haroian, A.J.) **26,** 69

Neonatal hypothyroidism
Pyramidal neuron; Cerebral cortex; Dendritic density (Ruiz-Marcos, A.) **28,** 259

Pyramidal neuron; Cerebral cortex; Canonical variate analysis (Ipiña, S.L.) **29,** 61

Neonatal monocular enucleation
Rabbit; Retinothalamic projections (Grigonis, A.M.) **29,** 9

Neonatal motor cortex lesion
Plasticity; Motor cortex afferents and efferents; Rodent thalamus; Pontine nucleus (Sharp, F.R.) **30,** 169

Neonatal rat
Olfactory bulb development; Inhibition; Granule cell development Mitral cell; Single unit recording (Wilson, D.A.) **26,** 289

Neonatal rat adrenal
Catecholamine release; Hypoxia; Nicotine; Exocytosis (Seidler, F.J.) **28,** 274

Neonate
Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Ontogeny (Barr, G.A.) **24,** 193

Neostriatum
Development; Electrophysiology; Horseradish peroxidase; Spiny neuron Golgi impregnation; Local axonal collateral (Levine, M.S.) **24,** 47

Development; Autoradiography; Corticostriatal; Corticoclaustral; Claustrum; Pericruciate cortex (Adinolfi, A.M.) **24,** 99

Development; γ-Aminobutyric acidergic inhibition; Cholinergic excitation; Bursting (Misgeld, U.) **27,** 59

Amphetamine; Development; Voltammetry; Dopamine; Substantia nigra (Gazzara, R.A.) **28,** 213

Nerve growth factor
Dorsal root ganglion; Neuron survival Laminin; Trophic agent; Ciliary

neuronotrophic factor; Polyornithine (Skaper, S.D.) **24,** 39

Ciliary neuronotropic factor; Neuronotropic activity; Neuronotropic factor bioassay; Tetrazolium salt; Dorsal root ganglion; Ciliary ganglion (Manthorpe, M.) **25,** 191

Neural crest cell; Nerve growth factor receptor (Greiner, C.A.M.) **26,** 145

Sympathetic ganglion; Organ culture; Heart atrium; Cell differentiation (Lahtinen, T.) **27,** 51

Neuronotropic factor; Schwann cell; Expansor secundariorum; Chicken (Abrahamson, I.K.) **27,** 117

Chromaffin cell; Development; Catecholamine; Neuropeptide; Ultrastructure (Bode, K.) **27,** 139

Ganglioside; Neuritogenesis; Neurotropic interaction; PC12 pheochromocytoma; Neuro-2a neuroblastoma (Matta, S.G.) **27,** 243

Behavioral development; Scopolamine hyperactivity (Alleva, E.) **28,** 278

Phorbol ester; Mezerein; Tumor promoter; Protein kinase C; Cholinergic telencephalon neuron; Aggregating cell culture (Honegger, P.) **29,** 217

Choline acetyltransferase; Septal neuron; Hippocampal neuron; Glioma-conditioned medium; Serum-free culture (Hatanaka, H.) **30,** 47

Nerve growth factor receptor
Nerve growth factor; Neural crest cell (Greiner, C.A.M.) **26,** 145

β-Nerve growth factor (βNGF)-cDNA
Motoneuron; Survival; Messenger ribonucleic acid (Hulst, J.R.) **25,** 153

Nerve regeneration
Dorsal root ganglion; Sprouting; Concanavalin A; Wheatgerm agglutinin (DeGeorge, J.J.) **28,** 169

Nerve terminal
Polyamine; Sympathetic neuron; Development (Gilad, G.M.) **28,** 163

Nerve–non-nerve cell interactions
Growth cone; Contact inhibition (Zinsmeister, P.P.) **25,** 143

Nervous system disease
Neurological mutant; Myelin sheath; Peripheral nerve; Glycolipid; Phospholipid; Myelin protein (Heape, A.) **25,** 173

Peripheral nerve; Myelin sheath; Neurological mutant; Schwann cell; Development; Glycolipid; Phospholipid (Heape, A.) **25,** 181

Peripheral nerve; Myelin sheath; Neurological mutant; Cholesterol; Cholesteryl ester; Triacylglycerol (Juguelin, H.) **25,** 249

Nervous system-specific protein
Development; Monoclonal antibody; Immunochemistry; Optic tectum; Cerebellum (Shirao, T.) **29,** 233

Neural basis of learning
Olfactory bulb development; Early experience; Brain–behavior relationship; Norwegian rat (Coopersmith, R.) **24,** 271

Neural cell adhesion molecule
Development; Neuronal sprouting; Monoclonal antibody; 5B4 antigen; Polysialic acid (Rosenberg, J.) **30,** 262

Neural crest cell
Nerve growth factor; Nerve growth factor receptor (Greiner, C.A.M.) **26,** 145

Neural development
Fleshfly; Insect CNS; Axonal pathfinding; Leg muscle elimination (Nässel, D.R.) **26,** 211

Neural implant
Regeneration; Neurotropic factor; Neuronal survival factor; Neuronal death (Sisken, B.F.) **27,** 181

Neural plasticity
Olfactory bulb; Early experience; 2-Deoxyglucose; Norwegian rats (Coopersmith, R.) **27,** 191

Neural retina
Monoclonal antibody; Cell surface specificity; Ganglion cell; Immunohistochemistry (Cole, G.J.) **26,** 133

Neural transplantation
Dopamine neuron; Rat striatum; Neuron–target interaction; Cografting (Brundin, P.) **24,** 77

Neurite growth
Sensory neuron; Spinal cord neuron; Sympathetic neuron; Extracellular potassium; Growth cone; Regeneration (Sussdorf, W.S.) **25,** 43

Neurite outgrowth
PC12 cell; Glioma-conditioned medium; Cell; Substratum adhesion; Neuronotropic factor (Matsuoka, I.) **24,** 133

Neuritogenesis
Ganglioside; Nerve growth factor; Neurotropic interaction; PC12 pheochromocytoma; Neuro-2a neuroblastoma (Matta, S.G.) **27,** 243

Neuro-2a neuroblastoma
Ganglioside; Nerve growth factor; Neuritogenesis; Neurotropic interaction; PC12 pheochromocytoma (Matta, S.G.) **27,** 243

Neuroblastoma
Differentiation; Tetanus toxin; Ganglioside; Flow cytometry; Immunofluorescence (Notter, M.F.D.) **26,** 59

Aphidicolin; Development; Human; Monoamine oxidase; Retinoic acid; Tyrosine hydroxylase (Ino, M.) **30,** 120

Neuroblastoma cell
Primary neuron; Microtubule-associated protein (MAP); Retinoic acid; Neuronal differentiation; Dendrite (Fischer, I.) **25,** 99

Neurochemical differentiation
Local circuit neuron; γ-Aminobutyric acid; Migration; Birthdate (Miller, M.W.) **28,** 41

Neurofilament
Cerebellar granule cell; Transient expression; RT97; Immunochemistry (Cambray-Deakin, M.A.) **28,** 282

Neurogenesis
Glutamic acid decarboxylase immunocytochemistry; γ-Aminobutyric acidergic neurons; Thymidine; Autoradiography; Hippocampus; Mouse (Soriano, E.) **30,** 88

Neuroglial interaction
Glial cell line; Dopaminergic neuron; Mesencephalon; Striatum; Cell culture; Morphological development (Mallat, M.) **26,** 23

Neurological mutant
Nervous system disease; Myelin sheath; Peripheral nerve; Glycolipid; Phospholipid; Myelin protein (Heape, A.) **25,** 173

Peripheral nerve; Myelin sheath; Nervous system disease; Schwann cell; Development; Glycolipid; Phospholipid (Heape, A.) **25,** 181

Peripheral nerve; Myelin sheath; Nervous system disease; Cholesterol; Cholesteryl ester; Triacylglycerol (Juguelin, H.) **25,** 249

Rat; Development; Sensory neuropathy; Gracile nucleus; Transneuronal degeneration (Chimelli, L.) **29,** 193

Neuromuscular junction
Innervation; Muscle innervation; Synapse formation; Synapse elimination; Activity pattern (Magchielse, T.) **25,** 211

Synapse elimination; Calcium; Protease; Development (Connold, A.L.) **28,** 99

Neuron
Acetylcholine; Monoethylcholine mustard aziridinium ion (AF64A) (Koppenaal, D.W.) **30,** 110

Transferrin; Transferrin receptor; Chicken; Immunocytochemistry (Oh, T.H.) **30,** 207

Neuron differentiation
Basal ganglia; Globus pallidus; Dendritic development; Somatic development; Morphometry (Dvergsten, C.L.) **24,** 239

Neuron number
Visual cortex; Development; Cortical volume; Glial cell; Primate; Marmoset (Fritschy, J.M.) **29,** 173

Lateral geniculate nucleus; Postnatal development; Volume; Glial cell; Primate; Marmoset (Fritschy, J.M.) **30,** 157

Neuron survival
Dorsal root ganglion; Laminin; Trophic agent; Ciliary neuronotrophic factor; Nerve growth factor; Polyornithine (Skaper, S.D.) **24,** 39

Neuron–glia interaction
Cell culture; Astrocyte population; Microdissection; Tetanus toxin receptor; Cell type-specific marker; Mouse cerebellum (Nagata, I.) **24,** 217

Neuron–target interaction
Neural transplantation; Dopamine neuron; Rat striatum; Cografting (Brundin, P.) **24,** 77

Neuronal activity
Cell death; Retinal ganglion cells; Visual system development; Superior colliculus (O'Leary, D.D.M.) **30,** 96

Neuronal aggregation and survival
Cerebellar granule cell; Cell culture; Thyroid hormone; Protein synthesis; Microtubule density (Sarafian, T.) **26,** 261

Neuronal cell death
Cyclic guanosine monophosphate; Cyclic adenosine monophosphate; Motoneuron; Sensory neuron (Weill, C.L.) **26,** 305

Neuronal cell marker
Myelin-associated glycoprotein; Dorsal root ganglion; Sensory neuron; Immunocytochemistry; Chick development (Philippe, E.) **27,** 275

Neuronal death
Regeneration; Neurotropic factor; Neuronal survival factor; Neural implant (Sisken, B.F.) **27,** 181

Neuronal development
Actin; Dendritic spine; Neuronal plasticity (Markham, J.A.) **27,** 263

Neuronal differentiation
Neuroblastoma cell; Primary neuron; Microtubule-associated protein (MAP); Retinoic acid; Dendrite (Fischer, I.) **25,** 99

Neuronal plasticity
Opioid; Receptor; Depolarization; Aggregating cells; Phenotypic expression; Potassium (Simantov, R.) **26,** 301

Actin; Neuronal development; Dendritic spine (Markham, J.A.) **27,** 263

Neuronal specificity
Transplant; Dopaminergic terminal; Tyrosine hydroxylase; Acetylcholinesterase; Striatum (Jaeger, C.B.) **24,** 309

Somatotopy; Development; Corticospinal connection; Fiber guidance; Primate motor pathway (Dawnay, N.A.H.) **26,** 115

Neuronal sprouting
Development; Monoclonal antibody; 5B4 antigen; Polysialic acid; Neural cell adhesion molecule (Rosenberg, J.) **30,** 262

Neuronal survival
Sexual differentiation; Amygdala; Estradiol; Serum-free culture (Arimatsu, Y.) **26,** 151

Neuronal survival factor
Regeneration; Neurotropic factor; Neuronal death; Neural implant (Sisken, B.F.) **27,** 181

Neuronal transplantation
Retinal graft development; Retinal wound repair (Turner, J.E.) **26,** 91

Neuronotropic activity
Nerve growth factor; Ciliary neuronotropic factor; Neuronotropic factor bioassay; Tetrazolium salt; Dorsal root ganglion; Ciliary ganglion (Manthorpe, M.) **25,** 191

Neuronotropic factor
PC12 cell; Glioma-conditioned medium; Cell; Substratum adhesion; Neurite outgrowth (Matsuoka, I.) **24,** 133

PC12 cell; Glioma-conditioned medium; High-affinity choline uptake; Cholinergic differentiation (Matsuoka, I.) **24,** 145

Nerve growth factor; Schwann cell; Expansor secundariorum; Chicken (Abrahamson, I.K.) **27,** 117

Neuronotropic factor bioassay
Nerve growth factor; Ciliary neuronotropic factor; Neuronotropic activity; Tetrazolium salt; Dorsal root ganglion; Ciliary ganglion (Manthorpe, M.) **25,** 191

Neuropeptide
Chromaffin cell; Development; Nerve growth factor; Catecholamine; Ultrastructure (Bode, K.) **27,** 139

Neuroplasticity
Retinocollicular projection; Aberrant retinocollicular pathway; Superior colliculus; Monocular enucleation; Visuotopy; Opossum (Méndez-Otero, R.) **27,** 101

Neuroregulator
Serotonin; Dopamine; Noradrenaline; Newborn; Brain (McNamara, M.C.) **25,** 253

Neurotransmitter
Locus ceruleus; Noradrenaline; α_1-Adrenoceptor; α_2-Adrenoceptor; Tissue culture; Development (Finlayson, P.G.) **25,** 292

Noradrenaline; 6-Hydroxydopamine; Dopamine reuptake; Development; Monoamine (Teicher, M.H.) **30,** 124

Neurotrophism
Motoneuron death; Development; Chick embryo; Cyclic guanine monophosphate; Amputation (Douglas, J.H.V.) **26,** 271

Neurotropic factor
Regeneration; Neuronal survival factor Neuronal death; Neural implant (Sisken, B.F.) **27,** 181

Neurotropic interaction
Ganglioside; Nerve growth factor; Neuritogenesis; PC12 pheochromocytoma; Neuro-2a neuroblastoma (Matta, S.G.) **27,** 243

Biosynthetic activity; Goldfish optic nerve regeneration (Cronly-Dillon, J.R.) **30,** 13

Newborn
Neuroregulator; Serotonin; Dopamine; Noradrenaline; Brain (McNamara, M.C.) **25,** 253

Newborn mouse
Vestibular development; In vitro electrophysiology (Desmadryl, G.) **25,** 133

Newborn rat
Motor cortex; Plasticity; 6-Hydroxydopamine; Intracortical microstimulation (Castro, A.J.) **24,** 29

β-Casomorphin; Exorphin; Multiple opioid receptor; Ontogenesis; Development (Volterra, A.) **30,** 25

Nicotine
Catecholamine release; Neonatal rat adrenal; Hypoxia; Exocytosis (Seidler, F.J.) **28,** 274

Nitrendipine
Synaptosome; Calcium channel; Ontogeny; Hypertension; Calcium antagonist; Na^+:Ca^{2+} exchange (Rampe, D.) **29,** 189

Non-phosphorylated neurofilament
Phosphorylated neurofilament; Rat cerebellum; Purkinje cell; Basket cell; Development; Thyroid deficiency (Marc, C.) **26,** 249

Non-pyramidal tract neuron
Pyramidal cell; Postnatal development; Intracellular horseradish peroxidase staining; Motor cortex; Kitten (Yamamoto, T.) **29,** 275

Noradrenaline
β-Adrenoceptor; Forebrain development (Goffinet, A.M.) **24,** 187

Neuroregulator; Serotonin; Dopamine; Newborn; Brain (McNamara, M.C.) **25,** 253

Locus ceruleus; α_1-Adrenoceptor; α_2-Adrenoceptor; Neurotransmitter; Tissue culture; Development (Finlayson, P.G.) **25,** 292

Neonatal; 6-Hydroxydopamine; Critical period; Gonadal hormone (Pappas, B.A.) **26,** 310

6-Hydroxydopamine; Dopamine reuptake; Neurotransmitter; Development; Monoamine (Teicher, M.H.) **30,** 124

Noradrenergic neuron
Spinal cord; Development; Dopamine β-hydroxylase; Immunocytochemistry; Postnatal (Aramant, R.B.) **25,** 161

Norwegian rat
Olfactory bulb development; Early experience; Brain–behavior relationship; Neural basis of learning (Coopersmith, R.) **24,** 271

Olfactory bulb; Early experience; 2-Deoxyglucose; Neural plasticity (Coopersmith, R.) **27,** 191

Nucleus accumbens
Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Nucleus ventrolateralis
Phrenic motor nucleus; Dorsal horn; Intermediolateral cell column; Substance P; Substance P receptor (Charlton, C.G.) **29,** 81

5′-Nucleotidase
Cerebellum; Bergmann glia; Enzyme induction (Hess, D.T.) **29,** 93

O

Ocular dominance
Accessory optic system; Visual deprivation; Lateral and dorsal terminal nucleus; Direction and velocity selectivity; Optokinetic nystagmus; Cat (Grasse, K.L.) **27,** 199

Oculomotor nerve
Xenopus; Eye primordium removal; Change in axon number; Bilateral effect; Long-term effect of enucleation; Target dependency of nerve (Schönenberger, N.) **24,** 169

Odor preference
Olfaction; Rat; 2-Deoxyglucose; Conditioning; Development of learning (Sullivan, R.M.) **27,** 278

Olfaction
Rat; 2-Deoxyglucose; Conditioning; Development of learning; Odor preference (Sullivan, R.M.) **27,** 278

Olfactory bulb; Denervation; Postnatal development; Cell proliferation; Growth; Cell migration; Rat; Sensory development; Brain (Meisami, E.) **29,** 282

Olfactory bulb
Cholinergic; Acetylcholinesterase; Choline acetyltransferase; Muscarinic receptor; Autoradiography; Granule cell layer; External plexiform layer (Rea, M.A.) **24,** 233

Early experience; 2-Deoxyglucose; Neural plasticity; Norwegian rats (Coopersmith, R.) **27,** 191

Denervation; Olfaction; Postnatal development; Cell proliferation; Growth; Cell migration; Rat; Sensory development; Brain (Meisami, E.) **29,** 282

α_2-Adrenoceptor; Rat; Development; Estrous cycle; Sex difference (Battie, C.N.) **30,** 129

Olfactory bulb development
Early experience; Brain–behavior relationship; Neural basis of learning; Norwegian rat (Coopersmith, R.) **24,** 271

Inhibition; Granule cell development; Mitral cell; Neonatal rat; Single unit recording (Wilson, D.A.) **26,** 289

Olfactory epithelium
Cell age; Synchronization; Mitosis; Hydroxyurea (Lidow, M.S.) **28,** 145

Oligodendrocyte
Myelin; Shiverer; Tissue culture; Glial injection (Stanhope, G.B.) **24,** 109

Cell culture; Immunohistochemistry; Myelin; W1 Wolfgram protein; Basic protein; Proteolipid (Espinosa De Los Monteros, A.) **24,** 117

Twitcher mouse; Globoid cell leukodystrophy; Dissociated culture; Cellular degeneration (Nagara, H.) **26,** 79

Chick brain; Cytoskeleton; Microtubule; Microfilament; Cytochalasin B (Kumagai, H.) **27,** 270

Oligodendroglia
Gelsolin; Central nervous system; Developing rabbit (Legrand, C.) **30,** 231

Ontogenesis
Serotonin binding; Hypothalamic-preoptic suprachiasmatic area; Luteinizing hormone; Moxestrol; Prolactin (Becú-Villalobos, D.) **25,** 111

Dopamine; Retina; Rat; Postnatal light deprivation; Dark recovery (Melamed, E.) **26,** 280

Immunohistochemistry; Tyrosine hydroxylase; Hypothalamus; Rat (Daikoku, S.) **28,** 85

Dendritic development; Superior cervical ganglion; Horseradish peroxidase (Smolen, A.J.) **29,** 245

β-Casomorphin; Exorphin; Multiple opioid receptor; Newborn rat; Development (Volterra, A.) **30,** 25

Serotonin; Hypothalamus; Immunocytochemistry; Autoradiography (Ugrumov, M.V.) **30,** 75

Ontogenic development
Thyrotropin-releasing hormone; Brain; Pituitary; Receptor (Blanchard, L.) **24,** 85

Ontogeny
Choroid plexus; Prolactin; Receptor (Silverman, W.F.) **24,** 11

Self-stimulation; Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Neonate (Barr, G.A.) **24,** 193

γ-Aminobutyric acid-A receptor; Benzodiazepine receptor; *t*-Butylbicyclophosphorothionate receptor; Development; Cerebral neuron; Cultured neuron (Jalilian Tehrani, M.H.) **25,** 91

Autoradiography; Dihydrotestosterone; Androgen receptor; Central nervous system; Frog (Gorlick, D.L.) **26,** 193

γ-Melanocyte-stimulating hormone; Brain; Hypophysis; Rat; Immunocytochemistry (Kawai, Y.) **28,** 177

Opiate-induced analgesia; Tolerance; β opioid receptor; μ opioid receptor; Development (Barr, G.A.) **29,** 145

Synaptosome; Calcium channel; Nitrendipine; Hypertension; Calcium antagonist; Na^+:Ca^{2+} exchange (Rampe, D.) **29,** 189

Cerebellum; Purkinje cell; Rat; Spot 35 protein; Immunohistochemistry (Takahashi-Iwanaga, H.) **29,** 225

Substance P; Retina; Immunohistochemistry; Chicken (Tahara, Y.) **30,** 37

Electroencephalogram; Rat; Genetic epilepsy; Spontaneous petit mal (Vergnes, M.) **30,** 85

Opiate receptor
Naloxone; Receptor upregulation; Spinal cord; Sensory ganglion; Tissue culture (Tempel, A.) **25,** 287

Brain; Monkey; Development (Bachevalier, J.) **25,** 302

Compartment; Patch; Matrix; Transplant; Knife cut; Decortication (Lança, A.J.) **27,** 1

Neonatal; Peptide; β-Endorphin; Corticotropin-releasing factor; Tail-flick; Analgesia; Eye opening; Corticosterone (Zadina, J.E.) **29,** 21

Opiate-induced analgesia
Tolerance; β opioid receptor; μ opioid receptor; Development; Ontogeny (Barr, G.A.) **29,** 145

Opioid
Neuronal plasticity; Receptor; Depolarization; Aggregating cells; Phenotypic expression; Potassium (Simantov, R.) **26,** 301

Opioid antagonist
Cerebrum; Hippocampus; Endogenous opioid; Opioid receptor; Naltrexone; Morphology; Growth (Zagon, I.S.) **28,** 233

Opioid receptor
Cerebrum; Hippocampus; Endogenous opioid; Naltrexone; Opioid antagonist; Morphology; Growth (Zagon, I.S.) **28,** 233

β-Opioid receptor
Opiate-induced analgesia; Tolerance; μ opioid receptor; Development; Ontogeny (Barr, G.A.) **29,** 145

μ-Opioid receptor
Opiate-induced analgesia; Tolerance; β opioid receptor; Development; Ontogeny (Barr, G.A.) **29,** 145

Opioid receptor binding
Fetal sheep; Cerebellum; Cortex; Hippocampus (Dunlap III, C.E.) **24,** 279

Opioid system
Reinforcement; Neonatal behavior; Affective behavior (Kehoe, P.) **27,** 69

Opossum
Retinocollicular projection; Aberrant retinocollicular pathway; Superior colliculus; Monocular enucleation; Neuroplasticity; Visuotopy (Méndez-Otero, R.) **27,** 101

Development; Rubrospinal (Cabana, T.) **30,** 1

Optic nerve
Development; Overproduction and elimination; Retinal ganglion cell; Cell death; Fetal cat (Lia, B.) **25,** 296

Laminin; Mammalian tissue culture; Central nervous system regeneration; Rat; Goldfish (Ford-Holevinski, T.S.) **28,** 121

Myelin-associated glycoprotein; Myelin basic protein; Medulla; Radioimmunoassay; Development (Johnson, D.) **28,** 263

Development; Cell death; Hamster; Electron microscopy (Tay, D.) **30,** 268

Optic nerve hypoplasia
Kainate; Retina; Chick embryo; Ganglion cell; Cell death (Campaña, H.) **26,** 315

Optic tectum
Nervous system-specific protein; Development; Monoclonal antibody; Immunochemistry; Cerebellum (Shirao, T.) **29,** 233

Optic tectum differentiation
Retinotectal projection; Quail embryo; Development; Anterograde tracing method; In vitro HRP axonal staining (Senut, M.C.) **29,** 123

Optic tract
Visual system development; Larval teleost; Pathway guidance (Presson, J.C.) **26,** 179

Optokinetic nystagmus
Accessory optic system; Visual deprivation; Lateral and dorsal terminal nucleus; Direction and velocity selectivity; Ocular dominance; Cat (Grasse, K.L.) **27,** 199

Organ culture
Sympathetic ganglion; Nerve growth factor; Heart atrium; Cell differentiation (Lahtinen, T.) **27,** 51

Orientation selectivity
Monocular exposure; Visual experience; Monkey striate cortex (Carlson, M.) **25,** 71

Ornithine decarboxylase
Regulation of glutamine synthetase; Dexamethasone; Primary culture of astrocytes; Biochemical heterogeneity of astrocytes; Lactate dehydrogenase; Glutamine-mediated regulation (Patel, A.J.) **26,** 229

Overproduction and elimination
Development; Optic nerve; Retinal ganglion cell; Cell death; Fetal cat (Lia, B.) **25,** 296

Oxidative metabolism
Copper; Acetylcholine; Glucose; 3-Hydroxybutyrate; Ketone body; Cerebellum; Forebrain; Brain slice; Brindled mouse; Development (Peterson, C.) **29,** 153

Oxytocin
Vasopressin; Brain ontogeny; Isoelectric focusing (Van der Sluis, P.J.) **26,** 85

P

Palmitate
Quantitative autoradiography; Brain; Rat; Development; Lipid; Myelination (Tabata, H.) **29,** 1

'paralysé' mutant mouse
Spinal cord culture; Motoneuron growth factor; Muscle activity; Tenomoty (Henderson, C.E.) **25,** 65

Patch
Compartment; Matrix; Opiate receptor; Transplant; Knife cut; Decortication (Lança, A.J.) **27,** 1

Pathway guidance
Visual system development; Larval teleost; Optic tract (Presson, J.C.) **26,** 179

PC12 cell
Glioma-conditioned medium; Cell; Substratum adhesion; Neuronotropic factor; Neurite outgrowth (Matsuoka, I.) **24,** 133

Glioma-conditioned medium; High-affinity choline uptake; Cholinergic differentiation; Neuronotropic factor (Matsuoka, I.) **24,** 145

PC12 pheochromocytoma
Ganglioside; Nerve growth factor; Neuritogenesis; Neurotropic interaction; Neuro-2a neuroblastoma (Matta, S.G.) **27,** 243

Penicillin
Extracellular K^+; Hippocampus; Pyramidal cell; Development; Epileptogenesis (Swann, J.W.) **30,** 243

Peptide
Neonatal; β-Endorphin; Corticotropin-releasing factor; Tail-flick; Analgesia; Opiate receptor; Eye opening; Corticosterone (Zadina, J.E.) **29,** 21

Peptide extraction
α-Melanotropin; Adrenocorticotropin; Developmental pattern; Aggregating brain cell culture; Radioimmunoassay (Monnet-Tschudi, F.) **26,** 125

Perforant pathway
Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Pericruciate cortex
Development; Autoradiography; Corticostriatal; Corticoclaustral; Neostriatum; Claustrum (Adinolfi, A.M.) **24,** 99

Perinatal opiate syndrome
Development of monoamine oxidase; Brain (Tsang, D.) **26,** 187

Peripheral nerve
Nervous system disease; Neurological mutant; Myelin sheath; Glycolipid; Phospholipid; Myelin protein (Heape, A.) **25,** 173

Myelin sheath; Nervous system disease; Neurological mutant; Schwann cell; Development; Glycolipid; Phospholipid (Heape, A.) **25,** 181

Myelin sheath; Nervous system disease; Neurological mutant; Cholesterol; Cholesteryl ester; Triacylglycerol

(Juguelin, H.) **25,** 249

Phenobarbital
Development; Dopamine receptor; Mouse; Striatum; Pre- and neonatal administration (Iser-Strenger, C.) **30,** 57

Phenotypic expression
Neuronal plasticity; Opioid; Receptor; Depolarization; Aggregating cells; Potassium (Simantov, R.) **26,** 301

Phorbol ester
Mezerein; Tumor promoter; Nerve growth factor; Protein kinase C; Cholinergic telencephalon neuron; Aggregating cell culture (Honegger, P.) **29,** 217

Phospholipid
Nervous system disease; Neurological mutant; Myelin sheath; Peripheral nerve; Glycolipid; Myelin protein (Heape, A.) **25,** 173

Peripheral nerve; Myelin sheath; Nervous system disease; Neurological mutant; Schwann cell; Development; Glycolipid (Heape, A.) **25,** 181

Phosphorylated neurofilament
Non-phosphorylated neurofilament; Rat cerebellum; Purkinje cell; Basket cell; Development; Thyroid deficiency (Marc, C.) **26,** 249

Phosphorylation
Calmodulin; Protein kinase; Development; Postsynaptic density; Calcium (Weinberger, R.P.) **29,** 37

Phrenic motor nucleus
Nucleus ventrolateralis; Dorsal horn; Intermediolateral cell column; Substance P; Substance P receptor (Charlton, C.G.) **29,** 81

Pineal body
Circadian rhythm; Suprachiasmatic nucleus; *dw* mouse; *lit* mouse; *hyt* mouse (Noguchi, T.) **26,** 161

Pituitary
Thyrotropin-releasing hormone; Brain; Receptor; Ontogenic development (Blanchard, L.) **24,** 85

Place navigation
Methylazoxymethanol; Selective attention; Latent inhibition; Sensory preconditioning; Morris maze; Rat (Mohammed, A.K.) **30,** 145

Plasmin-generating system
Developing nervous system; Extracellular proteolysis; Plasminogen activator; Spinal cord histogenesis (Kalderon, N.) **25,** 1

Plasminogen activator
Developing nervous system; Extracellular proteolysis; Plasmin-generating system; Spinal cord histogenesis (Kalderon, N.) **25,** 1

Plasticity
Motor cortex; 6-Hydroxydopamine; Intracortical microstimulation; Newborn rat (Castro, A.J.) **24,** 295

Neonatal hemicerebellectomy; Cerebellothalamic projection; Retrograde transport; Horseradish peroxidase; Quantitative analysis (Haroian, A.J.) **26,** 69

Visual development; Monocular enucleation; Visual system; Geniculostriate pathway; Cat (Shook, B.L.) **28,** 47

Neonatal motor cortex lesion; Motor cortex afferents and efferents; Rodent thalamus; Pontine nucleus (Sharp, F.R.) **30,** 169

Transient pathway; Pyramidal tract; Transplantation (Sharkey, M.A.) **30,** 257

Polyamine
Sympathetic neuron; Nerve terminal; Development (Gilad, G.M.) **28,** 163

Polyornithine
Dorsal root ganglion; Neuron survival; Laminin; Trophic agent; Ciliary neuronotrophic factor; Nerve growth factor (Skaper, S.D.) **24,** 39

Polysialic acid
Development; Neuronal sprouting; Monoclonal antibody; 5B4 antigen; Neural cell adhesion molecule (Rosenberg, J.) **30,** 262

Pontine nucleus
Plasticity; Neonatal motor cortex lesion; Motor cortex afferents and efferents; Rodent thalamus (Sharp, F.R.) **30,** 169

Pontocerebellar
Development; Synaptogenesis; Cerebellum; Corticopontine (Mihailoff, G.A.) **28,** 195

Population excitatory postsynaptic potential
Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Population spike
Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Postnatal
Spinal cord; Noradrenergic neuron; Development; Dopamine β-hydroxylase; Immunocytochemistry (Aramant, R.B.) **25,** 161

Dorsal root; Axon loss (Hulsebosch, C.E.) **26,** 105

Postnatal development
Medial preoptic area; Dendritic protrusion; Puberty (Gerõcs, K.) **26,** 49

Pyramidal cell; Non-pyramidal tract neuron; Intracellular horseradish peroxidase staining; Motor cortex; Kitten (Yamamoto, T.) **29,** 275

Olfactory bulb; Denervation; Olfaction; Cell proliferation; Growth; Cell migration; Rat; Sensory development; Brain (Meisami, E.) **29,** 282

Lateral geniculate nucleus; Volume; Neuron number; Glial cell; Primate; Marmoset (Fritschy, J.M.) **30,** 157

Postnatal light deprivation
Dopamine; Retina; Rat; Ontogenesis; Dark recovery (Melamed, E.) **26,** 280

Postsynaptic density
Calmodulin; Protein kinase; Development; Calcium; Phosphorylation (Weinberger, R.P.) **29,** 37

Potassium
Neuronal plasticity; Opioid; Receptor; Depolarization; Aggregating cells; Phenotypic expression (Simantov, R.) **26,** 301

Prenatal protein malnutrition
Long-term hippocampal potentiation; Synaptic plasticity; Synaptic enhancement; Malnutrition and hippocampal potentiation; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Preoptic area
Aromatase; 5α-Reductase; 5β-Reductase; Testosterone; Estradiol; Brain development; Sex dimorphism; Hypothalamus (Hutchison, J.B.) **25,** 33

Serotonin; Sexual dimorphism; Development; Steroid (Handa, R.J.) **30,** 278

Pre- and neonatal administration
Development; Dopamine receptor; Mouse; Phenobarbital; Striatum (Iser-Strenger, C.) **30,** 57

Primary culture
Astroglia; Development; Kinetic constant; Transport; L-Glutamate; Glutamine synthetase; Cerebral cortex; Striatum; Brainstem (Hansson, E.) **24,** 203

Ependymal cell; Defined medium (Weibel, M.) **25,** 199

Primary culture of astrocytes
Regulation of glutamine synthetase; Dexamethasone; Biochemical heterogeneity of astrocytes; Ornithine decarboxylase; Lactate dehydrogenase;

Glutamine-mediated regulation (Patel, A.J.) **26,** 229

Primary culture of hippocampus
Hippocampus; γ-Aminobutyric acid ergic neuron; γ-Aminobutyric acid uptake; Glutamic acid decarboxylase (Hoch, D.B.) **25,** 53

Primary neuron
Neuroblastoma cell; Microtubule-associated protein (MAP); Retinoic acid; Neuronal differentiation; Dendrite (Fischer, I.) **25,** 99

Primate
Visual cortex; Development; Cortical volume; Neuron number; Glial cell; Marmoset (Fritschy, J.M.) **29,** 173

Lateral geniculate nucleus; Postnatal development; Volume; Neuron number; Glial cell; Marmoset (Fritschy, J.M.) **30,** 157

Primate motor pathway
Somatotopy; Development; Corticospinal connection; Fiber guidance; Neuronal specificity (Dawnay, N.A.H.) **26,** 115

Prolactin
Choroid plexus; Receptor; Ontogeny (Silverman, W.F.) **24,** 11

Ontogenesis; Serotonin binding; Hypothalamic-preoptic suprachiasmatic area; Luteinizing hormone; Moxestrol (Becú-Villalobos, D.) **25,** 111

Proliferation
Chick; Retina; Dye uptake; Lucifer Yellow; Cell cycle; Mitosis; Thymidine incorporation; Differentiation (Vollmer, G.) **27,** 253

Protease
Synapse elimination; Calcium; Neuromuscular junction; Development (Connold, A.L.) **28,** 99

Protein kinase
Calmodulin; Development; Postsynaptic density; Calcium; Phosphorylation (Weinberger, R.P.) **29,** 37

Protein kinase C
Phorbol ester; Mezerein; Tumor promoter; Nerve growth factor; Cholinergic telencephalon neuron; Aggregating cell culture (Honegger, P.) **29,** 217

Protein synthesis
Cerebellar granule cell; Cell culture; Thyroid hormone; Neuronal aggregation and survival; Microtubule density (Sarafian, T.) **26,** 261

Proteolipid
Oligodendrocyte; Cell culture; Immunohistochemistry; Myelin; W1 Wolfgram protein; Basic protein (Espinosa De Los Monteros, A.) **24,** 117

Proteolipid protein
Myelin; Hypomyelinating mutant; Shaking pup; Myelin basic protein; Myelin-associated glycoprotein; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Inuzuka, T.) **27,** 43

Prothoracicotropic hormone
Insect; Choline; Acetylcholine (Lester, D.S.) **26,** 201

Puberty
Medial preoptic area; Dendritic protrusion; Postnatal development (Gerõcs, K.) **26,** 49

Purine derivative
Diazepam binding; Caffeine; Theophylline; Developing rat brain (Daval, J.-L.) **27,** 175

Purkinje cell
Non-phosphorylated neurofilament; Phosphorylated neurofilament; Rat cerebellum; Basket cell; Development; Thyroid deficiency (Marc, C.) **26,** 249

Ontogeny; Cerebellum; Rat; Spot 35 protein; Immunohistochemistry (Takahashi-Iwanaga, H.) **29,** 225

Developing rat; Cholecalcin (calcium-binding protein); Cerebellum; Thyroid deficiency; Thyroxine effects (Rabié, A.) **29,** 253

Push–pull cannula
γ-Aminobutyric acid; Release; Visual cortex; Electrical stimulation; Cortical cup (Hicks, T.P.) **24,** 299

Pyramidal cell
Non-pyramidal tract neuron; Postnatal development; Intracellular horseradish peroxidase staining; Motor cortex; Kitten (Yamamoto, T.) **29,** 275

Extracellular K^+; Hippocampus; Development; Epileptogenesis; Penicillin (Swann, J.W.) **30,** 243

Pyramidal neuron
Neonatal hypothyroidism; Cerebral cortex; Dendritic density (Ruiz-Marcos, A.) **28,** 259

Neonatal hypothyroidism; Cerebral cortex; Canonical variate analysis (Ipiña, S.L.) **29,** 61

Pyramidal tract
Cortical development; Corticospinal projection; Cell death; Collateral elimination; Transient projection (O'Leary, D.D.M.) **27,** 87

Transient pathway; Transplantation; Plasticity (Sharkey, M.A.) **30,** 257

Q

Quail embryo
Optic tectum differentiation; Retinotectal projection; Development; Anterograde tracing method; In vitro HRP axonal staining (Senut, M.C.) **29,** 123

Quantitation
Individual central nervous system neuron; Rapid differentiation and growth; Axon and dendrite; Three-dimensional hydrated collagen lattice culture (Coates, P.W.) **35,** 11

Quantitative analysis
Neonatal hemicerebellectomy; Cerebellothalamic projection; Retrograde transport; Horseradish peroxidase; Plasticity (Haroian, A.J.) **26,** 69

Quantitative autoradiography
Brain; Rat; Development; Lipid; Palmitate; Myelination (Tabata, H.) **29,** 1

Quantitative single cell receptor autoradiography
Astroglia; β-Adrenoceptor; Development; Tissue culture (Trimmer, P.A.) **27,** 151

R

Rabbit
Neonatal monocular enucleation; Retinothalamic projections (Grigonis, A.M.) **29,** 9

Histogenesis; Ependymal cell; Third ventricle; Developmental gradient; Autoradiography (Fernández, V.) **30,** 201

Radioimmunoassay
α-Melanotropin; Adrenocorticotropin; Developmental pattern; Aggregating brain cell culture; Peptide extraction (Monnet-Tschudi, F.) **26,** 125

Myelin-associated glycoprotein; Myelin basic protein; Optic nerve; Medulla; Development (Johnson, D.) **28,** 263

Rapid differentiation and growth
Quantitation; Individual central nervous system neuron; Axon and dendrite; Three-dimensional hydrated collagen lattice culture (Coates, P.W.) **35,** 11

Rat
Kindling; Amygdala; Infant; Weanling; Development; Seizure (Stark, L.G.) **24,** 291

Corticotectal projection; Development (Thong, I.G.) **25,** 227

Corpus callosum; Visual development (Olavarria, J.) **25,** 309

Dopamine; Retina; Ontogenesis; Postnatal light deprivation; Dark recovery (Melamed, E.) **26,** 280

Choroid plexus; Epithelium; Development; Morphometry; Stereology; Microvillus; Mitochondrion (Keep, R.F.) **27,** 77

Trigeminal ganglion; Topography; Development; Fluorescent tracer (Klein, B.G.) **27,** 257

Olfaction; 2-Deoxyglucose; Conditioning; Development of learning; Odor preference (Sullivan, R.M.) **27,** 278

Immunohistochemistry; Tyrosine hydroxylase; Hypothalamus; Ontogenesis (Daikoku, S.) **28,** 85

Laminin; Mammalian tissue culture; Central nervous system regeneration; Optic nerve; Goldfish (Ford-Holevinski, T.S.) **28,** 121

γ-Melanocyte-stimulating hormone; Ontogeny; Brain; Hypophysis; Immunocytochemistry (Kawai, Y.) **28,** 177

Quantitative autoradiography; Brain; Development; Lipid; Palmitate; Myelination (Tabata, H.) **29,** 1

Development; Neurological mutant; Sensory neuropathy; Gracile nucleus; Transneuronal degeneration (Chimelli, L.) **29,** 193

Ontogeny; Cerebellum; Purkinje cell; Spot 35 protein; Immunohistochemistry (Takahashi-Iwanaga, H.) **29,** 225

Olfactory bulb; Denervation; Olfaction; Postnatal development; Cell proliferation; Growth; Cell migration; Sensory development; Brain (Meisami, E.) **29,** 282

α_2-Adrenoceptor; Olfactory bulb; Development; Estrous cycle; Sex difference (Battie, C.N.) **30,** 129

Methylazoxymethanol acetate; Hippocampus; Cytochrome oxidase; Vascularization; Ectopic pyramidal neuron (Ashwell, K.) **30,** 31

Electroencephalogram; Genetic epilepsy; Spontaneous petit mal; Ontogeny (Vergnes, M.) **30,** 85

Methylazoxymethanol; Selective attention; Latent inhibition; Sensory preconditioning; Place navigation; Morris maze (Mohammed, A.K.) **30,** 145

Rat brain
Benzodiazepine receptor; Development; Visual system; Dark-rearing (Schliebs, R.) **24,** 179

Anoxia; Cholecystokinin; Neonatal; Catecholamine (Yamamoto, H.) **26,** 285

Rat brain culture
α_2-Glycoprotein; Glial precursor cell; C6 glial cell; Cell lineage; Immunocytochemistry (Bhat, N.R.) **29,** 31

Rat cerebellum
Non-phosphorylated neurofilament; Phosphorylated neurofilament; Purkinje cell; Basket cell; Development; Thyroid deficiency (Marc, C.) **26,** 249

Endothelial sprout; Golgi technique; Electron microscopy; Angiogenesis (Nousek-Goebl, N.A.) **30,** 67

Rat strain
Fascia dentata; Dentate granule cell; Intracerebral transplantation (Finsen, B.) **29,** 51

Rat striatum
Neural transplantation; Dopamine neuron; Neuron–target interaction; Cografting (Brundin, P.) **24,** 77

Receptor
Choroid plexus; Prolactin; Ontogeny (Silverman, W.F.) **24,** 11

Thyrotropin-releasing hormone; Brain; Pituitary; Ontogenic development (Blanchard, L.) **24,** 85

Tissue culture; Cerebellum; Glutamate; Aspartate; Calcium ion (Mori-Okamoto, J.) **26,** 1

Neuronal plasticity; Opioid; Depolarization; Aggregating cells; Phenotypic expression; Potassium (Simantov, R.) **26,** 301

Vasopressin; Development; Brattleboro rat; Autoradiography (Petracca, F.M.) **28,** 63

Receptor upregulation
Opiate receptor; Naloxone; Spinal cord; Sensory ganglion; Tissue culture (Tempel, A.) **25,** 287

5α-Reductase
Aromatase; 5β-Reductase; Testosterone; Estradiol; Brain development; Sex dimorphism; Hypothalamus; Preoptic area (Hutchison, J.B.) **25,** 33

5β-Reductase
Aromatase; 5α-Reductase; Testosterone; Estradiol; Brain development; Sex dimorphism; Hypothalamus; Preoptic area (Hutchison, J.B.) **25,** 33

Reeler mutant mouse
Superior colliculus; Lateral geniculate nucleus; Retinal projection; Axonal arborization (Frost, D.O.) **28,** 109

Regeneration
Sensory neuron; Spinal cord neuron; Sympathetic neuron; Extracellular potassium; Neurite growth; Growth cone (Sussdorf, W.S.) **25,** 43

Neurotropic factor; Neuronal survival factor; Neuronal death; Neural implant (Sisken, B.F.) **27,** 181

Regulation of glutamine synthetase
Dexamethasone; Primary culture of astrocytes; Biochemical heterogeneity of astrocytes; Ornithine decarboxylase; Lactate dehydrogenase; Glutamine-mediated regulation (Patel, A.J.) **26,** 229

Reinforcement
Neonatal behavior; Affective behavior; Opioid system (Kehoe, P.) **27,** 69

Release
γ-Aminobutyric acid; Visual cortex; Electrical stimulation; Push–pull cannula; Cortical cup (Hicks, T.P.) **24,** 299

Respiratory center
Sudden infant death syndrome; Dendritic spine (Takashima, S.) **26,** 173

Retina
Dopamine; Rat; Ontogenesis; Postnatal light deprivation; Dark recovery (Melamed, E.) **26,** 280

Kainate; Chick embryo; Ganglion cell; Optic nerve hypoplasia; Cell death (Campaña, H.) **26,** 315

Chick; Dye uptake; Lucifer Yellow; Proliferation; Cell cycle; Mitosis; Thymidine incorporation; Differentiation (Vollmer, G.) **27,** 253

Cell death; Superior colliculus; Early lesion; Hamster (Wikler, K.C.) **28,** 11

Cell death; Superior colliculus; Hamster; Visual cortex (Raabe, J.I.) **28,** 23

Substance P; Ontogeny; Immunohistochemistry; Chicken (Tahara, Y.) **30,** 37

Retinal ganglion cell
Development; Optic nerve; Overproduction and elimination; Cell death; Fetal cat (Lia, B.) **25,** 296

Neuronal activity; Cell death; Visual system development; Superior colliculus (O'Leary, D.D.M.) **30,** 96

Retinal graft development
Neuronal transplantation; Retinal wound repair (Turner, J.E.) **26,** 91

Retinal projection
Reeler mutant mouse; Superior colliculus; Lateral geniculate nucleus; Axonal arborization (Frost, D.O.) **28,** 109

Retinal wound repair
Neuronal transplantation; Retinal graft development (Turner, J.E.) **26,** 91

Retinocollicular projection
Aberrant retinocollicular pathway; Superior colliculus; Monocular enucleation; Neuroplasticity; Visuotopy; Opossum (Méndez-Otero, R.) **27,** 101

Retinoic acid
Neuroblastoma cell; Primary neuron; Microtubule-associated protein (MAP); Neuronal differentiation; Dendrite (Fischer, I.) **25,** 99

Aphidicolin; Development; Human; Monoamine oxidase; Neuroblastoma; Tyrosine hydroxylase (Ino, M.) **30,** 120

Retinotectal projection
Optic tectum differentiation; Quail embryo; Development; Anterograde tracing method; In vitro HRP axonal staining (Senut, M.C.) **29,** 123

Eye fragment; *Xenopus* (Degen, N.) **29,** 141

Retinothalamic projection
Rabbit; Neonatal monocular enucleation (Grigonis, A.M.) **29,** 9

Retrograde transport
Neonatal hemicerebellectomy; Cerebellothalamic projection; Horseradish peroxidase; Quantitative analysis; Plasticity (Haroian, A.J.) **26,** 69

Retrogradely transported neuronal tracer
Area 18; Kitten; Intrinsic connection (Price, D.J.) **24,** 31

Reverse suturing
Monocular deprivation; Visual acuity; Mongolian gerbil; Binocular vision (Wilkinson, F.) **26,** 276

Reward
Self-stimulation; Intracranial self-stimulation; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Rodent
α-Bungarotoxin; Spinal cord; Cell culture; Autoradiography; Carbachol; (+)-Tubocurarine; Atropine (Schaffner, A.E.) **25,** 239

Rodent thalamus
Plasticity; Neonatal motor cortex lesion; Motor cortex afferents and efferents; Pontine nucleus (Sharp, F.R.) **30,** 169

RT97
Neurofilament; Cerebellar granule cell; Transient expression; Immunochemistry (Cambray-Deakin, M.A.) **28,** 282

Rubrospinal
Development; Opossum (Cabana, T.) **30,** 1

S

S-100 antigen
Glial-like cell; Sympathetic tissue; Human development; Immunohistochemistry (Lauriola, L.) **28,** 69

Schwann cell
Peripheral nerve; Myelin sheath; Nervous system disease; Neurological mutant; Development; Glycolipid; Phospholipid (Heape, A.) **25,** 181

Neuronotropic factor; Nerve growth factor; Expansor secundariorum; Chicken (Abrahamson, I.K.) **27,** 117

Scopolamine hyperactivity
Nerve growth factor; Behavioral development (Alleva, E.) **28,** 278

Seizure
Kindling; Amygdala; Rat; Infant; Weanling; Development (Stark, L.G.) **24,** 291

Selective attention
Methylazoxymethanol; Latent inhibition; Sensory preconditioning; Place navigation; Morris maze; Rat (Mohammed, A.K.) **30,** 145

Self-stimulation
Intracranial self-stimulation; Reward; D-Amphetamine; Cocaine; Limbic system; Medial forebrain bundle; Nucleus accumbens; Monoamine; Development; Ontogeny; Neonate (Barr, G.A.) **24,** 193

Sensory development
Olfactory bulb; Denervation; Olfaction; Postnatal development; Cell proliferation; Growth; Cell migration; Rat; Brain (Meisami, E.) **29,** 282

Sensory ganglion
Opiate receptor; Naloxone; Receptor upregulation; Spinal cord; Tissue culture (Tempel, A.) **25,** 287

Sensory neuron
Spinal cord neuron; Sympathetic neuron; Extracellular potassium; Neurite growth; Growth cone; Regeneration (Sussdorf, W.S.) **25,** 43

Cyclic guanosine monophosphate; Cyclic adenosine monophosphate; Neuronal cell death; Motoneuron (Weill, C.L.) **26,** 305

Myelin-associated glycoprotein; Dorsal root ganglion; Immunocytochemistry; Chick development; Neuronal cell marker (Philippe, E.) **27,** 275

Sensory neuropathy
Rat; Development; Neurological mutant; Gracile nucleus; Transneuronal degeneration (Chimelli, L.) **29,** 193

Sensory preconditioning
Methylazoxymethanol; Selective attention; Latent inhibition; Place navigation; Morris maze; Rat (Mohammed, A.K.) **30,** 145

Septal neuron
Nerve growth factor; Choline acetyltransferase; Hippocampal neuro Glioma-conditioned medium; Serum-free culture (Hatanaka, H.) **30,** 47

Septum
Acetylcholinesterase; Isoform; Cell culture; Mouse; Hippocampus (Schegg, K.M.) **30,** 221

Serotonin
Lateral horn cell; Sympathetic preganglionic neuron; Excitation (Ma, R.C.) **24,** 89

Neuroregulator; Dopamine; Noradrenaline; Newborn; Brain (McNamara, M.C.) **25,** 253

Immunoreactivity; Development; Feta spinal cord (Bowker, R.M.) **28,** 137

Ontogenesis; Hypothalamus; Immunocytochemistry; Autoradiography (Ugrumov, M.V.) **30,** 75

Sexual dimorphism; Development; Steroid; Preoptic area (Handa, R.J.) **30,** 278

Serotonin binding
Ontogenesis; Hypothalamic-preoptic suprachiasmatic area; Luteinizing hormone; Moxestrol; Prolactin (Becú-Villalobos, D.) **25,** 111

Serotonin synthesis
L-Tryptophan; ATPase, (Na^+,K^+)-; Brain development (Hernández-Rodríguez, J.) **25,** 221

Serum-free culture
Sexual differentiation; Neuronal survival; Amygdala; Estradiol (Arimatsu, Y.) **26,** 151

Whole-cell voltage clamp; Membrane current; Expression of excitability; Diencephalic neuron (Ahmed, Z.) **28,** 221

Nerve growth factor; Choline acetyltransferase; Septal neuron; Hippocampal neuron; Glioma-conditioned medium (Hatanaka, H.) **30,** 47

Sex difference
Accessory olfactory bulb; Mitral cell; Vomeronasal system (Valencia, A.) **24,** 287

α_2-Adrenoceptor; Olfactory bulb; Rat Development; Estrous cycle (Battie, C.N.) **30,** 129

Accessory olfactory bulb; Light and dark granule cells; Vomeronasal system; Critical period (Segovia, S.) **30,** 283

Sex dimorphism
Aromatase; 5α-Reductase;

5β-Reductase; Testosterone; Estradiol; Brain development; Hypothalamus; Preoptic area (Hutchison, J.B.) **25,** 33

Brattleboro rat; Cerebellar lobule; Diabetes insipidus; Morphometry; Vasopressin (Uylings, H.B.M.) **26,** 293

Sexual differentiation
Neuronal survival; Amygdala; Estradiol; Serum-free culture (Arimatsu, Y.) **26,** 151

Sexual dimorphism
Serotonin; Development; Steroid; Preoptic area (Handa, R.J.) **30,** 278

Shaking pup
Myelin; Hypomyelinating mutant; Myelin basic protein; Proteolipid protein; Myelin-associated glycoprotein; 2′,3′-Cyclic nucleotide 3′-phosphodiesterase (Inuzuka, T.) **27,** 43

Shiverer
Myelin; Oligodendrocyte; Tissue culture; Glial injection (Stanhope, G.B.) **24,** 109

Chimaera; Central myelin; Mutant; Myelin sheath (Inoue, Y.) **26,** 239

Single unit recording
Olfactory bulb development; Inhibition; Granule cell development; Mitral cell; Neonatal rat (Wilson, D.A.) **26,** 289

Slow hyperpolarizing afterpotential
Tissue culture; Synapse formation; Trophic factor; Myotube (Suarez-Isla, B.A.) **30,** 274

Somatic development
Basal ganglia; Globus pallidus; Dendritic development; Neuron differentiation; Morphometry (Dvergsten, C.L.) **24,** 239

Somatotopy
Development; Corticospinal connection; Fiber guidance; Primate motor pathway; Neuronal specificity (Dawnay, N.A.H.) **26,** 115

Spectrin
Astrocyte; Cytoskeleton; Actin; Dibutyryl cyclic AMP (dBcAMP); Differentiation in vitro (Opas, M.) **25,** 314

Spinal cord
Development; Descending inhibition; Dorsal horn; Brainstem (Fitzgerald, M.) **24,** 261

Noradrenergic neuron; Development; Dopamine β-hydroxylase; Immunocytochemistry; Postnatal (Aramant, R.B.) **25,** 161

α-Bungarotoxin; Rodent; Cell culture; Autoradiography; Carbachol; (+)-Tubocurarine; Atropine (Schaffner, A.E.) **25,** 239

Opiate receptor; Naloxone; Receptor upregulation; Sensory ganglion; Tissue culture (Tempel, A.) **25,** 287

Spinal cord culture
Motoneuron growth factor; Muscle activity; 'paralysé' mutant mouse; Tenotomy (Henderson, C.E.) **25,** 65

Spinal cord histogenesis
Developing nervous system; Extracellular proteolysis; Plasminogen activator; Plasmin-generating system (Kalderon, N.) **25,** 1

Spinal cord neuron
Sensory neuron; Sympathetic neuron; Extracellular potassium; Neurite growth; Growth cone; Regeneration (Sussdorf, W.S.) **25,** 43

Spinal motoneuron
Chick embryo; Cell culture; Two-dimensional gel electrophoresis; Dual-label autoradiography (Dickson, J.G.) **24,** 315

Spiny neuron
Neostriatum; Development; Electrophysiology; Horseradish peroxidase; Golgi impregnation; Local axonal collateral (Levine, M.S.) **24,** 47

Spontaneous petit mal
Electroencephalogram; Rat; Genetic epilepsy; Ontogeny (Vergnes, M.) **30,** 85

Spot 35 protein
Ontogeny; Cerebellum; Purkinje cell; Rat; Immunohistochemistry (Takahashi-Iwanaga, H.) **29,** 225

Sprouting
Dorsal root ganglion; Nerve regeneration; Concanavalin A; Wheatgerm agglutinin (DeGeorge, J.J.) **28,** 169

Stage
Brain; Development; Head circumference; Electroencephalogram; Cortical thickness (Epstein, H.T.) **30,** 114

Stereology
Rat; Choroid plexus; Epithelium; Development; Morphometry; Microvillus; Mitochondrion (Keep, R.F.) **27,** 77

Steroid
Serotonin; Sexual dimorphism; Development; Preoptic area (Handa, R.J.) **30,** 278

Stimulation
Methylazoxymethanol acetate; Medial forebrain bundle; Development (Moran, T.H.) **27,** 235

Striatum
Astroglia; Primary culture; Development; Kinetic constant; Transport; L-Glutamate; Glutamine synthetase; Cerebral cortex; Brainstem (Hansson, E.) **24,** 203

Transplant; Dopaminergic terminal; Tyrosine hydroxylase; Neuronal specificity; Acetylcholinesterase (Jaeger, C.B.) **24,** 309

Viral transformation; Astrocyte; Cell culture; Mesencephalon; Glial marker (Moura Neto, V.) **26,** 11

Glial cell line; Dopaminergic neuron; Neuroglial interaction; Mesencephalon; Cell culture; Morphological development (Mallat, M.) **26,** 23

Development; Dopamine receptor; Mouse; Phenobarbital; Pre- and neonatal administration (Iser-Strenger, C.) **30,** 57

Sub-miniature endplate potential
Synaptic vesicle; Synaptic cleft; Mouse diaphragm; Miniature endplate potential (Kriebel, M.E.) **27,** 19

Substance K
Enkephalin; Substance P; Corpus striatum; Thalamus; Dipeptidyl carboxypeptidase (Strittmatter, S.M.) **29,** 207

Substance P
Phrenic motor nucleus; Nucleus ventrolateralis; Dorsal horn; Intermediolateral cell column; Substance P receptor (Charlton, C.G.) **29,** 81

Enkephalin; Substance K; Corpus striatum; Thalamus; Dipeptidyl carboxypeptidase (Strittmatter, S.M.) **29,** 207

Retina; Ontogeny; Immunohistochemistry; Chicken (Tahara, Y.) **30,** 37

Transmitter phenotype; Transmitter regulation; Aggregation; Cell membrane; Sympathetic neuron; Choline acetyltransferase (Adler, J.E.) **30,** 237

Substance P receptor
Phrenic motor nucleus; Nucleus ventrolateralis; Dorsal horn; Intermediolateral cell column; Substance P (Charlton, C.G.) **29,** 81

Substantia nigra
Amphetamine; Development; Voltammetry; Dopamine; Neostriatum (Gazzara, R.A.) **28,** 213

Substratum adhesion
PC12 cell; Glioma-conditioned medium; Cell; Neuronotropic factor; Neurite outgrowth (Matsuoka, I.) **24,** 133

Sudden infant death syndrome
Dendritic spine; Respiratory center (Takashima, S.) **26,** 173

Superior cervical ganglion
Dendritic development; Ontogenesis; Horseradish peroxidase (Smolen, A.J.) **29,** 245

Superior colliculus
Retinocollicular projection; Aberrant retinocollicular pathway; Monocular enucleation; Neuroplasticity;

Visuotopy; Opossum (Méndez-Otero, R.) **27,** 101

Cell death; Lateral geniculate nucleus; Enucleation; Hamster (Finlay, B.L.) **28,** 1

Cell death; Retina; Early lesion; Hamster (Wikler, K.C.) **28,** 11

Cell death; Hamster; Retina; Visual cortex (Raabe, J.I.) **28,** 23

Reeler mutant mouse; Lateral geniculate nucleus; Retinal projection; Axonal arborization (Frost, D.O.) **28,** 109

Neuronal activity; Cell death; Retinal ganglion cells; Visual system development (O'Leary, D.D.M.) **30,** 96

Suprachiasmatic nucleus
Circadian rhythm; Pineal body; *dw* mouse; *lit* mouse; *hyt* mouse (Noguchi, T.) **26,** 161

Supraoptic decussation
Functional asymmetry; Chicken forebrain; Brain development; Cycloheximide; Visual discrimination learning (Rogers, L.J.) **28,** 33

Surface antigen
γ-Aminobutyric acid; Astrocyte; Glial fibrillary acidic protein (Johnstone, S.R.) **24,** 63

Survival
Motoneuron; Messenger ribonucleic acid; β-nerve growth factor (βNGF)-cDNA (Hulst, J.R.) **25,** 153

Survival factor
Motoneuron; Growth factor; Muscle activity; Muscle extract; Denervation (Hill, M.A.) **24,** 305

Sympathetic ganglion
Organ culture; Nerve growth factor; Heart atrium; Cell differentiation (Lahtinen, T.) **27,** 51

Sympathetic neuron
Sensory neuron; Spinal cord neuron; Extracellular potassium; Neurite growth; Growth cone; Regeneration (Sussdorf, W.S.) **25,** 43

Polyamine; Nerve terminal; Development (Gilad, G.M.) **28,** 163

Transmitter phenotype; Transmitter regulation; Aggregation; Cell membrane; Choline acetyltransferase; Substance P (Adler, J.E.) **30,** 237

Sympathetic preganglionic neuron
Serotonin; Lateral horn cell; Excitation (Ma, R.C.) **24,** 89

Sympathetic tissue
Glial-like cell; Human development; S-100 antigen; Immunohistochemistry (Lauriola, L.) **28,** 69

Synapse elimination
Neuromuscular junction; Innervation; Muscle innervation; Synapse formation; Activity pattern (Magchielse, T.) **25,** 211

Calcium; Protease; Neuromuscular junction; Development (Connold, A.L.) **28,** 99

Synapse formation
Neuromuscular junction; Innervation; Muscle innervation; Synapse elimination; Activity pattern (Magchielse, T.) **25,** 211

Tissue culture; Trophic factor; Slow hyperpolarizing afterpotential; Myotube (Suarez-Isla, B.A.) **30,** 274

Synaptic cleft
Synaptic vesicle; Mouse diaphragm; Miniature endplate potential; Sub-miniature endplate potential (Kriebel, M.E.) **27,** 19

Synaptic enhancement
Long-term hippocampal potentiation; Synaptic plasticity; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Synaptic membrane
Development; Fluorescence polarization; Membrane order; Fluidity; Lipid (Rauch, S.L.) **26,** 221

Synaptic plasticity
Long-term hippocampal potentiation; Synaptic enhancement; Malnutrition and hippocampal potentiation; Prenatal protein malnutrition; Dentate gyrus; Perforant pathway; Hippocampus; Population excitatory postsynaptic potential; Population spike; Field potential; Field potential analysis (Austin, K.B.) **29,** 267

Synaptic vesicle
Synaptic cleft; Mouse diaphragm; Miniature endplate potential; Sub-miniature endplate potential (Kriebel, M.E.) **27,** 19

Synaptogenesis
Microtubule organization; Vestibular receptor cell (Favre, D.) **25,** 137

Vestibular receptor cell; Ganglia; Development; Hypothyroidism (Dememes, D.) **25,** 147

Interneuron; Development; Morphogenesis; Visual cortex (Miller, M.W.) **25,** 271

Pontocerebellar; Development; Cerebellum; Corticopontine (Mihailoff, G.A.) **28,** 195

Synaptosome
Calcium channel; Nitrendipine; Ontogeny; Hypertension; Calcium antagonist; Na^+:Ca^{2+} exchange (Rampe, D.) **29,** 189

Synchronization
Olfactory epithelium; Cell age; Mitosis; Hydroxyurea (Lidow, M.S.) **28,** 145

T

Tail flick
Neonatal; Peptide; β-Endorphin; Corticotropin-releasing factor; Analgesia; Opiate receptor; Eye opening; Corticosterone (Zadina, J.E.) **29,** 21

Target dependency of nerve
Xenopus; Oculomotor nerve; Eye primordium removal; Change in axon number; Bilateral effect; Long-term effect of enucleation (Schönenberger, N.) **24,** 169

Tenotomy
Spinal cord culture; Motoneuron growth factor; Muscle activity; 'paralysé' mutant mouse (Henderson, C.E.) **25,** 65

Testosterone
Aromatase; 5α-Reductase; 5β-Reductase; Estradiol; Brain development; Sex dimorphism; Hypothalamus; Preoptic area (Hutchison, J.B.) **25,** 33

Tetanus toxin
Neuroblastoma; Differentiation; Ganglioside; Flow cytometry; Immunofluorescence (Notter, M.F.D.) **26,** 59

Tetanus toxin receptor
Cell culture; Astrocyte population; Microdissection; Neuron–glia interaction; Cell type-specific marker; Mouse cerebellum (Nagata, I.) **24,** 217

Tetrazolium salt
Nerve growth factor; Ciliary neuronotropic factor; Neuronotropic activity; Neuronotropic factor bioassay; Dorsal root ganglion; Ciliary ganglion (Manthorpe, M.) **25,** 191

Thalamus
Enkephalin; Substance P; Substance K; Corpus striatum; Dipeptidyl carboxypeptidase (Strittmatter, S.M.) **29,** 207

Theophylline
Diazepam binding; Caffeine; Developing rat brain; Purine derivative (Daval, J.-L.) **27,** 175

Theta
Lead; Hippocampus; FEP; Activity; Electroencephalogram (Burdette, L.J.) **29,** 101

Third ventricle
Histogenesis; Ependymal cell; Developmental gradient; Autoradiography; Rabbit (Fernández, V.) **30,** 201

Three-dimensional hydrated collagen lattice culture
Quantitation; Individual central nervous system neuron; Rapid differentiation and growth; Axon and dendrite (Coates, P.W.) **35,** 11

Thymidine
Glutamic acid decarboxylase immunocytochemistry; γ-Aminobutyric acidergic neurons; Neurogenesis; Autoradiography; Hippocampus; Mouse (Soriano, E.) **30,** 88

Thymidine incorporation
Chick; Retina; Dye uptake; Lucifer Yellow; Proliferation; Cell cycle; Mitosis; Differentiation (Vollmer, G.) **27,** 253

Thyroid deficiency
Non-phosphorylated neurofilament; Phosphorylated neurofilament; Rat cerebellum; Purkinje cell; Basket cell; Development (Marc, C.) **26,** 249

Developing rat; Cholecalcin (calcium-binding protein); Cerebellum; Purkinje cell; Thyroxine effects (Rabié, A.) **29,** 253

Thyroid hormone
Cerebellar granule cell; Cell culture; Neuronal aggregation and survival; Protein synthesis; Microtubule density (Sarafian, T.) **26,** 261

Thyrotropin-releasing hormone
Brain; Pituitary; Receptor; Ontogenic development (Blanchard, L.) **24,** 85

Thyroxine effects
Developing rat; Cholecalcin (calcium-binding protein); Cerebellum; Purkinje cell; Thyroid deficiency (Rabié, A.) **29,** 253

Tissue culture
Myelin; Shiverer; Oligodendrocyte; Glial injection (Stanhope, G.B.) **24,** 109

Opiate receptor; Naloxone; Receptor upregulation; Spinal cord; Sensory ganglion (Tempel, A.) **25,** 287

Locus ceruleus; Noradrenaline; α_1-Adrenoceptor; α_2-Adrenoceptor; Neurotransmitter; Development (Finlayson, P.G.) **25,** 292

Cerebellum; Glutamate; Aspartate; Calcium ion; Receptor (Mori-Okamoto, J.) **26,** 1

Astroglia; β-Adrenoceptor; Development; Quantitative single cell receptor autoradiography (Trimmer, P.A.) **27,** 151

Synapse formation; Trophic factor; Slow hyperpolarizing afterpotential; Myotube (Suarez-Isla, B.A.) **30,** 274

Tolerance
Opiate-induced analgesia; β opioid receptor; μ opioid receptor; Development; Ontogeny (Barr, G.A.) **29,** 145

Topography
Rat; Trigeminal ganglion; Development; Fluorescent tracer (Klein, B.G.) **27,** 257

Transferrin
Transferrin receptor; Neuron; Chicken; Immunocytochemistry (Oh, T.H.) **30,** 207

Transferrin receptor
Transferrin; Neuron; Chicken; Immunocytochemistry (Oh, T.H.) **30,** 207

Transient expression
Neurofilament; Cerebellar granule cell; RT97; Immunochemistry (Cambray-Deakin, M.A.) **28,** 282

Transient pathway
Development; Cerebellum; Cerebral cortex (Panneton, W.M.) **30,** 133

Pyramidal tract; Transplantation; Plasticity (Sharkey, M.A.) **30,** 257

Transient projection
Cortical development; Corticospinal projection; Pyramidal tract; Cell death; Collateral elimination (O'Leary, D.D.M.) **27,** 87

Transmitter phenotype
Transmitter regulation; Aggregation; Cell membrane; Sympathetic neuron; Choline acetyltransferase; Substance P (Adler, J.E.) **30,** 237

Transmitter regulation
Transmitter phenotype; Aggregation; Cell membrane; Sympathetic neuron; Choline acetyltransferase; Substance P (Adler, J.E.) **30,** 237

Transneuronal degeneration
Rat; Development; Neurological mutant; Sensory neuropathy; Gracile nucleus (Chimelli, L.) **29,** 193

Transplant
Dopaminergic terminal; Tyrosine hydroxylase; Neuronal specificity; Acetylcholinesterase; Striatum (Jaeger, C.B.) **24,** 309

Compartment; Patch; Matrix; Opiate receptor; Knife cut; Decortication (Lança, A.J.) **27,** 1

Transplantation
Transient pathway; Pyramidal tract; Plasticity (Sharkey, M.A.) **30,** 257

Transport
Astroglia; Primary culture; Development; Kinetic constant; L-Glutamate; Glutamine synthetase; Cerebral cortex; Striatum; Brainstem (Hansson, E.) **24,** 203

Triacylglycerol
Peripheral nerve; Myelin sheath; Nervous system disease; Neurological mutant; Cholesterol; Cholesteryl ester (Juguelin, H.) **25,** 249

Trigeminal ganglion
Cell death; Middle cerebral artery; Forehead skin; Development (O'Connor, T.P.) **27,** 223

Rat; Topography; Development; Fluorescent tracer (Klein, B.G.) **27,** 257

Trophic agent
Dorsal root ganglion; Neuron survival; Laminin; Ciliary neuronotrophic factor; Nerve growth factor; Polyornithine (Skaper, S.D.) **24,** 39

Trophic factor
Tissue culture; Synapse formation; Slow hyperpolarizing afterpotential; Myotube (Suarez-Isla, B.A.) **30,** 274

L-Tryptophan
Serotonin synthesis; ATPase, (Na^+,K^+)-; Brain development (Hernández-Rodríguez, J.) **25,** 221

(+)-Tubocurarine
α-Bungarotoxin; Spinal cord; Rodent; Cell culture; Autoradiography; Carbachol; Atropine (Schaffner, A.E.) **25,** 239

Tumor promoter
Phorbol ester; Mezerein; Nerve growth factor; Protein kinase C; Cholinergic telencephalon neuron; Aggregating cell culture (Honegger, P.) **29,** 217

Twitcher mouse
Globoid cell leukodystrophy; Oligodendrocyte; Dissociated culture; Cellular degeneration (Nagara, H.) **26,** 79

Two-dimensional gel electrophoresis
Spinal motoneuron; Chick embryo; Cell culture; Dual-label autoradiography (Dickson, J.G.) **24,** 315

Tyrosine hydroxylase
Transplant; Dopaminergic terminal; Neuronal specificity; Acetylcholinesterase; Striatum (Jaeger, C.B.) **24,** 309

Immunohistochemistry; Hypothalamus; Ontogenesis; Rat (Daikoku, S.) **28,** 85

Aphidicolin; Development; Human; Monoamine oxidase; Neuroblastoma; Retinoic acid (Ino, M.) **30,** 120

U

Ultrastructure
Monkey; Hippocampus; Mossy fiber synapse; Morphogenesis (Vijayan, V.K.) **25,** 259

Chromaffin cell; Development; Nerve growth factor; Catecholamine; Neuropeptide (Bode, K.) **27,** 139

V

Vascularization
Methylazoxymethanol acetate; Hippocampus; Rat; Cytochrome oxidase; Ectopic pyramidal neuron (Ashwell, K.) **30,** 31

Vasodilator
Baclofen receptor; Behavior; Embryology; γ-Aminobutyric receptor; Inhibition (Maderdrut, J.L.) **25,** 157

Vasopressin
Oxytocin; Brain ontogeny; Isoelectric focusing (Van der Sluis, P.J.) **26,** 85

Brattleboro rat; Cerebellar lobule; Diabetes insipidus; Sex dimorphism; Morphometry (Uylings, H.B.M.) **26,** 293

Receptor; Development; Brattleboro rat; Autoradiography (Petracca, F.M.) **28,** 63

Vestibular development
In vitro electrophysiology; Newborn mouse (Desmadryl, G.) **25,** 133

Vestibular receptor cell
Microtubule organization; Synaptogenesis (Favre, D.) **25,** 137

Ganglia; Development; Synaptogenesis; Hypothyroidism (Dememes, D.) **25,** 147

Viral transformation
Astrocyte; Cell culture; Mesencephalon; Striatum; Glial marker (Moura Neto, V.) **26,** 11

Visual acuity
Monocular deprivation; Mongolian gerbil; Reverse suturing; Binocular vision (Wilkinson, F.) **26,** 276

Visual behavior
Visual development; Monocular deprivation; 6-Hydroxydopamine (Gordon, B.) **24,** 21

Visual cortex
γ-Aminobutyric acid; Release; Electrical stimulation; Push–pull cannula; Cortical cup (Hicks, T.P.) **24,** 299

Interneuron; Development; Morphogenesis; Synaptogenesis (Miller, M.W.) **25,** 271

Cell death; Superior colliculus; Hamster; Retina (Raabe, J.I.) **28,** 23

Development; Cortical volume; Neuron number; Glial cell; Primate; Marmoset (Fritschy, J.M.) **29,** 173

Kindling; Developmental plasticity; Kitten (Moneta, M.E.) **30,** 104

Visual deprivation
Accessory optic system; Lateral and dorsal terminal nucleus; Direction and velocity selectivity; Ocular dominance; Optokinetic nystagmus; Cat (Grasse, K.L.) **27,** 199

Visual development
Visual behavior; Monocular deprivation; 6-Hydroxydopamine (Gordon, B.) **24,** 21

Corpus callosum; Rat (Olavarria, J.) **25,** 309

Monocular enucleation; Plasticity; Visual system; Geniculostriate pathway; Cat (Shook, B.L.) **28,** 47

Visual discrimination learning
Supraoptic decussation; Functional asymmetry; Chicken forebrain; Brain development; Cycloheximide (Rogers, L.J.) **28,** 33

Visual experience
Monocular exposure; Monkey striate cortex; Orientation selectivity (Carlson, M.) **25,** 71

Visual latency
Cat; Dorsal lateral geniculate nucleus; X-cell; Y-cell; Contrast; Deprivation (Sestokas, A.K.) **30,** 93

Visual system
Benzodiazepine receptor; Development; Dark-rearing; Rat brain (Schliebs, R.) **24,** 179

Visual development; Monocular enucleation; Plasticity; Geniculostriate pathway; Cat (Shook, B.L.) **28,** 47

Visual system development
Larval teleost; Pathway guidance; Optic tract (Presson, J.C.) **26,** 179

Neuronal activity; Cell death; Retinal ganglion cells; Superior colliculus (O'Leary, D.D.M.) **30,** 96

Visuotopy
Retinocollicular projection; Aberrant retinocollicular pathway; Superior colliculus; Monocular enucleation; Neuroplasticity; Opossum (Méndez-Otero, R.) **27,** 101

Vitamin E
X-irradiation; Microcephaly; Deoxyribonucleic acid; Lipid peroxide; Confronting cisternae (Tanaka, H.) **27,** 11

Voltammetry
Amphetamine; Development; Dopamine; Neostriatum; Substantia nigra (Gazzara, R.A.) **28,** 213

Volume
Lateral geniculate nucleus; Postnatal development; Neuron number; Glial cell; Primate; Marmoset (Fritschy, J.M.) **30,** 157

Vomeronasal system
Sex difference; Accessory olfactory bulb; Mitral cell (Valencia, A.) **24,** 287

Sex difference; Accessory olfactory bulb; Light and dark granule cells; Critical period (Segovia, S.) **30,** 283

W

W1 Wolfgram protein
Oligodendrocyte; Cell culture; Immunohistochemistry; Myelin; Basic protein; Proteolipid (Espinosa De Los Monteros, A.) **24,** 117

Weanling
Kindling; Amygdala; Rat; Infant; Development; Seizure (Stark, L.G.) **24,** 291

Weaver
Antigenic marker; Astrocyte; Cell culture; Cerebellum; Mouse; Mutant (Fischer, G.) **28,** 247

Wheat germ agglutinin
Dorsal root ganglion; Nerve regeneration; Sprouting; Concanavalin A (DeGeorge, J.J.) **28,** 169

Horseradish peroxidase; Immunohistochemistry; Acetylcholinesterase staining; Lateral posterior nucleus–pulvinar complex; Kitten (Kato, N.) **30,** 140

Whole-cell voltage clamp
Membrane current; Expression of excitability; Diencephalic neuron; Serum-free culture (Ahmed, Z.) **28,** 221

X

X-cell
Cat; Dorsal lateral geniculate nucleus; Y-cell; Contrast; Visual latency; Deprivation (Sestokas, A.K.) **30,** 93

X-irradiation
Microcephaly; Vitamin E; Deoxyribonucleic acid; Lipid peroxide; Confronting cisternae (Tanaka, H.) **27,** 11

Xenopus
Oculomotor nerve; Eye primordium removal; Change in axon number; Bilateral effect; Long-term effect of enucleation; Target dependency of nerve (Schönenberger, N.) **24,** 169

Retinotectal projection; Eye fragment (Degen, N.) **29,** 141

***Xenopus* oocyte**
Microinjection; Latency; Acetylcholine receptor; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **24,** 211

Y

Y-cell
Cat; Dorsal lateral geniculate nucleus; X-cell; Contrast; Visual latency; Deprivation (Sestokas, A.K.) **30,** 93

BRAIN RESEARCH REVIEWS
AUTHOR INDEX
1986
VOLUMES 396 (11)

B

Becker, J.B., see Robinson, T.E., **11**, 157
Bennett, T., see Gardiner, S.M., **11**, 317
Berkley, K.J., Budell, R.J., Blomqvist, A. and Bull, M.
Output systems of the dorsal column nuclei in the cat, **11**, 199
Blomqvist, A., see Berkley, K.J., **11**, 199
Bold, E.L., see Neafsey, E.J., **11**, 77
Brunjes, P.C. and Frazier, L.L.
Maturation and plasticity in the olfactory system of vertebrates, **11**, 1
Budell, R.J., see Berkley, K.J., **11**, 199
Bull, M., see Berkley, K.J., **11**, 199

C

Caverson, M.M., see Ciriello, J., **11**, 359
Chang, K.-J., see Everitt, B.J., **11**, 97
Ciriello, J., Caverson, M.M. and Polosa, C.
Function of the ventrolateral medulla in the control of the circulation, **11**, 359
Cuello, C., see Everitt, B.J., **11**, 97

D

Dilsaver, S.C.
Cholinergic mechanisms in depression, **11**, 285
Dockray, G., see Everitt, B.J., **11**, 97

E

Edwardson, J., see Everitt, B.J., **11**, 97
Elde, R., see Everitt, B.J., **11** 97
Everitt, B.J., Meister, B., Hökfelt, T., Melander, T., Terenius, L., Rökaeus, A Theodorsson-Norheim, E., Dockray, G., Edwardson, J., Cuello, C., Elde, R., Goldstein, M., Hemmings, H., Ouimet, C., Walaas, I., Greengard, P., Vale, W., Weber, E., Wu, J.-Y., and Chang, K.-J.
The hypothalamic arcuate nucleus-median eminence complex: immunohistochemistry of transmitters, peptides and DARPP-32 with special reference to coexistence in dopamine neurons, **11**, 97

F

Frazier, L.L., see Brunjes, P.C., **11**, 1
Freeman, W.J.
Petit mal Seizure spikes in olfactory bulb and cortex caused by runaway inhibition after exhaustion of excitation, **11**, 259

G

Gaarskjaer, F.B.
The organization and development of the hippocampal mossy fiber system, **11**, 335
Garcia-Rill, E.
The basal ganglia and the locomotor regions, **11**, 47
Gardiner, S.M. and Bennett, T.
Endogenous vasopressin and baroreflex mechanisms, **11**, 317
Goldtein, M., see Everitt, B.J., **11** 97
Greengaard, P., see Everitt, B.J., **11** 97

H

Haas, G., see Neafsey, E.J., **11**, 77
Hemmings, H., see Everitt, B.J., **11** 97
Hökfelt, T., see Everitt, B.J., **11**, 97
Hurley-Gius, K.M., see Neafsey, E.J., **11**, 77

K

Kirpitchnikova, E., see Repérant, J., **11**, 227

M

Man-Kit Lam, D., Thomas Su, Y.-Y. and Watt, C.B.
The self-regulating synapse: a functional role for the co-existence of neuroactive substances, **11**, 249
Meaney, M.J., see Sapolsky, R.M., **11**, 65
Meister, B., see Everitt, B.J., **11**, 97
Melander, T., see Everitt, B.J., **11**, 97
Miceli, D., see Repérant, J., **11**, 227

N

Neafsey, E.J., Bold, E.L., Haas, G., Hurley-Gius, K.M., Quirk, G., Sievert, C.F. and Terreberry, R.R.
The Organization of the rat motor cortex: a microstimulation mapping study, **11**, 77

O

Ouimet, C., see Everitt, B.J., **11** 97

P

Peyrichoux, J., see Repérant, J., **11**, 227
Pierre, J., see Repérant, J., **11**, 227
Polosa, C., see Ciriello, J., **11**, 359

Q

Quirk, G., see Neafsey, E.J., **11**, 77

R

Repérant, J., Miceli, D., Rio, J., Peyrichoux, J., Pierre, J. and Kirpitchnikova, E.
The anatomical organization of retinal projections in the shark *Scyliorhinus Canicula* with special reference to the evolution of the selachian primary visual system, **11**, 227
Rio, J., see Repérant, J., **11**, 227
Robinson, T.E. and Becker, J.B.
Enduring changes in brain and behavior produced by chronic amphetamine administration: a review and evaluation of animal models of amphetamine psychosis, **11**, 157
Rökaeus, A see Everitt, B.J., **11**, 97

S

Sapolsky, R.M. and Meaney, M.J.
Maturation of the adrenocortical stress response: neuroendocrine control mechanisms and the stress hyporesponsive period, **11**, 65
Sievert, C.F., see Neafsey, E.J., **11**, 77

T

Terenius, L., see Everitt, B.J., **11**, 97
Terreberry, R.R., see Neafsey, E.J., **11**, 77
Theodorsson-Norheim, E., see Everitt, B.J., **11**, 97
Thomas Su, Y.-Y., see Man-Kit Lam, D., **11**, 249

V

Vale, W., see Everitt, B.J., **11** 97

W

Walaas, I., see Everitt, B.J., **11** 97
Watt, C.B., see Man-Kit Lam, D., **11**, 249
Weber, E., see Everitt, B.J., **11** 97
Wu, J.-Y., see Everitt, B.J., **11**, 97

BRAIN RESEARCH REVIEWS
SUBJECT INDEX
1986
VOLUMES 396 (11)

A

Acetylcholine
Affective disorder; Cholinergic mechanism; Depression; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

Affective disorder
Acetylcholine; Cholinergic mechanism; Depression; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

γ-Aminobutyric acid
Retina; Teleost; Avian; Enkephalin; Coexistence (Man-Kit Lam, D.) **11,** 249

Arcuate nucleus; Immunocytochemistry; Peptide; Dopamine; DARPP-32; Coexistence; Neuroendocrinology; Median eminence (Everitt, B.J.) **11,** 97

Amphetamine
Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Amphetamine psychosis
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Anatomical organization
Hippocampus; Fascia dentata; Mossy fiber; Development (Gaarskjaer, F.B.) **11,** 335

Animal model
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Arcuate nucleus
Immunocytochemistry; Peptide; Dopamine; γ-Aminobutyric acid; DARPP-32; Coexistence; Neuroendocrinology; Median eminence (Everitt, B.J.) **11,** 97

Autoreceptor
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy (Robinson, T.E.) **11,** 157

Avian
Retina; Teleost; Enkephalin; γ-Aminobutyric acid; Coexistence (Man-Kit Lam, D.) **11,** 249

B

Baroreflex
Vasopressin; Ventrolateral medulla; Nucleus tractus solitarius; Paraventricular nucleus; Rat; Rabbit; Cat; Dog (Gardiner, S.M.) **11,** 317

Basal ganglion
Mesencephalic locomotor region; Locomotion (Garcia-Rill, E.) **11,** 47

Bulbospinal pathway
Ventrolateral medulla; Circulation; Sympathetic preganglionic neuron; Cardiovascular reflex pathway; Vasomotor tone (Ciriello, J.) **11,** 359

C

Cardiovascular reflex pathway
Ventrolateral medulla; Circulation; Sympathetic preganglionic neuron; Bulbospinal pathway; Vasomotor tone (Ciriello, J.) **11,** 359

Cat
Vasopressin; Baroreflex; Ventrolateral medulla; Nucleus tractus solitarius; Paraventricular nucleus; Rat; Rabbit; Dog (Gardiner, S.M.) **11,** 317

Catecholamine
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Cerebellum
Dorsal column nucleus; Sensorimotor integration; Spinal cord; Cortex (Berkley, K.J.) **11,** 199

Cholinergic mechanism
Acetylcholine; Affective disorder; Depression; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

Circulation
Ventrolateral medulla; Sympathetic preganglionic neuron; Bulbospinal pathway; Cardiovascular reflex pathway; Vasomotor tone (Ciriello, J.) **11,** 359

Coexistence
Arcuate nucleus; Immunocytochemistry; Peptide; Dopamine; γ-Aminobutyric acid; DARPP-32; Neuroendocrinology; Median eminence (Everitt, B.J.) **11,** 97

Retina; Teleost; Avian; Enkephalin; γ-Aminobutyric acid (Man-Kit Lam, D.) **11,** 249

Conditioning
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Cortex
Dorsal column nucleus; Sensorimotor integration; Spinal cord; Cerebellum (Berkley, K.J.) **11,** 199

Cortical cytoarchitecture
Motor cortex; Somatosensory cortex; Supplementary motor cortex; Premotor cortex; Frontal eye field; Insular cortex; Taste; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

Corticosterone
Stress; Glucocorticoid receptor; Hippocampus; Pituitary; Neural development (Sapolsky, R.M.) **11,** 65

D

DARPP-32
Arcuate nucleus; Immunocytochemistry; Peptide; Dopamine; γ-Aminobutyric acid; Coexistence; Neuroendocrinology; Median eminence (Everitt, B.J.) **11,** 97

Depression
Acetylcholine; Affective disorder; Cholinergic mechanism; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

Deprivation
Acetylcholine; Affective disorder;

Cholinergic mechanism; Depression; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Substance abuse; Drive-reduction (Dilsaver, S.C.) **11,** 285

Development
Olfactory system; Olfactory bulb; Olfactory receptor; Olfactory projection; Sensory system (Brunjes, P.C.) **11,** 1

Hippocampus; Fascia dentata; Mossy fiber; Anatomical organization (Gaarskjaer, F.B.) **11,** 335

Dog
Vasopressin; Baroreflex; Ventrolateral medulla; Nucleus tractus solitarius; Paraventricular nucleus; Rat; Rabbit; Cat (Gardiner, S.M.) **11,** 317

Dopamine
Amphetamine; Sensitization; Reverse tolerance; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Arcuate nucleus; Immunocytochemistry; Peptide; γ-Aminobutyric acid; DARPP-32; Coexistence; Neuroendocrinology; Median eminence (Everitt, B.J.) **11,** 97

Dorsal column nucleus
Sensorimotor integration; Spinal cord; Cerebellum; Cortex (Berkley, K.J.) **11,** 199

Drive-reduction
Acetylcholine; Affective disorder; Cholinergic mechanism; Depression; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Substance abuse; Deprivation (Dilsaver, S.C.) **11,** 285

E

Electroencephalogram
Epilepsy; Petit mal; Seizure; Inhibitory feedback; Instability; Non-linear brain dynamics; Olfactory bulb; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Enkephalin
Retina; Teleost; Avian; γ-Aminobutyric acid; Coexistence (Man-Kit Lam, D.) **11,** 249

Epilepsy
Petit mal; Electroencephalogram; Seizure; Inhibitory feedback; Instability; Non-linear brain dynamics; Olfactory bulb; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Evolution
Selachian; Visual system (Repérant, J.) **11,** 227

F

Fascia dentata
Hippocampus; Mossy fiber; Anatomical organization; Development (Gaarskjaer, F.B.) **11,** 335

Frontal eye field
Motor cortex; Somatosensory cortex; Supplementary motor cortex; Premotor cortex; Insular cortex; Taste; Cortical cytoarchitecture; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

G

Glucocorticoid receptor
Stress; Hippocampus; Pituitary; Corticosterone; Neural development (Sapolsky, R.M.) **11,** 65

H

Hippocampus
Fascia dentata; Mossy fiber; Anatomical organization; Development (Gaarskjaer, F.B.) **11,** 335

Stress; Glucocorticoid receptor; Pituitary; Corticosterone; Neural development (Sapolsky, R.M.) **11,** 65

I

Immunocytochemistry
Arcuate nucleus; Peptide; Dopamine; γ-Aminobutyric acid; DARPP-32; Coexistence; Neuroendocrinology; Median eminence (Everitt, B.J.) **11,** 9

Inhibitory feedback
Epilepsy; Petit mal; Electroencephalogram; Seizure; Instability; Non-linear brain dynamics; Olfactory bulb; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Instability
Epilepsy; Petit mal; Electroencephalogram; Seizure; Inhibitory feedback; Non-linear brain dynamics; Olfactory bulb; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Insular cortex
Motor cortex; Somatosensory cortex; Supplementary motor cortex; Premoto cortex; Frontal eye field; Taste; Cortical cytoarchitecture; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

L

Locomotion
Basal ganglion; Mesencephalic locomotor region (Garcia-Rill, E.) **11,** 47

M

Mania
Acetylcholine; Affective disorder; Cholinergic mechanism; Depression; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

Median eminence
Arcuate nucleus; Immunocytochemistry; Peptide; Dopamine; γ-Aminobutyric acid; DARPP-32; Coexistence; Neuroendocrinology (Everitt, B.J.) **11,** 97

Mesencephalic locomotor region
Basal ganglion; Locomotion (Garcia-Rill, E.) **11,** 47

Microstimulation
Motor cortex; Somatosensory cortex;

Supplementary motor cortex; Premotor cortex; Frontal eye field; Insular cortex; Taste; Cortical cytoarchitecture; Rat (Neafsey, E.J.) **11,** 77

Mossy fiber
Hippocampus; Fascia dentata; Anatomical organization; Development (Gaarskjaer, F.B.) **11,** 335

Motor cortex
Somatosensory cortex; Supplementary motor cortex; Premotor cortex; Frontal eye field; Insular cortex; Taste; Cortical cytoarchitecture; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

Muscarinic receptor Physostigmine
Acetylcholine; Affective disorder; Cholinergic mechanism; Depression; Mania; Neuroendocrine; Polysomnographic study; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

N

Neural development
Stress; Glucocorticoid receptor; Hippocampus; Pituitary; Corticosterone (Sapolsky, R.M.) **11,** 65

Neuroendocrine
Acetylcholine; Affective disorder; Cholinergic mechanism; Depression; Mania; Muscarinic receptor Physostigmine; Polysomnographic study; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

Neuroendocrinology
Arcuate nucleus; Immunocytochemistry; Peptide; Dopamine; γ-Aminobutyric acid; DARPP-32; Coexistence; Median eminence (Everitt, B.J.) **11,** 97

Neurotoxicity
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Non-linear brain dynamics
Epilepsy; Petit mal; Electroencephalogram; Seizure; Inhibitory feedback; Instability; Olfactory bulb; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Nucleus tractus solitarius
Vasopressin; Baroreflex; Ventrolateral medulla; Paraventricular nucleus; Rat; Rabbit; Cat; Dog (Gardiner, S.M.) **11,** 317

O

Olfactory bulb
Development; Olfactory system; Olfactory receptor; Olfactory projection; Sensory system (Brunjes, P.C.) **11,** 1

Epilepsy; Petit mal; Electroencephalogram; Seizure; Inhibitory feedback; Instability; Non-linear brain dynamics; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Olfactory projection
Development; Olfactory system; Olfactory bulb; Olfactory receptor; Sensory system (Brunjes, P.C.) **11,** 1

Olfactory receptor
Development; Olfactory system; Olfactory bulb; Olfactory projection; Sensory system (Brunjes, P.C.) **11,** 1

Olfactory system
Development; Olfactory bulb; Olfactory receptor; Olfactory projection; Sensory system (Brunjes, P.C.) **11,** 1

P

Paraventricular nucleus
Vasopressin; Baroreflex; Ventrolateral medulla; Nucleus tractus solitarius; Rat; Rabbit; Cat; Dog (Gardiner, S.M.) **11,** 317

Peptide
Arcuate nucleus; Immunocytochemistry; Dopamine; γ-Aminobutyric acid; DARPP-32; Coexistence; Neuroendocrinology; Median eminence (Everitt, B.J.) **11,** 97

Petit mal
Epilepsy; Electroencephalogram; Seizure; Inhibitory feedback; Instability; Non-linear brain dynamics; Olfactory bulb; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Petit mal seizure
Epilepsy; Petit mal; Electroencephalogram; Seizure; Inhibitory feedback; Instability; Non-linear brain dynamics; Olfactory bulb; Prepyriform cortex (Freeman, W.J.) **11,** 259

Pituitary
Stress; Glucocorticoid receptor; Hippocampus; Corticosterone; Neural development (Sapolsky, R.M.) **11,** 65

Polysomnographic study
Acetylcholine; Affective disorder; Cholinergic mechanism; Depression; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Substance abuse; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

Premotor cortex
Motor cortex; Somatosensory cortex; Supplementary motor cortex; Frontal eye field; Insular cortex; Taste; Cortical cytoarchitecture; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

Prepyriform cortex
Epilepsy; Petit mal; Electroencephalogram; Seizure; Inhibitory feedback; Instability; Non-linear brain dynamics; Olfactory bulb; Petit mal seizure (Freeman, W.J.) **11,** 259

R

Rabbit
Vasopressin; Baroreflex; Ventrolateral medulla; Nucleus tractus solitarius; Paraventricular nucleus; Rat; Cat; Dog (Gardiner, S.M.) **11,** 317

Rat
Motor cortex; Somatosensory cortex; Supplementary motor cortex; Premotor cortex; Frontal eye field; Insular cortex; Taste; Cortical cytoarchitecture; Microstimulation (Neafsey, E.J.) **11,** 77

Vasopressin; Baroreflex; Ventrolateral medulla; Nucleus tractus solitarius; Paraventricular nucleus; Rabbit; Cat; Dog (Gardiner, S.M.) **11,** 317

Retina
Teleost; Avian; Enkephalin; γ-Aminobutyric acid; Coexistence (Man-Kit Lam, D.) **11,** 249

Reverse tolerance
Amphetamine; Sensitization; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

S

Schizophrenia
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Seizure
Epilepsy; Petit mal; Electroencephalogram; Inhibitory feedback; Instability; Non-linear brain dynamics; Olfactory bulb; Petit mal seizure; Prepyriform cortex (Freeman, W.J.) **11,** 259

Selachian
Visual system; Evolution (Repérant, J.) **11,** 227

Sensitization
Amphetamine; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Sensorimotor integration
Dorsal column nucleus; Spinal cord; Cerebellum; Cortex (Berkley, K.J.) **11,** 199

Sensory system
Development; Olfactory system; Olfactory bulb; Olfactory receptor; Olfactory projection (Brunjes, P.C.) **11,** 1

Sex difference
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Somatosensory cortex
Motor cortex; Supplementary motor cortex; Premotor cortex; Frontal eye field; Insular cortex; Taste; Cortical cytoarchitecture; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

Spinal cord
Dorsal column nucleus; Sensorimotor integration; Cerebellum; Cortex (Berkley, K.J.) **11,** 199

Stereotypy
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Stress; Sex difference; Conditioning; Neurotoxicity; Autoreceptor (Robinson, T.E.) **11,** 157

Stress
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Striatum; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Glucocorticoid receptor; Hippocampus; Pituitary; Corticosterone; Neural development (Sapolsky, R.M.) **11,** 65

Striatum
Amphetamine; Sensitization; Reverse tolerance; Dopamine; Catecholamine; Schizophrenia; Amphetamine psychosis; Animal model; Stress; Sex difference; Conditioning; Neurotoxicity; Stereotypy; Autoreceptor (Robinson, T.E.) **11,** 157

Substance abuse
Acetylcholine; Affective disorder; Cholinergic mechanism; Depression; Mania; Muscarinic receptor Physostigmine; Neuroendocrine; Polysomnographic study; Drive-reduction; Deprivation (Dilsaver, S.C.) **11,** 285

Supplementary motor cortex
Motor cortex; Somatosensory cortex; Premotor cortex; Frontal eye field; Insular cortex; Taste; Cortical cytoarchitecture; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

Sympathetic preganglionic neuron
Ventrolateral medulla; Circulation; Bulbospinal pathway; Cardiovascular reflex pathway; Vasomotor tone (Ciriello, J.) **11,** 359

T

Taste
Motor cortex; Somatosensory cortex; Supplementary motor cortex; Premotor cortex; Frontal eye field; Insular cortex; Cortical cytoarchitecture; Microstimulation; Rat (Neafsey, E.J.) **11,** 77

Teleost
Retina; Avian; Enkephalin; γ-Aminobutyric acid; Coexistence (Man-Kit Lam, D.) **11,** 249

V

Vasomotor tone
Ventrolateral medulla; Circulation; Sympathetic preganglionic neuron; Bulbospinal pathway; Cardiovascular reflex pathway (Ciriello, J.) **11,** 359

Vasopressin
Baroreflex; Ventrolateral medulla; Nucleus tractus solitarius; Paraventricular nucleus; Rat; Rabbit; Cat; Dog (Gardiner, S.M.) **11,** 317

Ventrolateral medulla
Vasopressin; Baroreflex; Nucleus tractus solitarius; Paraventricular nucleus; Rat; Rabbit; Cat; Dog (Gardiner, S.M.) **11,** 317

Circulation; Sympathetic preganglionic neuron; Bulbospinal pathway; Cardiovascular reflex pathway; Vasomotor tone (Ciriello, J.) **11,** 359

Visual system
Selachian; Evolution (Repérant, J.) **11,** 227

MOLECULAR BRAIN RESEARCH
AUTHOR INDEX
1986
VOLUME 387 (1)

A

Aoshima, H., see Kobayashi, S., **1**, 93
Austin, L., see Sedman, G.L., **1**, 221
Avila, J., see Hargreaves, A.J., **1**, 43

B

Baetge, E.E., see Evinger, M.J., **1**, 63
Basile, A.S., Klein, D.C. and Skolnick, P.
Characterization of benzodiazepine receptors in the bovine pineal gland: evidence for the presence of an atypical binding site, **1**, 127
Beart, P.M., see De Vries, D.J., **1**, 29
Benke, D., see Breer, H., **1**, 111
Benson, R.J.J., see Lentz, T.L., **1**, 211
Berry, R.W.
Calcium and protein kinase C inhibit biosynthesis of *Aplysia* egg-laying hormone, **1**, 185
Bitensky, M.W., see Kuo, C.-H., **1**, 251
Bockaert, J., see Deterre, P., **1**, 101
Branks, P.L. and Wilson, M.C.
Patterns of gene expression in the murine brain revealed by in situ hybridization of brain-specific mRNAs, **1**, 1
Breer, H. and Benke, D.
Messenger RNA from insect nervous tissue induces expression of neuronal acetylcholine receptors in *Xenopus* Oocytes, **1**, 111
Brown-Luedi, M., see Roch, J.-M., **1**, 137
Buchanan, K., see Mobley, W.C., **1**, 53

C

Carlin, R.K., see Wu, K., **1**, 167
Chikaraishi, D.M., see Jones, K.J., **1**, 145
Cooper, B.J., see Roch, J.-M., **1**, 137
Cox, R.D., see Walsh, F.S., **1**, 197

D

Dascal, N., Ifune, C., Hopkins, R., Snutch, T.P., Lübbert, H., Davidson, N., Simon, M.I. and Lester, H.A.
Involvement of a GTP-binding protein in mediation of serotonin and acetylcholine responses in *Xenopus* oocytes injected with rat brain messenger RNA, **1**, 201
Davidson, N., see Dascal, N., **1**, 201
De Garcini, E.M., see Hargreaves, A.J., **1**, 43
De Souza, E.B., see Scott Young III, W., **1**, 189
De Vries, D.J. and Beart, P.M.
Role of assay conditions in determining agonist potency at D_2 dopamine receptors in striatal homogenates, **1**, 29
Deterre, P., Paupardin-Tritsch, D. and Bockaert, J.
Serotonin- and dopamine-sensitive adenylate cyclase in molluscan nervous system. biochemical and electrophysiological analysis of the pharmacological properties and the GTP-dependence, **1**, 101
Dickson, J.G., see Walsh, F.S., **1**, 197
Donlon, T.A., see Neve, R.L., **1**, 271
Dvorkin, B., see Makman, M.H., **1**, 261

E

Evinger, M.J., Park, D.H., Baetge, E.E., Reis, D.J. and Joh, T.H.
Strain-specific differences in levels of the mRNA for the epinephrine synthesizing enzyme phenylethanolamine N-methyltransferase, **1**, 63

F

Fine, A., see Goedert, M., **1**, 85
Flavell, D., see Julien, J.-P., **1**, 243

G

Gemski, J., see Mobley, W.C., **1**, 53
Goedert, M., Fine, A., Hunt, S.P. and Ullrich, A.
Nerve growth factor mRNA in peripheral and central rat tissues and in the human central nervous system: lesion effects in the rat brain and levels in Alzheimer's disease, **1**, 85
Goodfellow, P.N., see Walsh, F.S., **1**, 197
Grosveld, F., see Julien, J.-P., **1**, 243

H

Hargreaves, A.J., De Garcini, E.M. and Avila, J.
The interaction between a Na^+-channel toxin and brain microtubule proteins in vitro, **1**, 43
Harrington, C.A., see Jones, K.J., **1**, 145
Harris, P., see Neve, R.L., **1**, 271
Havoundjian, H. and Skolnick, P.
A quantitative relationship between Cl^- enhanced [^{3}H]flunitrazepam and [^{35}S]*t*-butylbicyclophosphorothionate binding to the benzodiazepine/GABA receptor chloride ionophore complex, **1**, 281
Hawrot, E., see Lentz, T.L., **1**, 211
Hertz, L., see Lacoste, L., **1**, 17
Hopkins, R., see Dascal, N., **1**, 201
Hunt, S.P., see Goedert, M., **1**, 85
Hurst, J., see Julien, J.-P., **1**, 243

I

Ifune, C., see Dascal, N., **1**, 201
Iio, H., see Kobayashi, S., **1**, 93

J

Jeffrey, P.L., see Sedman, G.L., **1**, 221
Joh, T.H., see Evinger, M.J., **1**, 63
Johnston, M.V., see Mobley, W.C., **1**, 53
Jones, K.J., Chikaraishi, D.M., Harrington, C.A., McEwen, B.S. and Pfaff, D.W.
In situ hybridization detection of estradiol-induced changes in ribosomal RNA levels in rat brain, **1**, 145

Julien, J.-P., Meyer, D., Flavell, D., Hurst, J. and Grosveld, F.
Cloning and developmental expression of the murine neurofilament gene family, **1**, 243

K

Klein, D.C., see Basile, A.S., **1**, 127
Klimowicz, D., see Lentz, T.L., **1**, 211
Kobayashi, S., Iio, H. and Aoshima, H.
New translation system of mRNA coding for neurotransmitter receptors using oocytes of the newt, *Cynops pyrrhogaster,* **1**, 93
Kosik, K.S., see Neve, R.L., **1**, 193
Kosik, K.S., see Neve, R.L., **1**, 271
Kuo, C.-H., Yamagata, K., Moyzis, R.K., Bitensky, M.W. and Miki, N.
Multiple opsin mRNA species in bovine retina, **1**, 251
Kurnit, D.M., see Neve, R.L., **1**, 193
Kurnit, D.M., see Neve, R.L., **1**, 271

L

Lacoste, L., Hertz, L. and Lapointe, J.
Non-linear kinetics of glutamyl-tRNA synthesis catalyzed by high molecular weight complexes from rat brain neuronal cells but not from glial cells, **1**, 17
Lapointe, J., see Lacoste, L., **1**, 17
Lentz, T.L., Benson, R.J.J., Klimowicz, D., Wilson, P.T. and Hawrot, E.
Binding of rabies virus to purified *Torpedo* acetylcholine receptor, **1**, 211
Lester, H.A., see Dascal, N., **1**, 201
Lübbert, H., see Dascal, N., **1**, 201
Lukas, R.J.
Interactions of anti-nicotinic acetylcholine receptor antibodies at α-bungarotoxin binding sites across species and tissues, **1**, 119
Lukas, R.J., see Siegel, H.N., **1**, 37

M

Makman, M.H. and Dvorkin, B.
Binding sites for [^{3}H]SCH 23390 in retina: properties and possible relationship to dopamine D_1-receptors mediating stimulation of adenylate cyclase, **1**, 261
Matthieu, J.-M., see Roch, J.-M., **1**, 137
McEwen, B.S., see Jones, K.J., **1**, 145
Meyer, D., see Julien, J.-P., **1**, 243
Mezey, E., see Scott Young III, W., **1**, 231
Miki, N., see Kuo, C.-H., **1**, 251
Mobley, W.C., Rutkowski, J.L., Tennekoon, G.I., Gemski, J., Buchanan, K. and Johnston, M.V.
Nerve growth factor increases choline acetyltransferase activity in developing basal forebrain neurons, **1**, 53
Moyzis, R.K., see Kuo, C.-H., **1**, 251

N

Neve, R.L., Harris, P., Kosik, K.S., Kurnit, D.M. and Donlon, T.A.
Identification of cDNA clones for the human microtubule- associated protein tau and chromosomal localization of the genes for tau and microtubule-associated protein 2, **1**, 271
Neve, R.L., Selkoe, D.J., Kurnit, D.M. and Kosik, K.S.
A cDNA for a human microtubule associated protein 2 epitope in the Alzheimer neurofibrillary tangle, **1**, 193

P

Park, D.H., see Evinger, M.J., **1**, 63
Paupardin-Tritsch, D., see Deterre, P., **1**, 101
Pfaff, D.W., see Jones, K.J., **1**, 145
Powers, R.E., see Scott Young III, W., **1**, 189
Price, D.L., see Scott Young III, W., **1**, 189
Putt, W., see Walsh, F.S., **1**, 197

Q

Quinn, C.A., see Walsh, F.S., **1**, 197

R

Reis, D.J., see Evinger, M.J., **1**, 63
Roch, J.-M., Brown-Luedi, M., Cooper, B.J. and Matthieu, J.-M.
Mice heterozygous for the *mld* mutation have intermediate levels o myelin basic protein mRNA and its translation products, **1**, 137
Rostas, J.A.P., see Sedman, G.L., **1**, 221
Rutkowski, J.L., see Mobley, W.C., **1**, 53

S

Sabol, S.L., see Yoshikawa, K., **1**, 75
Sachs, L., see Wu, K., **1**, 167
Sarthy, V.
γ-Aminobutyric acid (GABA) uptake by *Xenopus* oocytes injected with rat brain mRNA, **1**, 97
Scott Young III, W., Mezey, E. and Siegel, R.E.
Vasopressin and oxytocin mRNAs adrenalectomized and Brattleboro rats: analysis by quantitative in situ hybridization histochemistry, **1**, 231
Scott Young III, W., Walker, L.C., Powers, R.E., De Souza, E.B. and Price$^{3-5}$, D.L.
Corticotropin-releasing factor mRNA is expressed in the inferior olives of rodents and primates, **1**, 189
Sedman, G.L., Jeffrey, P.L., Austin, L. and Rostas, J.A.P.
The metabolic turnover of the majo proteins of the postsynaptic density **1**, 221
Selkoe, D.J., see Neve, R.L., **1**, 193
Siegel, H.N. and Lukas, R.J.
Allosteric modification of α-bungarotoxin binding by the 'calcium channel antagonist' verapamil, **1**, 37
Siegel, R.E., see Scott Young III, W., **1**, 231
Siekevitz, P., see Wu, K., **1**, 167
Simon, M.I., see Dascal, N., **1**, 201
Skolnick, P., see Basile, A.S., **1**, 127
Skolnick, P., see Havoundjian, H., **1**, 281
Snutch, T.P., see Dascal, N., **1**, 201
Spurr, N., see Walsh, F.S., **1**, 197

T

Tennekoon, G.I., see Mobley, W.C., **1**, 53

U

Ulibarri, C., see Yahr, P., **1**, 153
Ullrich, A., see Goedert, M., **1**, 85

W

Walker, L.C., see Scott Young III, W., **1**, 189
Walsh, F.S., Putt, W., Dickson, J.G., Quinn, C.A., Cox, R.D., Webb, M., Spurr, N. and Goodfellow, P.N.
Human N-CAM gene: mapping to chromosome 11 by analysis of somatic cell hybrids with mouse and human cDNA probes, **1**, 197
Webb, M., see Walsh, F.S., **1**, 197
Wilson, M.C., see Branks, P.L., **1**, 1
Wilson, P.T., see Lentz, T.L., **1**, 211
Wu, K., Sachs, L., Carlin, R.K. and Siekevitz, P.
Characteristics of a Ca^{2+}/calmodulin-dependent binding of the Ca^{2+} channel antagonist, nitrendipine, to a postsynaptic density fraction isolated from canine cerebral cortex, **1**, 167

Y

Yahr, P. and Ulibarri, C.
Estrogen induction of sexual behavior in female rats and synthesis of polyadenylated messenger RNA in the ventromedial nucleus of the hypothalamus, **1**, 153
Yamagata, K., see Kuo, C.-H., **1**, 251
Yoshikawa, K. and Sabol, S.L.
Expression of the enkephalin precursor gene in C6 rat glioma cells: regulation by β-adrenergic agonists and glucocorticoids, **1**, 75

MOLECULAR BRAIN RESEARCH
SUBJECT INDEX
1986
VOLUME 387 (1)

A

cetylcholine receptor
ficroinjection; *Xenopus* oocyte; Newt
ocyte; *Cynops pyrrhogaster*;
lessenger ribonucleic acid;
lectrophorus electricus (Kobayashi, S.)
93

isect; Messenger ribonucleic acid;
ocyte (Breer, H.) **1,** 111

icotinic receptor; α-Bungarotoxin;
nti-nicotinic receptor antibody
ukas, R.J.) **1,** 119

-Bungarotoxin; Rabies virus
entz, T.L.) **1,** 211

- and γ-Actin
ynaptic junction component; Major
ostsynaptic density protein (mPSDp);
- and β-tubulin; Turnover; Metabolic
alf-life (Sedman, G.L.) **1,** 221

denosine monophosphate
nkephalin; Proenkephalin; Glioma;
yclic AMP; β-Adrenoceptor;
lucocorticoid; Messenger ribonucleic
id regulation (Yoshikawa, K.) **1,** 75

denylate cyclase
uanosine-5′-triphosphate-binding
rotein; Potassium channel; Serotonin
eceptor; Dopamine receptor;
euroleptics (Deterre, P.) **1,** 101

drenalectomy
asopressin; Oxytocin; Paraventricular
ucleus; Supraoptic nucleus; In situ
ybridization; Messenger ribonucleic
id; Brattleboro rat (Scott
oung III, W.) **1,** 231

-Adrenoceptor
nkephalin; Proenkephalin; Glioma;
yclic AMP; Adenosine
nonophosphate; Glucocorticoid;
lessenger ribonucleic acid regulation
Yoshikawa, K.) **1,** 75

lzheimer's disease
licrotubule associated protein 2;
ambda gt11; Neurofibrillary tangle
Neve, R.L.) **1,** 193

minoacyl-tRNA synthetase
lutamate; Neurotransmitter; Brain;
omplex; Kinetics (Lacoste, L.) **1,** 17

-Aminobutyric acid
Butylbicyclophosphorothionate;
hloride channel; Benzodiazepine
eceptor; Pentobarbital; Phospholipase
$_2$ (Havoundjian, H.) **1,** 281

ligh-affinity uptake; Brain messenger
bonucleic acid; *Xenopus* oocyte;
-Aminobutyric acid autoradiography;
ynaptic protein (Sarthy, V.) **1,** 97

-Aminobutyric acid
utoradiography
-Aminobutyric acid; High-affinity
ptake; Brain messenger ribonucleic
acid; *Xenopus* oocyte; Synaptic protein (Sarthy, V.) **1,** 97

Amygdala
In situ hybridization; Ribosomal RNA; Ventromedial hypothalamus; Arcuate nucleus; Neuron (Jones, K.J.) **1,** 145

Anti-nicotinic receptor antibody
Acetylcholine receptor; Nicotinic receptor; α-Bungarotoxin (Lukas, R.J.) **1,** 119

Antipsychotic drug
Retina; Dopamine D_1-receptor; SCH 23390 ((*R*)-(+)-8-chloro-2,3,4,5-tetrahydro-3-methyl-5-phenyl-1H-3 benzazepin-7-ol) binding site; Spiroperidol binding site; Dopamine-stimulated adenylate cyclase; Neuroleptic drug (Makman, M.H.) **1,** 261

Aplysia
Calcium; Protein kinase C (Berry, R.W.) **1,** 185

Arcuate nucleus
In situ hybridization; Ribosomal RNA; Ventromedial hypothalamus; Amygdala; Neuron (Jones, K.J.) **1,** 145

B

Benzodiazepine receptor
t-Butylbicyclophosphorothionate; Chloride channel; γ-Aminobutyric acid; Pentobarbital; Phospholipase A_2 (Havoundjian, H.) **1,** 281

Bovine
Pineal gland; Rat; 'Peripheral-Type' benzodiazepine receptor; Ro 5-4864; PK 11195 (Basile, A.S.) **1,** 127

Brain
Glutamate; Neurotransmitter; Aminoacyl-tRNA synthetase; Complex; Kinetics (Lacoste, L.) **1,** 17

Brain messenger ribonucleic acid
γ-Aminobutyric acid; High-affinity uptake; *Xenopus* oocyte; γ-Aminobutyric acid autoradiography; Synaptic protein (Sarthy, V.) **1,** 97

Brain-specific mRNA
In situ hybridization; Gene expression (Branks, P.L.) **1,** 1

Brattleboro rat
Vasopressin; Oxytocin; Paraventricular nucleus; Supraoptic nucleus; In situ hybridization; Messenger ribonucleic acid; Adrenalectomy (Scott Young III, W.) **1,** 231

Buffalo rat strain
Phenylethanolamine *N*-methyltransferase; Fischer rat strain; Catecholamine synthesizing enzyme; Northern blot; Quantitative hybridization; In vitro translation; Immunoprecipitation (Evinger, M.J.) **1,** 63

α-Bungarotoxin
Acetylcholine receptor; Nicotinic receptor; Anti-nicotinic receptor antibody (Lukas, R.J.) **1,** 119

Acetylcholine receptor; Rabies virus (Lentz, T.L.) **1,** 211

Calcium channel antagonist; Nicotinic acetylcholine receptor; Receptor–effector coupling; Verapamil (Siegel, H.N.) **1,** 37

***t*-Butylbicyclophosphorothionate**
Chloride channel; γ-Aminobutyric acid; Benzodiazepine receptor; Pentobarbital; Phospholipase A_2 (Havoundjian, H.) **1,** 281

C

Calcium
Protein kinase C; *Aplysia* (Berry, R.W.) **1,** 185

Inositol trisphosphate; Chloride channel (Dascal, N.) **1,** 201

Calcium channel
Calmodulin; Nitrendipine binding; Postsynaptic density (Wu, K.) **1,** 167

Calcium channel antagonist
α-Bungarotoxin; Nicotinic acetylcholine receptor; Receptor–effector coupling; Verapamil (Siegel, H.N.) **1,** 37

Calmodulin
Calcium channel; Nitrendipine binding; Postsynaptic density (Wu, K.) **1,** 167

Catecholamine synthesizing enzyme
Phenylethanolamine *N*-methyltransferase; Fischer rat strain; Buffalo rat strain; Northern blot; Quantitative hybridization; In vitro translation; Immunoprecipitation (Evinger, M.J.) **1,** 63

Central nervous system cholinergic neuron
Nerve growth factor; Neuronotropic factor; High-performance liquid chromatography; Development; Nerve growth factor dose–response (Mobley, W.C.) **1,** 53

Cerebellum
Corticotropin-releasing factor; Inferior olive; Messenger ribonucleic acid; In situ hybridization (Scott Young III, W.) **1,** 189

Channel toxin
Microtubule assembly; Tubulin binding (Hargreaves, A.J.) **1,** 43

Chloride channel
Inositol trisphosphate; Calcium (Dascal, N.) **1,** 201

t-Butylbicyclophosphorothionate; γ-Aminobutyric acid; Benzodiazepine receptor; Pentobarbital; Phospholipase A_2 (Havoundjian, H.) **1,** 281

Complex
Glutamate; Neurotransmitter; Brain; Aminoacyl-tRNA synthetase; Kinetics (Lacoste, L.) **1,** 17

Cordycepin
Ribonucleic acid transcription; Polyadenylation; Estrogen action; Progesterone action; Protein synthesis; Sexual behavior; Ventromedial nucleus (Yahr, P.) **1,** 153

Corpus striatum
Dopamine; D_2-receptor; [^{3}H]Spiperone; Magnesium; Guanosine-5′-triphosphate; Guanine nucleotide regulatory protein (De Vries, D.J.) **1,** 29

Corticotropin-releasing factor
Inferior olive; Cerebellum; Messenger ribonucleic acid; In situ hybridization (Scott Young III, W.) **1,** 189

Cyclic AMP
Enkephalin; Proenkephalin; Glioma; β-Adrenoceptor; Adenosine monophosphate; Glucocorticoid; Messenger ribonucleic acid regulation (Yoshikawa, K.) **1,** 75

Cynops pyrrhogaster
Microinjection; Acetylcholine receptor; *Xenopus* oocyte; Newt oocyte; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **1,** 93

D

D_2-receptor
Dopamine; [^{3}H]Spiperone; Corpus striatum; Magnesium; Guanosine-5′-triphosphate; Guanine nucleotide regulatory protein (De Vries, D.J.) **1,** 29

Denervation
Ribonucleic acid blot hybridization; Senile dementia of the Alzheimer type (Goedert, M.) **1,** 85

Development
Neurofilament; Intermediate filament; Gene expression (Julien, J.-P.) **1,** 243

Nerve growth factor; Neuronotropic factor; High-performance liquid chromatography; Central nervous system cholinergic neuron; Nerve growth factor dose–response (Mobley, W.C.) **1,** 53

Dopamine
D_2-receptor; [^{3}H]Spiperone; Corpus striatum; Magnesium; Guanosine-5′-triphosphate; Guanine nucleotide regulatory protein (De Vries, D.J.) **1,** 29

Dopamine D_1-receptor
Retina; SCH 23390 ((*R*)-(+)-8-chloro-2,3,4,5-tetrahydro-3-methyl-5-phenyl-lH-3 benzazepin-7-ol) binding site; Spiroperidol binding site; Dopamine-stimulated adenylate cyclase; Antipsychotic drug; Neuroleptic drug (Makman, M.H.) **1,** 261

Dopamine receptor
Adenylate cyclase; Guanosine-5′-triphosphate-binding protein; Potassium channel; Serotonin receptor; Neuroleptics (Deterre, P.) **1,** 101

Dopamine-stimulated adenylate cyclase
Retina; Dopamine D_1-receptor; SCH 23390 ((*R*)-(+)-8-chloro-2,3,4,5-tetrahydro-3-methyl-5-phenyl-lH-3 benzazepin-7-ol) binding site; Spiroperidol binding site; Antipsychotic drug; Neuroleptic drug (Makman, M.H.) **1,** 261

E

Electrophorus electricus
Microinjection; Acetylcholine receptor; *Xenopus* oocyte; Newt oocyte; *Cynops pyrrhogaster*; Messenger ribonucleic acid (Kobayashi, S.) **1,** 93

Enkephalin
Proenkephalin; Glioma; Cyclic AMP; β-Adrenoceptor; Adenosine monophosphate; Glucocorticoid; Messenger ribonucleic acid regulation (Yoshikawa, K.) **1,** 75

Estrogen action
Cordycepin; Ribonucleic acid transcription; Polyadenylation; Progesterone action; Protein synthesis; Sexual behavior; Ventromedial nucleus (Yahr, P.) **1,** 153

F

Fischer rat strain
Phenylethanolamine *N*-methyltransferase; Buffalo rat strai Catecholamine synthesizing enzyme; Northern blot; Quantitative hybridization; In vitro translation; Immunoprecipitation (Evinger, M.J.) **1,** 63

G

Gene expression
In situ hybridization; Brain-specific mRNA (Branks, P.L.) **1,** 1

Myelin basic protein; Myelin-deficien mutant mice; Myelin basic protein mRNA; In situ hybridization; *Mld* Heterozygote (Roch, J.-M.) **1,** 137

Neurofilament; Intermediate filament Development (Julien, J.-P.) **1,** 243

Gene mapping
Neural cell adhesion molecule cDNA probes; Human muscle (Walsh, F.S.) **1,** 197

Glioma
Enkephalin; Proenkephalin; Cyclic AMP; β-Adrenoceptor; Adenosine monophosphate; Glucocorticoid; Messenger ribonucleic acid regulation (Yoshikawa, K.) **1,** 75

Glucocorticoid
Enkephalin; Proenkephalin; Glioma; Cyclic AMP; β-Adrenoceptor; Adenosine monophosphate; Messeng ribonucleic acid regulation (Yoshikawa, K.) **1,** 75

Glutamate
Neurotransmitter; Brain; Aminoacyl-tRNA synthetase; Compl Kinetics (Lacoste, L.) **1,** 17

Guanine nucleotide regulatory protein
Dopamine; D_2-receptor; [^{3}H]Spiperone; Corpus striatum; Magnesium; Guanosine-5′-triphospha (De Vries, D.J.) **1,** 29

Guanosine-5′-triphosphate
Dopamine; D_2-receptor; [^{3}H]Spiperone; Corpus striatum; Magnesium; Guanine nucleotide regulatory protein (De Vries, D.J.) **1,** 29

Guanosine-5′-triphosphate-bindin protein
Adenylate cyclase; Potassium channe Serotonin receptor; Dopamine

eceptor; Neuroleptics (Deterre, P.)
, 101

H

High-affinity uptake
-Aminobutyric acid; Brain messenger
ibonucleic acid; *Xenopus* oocyte;
-Aminobutyric acid autoradiography;
ynaptic protein (Sarthy, V.) **1,** 97

High-performance liquid hromatography
Nerve growth factor; Neuronotropic actor; Central nervous system holinergic neuron; Development; Nerve growth factor dose–response Mobley, W.C.) **1,** 53

Human muscle
Neural cell adhesion molecule cDNA robes; Gene mapping (Walsh, F.S.)
, 197

I

mmunoprecipitation
Phenylethanolamine
V-methyltransferase; Fischer rat strain; Buffalo rat strain; Catecholamine ynthesizing enzyme; Northern blot; Quantitative hybridization; In vitro ranslation (Evinger, M.J.) **1,** 63

In situ chromosome hybridization
Tau gene; Microtubule-associated rotein 2; Neurofibrillary tangle; Spot-blot mapping (Neve, R.L.) **1,** 271

In situ hybridization
Brain-specific mRNA; Gene expression Branks, P.L.) **1,** 1

Myelin basic protein; Gene expression; Myelin-deficient mutant mice; Myelin asic protein mRNA; *Mld* Heterozygote (Roch, J.-M.) **1,** 137

Ribosomal RNA; Ventromedial ypothalamus; Arcuate nucleus; Amygdala; Neuron (Jones, K.J.) **1,** 145

Corticotropin-releasing factor; Inferior olive; Cerebellum; Messenger ibonucleic acid (Scott Young III, W.) , 189

Vasopressin; Oxytocin; Paraventricular ucleus; Supraoptic nucleus; Messenger ibonucleic acid; Brattleboro rat; Adrenalectomy (Scott Young III, W.) , 231

In vitro translation
Phenylethanolamine
N-methyltransferase; Fischer rat strain; Buffalo rat strain; Catecholamine synthesizing enzyme; Northern blot; Quantitative hybridization; Immunoprecipitation (Evinger, M.J.) **1,** 63

Inferior olive
Corticotropin-releasing factor; Cerebellum; Messenger ribonucleic acid; In situ hybridization (Scott Young III, W.) **1,** 189

Inositol trisphosphate
Chloride channel; Calcium (Dascal, N.) **1,** 201

Insect
Acetylcholine receptor; Messenger ribonucleic acid; Oocyte (Breer, H.) **1,** 111

Intermediate filament
Neurofilament; Development; Gene expression (Julien, J.-P.) **1,** 243

K

Kinetics
Glutamate; Neurotransmitter; Brain; Aminoacyl-tRNA synthetase; Complex (Lacoste, L.) **1,** 17

L

Lambda gt11
Microtubule associated protein 2; Alzheimer's disease; Neurofibrillary tangle (Neve, R.L.) **1,** 193

Light
Opsin mRNA; Retina specific cDNA (Kuo, C.-H.) **1,** 251

M

Magnesium
Dopamine; D_2-receptor; [^{3}H]Spiperone; Corpus striatum; Guanosine-5′-triphosphate; Guanine nucleotide regulatory protein (De Vries, D.J.) **1,** 29

Major postsynaptic density protein (mPSDp)
Synaptic junction component α- and β-tubulin; β- and γ-actin; Turnover; Metabolic half-life (Sedman, G.L.) **1,** 221

Messenger ribonucleic acid
Acetylcholine receptor; Insect; Oocyte (Breer, H.) **1,** 111

Corticotropin-releasing factor; Inferior olive; Cerebellum; In situ hybridization (Scott Young III, W.) **1,** 189

Vasopressin; Oxytocin; Paraventricular nucleus; Supraoptic nucleus; In situ hybridization; Brattleboro rat; Adrenalectomy (Scott Young III, W.) **1,** 231

Microinjection; Acetylcholine receptor; *Xenopus* oocyte; Newt oocyte; *Cynops pyrrhogaster*; *Electrophorus electricus* (Kobayashi, S.) **1,** 93

Messenger ribonucleic acid regulation
Enkephalin; Proenkephalin; Glioma; Cyclic AMP; β-Adrenoceptor; Adenosine monophosphate; Glucocorticoid (Yoshikawa, K.) **1,** 75

Metabolic half-life
Synaptic junction component; Major postsynaptic density protein (mPSDp); α- and β-tubulin; β- and γ-actin; Turnover (Sedman, G.L.) **1,** 221

Microinjection
Acetylcholine receptor; *Xenopus* oocyte; Newt oocyte; *Cynops pyrrhogaster*; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **1,** 93

Microtubule assembly
Channel toxin; Tubulin binding (Hargreaves, A.J.) **1,** 43

Microtubule-associated protein 2
Lambda gt11; Alzheimer's disease; Neurofibrillary tangle (Neve, R.L.) **1,** 193

Tau gene; Neurofibrillary tangle; Spot-blot mapping; In situ chromosome hybridization (Neve, R.L.) **1,** 271

***Mld* Heterozygote**
Myelin basic protein; Gene expression; Myelin-deficient mutant mice; Myelin basic protein mRNA; In situ hybridization (Roch, J.-M.) **1,** 137

Myelin basic protein
Gene expression; Myelin-deficient mutant mice; Myelin basic protein mRNA; In situ hybridization; *Mld* Heterozygote (Roch, J.-M.) **1,** 137

Myelin basic protein mRNA
Myelin basic protein; Gene expression; Myelin-deficient mutant mice; In situ hybridization; *Mld* Heterozygote (Roch, J.-M.) **1,** 137

Myelin-deficient mutant mice
Myelin basic protein; Gene expression; Myelin basic protein mRNA; In situ hybridization; *Mld* Heterozygote (Roch, J.-M.) **1,** 137

N

Nerve growth factor
Neuronotropic factor; High-performance liquid chromatography; Central nervous system cholinergic neuron; Development; Nerve growth factor dose–response (Mobley, W.C.) **1,** 53

Nerve growth factor dose–response
Nerve growth factor; Neuronotropic factor; High-performance liquid chromatography; Central nervous system cholinergic neuron; Development (Mobley, W.C.) **1,** 53

Neural cell adhesion molecule cDNA probes
Human muscle; Gene mapping (Walsh, F.S.) **1,** 197

Neurofibrillary tangle
Microtubule associated protein 2; Lambda gt11; Alzheimer's disease (Neve, R.L.) **1,** 193

Tau gene; Microtubule-associated protein 2; Spot-blot mapping; In situ chromosome hybridization (Neve, R.L.) **1,** 271

Neurofilament
Intermediate filament; Development; Gene expression (Julien, J.-P.) **1,** 243

Neuroleptic drug
Retina; Dopamine D_1-receptor; SCH 23390 ((*R*)-(+)-8-chloro-2,3,4,5-tetrahydro-3-methyl-5-phenyl-lH-3 benzazepin-7-ol) binding site; Spiroperidol binding site; Dopamine-stimulated adenylate cyclase; Antipsychotic drug (Makman, M.H.) **1,** 261

Neuroleptics
Adenylate cyclase; Guanosine-5′-triphosphate-binding protein; Potassium channel; Serotonin receptor; Dopamine receptor (Deterre, P.) **1,** 101

Neuron
In situ hybridization; Ribosomal RNA; Ventromedial hypothalamus; Arcuate nucleus; Amygdala (Jones, K.J.) **1,** 145

Neuronotropic factor
Nerve growth factor; High-performance liquid chromatography; Central nervous system cholinergic neuron; Development; Nerve growth factor dose–response (Mobley, W.C.) **1,** 53

Neurotransmitter
Glutamate; Brain; Aminoacyl-tRNA synthetase; Complex; Kinetics (Lacoste, L.) **1,** 17

Newt oocyte
Microinjection; Acetylcholine receptor; *Xenopus* oocyte; *Cynops pyrrhogaster*; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **1,** 93

Nicotinic acetylcholine receptor
α-Bungarotoxin; Calcium channel antagonist; Receptor–effector coupling; Verapamil (Siegel, H.N.) **1,** 37

Nicotinic receptor
Acetylcholine receptor; α-Bungarotoxin; Anti-nicotinic receptor antibody (Lukas, R.J.) **1,** 119

Nitrendipine binding
Calmodulin; Calcium channel; Postsynaptic density (Wu, K.) **1,** 167

Northern blot
Phenylethanolamine *N*-methyltransferase; Fischer rat strain; Buffalo rat strain; Catecholamine synthesizing enzyme; Quantitative hybridization; In vitro translation; Immunoprecipitation (Evinger, M.J.) **1,** 63

O

Oocyte
Acetylcholine receptor; Insect; Messenger ribonucleic acid (Breer, H.) **1,** 111

Opsin mRNA
Retina specific cDNA; Light (Kuo, C.-H.) **1,** 251

Oxytocin
Vasopressin; Paraventricular nucleus; Supraoptic nucleus; In situ hybridization; Messenger ribonucleic acid; Brattleboro rat; Adrenalectomy (Scott Young III, W.) **1,** 231

P

Paraventricular nucleus
Vasopressin; Oxytocin; Supraoptic nucleus; In situ hybridization; Messenger ribonucleic acid; Brattleboro rat; Adrenalectomy (Scott Young III, W.) **1,** 231

Pentobarbital
t-Butylbicyclophosphorothionate; Chloride channel; γ-Aminobutyric ac Benzodiazepine receptor; Phospholipase A_2 (Havoundjian, H.) **1,** 281

'Peripheral-Type' benzodiazepine receptor
Pineal gland; Rat; Bovine; Ro 5-4864 PK 11195 (Basile, A.S.) **1,** 127

Phenylethanolamine *N*-methyltransferase
Fischer rat strain; Buffalo rat strain; Catecholamine synthesizing enzyme; Northern blot; Quantitative hybridization; In vitro translation; Immunoprecipitation (Evinger, M.J.) **1,** 63

Phospholipase A_2
t-Butylbicyclophosphorothionate; Chloride channel; γ-Aminobutyric ac Benzodiazepine receptor; Pentobarbi (Havoundjian, H.) **1,** 281

Pineal gland
Rat; Bovine; 'Peripheral-Type' benzodiazepine receptor; Ro 5-4864; PK 11195 (Basile, A.S.) **1,** 127

PK 11195
Pineal gland; Rat; Bovine; 'Peripheral-Type' benzodiazepine receptor; Ro 5-4864 (Basile, A.S.) **1,** 127

Polyadenylation
Cordycepin; Ribonucleic acid transcription; Estrogen action; Progesterone action; Protein synthesi Sexual behavior; Ventromedial nucle (Yahr, P.) **1,** 153

Postsynaptic density
Calmodulin; Calcium channel; Nitrendipine binding (Wu, K.) **1,** 167

Potassium channel
Adenylate cyclase; Guanosine-5′-triphosphate-binding protein; Serotonin receptor; Dopamin receptor; Neuroleptics (Deterre, P.) **1,** 101

Proenkephalin
Enkephalin; Glioma; Cyclic AMP; β-Adrenoceptor; Adenosine monophosphate; Glucocorticoid; Messenger ribonucleic acid regulation (Yoshikawa, K.) **1,** 75

Progesterone action
Cordycepin; Ribonucleic acid transcription; Polyadenylation; Estrogen action; Protein synthesis; Sexual behavior; Ventromedial nucle (Yahr, P.) **1,** 153

Protein kinase C
Calcium; *Aplysia* (Berry, R.W.) **1,** 18

Protein synthesis
Cordycepin; Ribonucleic acid transcription; Polyadenylation;

Estrogen action; Progesterone action; Sexual behavior; Ventromedial nucleus (Yahr, P.) **1,** 153

Q

Quantitative hybridization
Phenylethanolamine *N*-methyltransferase; Fischer rat strain; Buffalo rat strain; Catecholamine synthesizing enzyme; Northern blot; In vitro translation; Immunoprecipitation (Evinger, M.J.) **1,** 63

R

Rabies virus
Acetylcholine receptor; α-Bungarotoxin (Lentz, T.L.) **1,** 211

Rat
Pineal gland; Bovine; 'Peripheral-Type' benzodiazepine receptor; Ro 5-4864; PK 11195 (Basile, A.S.) **1,** 127

Receptor–effector coupling
α-Bungarotoxin; Calcium channel antagonist; Nicotinic acetylcholine receptor; Verapamil (Siegel, H.N.) **1,** 37

Retina
Dopamine D_1-receptor; SCH 23390 ((*R*)-(+)-8-chloro-2,3,4,5-tetrahydro-3-methyl-5-phenyl-lH-3 benzazepin-7-ol) binding site; Spiroperidol binding site; Dopamine-stimulated adenylate cyclase; Antipsychotic drug; Neuroleptic drug (Makman, M.H.) **1,** 261

Retina specific cDNA
Opsin mRNA; Light (Kuo, C.-H.) **1,** 251

Ribonucleic acid blot hybridization
Denervation; Senile dementia of the Alzheimer type (Goedert, M.) **1,** 85

Ribonucleic acid transcription
Cordycepin; Polyadenylation; Estrogen action; Progesterone action; Protein synthesis; Sexual behavior; Ventromedial nucleus (Yahr, P.) **1,** 153

Ribosomal RNA
In situ hybridization; Ventromedial hypothalamus; Arcuate nucleus; Amygdala; Neuron (Jones, K.J.) **1,** 145

Ro 5-4864
Pineal gland; Rat; Bovine; 'Peripheral-Type' benzodiazepine receptor; PK 11195 (Basile, A.S.) **1,** 127

S

SCH 23390 ((*R*)-(+)-8-chloro-2,3,4,5-tetrahydro-3-methyl-5-phenyl-lH-3 benzazepin-7-ol) binding site
Retina; Dopamine D_1-receptor; Spiroperidol binding site; Dopamine-stimulated adenylate cyclase; Antipsychotic drug; Neuroleptic drug (Makman, M.H.) **1,** 261

Senile dementia of the Alzheimer type
Ribonucleic acid blot hybridization; Denervation (Goedert, M.) **1,** 85

Serotonin receptor
Adenylate cyclase; Guanosine-5′-triphosphate-binding protein; Potassium channel; Dopamine receptor; Neuroleptics (Deterre, P.) **1,** 101

Sexual behavior
Cordycepin; Ribonucleic acid transcription; Polyadenylation; Estrogen action; Progesterone action; Protein synthesis; Ventromedial nucleus (Yahr, P.) **1,** 153

[^{3}H]Spiperone
Dopamine; D_2-receptor; Corpus striatum; Magnesium; Guanosine-5′-triphosphate; Guanine nucleotide regulatory protein (De Vries, D.J.) **1,** 29

Spiroperidol binding site
Retina; Dopamine D_1-receptor; SCH 23390 ((*R*)-(+)-8-chloro-2,3,4,5-tetrahydro-3-methyl-5-phenyl-lH-3 benzazepin-7-ol) binding site; Dopamine-stimulated adenylate cyclase; Antipsychotic drug; Neuroleptic drug (Makman, M.H.) **1,** 261

Spot-blot mapping
Tau gene; Microtubule-associated protein 2; Neurofibrillary tangle; In situ chromosome hybridization (Neve, R.L.) **1,** 271

Supraoptic nucleus
Vasopressin; Oxytocin; Paraventricular nucleus; In situ hybridization; Messenger ribonucleic acid; Brattleboro rat; Adrenalectomy (Scott Young III, W.) **1,** 231

Synaptic junction component
Major postsynaptic density protein (mPSDp); α- and β-tubulin; β- and γ-actin; Turnover; Metabolic half-life (Sedman, G.L.) **1,** 221

Synaptic protein
γ-Aminobutyric acid; High-affinity uptake; Brain messenger ribonucleic acid; *Xenopus* oocyte; γ-Aminobutyric acid autoradiography (Sarthy, V.) **1,** 97

T

Tau gene
Microtubule-associated protein 2; Neurofibrillary tangle; Spot-blot mapping; In situ chromosome hybridization (Neve, R.L.) **1,** 271

α- and β-Tubulin
Synaptic junction component; Major postsynaptic density protein (mPSDp); β- and γ-actin; Turnover; Metabolic half-life (Sedman, G.L.) **1,** 221

Tubulin binding
Channel toxin; Microtubule assembly (Hargreaves, A.J.) **1,** 43

Turnover
Synaptic junction component; Major postsynaptic density protein (mPSDp); α- and β-tubulin; β- and γ-actin; Metabolic half-life (Sedman, G.L.) **1,** 221

V

Vasopressin
Oxytocin; Paraventricular nucleus; Supraoptic nucleus; In situ hybridization; Messenger ribonucleic acid; Brattleboro rat; Adrenalectomy (Scott Young III, W.) **1,** 231

Ventromedial hypothalamus
In situ hybridization; Ribosomal RNA; Arcuate nucleus; Amygdala; Neuron (Jones, K.J.) **1,** 145

Ventromedial nucleus
Cordycepin; Ribonucleic acid transcription; Polyadenylation; Estrogen action; Progesterone action; Protein synthesis; Sexual behavior (Yahr, P.) **1,** 153

Verapamil
α-Bungarotoxin; Calcium channel antagonist; Nicotinic acetylcholine receptor; Receptor–effector coupling (Siegel, H.N.) **1,** 37

X

***Xenopus* oocyte**
Microinjection; Acetylcholine receptor; Newt oocyte; *Cynops pyrrhogaster*; Messenger ribonucleic acid; *Electrophorus electricus* (Kobayashi, S.) **1,** 93

γ-Aminobutyric acid; High-affinity uptake; Brain messenger ribonucleic acid; γ-Aminobutyric acid autoradiography; Synaptic protein (Sarthy, V.) **1,** 97

roduction either across a single column (=7.7 cm) or a whole page (=16.4 cm). The illustrations should bear the author's name nd be numbered in Arabic numbers according to the sequence of their appearance in the text, where they are to be referred to s Fig. 1, Fig. 2 etc. Line-drawings should be in Indian ink on drawing or tracing paper or glossy sharp photographs of same. ettering should be clear and of adequate size to be legible after reduction. Professional labelling is preferable but, if this is not ossible, lettering should be in fine pencil. Photographs, including roentgenograms, electroencephalograms, and electron mi-rographs should be supplied as **clear black and white prints on glossy paper**, rather than copies which reproduce detail badly, sually larger than the final size of reproduction, but not more than 20 × 25 cm. Micrographs should have a scale bar, rather nan a magnification factor in the legend. The degree of reduction will be determined by the Publisher, but in general it should e assumed that the same degree of reduction will be applied to all figures in the same paper. **Colour reproduction.** Reproduc-ion in colours will have to be approved by the Editors. The extra costs of colour reproduction will be charged to the author(s). Colour figures should be submitted as separate prints and **not be mounted on cardboard. Professional labelling is preferred,** but f this is not possible, an overlay displaying the desired labelling, should be provided with the figures. Please note that so-called **ress-on lettering should be avoided** since this is likely to get damaged during handling and photographic processing of the rints. **Slides taken from labelled prints** are also acceptable. Each illustration must have a legend. These should be typed with ouble spacing on a separate page and begin with the number of the illustration they refer to.

f illustrations or other small parts of articles or books already published elsewhere are used in papers submitted to **Brain Re-earch,** the written permission of author and publisher concerned must be included with the manuscript. The original source nust be indicated in the legend of the illustration in these cases.

Tables. Tables of numerical data should each be typed (also with double spacing) on a separate page, numbered in sequence in Roman numerals (Table I, II, etc.), provided with a heading, and referred to in the text as Table I, Table II, etc.

Proofs. Authors should keep a carbon copy of their manuscripts as proofs will be sent to them without manuscript. Proofs will sually be drawn on lower-quality paper. Only printer's errors may be corrected; no change in, or additions to, the edited nanuscript will be allowed at this stage.

Reprints. A total of 50 reprints of each paper will be provided free of charge to the author(s). Additional copies can be ordered t prices shown on the reprint order form which will be sent to the author with the proofs.

© 1989, ELSEVIER SCIENCE PUBLISHERS B.V. (BIOMEDICAL DIVISION)

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted in any form or by ny means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liabili-y, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the mate-ial herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of iagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not onstitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

pecial regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of he article to the Publisher. This transfer will ensure the widest possible dissemination of information.

ubmission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any ums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

ermission to reproduce, in whole or in part, any material published in this Journal must be sought from the Publisher and from he author of the article in question.

pecial regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Con-ent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on he condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for opying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded ith a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, J.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained irectly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US$ 2.25, also payable through he Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and romotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for uch copying.

Printed in The Netherlands.

SUBSCRIPTION AND PUBLICATION DATA 1989

Brain Research (including **Brain Research Reviews, Developmental Brain Research** and **Molecular Brain Research**) will appear veekly and be contained in 39 volumes (82 issues): **Brain Research, Vols. 473–502** (30 volumes, 60 issues), **Brain Research Re-iews, Vol. 14** (1 volume, 4 issues), **Developmental Brain Research, Vols. 44–50** (7 volumes, 14 issues) and **Molecular Brain Re-earch, Vol. 5** (1 volume, 4 issues). **Subscription price:** Dfl. 10,413.00 (US$ 5080.00). Please note that Volumes 473–475 of **Brain Research** and Volume 44 of **Developmental Brain Research** were published ahead of schedule in 1988 in order to reduce ublication time. The volumes remain part of the 1989 subscription year.

Brain Research Reviews, Vol. 14, 1 volume of 4 issues, Dfl. 299.00 (US$ 146.00), **Developmental Brain Research, Vols. 44–50,** volumes of 2 issues per volume, Dfl. 2009.00 (US$ 980.00) and **Molecular Brain Research, Vol. 5,** 1 volume of 4 issues, Dfl. 299.00 (US$ 146.00), may also be ordered separately.

All prices include postage and handling. The guilder price is definitive. The US$ price is subject to exchange rate fluctuations nd is only given as a guide. Journals are sent by surface delivery to all countries, except the following countries where SAL air elivery (Surface Airlifted Mail) is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, P.R. China, Singapore, South Africa, South Korea, Taiwan, Thailand and U.S.A. Airmail ates for other countries are available on request.

ubscription orders can only be entered by calendar year (Jan.–Dec.) and should be sent to: Elsevier Science Publishers, Jour-als Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Telex 18582 espa nl, or to your usual subscription gent. Claims for missing issues should be made within 3 months of publication, otherwise they cannot be honoured free of charge. The Publisher reserves the right to issue additional volumes during the course of the year. Such volumes will be invoiced before ublication and delivered after receipt of payment.

n the United States and Canada: for further information concerning this or any other Elsevier Science Publishers journal, contact lsevier Science Publishing Co., Inc. Attn: Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, J.S.A. Tel.: (212) 633-3750; Telefax: (212) 633-3990; Telex: 420-643 AEP UI.

This journal is printed on acid-free paper.



COPYRIGHT © 1989 BY ELSEVIER SCIENCE PUBLISHERS B.V.
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.